



Superior Corrosion Resistance
 304 - 18-8 Stainless Steel
 Won't Rust Under Normal use
 Salt Water Resistance

LENGTH	STAINLESS STEEL 18-8									
	1/4"	5/16"	3/8"	7/16"	1/2"	5/8"	3/4"	7/8"	1"	1 1/4"
1/2"	11500	11520	11540							
3/4"	11501	11521	11541	11560	11580					
1"	11502	11522	11542	11561	11581	11600	11620			
1 1/4"	11503	11523	11543	11562	11582	11601	11621			
1 1/2"	11504	11524	11544	11563	11583	11602	11622	11640	11660	
1 3/4"	11505	11525	11545	11564	11584	11603	11623	11641		
2"	11506	11526	11546	11565	11585	11604	11624	11642	11662	
2 1/4"	11507	11527	11547		11586	11605	11625	11643	11663	
2 1/2"	11508	11528	11548	11566	11587	11606	11626	11644	11664	
2 3/4"	11509	11529	11549	11567	11588	11607	11627	11645	11665	
3"	11510	11530	11550	11568	11589	11608	11628	11646	11666	11681
3 1/2"	11511	11531	11551	11569	11590	11609	11629	11647	11667	11682
4"	15112	11532	11552	11570	11591	11610	11630	11648	11668	11683
4 1/2"	15113	11533	11553	11571	11592	11611	11631	11649	11669	11684
5"	15114	11534	11554		11593	11612	11632	11650	11670	11685
5 1/2"	15115	11535	11555		11594	11613	11633	11651	11671	11686
6"	11516	11536	11556		11595	11614	11634	11652	11672	11687
NUTS	11880	11882	11884	11884x	11886	11888	11890	11892	11894	11896
USS FLAT	11955	11956	11957	11958	11959	11960	11961	11962	11963	11964
LOCKS	11975	11976	11977	11978	11979	11980	11981	11982	11983	11984
LOCKNUT	11926	11928	11930	11930x	11932	11934	11936	11938	11940	11942



CENTRAL IOWA FASTENERS

7/22/2019



Made From 304 - 18-8 Stainless Steel
 Superior Corrosion Resistance
 Cold Forged - Full Finsihed Deep Socket
 Class 3A Threads - Precision rolled Threads

LENGTH	STAINLESS ROUND HEAD SLOTTED MACHINE SCREW						
	Diameter						
	4-40	6-32	8-32	10-24	10-32	12-24	1/4"
3/16"	11780	11793		11814	11826		
1/4"	11781	11794	11803	11815	11827		
5/16"	11782	11795	11804		11828		
3/8"	11783	11796	11805	11816	11829		11852
1/2"	11784	11797	11806	11817	11830	11842	11853
5/8"	11785	11798	11807	11818	11831		11854
3/4"	11786	11799	11808	11819	11832	11843	11855
1"	11787	11800	11809	11820	11833	11844	11856
1 1/4"	11788	11801	11810	11821	11834		11857
1 1/2"		11802	11811	11823	11835		11858
1 3/4"			11812	11824	11836		11859
2"			11813		11837		11860








Made From 304 - 18-8 Stainless Steel
 Superior Corrosion Resistance
 Cold Forged - Full Finsihed Deep Socket
 Class 3A Threads - Precision rolled Threads

LENGTH	STAINLESS ROUND HEAD SLOTTED MACHINE SCREW						
	Diameter						
	4-40	6-32	8-32	10-24	10-32	12-24	1/4"
3/16"	11780	11793		11814	11826		
1/4"	11781	11794	11803	11815	11827		
5/16"	11782	11795	11804		11828		
3/8"	11783	11796	11805	11816	11829		11852
1/2"	11784	11797	11806	11817	11830	11842	11853
5/8"	11785	11798	11807	11818	11831		11854
3/4"	11786	11799	11808	11819	11832	11843	11855
1"	11787	11800	11809	11820	11833	11844	11856
1 1/4"	11788	11801	11810	11821	11834		11857
1 1/2"		11802	11811	11823	11835		11858
1 3/4"			11812	11824	11836		11859
2"			11813		11837		11860



Superior Corrosion Resistance
 304 - 18-8 Stainless Steel
 Won't Rust Under Normal use
 Salt Water Resistance

STAINLESS STEEL 18-8

							
LENGTH	MACHINE SCREW NUT	HEX NUT	CAP NUT	WING NUT	NYLON INSERT LOCK	FLAT WASHER	LOCK WASHER
4-40	11870		11900		11970	11950	11970
6-32	11871		11901	11911	11971	11951	11971
8-32	11872		11902	11912	11972	11952	11972
10-24	11873		11903	11913	11973	11953	11973
10-32	11874		11904	11914	11973	11953	11973
12-24	11875		11904X	11914X	11973X	11954	11974
1/4-20	11876	11880	11905	11915	11975	11955	11975
14-28	11877	11881	11906		11975	11955	11975
5/16-18	11878	11882	11907	11916	11976	11956	11976
5/16-24	11879	11883	11908		11976	11956	11976
3/8-16		11884	11909	11917	11977	11957	11977
3/8-24		11885	11910		11977	11957	11977
7/16-14				11917X	11978	11958	11978
7/16-20					11978	11958	11978
1/2-13		11886		11918	11979	11959	11979
1/2-20		11887			11979	11959	11979
5/8-11		11888			11980	11960	11980
5/8-18		11889			11980	11960	11980
3/4-10		11890			11981	11961	11981
3/4-16		11891			11981	11961	11981
7/8-9		11892			11982	11962	11982
7/8-14		11893			11982	11962	11982
1-8		11894			11983	11963	11983
1-12		11895			11983	11963	11983
1 1/4-7		11896			11984	11964	11984
1 1/4-12					11984	11964	11984













SHADED AREAS ARE COARSE THREAD







9/22/2019

Made In The USA - 18-8 STAINLESS
 Pulls Evenly For Accurate Installation
 Clean Fluse Break

STAINLESS RIVETS

SIZE	Trade Number	Rivet Material	STAINLESS	STAINLESS
		Mandrel Material	Steel	STAINLESS
		Diameter x Length		
	42	1/8 x 1/8	17100	17112
	43	1/8 X 3/16	17101	17113
	44	1/8 x 1/4	17102	17114
	46	1/8 X 3/8	17103	17115
	48	1/8 X 1/2	17104	17116
	52	5/32 X 1/8	17105	17117
	54	5/32 X 1/4	17106	17118
	56	5/32 X 3/8	17107	17119
	62	3/16 x 1/8	17108	17120
	64	3/16 x 1/4	17109	17121
	66	3/16 x 3/8	17110	17122
	68	3/16 X 1/2	17111	17123

SIZE	Trade Number	Rivet Material	STEEL	STEEL
		COLOR	WHITE	BRONZE
		Diameter x Length		
	42	1/8 x 1/8	17124	17112
	44	1/8 x 1/4	17102	17114

SIZE	Trade Number	Rivet Material	COPPER
		Mandrel Material	COPPER
		Diameter x Length	
	42	1/8 x 1/8	17128
	44	1/8 x 1/4	17129





Hardened To Reduce Slippage and Breakage
 Clean Sharp Rolled Threads
 Deep Cross Recessed Head

LENGTH OF SCREW	PAN HEAD PHILLIPS SHEET METAL SCREW					
	DIAMETER					
	4	6	8	10	12	14
1/4	10811	10820				
3/8	10812	10821	10830	10840		
1/2	10813	10822	10831	10841	10850	10860
5/8	10814	10823	10832	10842	10851	10861
3/4	10815	10824	10831	10843	10852	10862
7/8			10832	10844		
1	10816	10825	10833	10845	10853	10863
1 1/4			10834	10846	10854	10864
1 1/2			10835	10847	10855	10865
1 3/4			10836	10848		10866
2			10837	10849	10856	10867



Hardened To Reduce Slippage and Breakage
 Clean Sharp Rolled Threads
 Deep Cross Recessed Head

LENGTH OF SCREW	OVAL HEAD PHILLIPS SHEET METAL SCREW					
	DIAMETER					
	4	6	8	10	12	14
3/8	10760					
1/2	10761	10762	10770	10780	10790	
5/8		10763	10771	10781	10791	10801
3/4		10764	10772	10782	10792	10802
7/8		10765	10773	10783		
1		10766	10774	10784	10793	10803
1 1/4			10775	10785	10794	10804
1 1/2			10776	10786	10795	10805



CENTRAL IOWA FASTENERS

9/21/2019

Hardened To Reduce Slippage and Breakage
Clean Sharp Rolled Threads



LENGTH OF SCREW	STAINLESS HEX HEAD MACHINE SCREW								
	4-40	6-32	8-32	10-24	10-32	12-24	1/4	5/16	3/8
3/16	7300S	7310S							
1/4	7301S	7311S	7320S	7331S	7345S		7370S		
3/8	7302S	7312S	7321S	7332S	7346S	7360S	7371S		
1/2	7303S	7313S	7322S	7333S	7347S	7361S	7372S	7381S	
5/8	7304S	7314S	7323S	7334S	7348S	7362S	7374S	7382S	
3/4	7305S	7315S	7324S	7335S	7349S	7363S	7375S	7383S	
7/8	7306S	7316S	7325S	7336S	7350S	7364S	7376S	7384S	
1	7307S	7317S	7326S	7337S	7351S	7365S	7377S	7385S	
1 1/4		7318S	7327S	7338S	7352S		7378S	7386S	
1 1/2		7319S	7328S	7339S	7353S	7366S	7378S	7387S	7380S
1 3/4			7329S	7340S	7354S		7379S	7388S	
2			7330S	7341S	7355S		7380S	7389S	
2 1/2				7342S					
3				7343S					

LENGTH OF SCREW	STAINLESS PHILLIPS ROUND MACHINE SCREW					
	4-40	6-32	8-32	10-24	10-32	1/4
1/4	8730S	8740S	8750S			
3/8	8731S	8741S	8751S	8760S	8770S	
1/2	8732S	8742S	8752S	8761S	8771S	8780S
5/8	8732S	8743S	8753S	8762S	8772S	8781S
3/4	8734S	8744S	8754S	8763S	8773S	8782S
1		8745S	8755S	8764S	8774S	8783S
1 1/4			8756S	8765S	8775S	8784S
1 1/2			8757S	8766S	8776S	8785S
2				8767S	8777S	8786S



CENTRAL IOWA FASTENERS

9/24/2019



Made From 304 - 18-8 Stainless Steel
 Superior Corrosion Resistance
 Cold Forged - Full Finished Deep Socket
 Class 3A Threads - Precision Rolled Threads

LENGTH	STAINLESS FLAT HEAD PHILLIPS MACHINE SCREW						
	Diameter						
	4-40	6-32	8-32	10-24	10-32	12-24	1/4"
3/16"	11340	11350		11371	11385		
1/4"	11341	11351	11360	11372	11386		
5/16"	11342	11352	11361		11387		
3/8"	11343	11353	11362	11374	11388		11405
1/2"	11344	11354	11363	11375	11389	11400	11406
5/8"	11345	11355	11364	11376	11390		11407
3/4"	11346	11356	11365	11377	11391	11402	11408
1"	11347	11357	11366	11378	11392	11403	11409
1 1/4"	11348	11358	11367	11379	11393		11410
1 1/2"		11359	11368	11380	11394		11411
1 3/4"			11369	11381	11395		11412
2"			11370	11382	11396		11413



Made From 304 - 18-8 Stainless Steel
 Superior Corrosion Resistance
 Cold Forged - Full Finished Deep Socket
 Class 3A Threads - Precision rolled Threads

LENGTH	STAINLESS OVAL PHILLIPS MACHINE SCREW				
	Diameter				
	6-32	8-32	10-24	10-32	1/4"
3/8"	12750	12760			
1/2"	12751	12761			
5/8"	12752	12762			
3/4"	12753	12763			
1"	12754	12764			
1 1/4"	12755	12765			
1 1/2"	12756	12766			
1 3/4"		12767			
2"					



CENTRAL IOWA FASTENERS

9/23/2019



Made From 304 - 18-8 Stainless Steel
 Superior Corrosion Resistance
 Cold Forged - Full Finished Deep Socket
 Class 3A Threads
 Precision Rolled Threads

LENGTH	SOCKET HEAD CAPSCREW STAINLESS FINE THREAD						
	DIAMETER						
	10-32	1/4"	5/16"	3/8"	1/2"	5/8"	3/4"
3/8"	12450	12460		12485			
1/2"	12451	12461	12470	12486			
5/8"	12452	12462	12471	12487			
3/4"	12453	12463	12472	12488	12503		
7/8"	12454	12464	12473	12489	12504		
1"	12455	12465	12474	12490	12505	12515	12528
1 1/4"	12456	12466	12475	12491	12506	12516	12529
1 1/2"	12457	12467	12476	12492	12507	12517	12530
1 3/4"	12458	12468	12477	12493	12508	12518	12531
2"	12459	12469	12478	12494	12509	12519	12532
2 1/4"			12479	12495	12510	12520	12533
2 1/2"			12480	12496	12511	12521	12534
2 3/4"				12497	12512		12535
3"				12498	12513	12523	12536
3 1/2"							12537
4"							12538



CENTRAL IOWA FASTENERS

9/23/2019



Made From 304 - 18-8 Stainless Steel
 Superior Corrosion Resistance
 Cold Forged - Full Finished Deep Socket
 Class 3A Threads
 Precision Rolled Threads

LENGTH	SOCKET HEAD SET SCREW STAINELSS COARSE THREAD									
	Diameter									
	4-40	6-32	8-32	10-24	1/4"	5/16"	3/8"	1/2"	5/8"	3/4"
1/8"	12545	12555	12556							
3/16"	12546	12556	12566	12575	12585					
1/4"	12547	12557	12567	12576	12586	12600	12615			
5/16"	12548	12558	12568	12577	12587	12601	12616			
3/8"	12549	12559	12569	12578	12588	12602	12617	12630		
1/2"	12550	12560	12570	12579	12589	12603	12618	12631	12640	
5/8"	12551	12561	12571	12580	12590	12604	12619	12632	12641	12650
3/4"		12562	12572	12581	12591	12605	12620	12633	12642	12651
1"		12563	12573	12582	12592	12006	12621	12634	12643	12652
1 1/4"					12593	12607	12622	12635	12644	12653
1 1/2"					12594	12608	12623	12636	12645	12654
1 3/4"					12595	12609	12624	12637	12646	12655
2"					12596	12610	12625	12638	12647	12656
2 1/2"								12639	12648	12657
3"									12649	12658

LENGTH	SOCKET HEAD SET SCREW STAINLESS FINE THREAD								
	4-48	6-40	8-36	10-32	1/4"	5/16"	3/8"	1/2"	5/8"
1/8"	12660	12665	12670						
3/16"	12661	12666	12671	12675	12685				
1/4"	12662	12667	12672	12676	12686	12695	12705		
5/16"				12677	12687	12696	12706		
3/8"		12668	12674	12678	12688	12697	12707		
1/2"				12679	12689	12698	12708	12715	
5/8"				12680	12690	12699	12709		12720
3/4"				12681	12691	12700	12710	12717	12721
1"				12682	12692	12701	12711	12718	12722
1 1/4"					12693	12702	12712		12723



CENTRAL IOWA FASTENERS

9/23/2019



Made From 304 - 18-8 Stainless Steel
 Superior Corrosion Resistance
 Cold Forged - Full Finished Deep Socket
 Class 3A Threads - Precision Rolled Threads

LENGTH OF SCREW	STAINLESS TRUSS SLOTTED MACHINE SCREW				
	6-32	8-32	10-24	10-32	1/4
1/4	12850	12860	10333S	12869	10360S
3/8	12851	12861	10335S	12870	12880
1/2	12852	12862	10336S	12871	12881
3/4	12853	12863	10338S	12872	12882
1	12854	12864	10340S	12873	12883
1 1/4		12865	10341S	12874	12884
1 1/2		12866	10342S	12875	12885
2			10344S	10356S	12886



Made From 304 - 18-8 Stainless Steel
 Superior Corrosion Resistance
 Cold Forged - Full Finished Deep Socket
 Class 3A Threads - Precision Rolled Threads

LENGTH OF SCREW	STAINLESS PHILLIPS ROUND MACHINE SCREW					
	4-40	6-32	8-32	10-24	10-32	1/4
1/4	8730S	8740S	8750S			
3/8	8731S	8741S	8751S	8230S	8240S	8250S
1/2	8732S	8742S	8752S	8231S	8241S	8251S
5/8	8733S	8743S	8753S	8232S	8242S	8252S
3/4	8734S	8744S	8754S	8233S	8243S	8253S
1		8745S	8225S	8234S	8244S	8254S
1 1/4			8226S	8235S	8245S	8255S
1 1/2			8227S	8236S	8246S	8256S
2			8228S	8237S	8247S	8257S



CENTRAL IOWA FASTENERS

9/20/2019



Made From 304 - 18-8 Stainless Steel
 Superior Corrosion Resistance
 Cold Forged - Full Finished Deep Socket
 Class 3A Threads
 Precision Rolled Threads

LENGTH	SOCKET HEAD CAPSCREW STAINELSS COARSE THREAD									
	Diameter of Capscrew									
	4-40	6-32	8-32	10-24	1/4"	5/16"	3/8"	1/2"	5/8"	3/4"
1/4"	12280	12290	12300							
3/8"	12281	12291	12301	12315	12330	12345				
1/2"	12282	12292	12302	12316	12331	12346	12365	12385		
5/8"	12283	12293	12303	12317	12332	12347	12366	12386		
3/4"	12284	12294	12304	12318	12333	12348	12367	12387		
7/8"		12295	12305	12319	12334	12349	12368	12388		
1"		12296	12306	12320	12335	12350	12369	12389	12400	
1 1/4"			12307	12321	12336	12351	12370	12390	12401	
1 1/2"			12308	12322	12337	12352	12371	12391	12402	12416
1 3/4"			12309	12323	12338	12353	12372	12392	12403	12417
2"			12310	12324	12339	12354	12373	12393	12404	12418
2 1/4"				12325	12340	12355	12374	12394	12405	12419
2 1/2"					12341	12356	12375	12395	12406	12420
2 3/4"					12342	12357	12376	12396	12407	12421
3"					12343	12358	12377	12397	12408	12422
3 1/2"						12359	12378	12398		12423
4"							12379	12399		12424



9/23/2019



Locks With The Blow of A Hammer
 Tapered Point For Easy Installation
 Zinc Paled

LENGTH	HAMMER LOCK COTTER PINS STAINLESS STEEL						
	DIAMETER						
	3/64	1/16	5/64	3/32	7/64	1/8	9/64
1/2	13000S	11990	13016S	11995		13039S	
3/4	13001S	11991	13017S	11996	13031S	13040S	13051S
1	13002S	11992	13018S	11997	12005	13041S	
1 1/4	13003S	13012S		11998	12006	13042S	
1 1/2		13013S	13019S	11999	12007	13043S	
1 3/4		13014S		12000	1209	13044S	
2		13015S	13020S	13027S	12010	13045S	13052S
2 1/4				13028S			
2 1/2				13029S	13037S	13046S	13053S
3				13030S	13038S	13047S	
3 1/2						13048S	
4						13049S	
4 1/2							
5						13050S	

LENGTH	DIAMETER					
	3/16	1/4	5/16	3/8	7/16	1/2
3/4	13064S					
1	12025	13082S	13095S			
1 1/4	12026	13083S	13096S			
1 1/2	12027	13084S	13097S	13107S		
1 3/4	12028	13085S	13098S			
2	12029	13086S	13099S	13108S	13116S	13132S
2 1/4	12030	13087S	13100S	13109S		
2 1/2	12031	13088S	13101S	13110S	13117S	13123S
3	12032	13089S	13102S	13111S	13118S	13124S
3 1/2	13073S	13090S	13103S	13112S		
4	13074S	13091S	13104S	13113S	13119S	13125S
4 1/2		13092S				
5		13093S	13105S	13114S		13126S
5 1/2						
6		13094S	13106S	13115S	13120S	13127S



CENTRAL IOWA FASTENERS

8/31/2019



Hardened To Reduce Slippage and Breakage
 Clean Sharp Rolled Threads
 Deep Cross Recessed Head

LENGTH OF SCREW	STAINLESS PHILLIPS PAN HEAD SHEET METAL			
	6	8	10	12
1/4	10820S			
3/8	10821S	10830S	10840S	
1/2	11455	11462	11470	11480
3/4	11456	1163	11471	11481
1	11457	11464	11472	11482
1 1/4	11458	11465	11473	11483
1 1/2	11459	11466	11474	11484
1 3/4	11460	11467	11475	11485
2			10849S	10856S



Hardened To Reduce Slippage and Breakage
 Clean Sharp Rolled Threads
 Deep Cross Recessed Head

LENGTH OF SCREW	STAINLESS PHILLIPS OVAL HEAD SHEET METAL			
	6	8	10	12
3/8	10762S			
1/2	11415	11425	11435	11445
3/4	11416	11426	11436	11446
1	11417	11427	11437	11447
1 1/4	11418	11428	11438	11448
1 1/2	11419	11429	11439	11449
1 3/4	11420	11430	11440	11450
2	11421	11431	11441	11451



160,000 P.S.I. Alloy Steel
Clean Rolled Threads

DIAMETER	GRADE B7 THREADED ROD		
	LENGTH		
	3'		3'
	USS		SAE
1/4"	4240		4211
5/16"	4242		4213
3/8"	4244		4215
7/16"	4246		4217
1/2"	4248		4219
9/16"	4250		4221
5/8"	4252		4223
3/4"	4254		4225
7/8"	4256		4227
1"	4258		4229
1 1/4"	4260		4231
1 1/2"	4262		4233



Corrosion Resistant
Non Magnetic - Temp Range -300F - 800F
ASTM Spec 193-B8

DIAMETER	18-8 STAINLESS ALL THREAD		
		PART NO.	
6-32		4380	
8-32		4381	
10-24		4382	
1/4		4383	
5/16"		4384	
3/8"		4385	
7/16"		4386	
1/2"		4387	
5/8"		4388	
3/4"		4389	
7/8"		4390	
1"		4391	



CENTRAL IOWA FASTENERS

9/20/2019