

FilterCart Carbon

Easy to use mobile filter unit for light to medium welding applications



FilterCart Carbon mobile filter unit is specially designed for extraction of odours. FilterCart Carbon includes Extraction Arm Standard and can be equipped with HEPA filter for maximum efficiency. applications: solvents, fumes and other gas contaminants.

- Easy to maneuver
- HEPA 13 filter optional available
- Carbon filter for organic vapors

| Product name | FilterCart Carbon | |
|-------------------------------|---|--|
| Noise level (dB(A)) | 73 | |
| Protection class | IP42 | |
| Installation | Indoor | |
| Material | Housing in roto moulded plastic. Extraction arm in PVC hose and aluminium frame. Fan in steel and aluminium. | |
| Suitable for combustible dust | False | |
| Material recycling (%) | 99 | |
| Extraction arm diameter (in) | 6 | |
| Airflow (cfm) | 353 | |
| Power Voltage (V) | 120 | |
| Frequency (Hz) | 60 | |
| No of phases | 1 | |
| Arm length (ft) | 7 | |
| Number of filter elements | 1 | |
| Filter material | Active Carbon | |
| Electric plug | US | |
| Weight (lbs) | 181 | |
| Filter cleaning method | One way filter | |
| Power (Hp) | 0.75 (0.55 Kw) | |
| | | |

((



FilterCart Carbon

| Model |
|----------|
| 12644245 |



FilterCart Carbon

| Accessory | Part No |
|------------------|----------|
| Filter FC-Carbon | 12374025 |

Nederman

FilterCart Carbon

