Nederman

FilterCart Original

Easy to use mobile filter unit for light to medium welding applications



FilterCart Original mobile filter unit for light welding smoke extraction and filtration applications. FilterCart Original includes Extraction Arm Original with an integrated spotlight, which optimizes the userfriendly design. If a larger working range is needed, the 3 m (10 ft.) long arm version is recommended.


- Easy to maneuver
- LED spotlight included, better light conditions for better welding result
- · Long lasting oneway filter with large filter surface
- HEPA 13 filter optional available

Product name	FilterCart Original	
Noise level (dB(A))	73	
Protection class	IP42	
Filter efficiency (%)	99	
Installation	Indoor	
Material	Housing in roto moulded plastic. Extraction arm in PVC hose and aluminium frame. Fan in steel and aluminium.	
Suitable for combustible dust	False	
Material recycling (%)	99	
Application	Fumes	
Extraction arm diameter (in)	6	
Airflow (cfm)	618	
Filter Area (ft2)	377	
Power Voltage (V)	120	
Frequency (Hz)	60	
No of phases	1	
Filter type	Cartridge	
Number of filter elements	1	
Filter material	Cellulose (flame retardent)	
Electric plug	US	
Weight (lbs)	161	
Filter cleaning method	One way filter	
Power (Hp)	1.0 (0.75 Kw)	





FilterCart Original



Nederman

FilterCart Original

Accessory		Part No
	LED lamp for fume extractor (replacement)	10376969
	Filter FC-Original /W3	12374023
	Spark protection for Original/NEX MD-hood	10551335
	HEPA filter, 7,5 m2 high-efficiency filter, class H13	12374016

Nederman

FilterCart Original

