

FilterCart W3

Easy to use mobile filter unit for light to medium welding applications



FilterCart W3 mobile filter unit for extraction in light production applications is "state of the art" with all possible features. Includes a warning signal when the filter is full. The W3 model fulfills the legislations W3 from BGIA. The specially designed metal hood with integrated spotlight creates maximum air velocity at the welding spot.


- Easy to maneuver
- LED spotlight included
- Longlasting oneway filter with large filter surface
- HEPA 13 filter optional available

Product name	FilterCart W3		
Noise level (dB(A))	73		
Protection class	IP42		
Filter efficiency (%)	99		
Installation	Indoor		
Material	Housing in roto moulded plastic. Extraction arm in PVC hose and aluminium frame. Fan in steel and aluminium.		
Suitable for combustible dust	False		
Material recycling (%)	99		
Extraction arm diameter (in)	6		
Airflow (cfm)	618		
Filter Area (ft2)	377		
Power Voltage (V)	120		
Frequency (Hz)	60		
No of phases	1		
Filter type	Cartridge		
Number of filter elements	1		
Filter material	fire retardant cellulose		
Electric plug	US		
Weight (Ibs)	161		
Filter cleaning method	One way filter		
Power (Hp)	1.0 (0.75 Kw)		

CE



FilterCart W3



Nederman

FilterCart W3

Accessory		Part No
	LED lamp for fume extractor (replacement)	10376969
	Filter FC-Original /W3	12374023
	HEPA filter, 7,5 m2 high-efficiency filter, class H13	12374016
$\overline{\mathbf{\cdot}}$	Spark protection W3	12375241

Nederman

FilterCart W3

