OWNER OPTIONS HELP INFORMATION

(N/A in Personal Mode)

OWNER OPTIONS – CONTENTS (23-06-2024)

Page.

- 4. OWNER OPTIONS OVERVIEW
- 6. OWNER OPTION MENU
- 8. IMPORT GEOFENCE SPEED ALERTS
- 11. IMPORT GEOFENCE MESSAGES

OWNER OPTIONS CONTENTS

OWNER OPTIONS OVERVIEW

OWNER OPTIONS OVERVIEW

The **OWNER OPTIONS** menu allows the owner to set various parameters on the **ONIS** which will provide the users with a consistent secured device across the fleet.

Most options are a "check box" to enable / disable and each option has an adjacent help option with the "?"


NOTE:

This menu and options are NOT available if the ONIS has been configured as "Personal Mode".

OWNER OPTIONS OVERVIEW

OWNER OPTIONS MENU

OWNER OPTIONS MENU



Set check box's to enable / disable options.

OWNER OPTIONS MENU

IMPORT GEOFENCE SPEED ALERTS

IMPORT GEOFENCE SPEED ALERTS

The "Import Geofence Speed Alerts" allows the owner to import data that has been configured on a PC.

Typically, this data will have been configured using the PC version of OziExplorer and then saved in the OziExplorer waypoint format.

The owner can then import this waypoint data and the **ONIS** will then perform the calculations to convert the waypoint data into the CSV format required by the **ONIS**. The owner has the choice of either appending the data to the existing data set, or replacing the data entirely.

Each option has a "?" which outlines the requirements of the import data file.

IMPORT GEOFENCE SPEED ALERTS



Import / Export Geofence Speed Alerts (OziExplorer Waypoint Format) Import & Fill Between Waypoints Import Geofence7 ? ? (Geofence7 User Speed Alerts) User Speed Alerts Import & Fill Between 4 Waypoints Import Geofence8 ? ? (Geofence6 User Speed Alerts) User Speed Alerts Export Geofence Import Geofence9 ? User Speed Alerts User Speed Alerts Exit

Exit back to Owner Options.

Select on ? description buttons to display explanations.

IMPORT GEOFENCE SPEED ALERTS

IMPORT GEOFENCE MESSAGES

IMPORT GEOFENCE MESSAGES

The "Import Geofence Messages" allows the owner to import data that has been configured on a PC.


Typically, this data will have been configured using the PC version of OziExplorer and then saved in the OziExplorer waypoint format.

The owner can then import this waypoint data and the **ONIS** will then perform the calculations to convert the waypoint data into the CSV format required by the **ONIS**. The owner has the choice of either appending the data to the existing data set, or replacing the data entirely.

Each option has a "?" which outlines the requirements of the import data file.

IMPORT GEOFENCE MESSAGES





Exit back to Owner Options.

Select on ? description buttons to display explanations.