

# MARKET SHARE



## AI-POWERED VIDEO TELEMATICS SYSTEM



Streamax Technology Co.,Ltd.

Address: Floor 21-23, Building B1, No.1001 Xueyuan Road, Xili, Nanshan District, Shenzhen, Guangdong, China.

Tel: +86 755 3360 1988 Email: [info@streamax.com](mailto:info@streamax.com)  
Fax: +86 755 3360 5005 Website: [www.en.streamax.com](http://www.en.streamax.com)

**Streamax** AI  
Mobile Video Surveillance Experts





Ultimate AI Solution—— AIBOX MAX



**DSM**  
Driver Status Monitoring



**BC2**

- ADAS Lite
- Driver Monitoring



**CA20S**  
ADAS Pro



**BSD**

- Side View Monitoring
- Blind Spot Detection



**X-MAN**  
Rear-view Monitoring

AI Features:



FCW



HMW



LDW



BSD



FACIAL RECOGNITION



SMOKING



PHONE CALLING



TEXTING




DRIVER FATIGUE




DRIVER DISTRACTION

Accessories



Panic Button



R-watch



LCD

AIBOX MAX





Six Channels



Battery Protection



H.265



2×256 G



360° Installation



4G



wifi



Bluetooth

Items	AIBOX MAX
Power	DC8-36V
Dimension (L*W*H)	140*151.5*52.5mm
Temperature	-40°C-70°C
Video/Audio Input	6CH AHD+1CH IPC
Video/Audio Output	1CH AHD
Video/Audio Compression	H.265
Serial Port	2*RS232;2*RS485
USB	USB 2.0
I/O	8 Input/2 Output

BC2



Driver Facing



Forward Facing



Dual Camera



G-Sensor



GPS


Items	BC2
Resolution	1920H*1080V
Mode	NTSC
Minimum illumination	0.05lux(turn off ir)/0 Lux(turn on IR)
Lens (Forward Facing)	4mm M12
FOV (Forward Facing)	H*V 70°*39°
Lens (Driver Facing)	2.1mm M12
FOV (Driver Facing)	H*V 140°*79°
Power	DC12V
Temperature	-40°C-70°C
Dimension (L*W*H)	115.5*50.5*76.5mm
Weight	About 180g



AI-Powered Solutions



Windshield-Mounted Solution — C6D AI



Items	Windshield-Mounted Solution — C6D AI
Video Input	3 Channels
Resolution	1080P
Storage	2*256G
Accelerometer	Six-Axle
Communication	2*Serial, 4*I/O
Connectivity	4G, GPS, WIFI, Bluetooth
Dimension (L*W*H)	90*100*39.5 mm

Video Recording Solutions



Windshield-Mounted Solution—C6D




SD Card Solution—M1



Hard Drive Solution—X3

Items	Windshield-Mounted Solution—C6D	SD Card Solution—M1	Hard Drive Solution—X3
Video Input	2 CH IPC	4 CH AHD + 1 CH IPC	6 CH AHD + 2 CH IPC
Resolution	1080P+720P	Support Up to 5*1080P	Support Up to 8*1080P
Storage	1*256G	2*256G	1*2TB + 1*256G
Accelerometer	Six-Axle	Six-Axle	Six-Axle
Communication	2*Serial, 2*I/O	1*Serial, 10*I/O	3*Serial, 10*I/O
Connectivity	4G, GPS, WIFI, Bluetooth	4G, GPS, WIFI, Bluetooth	4G, GPS, WIFI, Bluetooth
Dimension (L*W*H)	90*100*39.5 mm	167*146*54 mm	252*167*89 mm

API Integration



Developer APIs — Accessing The Device's Data


LOG RECORDS



VEHICLE STATUS



VIDEO DATA



MORE  
Tailored to your needs