

RANGE OF MACHINES



Young Company with a Long History



- In the 1960s Enrico Valtorta started his company specializing in the production of high-quality finishing system for the wood industry.
- Following his father's steps and his personal passion for mechanics Davide Valtorta rebranded the company as VD S.r.l. in 2002 and further pushed the technology introducing new CNC spray machines and unique proprietary solutions.











Our Values





Step by step development of a solution for each customer until the desired quality and goals are achieved



Keeping always in mind cost vs benefit as solutions are developed



Continuously pushing the technology envelope driving the market instead of being driven by it



Work ethics



Some of our Valued Customers




















































Complete Range of Products



Roller coater machines

Curtain coater machines

Reciprocating spray machines

Painting robot machines

Horizontal dryer systems

Vertical dryer systems

UV dryers

Edge coater machines

Wiping machines

Brushing machines

Handling systems



Application Areas















WOOD INDUSTRY

GLASS INDUSTRY

PAPER INDUSTRY

PLASTIC INDUSTRY

METAL INDUSTRY

FIBER CEMENT INDUSTRY



Roller coater machines ROLCO

Application area





Easy design

Strong frame

UV and water UV lacquers

Simple to use

High performance

Standard working widths are

600mm

1300mm

1600mm

















Roller Coater Machines REVERSE

Application area



Reverse roller coating machine

Easy design

Strong frame

High quantity of base and topcoat HVL

Simple to use

High performance

Standard working widths are

600mm

1300mm

1600mm






















Filling Machines PHILL





Easy design

Strong frame

All kind of lacquer

Simple to use

High quality results

Standard working widths are 600mm 1300mm 1600mm











Curtain Coater Machines VELO

Application area







Curtain coater machine

Easy design

Strong frame

All kind of lacquer

Simple to use

High quality results

Standard working widths

are

600mm

1300mm

1600mm

2500mm











DYNAMIC Spray Machines SIMPLE T

Application area



Reciprocating spray machine

DYNAMIC patented system

Strong frame

All kind of lacquer


Simple to use

High quality results

Flexibility

Easy design

Standard working widths is 1300mm















•

•

•

DYNAMIC Spray Machines SIMPLE T



 Entry level dy 	ynamic spray	/ machine
------------------------------------	--------------	-----------

Paper conveyor

Dry filters

Fixed input/exit roller conveyor

One central arm with dynamic system

• 5-way valve

• 4 guns

• Touch screen PLC

1100 sqm capacity / shift

Speed up to 4 mt/min

Up to 25% reduction of lacquer consumption compared with all others (DYNAMIC SYSTEM)

Working width 1300mm



DYNAMIC Spray Machines SIMPLE E

Application area



Reciprocating spray machine

Strong frame

Simple to use

DYNAMIC patented system

All kind of lacquer

High quality results

Flexibility

Easy design

Standard working widths are
1300mm
1600mm















DYNAMIC Spray Machines SIMPLE E



• 1	Dynamic spray machine – Medium capacity	•	2100 sqm capacity / shift
•	Paper conveyor	•	Speed up to 6 mt/min
•	Dry filters	•	Up to 25% reduction of lacquer consumption compared with all others (DYNAMIC SYSTEM)
•	Fixed input/exit roller conveyor		
•	One central arm with dynamic system	•	Working width 1300mm – 1600mm

5-way valve

Up to 8 guns

Touch screen PLC



DYNAMIC Spray Machines SIMPLE 1.1x

Application area



Reciprocating spray machine

Strong frame

Simple to use

DYNAMIC patented system

All kind of lacquer

High quality results

Flexibility

Easy design

Standard working widths are

1300mm 1600mm













Because Good Things Are Simple



DYNAMIC Spray Machines SIMPLE 1.1x



• Pressurization	Paper conveyor - C	•
• Scanner barrier	Dynamic spray machine – High quality medium capacity	•
• 2100 sqm capacity / shift	Self-cleaning conveyor - A	•
• Speed up to 6 mt/min	Dry filters - S	•
 Up to 25% reduction of lacquer consumption compared with all others (DYNAMIC SYSTEM) 	Water filters - A	•
	Tilting input/output conveyor belt (1.5 m)	•
• Working width 1300mm (1.13) – 1600mm (1.16)	One central arm with dynamic system	
• Possible combinations:		
• CS – paper + dry	5-way valve	•
• CA – paper + water		
• AS – self-cleaning + dry	Unito 9 guno	•
• AA – self-cleaning + water	Up to 8 guns	
	Touch screen PLC	•



DYNAMIC Spray Machines SIMPLE 2.1x

Application area



Reciprocating spray machine

DYNAMIC patented system

Strong frame

All kind of lacquer

Simple to use

High quality results

Flexibility

Easy design

Standard working widths are 1300mm 1600mm











DYNAMIC Spray Machines SIMPLE 2.xx



•	Dynamic spray machine – High quality – Medium/High capacity	•	Pressurization
•	Paper conveyor - C	•	Scanner barrier
•	Self-cleaning conveyor - A	•	3000 sqm capacity / shift
•	Dry filters - S	•	Speed up to 12 mt/min
•	Water filters - A	•	Up to 25% reduction of lacquer consumption compared with all others (DYNAMIC SYSTEM)
•	Tilting input/output conveyor belt (1.5 m)		
•	Two arms with dynamic system	•	Working width 1300mm – 1600MM
•	5-way valve	•	Possible combinations: CS – paper + dry CA – paper + water AS – self-cleaning + dry
•	Up to 8 guns	•	AS – self-cleaning + dry AA – self-cleaning + water
•	Touch screen PLC		



DYNAMIC Spray Machines SIMPLE TOP

Application area



Reciprocating spray machine

Strong frame

Simple to use

DYNAMIC patented system

All kind of lacquer

High quality results

Flexibility

Easy design

Standard working widths are
1300mm
1600mm















DYNAMIC Spray Machines SIMPLE TOP



•	Dynamic spray machine – High quality – High capacity	•	Pressurization
•	Paper conveyor - C	•	Scanner barrier
•	Self-cleaning conveyor - A	•	4000 sqm capacity / shift
•	Dry filters - S	•	Speed up to 15 mt/min
•	Water filters - A	•	Up to 25% reduction of lacquer consumption compared with all others (DYNAMIC SYSTEM)
•	Tilting input/output conveyor belt (1.5 m)		
•	Two arms with dynamic system	•	Working width 1300mm (2.13) – 1600mm (2.16)
•	Up to 12 guns	•	Possible combinations: CS – paper + dry
•	Touch screen PLC	•	CA – paper + water AS – self-cleaning + dry AA – self-cleaning + water



DYNAMIC Spray Machines SIMPLE GLASS

Application area



Reciprocating spray machine

DYNAMIC patented system

Strong frame

All kind of lacquer

Simple to use

High quality results

Flexibility

Easy design

Standard working widths are 2600mm















DYNAMIC Spray Machines SIMPLE GLASS



•	Dynamic spray machine – High quality – Medium/High capacity	•	Pressurization
•	Paper conveyor - C	•	Scanner barrier
•	Self-cleaning conveyor - A	•	6000 sqm capacity / shift
•	Dry filters - S	•	Speed up to 10 mt/min
•	Water filters - A	•	Up to 25% reduction of lacquer consumption compared with all others (DYNAMIC SYSTEM)
•	Tilting input/output conveyor belt (1.5 m)		
•	Two arms with dynamic system	•	Working width 2600mm
		•	Possible combinations:
•	5-way valve	•	CS – paper + dry
•	Up to 8 guns	•	CA – paper + water AS – self-cleaning + dry
•	Touch screen PLC	•	AA – self-cleaning + water



COBRA Painting Robot

Application area



Painting robot

1 arm or 2 arms

Strong frame

All kind of lacquer

Simple to use

Top quality results

Flexibility

Easy design

Standard working widths are 1600mm















COBRA Painting Robot



•	Painting robot – Top quality result	•	Pressurization
•	Paper conveyor	•	Air treatment device
•	Self-cleaning conveyor	•	Touch screen Computer
•	Dry filters - S	•	Scanner barrier
•	Water filters - A	•	400 sqm capacity / shift with 1 arm
•	Input/output conveyor belt (1.5 m)	•	700 sqm capacity / shift with 1 arm
•	One arm with 2 guns	•	Speed up to 20 mt/min
	Two arms with 2+2 guns		Std working width 1600mm



CUBE Vertical Drying Oven

Application area



Energy saving

Customizable

Strong frame

All kind of lacquer

Simple to use

High quality results

Flexibility

Easy design

Standard working widths are 1300mm 1600mm











CUBE Vertical Drying Oven



i wo dilicicii soluliolis, baskel di bell	•	Two different solutions: basket or belt
---	---	---

- Pressurization
- Up to 20% energy savings compared to standard systems
- Independent and adjustable temperatures in the individual areas of the oven
- Touch screen PLC
- Air treatment device
- Large containment capacity
- Working width 1300mm 1600mm



Lineal Drying Tunnel

Application area



Energy saving

Customizable

Strong frame


All kind of lacquer

Simple to use

High quality results

Flexibility

Easy design















Lineal Drying Tunnel



•	Two different solutions: Airdry - Jetoven
---	---

- Pressurization
- Up to 20% energy savings compared to standard systems
- Independent and adjustable temperatures in the individual areas of the oven
- Touch screen PLC
- Air treatment device
- Working width 1300mm 1600mm



CLEANING Machine

Application area



Perfect cleaning

Customizable

Strong frame

High quality results

Simple to use

Easy design

Flexibility

Upper version
Upper/lower
version

Standard working widths are 1300mm 1600mm

















CLEANING Machine

Application area



Perfect cleaning

Customizable

Strong frame

High quality results

Simple to use

Easy design

Flexibility

Upper version
Upper/lower
version

Standard working widths are
1300mm
1600mm













Because Good Things Are Simple



UVO UV Oven

Application area



Strong frame

High quality results

Simple to use

Easy design

Flexibility

Upper version
Upper/lower
version

Standard working widths are 1300mm 1600mm


















SKILL Edgecoater Machine

Application area









High quality results

Simple to use

Easy design

Flexibility

Tailor made













And More...























