









ELECTRICAL LEGEND	
w/LITE KIT	CEILING FAN WITH LIGHT KTI
	1'x4' FLUORESCENT LIGHT FIXTURE
UCL	UNDER CABINET LIGHTING
$\odot$	LARGE PENDANT LIGHT FIXTURE
Ф	SURFACE MOUNTED LIGHT FIXTURE
EF	EXHAUST FAN
O OWP O 0D	RECESSED CAN LIGHT FIXTURE WP=WATERPROOF OD=OUTDOOR
IФvF	BATHROOM VANITY SCONCE LIGHT FIXTURE
I∳ <sub>OD</sub>	OUTDOOR SCONCE LIGHT FIXTURE
₩	SWITCH
\$3	3-WAY SWITCH
\$ <sup>0</sup>	SWITCH WITH DIMMER
<b>O</b>	STANDARD DUPLEX RECEPTACLE
220 <del>C</del>	RECEPTACLE 220V
GFI ⊕	RECEPTACLE WITH GROUND FAULT INTERCEPT
⇔ WP GFI	OUTDOOR RECEPTACLE - WATERPROOF & WITH GROUND FAULT INTERCEPT
SD	COMBO SMOKE/CARBON DIOXIDE DETECTOR
DTD	CORNER OUTDOOR FLOOD LIGHT - DUSK TO DAWN SWITCHING

All rights reserved. No part of this document may be reproduced or utilized in any form without prior written authorization of own

PROPOSED INTERIOR ELECTRICAL PLAN

3-406 A-4.0

