









| ELECTRICAL LEGEND | |
|---------------------|--|
| w/Lite kit | CEILING FAN WITH LIGHT KTI |
| | 1'x4' FLUORESCENT LIGHT FIXTURE |
| UCL | UNDER CABINET LIGHTING |
| \odot | LARGE PENDANT LIGHT FIXTURE |
| ф | SURFACE MOUNTED LIGHT FIXTURE |
| EF | EXHAUST FAN |
| O OWP O 0D | RECESSED CAN LIGHT FIXTURE WP=WATERPROOF OD=OUTDOOR |
| I ∳∨F | BATHROOM VANITY SCONCE LIGHT FIXTURE |
| I∳-oD | OUTDOOR SCONCE LIGHT FIXTURE |
| ↔ | SWITCH |
| \$3 | 3-WAY SWITCH |
| \$ | SWITCH WITH DIMMER |
| O | STANDARD DUPLEX RECEPTACLE |
| 220 c | RECEPTACLE 220V |
| GFI ⊕ | RECEPTACLE WITH GROUND FAULT INTERCEPT |
| ⇔ WP GFI | OUTDOOR RECEPTACLE - WATERPROOF & WITH GROUND FAULT INTERCEPT |
| SD | COMBO SMOKE/CARBON DIOXIDE DETECTOR |
| DTD | CORNER OUTDOOR FLOOD LIGHT - DUSK TO DAWN SWITCHING |

PROPOSED INTERIOR ELECTRICAL PLAN

A-4.0

