OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev 07

Date of issue: 09/18/2025 Revised on 09/18/2025

1 Identification

- · Product Identifier
- · Trade Name: Durasole Equine Sole Dressing
- · Relevant identified uses of the substance or mixture and uses advised against:
- · Product Description: Veterinary Topical
- · Details of the Supplier of the Safety Data Sheet:
- · Manufacturer/Supplier:

Durasole, LLC 851 Hwy 2247 Comanche, TX 76442 P: 325-356-5871

· Emergency telephone number: 325-356-5871

2 Hazard(s) Identification

· Classification of the substance or mixture:



Health hazard

Germ cell mutagenicity 2 H341 Suspected of causing genetic defects.

Carcinogenicity 1A H350 May cause cancer.



Acute toxicity - oral 4 H302 Harmful if swallowed. Skin irritation 2 H315 Causes skin irritation.

Eye irritation 2A H319 Causes serious eye irritation.

Sensitization - skin 1 H317 May cause an allergic skin reaction. Specific target organ toxicity (single exposure) 3 H336 May cause drowsiness or dizziness.

Flammable liquids 4 H227 Combustible liquid.
Aquatic Acute 3 H402 Harmful to aquatic life.

- · Label elements:
- · Hazard pictograms:





- · Signal word: Danger
- · Hazard-determining components of labeling:

Formaldehyde Isopropanol Methanol

C.I. Acid Violet 017

Hazard statements:

H227 Combustible liquid.

H302 Harmful if swallowed.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev 07

Date of issue: 09/18/2025 Revised on 09/18/2025

Trade Name: Durasole Equine Sole Dressing

H317 May cause an allergic skin reaction.

H341 Suspected of causing genetic defects.

H350 May cause cancer.

H336 May cause drowsiness or dizziness.

H402 Harmful to aquatic life.

Precautionary statements:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P261 Avoid breathing dust/fume/gas/mist/vapors/spray.

P264 Wash thoroughly after handling.

P270 Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area.

P272 Contaminated work clothing must not be allowed out of the workplace.

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P301+P312 If swallowed: Call a poison center/doctor if you feel unwell.

P330 Rinse mouth.

P302+P352 If on skin: Wash with plenty of water.

P304+P340 If inhaled: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P321 Specific treatment (see supplementary first aid instructions on this Safety Data Sheet).

P362+P364 Take off contaminated clothing and wash it before reuse.
P332+P313 If skin irritation occurs: Get medical advice/attention.
P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
P337+P313 If eye irritation persists: Get medical advice/attention.
P370+P378 In case of fire: Use CO2, powder or water spray to extinguish.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

· Unknown acute toxicity:

This value refers to knowledge of known, established toxicological or ecotoxicological values.

0 % of the mixture consists of component(s) of unknown toxicity.

- Information pertaining to particular dangers for man and environment:
- · Classification system: NFPA/HMIS Definitions: 0-Least, 1-Slight, 2-Moderate, 3-High, 4-Extreme
- · NFPA ratings (scale 0 4)



· HMIS-ratings (scale 0 - 4)



· Hazard(s) not otherwise classified (HNOC): None known

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev 07

Date of issue: 09/18/2025 Revised on 09/18/2025

Trade Name: Durasole Equine Sole Dressing

3 Composition/Information on Ingredients

· Non-hazardous components:

1401-55-4 Tannins <1%

· Chemical characterization: Substance

· Description:

Mixture of substances listed with non-hazardous additions and/or components that are less than listing threshold. All non-hazardous, components listed under threshold, and listed component total 100%.

· Dangerous Compone	ents:	
CAS: 67-63-0 RTECS: NT 8050000	Isopropanol The Flammable liquids 2, H225; The Eye irritation 2A, H319; Specific target organ toxicity (single exposure) 3, H336	>40%
CAS: 50-00-0 RTECS: LP 8925000	Formaldehyde Acute toxicity - inhalation 2, H330; Germ cell mutagenicity 2, H341; Carcinogenicity 1A, H350; Skin corrosion 1B, H314; Acute toxicity - oral 4, H302; Sensitization - skin 1A, H317; Flammable liquids 4, H227 Specific concentration limits: Skin Corrosion 1B; H314: C ≥ 25 % Skin Irritation 2; H315: 5 % ≤ C < 25 % Eye Irritation 2; H319: 5 % ≤ C < 25 % Specific Target Organ Toxicity - Single Exposure 3; H335: C ≥ 5 %	<12%
CAS: 67-56-1 RTECS: PC 1400000	Methanol ◆ Flammable liquids 2, H225; ◆ Acute toxicity - oral 3, H301; Acute toxicity - dermal 3, H311; Acute toxicity - inhalation 3, H331; ◆ Specific target organ toxicity (single exposure) 1, H370 Specific concentration limits: Specific Target Organ Toxicity - Single Exposure 1; H370: C ≥ 10 % Specific Target Organ Toxicity - Single Exposure 2; H371: 3 % ≤ C < 10 %	<1.5%
CAS: 4129-84-4	C.I. Acid Violet 017 ♦ Carcinogenicity 3, H351; ♦ Eye damage 1, H318; ♦ Aquatic Acute 1, H400; ↑ Acute toxicity - oral 4, H302	<1%
CAS: 25655-41-8	Povidone-iodine Eye damage 1, H318; Skin irritation 2, H315	<1%

Additional information:

The exact percentages of the ingredients of this mixture are considered to be proprietary and are withheld in accordance with the provisions of paragraph (i) of §1910.1200 of 29 CFR 1910.1200 Trade Secrets.

4 First-Aid Measures

- · Description of first aid measures
- General information: If symptoms persist, call a physician.
- · After inhalation:

Remove victim to fresh air. If breathing has stopped, administer artificial respiration or oxygen if available. Obtain medical advice if difficulty in breathing persists.

· After skin contact:

Remove contaminated clothing or shoes, wash affected area thoroughly with soap and water for at least 15 minutes; contact a physician as necessary.

· After eye contact: Flush immediately with clean water for at least 15 minutes, seek medical assistance.

(Contd. on page 4)

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev 07

Date of issue: 09/18/2025 Revised on 09/18/2025

Trade Name: Durasole Equine Sole Dressing

· After swallowing:

If conscious, give large quantities of milk, activated charcoal or water and induce vomiting; seek medical attention immediately.

Information for doctor

Formaldehyde is a probable carcinogen. Liquid or vapor exposure may cause severe irritation to skin, nose, throat, and respiratory tract. Liquid or vapor in eyes can cause extreme irritation or blindness. Ingestion may cause severe irritation to digestive system, blindness, or death.

- Most important symptoms and effects, both acute and delayed: No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed: Treat symptomatically.

5 Fire-Fighting Measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · For safety reasons unsuitable extinguishing agents: No further relevant information.
- · Special hazards arising from the substance or mixture:

Combustible liquid. Vapors can travel to a source of ignition and flash back.

Explosive mixtures may occur at temperatures at or above flashpoint.

Reaction with peroxide, nitrogen dioxide, permformic acid can cause an explosion

- Advice for firefighters
- · Special protective equipment for firefighters:

As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent) and full protective gear to prevent contact with skin and eyes.

6 Accidental Release Measures

- · Personal precautions, protective equipment and emergency procedures: Not required.
- · Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system.

Dilute with plenty of water.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (i.e. sand, diatomite, acid binders, universal binders, sawdust).

Dispose of contaminated material as waste according to section 13.

Ensure adequate ventilation.

Dispose of the collected material according to regulations.

PAC-1:		
67-63-0	Isopropanol	400 ppm
50-00-0	Formaldehyde	0.90 ppm
67-56-1	Methanol	530 ppm
4129-84-4	C.I. Acid Violet 017	0.082 mg/m
25655-41-8	Povidone-iodine	3.8 mg/m³
PAC-2:		<u>'</u>
67-63-0	Isopropanol	2000* ppm
50-00-0	Formaldehyde	14 ppm
67-56-1	Methanol	2,100 ppm
4129-84-4	C.I. Acid Violet 017	0.9 mg/m³
25655-41-8	Povidone-iodine	42 mg/m³
PAC-3:		'
67-63-0	Isopropanol	12000** ppn
	'	(Contd. on nogo

(Contd. on page 5)

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev 07

Date of issue: 09/18/2025 Revised on 09/18/2025

Trade Name: Durasole Equine Sole Dressing

50-00-0	Formaldehyde	56 ppm
67-56-1	Methanol	7200* ppm
4129-84-4	Acid Violet 017	83 mg/m³
25655-41-8	Povidone-iodine	250 mg/m ³

Reference to other sections:

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and Storage

· Precautions for safe handling:

Avoid inhalation and contact with skin and eyes. Good personal hygiene practices should be used. DO NOT smoke, drink or eat in close proximity to product. Wash hands immediately after handling product. Contaminated clothing should be discarded or washed thoroughly before wearing again.

- · Information about protection against explosions and fires: Keep protective respiratory device available.
- · Conditions for safe storage, including any incompatibilities
- · Storage
- Requirements to be met by storerooms and receptacles:

Keep containers closed when not in use. Keep product cool and dry. Store in well ventilated area.

- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s): No further relevant information available.

8 Exposure Controls/Personal Protection

· Control parameters:

· Components with occupational exposure limits:

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.

At this time, the other constituents have no known exposure limits.

67-6	3-0 Isopropanol
PEL	Long-term value: 980 mg/m³, 400 ppm
REL	Short-term value: 1225 mg/m³, 500 ppm Long-term value: 980 mg/m³, 400 ppm
TLV	Short-term value: 400 ppm Long-term value: 200 ppm BEI, A4
50-0	0-0 Formaldehyde
PEL	Short-term value: 2 ppm Long-term value: 0.75 ppm see 29 CFR 1910.1048(c)
REL	Long-term value: 0.016 ppm Ceiling limit value: 0.1* ppm *15-min; See Pocket Guide App. A
TLV	Short-term value: 0.3 ppm Long-term value: 0.1 ppm DSEN; RSEN, A1
	(Contd on page 6)

(Contd. on page 6)

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev 07

Date of issue: 09/18/2025 Revised on 09/18/2025

Trade Name: Durasole Equine Sole Dressing

67-5	6-1 Methanol
PEL	
REL	Short-term value: 325 mg/m³, 250 ppm Long-term value: 260 mg/m³, 200 ppm Skin
TLV	Short-term value: 250 ppm Long-term value: 200 ppm Skin; BEIc
· Ingr	edients with biological limit values:
67-6	3-0 Isopropanol
BEI	40 mg/L urine end of shift at end of workweek Acetone (background, nonspecific)
67-5	6-1 Methanol
BEI	15 mg/L urine end of shift Methanol (background, nonspecific)

- · Additional information: The lists that were valid during the creation of this SDS were used as basis.
- · Exposure controls:
- Appropriate engineering controls No further data; see section 7.
- · Personal protective equipment
- · General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing and wash before reuse.

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Avoid contact with the eyes and skin.

- · Breathing equipment: Not required.
- · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Material of gloves:

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material cannot be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material:

The exact break-through time has to be determined and observed by the manufacturer of the protective gloves.

(Contd. on page 7)

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev 07

Date of issue: 09/18/2025 Revised on 09/18/2025

Trade Name: Durasole Equine Sole Dressing

· Eve protection:



Tightly sealed goggles

- · **Body protection:** Lab coat
- · Limitation and supervision of exposure into the environment:

Keep away from drains, surface and ground waters.

Avoid release into the environment.

9 Physical and Chemical Properties

· Information on basic physical and chemical properties

· General Information

Physical state Color: Odor: Liquid Purple Characteristic

Odor threshold:
 Melting point/Melting range:
 Boiling point/Boiling range:
 Flammability:
 Not determined.
 Not determined.
 Not applicable.

Explosion limits:

Lower: ≥2 Vol %Upper: ≤73 Vol %

Flash point: 60-93 °C (140-199.4 °F)

Auto igniting:
 Decomposition temperature:
 pH-value:
 Not applicable
 Not determined.
 Not determined.

· Viscosity:

Kinematic: Not determined.Dynamic: Not determined.

· Solubility in / Miscibility with:

Water: Fully miscible.
 Partition coefficient (n-octanol/water): Not determined.
 Vapor pressure @ 30 °C (86 °F): ≤76 hPa (≤57 mm Hg)

Vapor pressure:

Density: Not determined.
 Relative density: Not determined.
 Vapor density: Not determined.
 Particle characteristics Not applicable.

· Other information:

· Appearance:

· Form: Liquid

Important information on protection of health and

environment, and on safety.

• Ignition temperature: Product is not self-igniting.

· Danger of explosion: Not determined.

· Solvent content:

Organic solvents: >53.5 %VOC content: >53.50 %

(Contd. on page 8)

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev 07

Date of issue: 09/18/2025 Revised on 09/18/2025

Trade Name: Durasole Equine Sole Dressing

· Change in condition

· Evaporation rate: Not determined.

10 Stability and Reactivity

- · Reactivity: No further relevant information available.
- · Chemical stability: Product is stable under normal conditions.
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions: No dangerous reactions known.
- · Conditions to avoid: Heat, flame and ignition sources.
- · Incompatible materials:

Also incompatible with urea, phenol, isocyanates, anhydrides, amines, AZO, carbonyl compounds, oxides, permformic acid, dithiocarbmates, or peroxides.

· Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological Information

- · Information on toxicological effects:
- · Acute toxicity:

alues that are	relevant for classification:
opropanol	
LD50	5,045 mg/kg (Rat)
LD50	12,800 mg/kg (rabbit)
LC50/4 h	30 mg/l (Rat)
LC50/96 hours	9,640 mg/l (Pimephales)
ormaldehyde	
LD50	>200 mg/kg (Rat)
ethanol	
LD50	1,187 mg/kg (Rat)
LD50	17,100 mg/kg (rabbit)
LC50/4 h	128.2 mg/l (Rat)
LC50/96 hours	15,400 mg/l (Trout)
C.I. Acid Viole	t 017
LD50	420 mg/kg (Rat)
	150 mg/kg (rabbit)
	ppropanol LD50 LD50 LC50/4 h LC50/96 hours prmaldehyde LD50 ethanol LD50 LD50 LC50/4 h LC50/96 hours

- Primary irritant effect:
- On the skin:

Irritant to skin and mucous membranes.

May cause an allergic skin reaction.

- · On the eye: Irritating effect.
- · Sensitization: Sensitization possible through skin contact.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Harmful

Irritant

Carcinogenic

(Contd. on page 9)

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev 07

Date of issue: 09/18/2025 Revised on 09/18/2025

Trade Name: Durasole Equine Sole Dressing

- Carcinogenic categories:
- · IARC (International Agency for Research on Cancer):
- Group 1 Carcinogenic to humans
- Group 2A Probably carcinogenic to humans
- Group 2B Possibly carcinogenic to humans
- Group 3 Not classifiable as to its carcinogenicity to humans
- Group 4 Probably not carcinogenic to humans

67-63-0	Isopropanol	3
50-00-0	Formaldehyde	1
4129-84-4	Acid Violet 017	3
1401-55-4	Tannins	3
· NTP (Natio	nal Toxicology Program):	
50-00-0 Fo	50-00-0 Formaldehyde	
OSHA-Ca (Occupational Safety & Health Administration):		
50-00-0 Formaldehyde		

12 Ecological Information

- · Toxicity:
- · Aquatic toxicity:

Avoid release into the environment. Runoff from fire control or dilution water may cause pollution.

67-63-	0 Isopropanol
EC50	6,851 mg/l (Green algae)
	5,102 mg/l (Water flea)
67-56-	1 Methanol
EC50	22,000 mg/l (Green algae)
	10,000 mg/l (Daphnia)
4129-8	34-4 C.I. Acid Violet 017
EC50	0.35 mg/l (Water flea)

- · Persistence and degradability: No further relevant information available.
- · Bioaccumulative potential: No further relevant information available.
- · Mobility in soil: No further relevant information available.
- · Results of PBT and vPvB assessment:
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects:
- · Remark: Harmful to fish
- · Additional ecological information:
- · General notes:

Water hazard class 3 (Self-assessment): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into the ground.

Harmful to aquatic organisms

13 Disposal Considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household waste. Do not allow product to reach sewage system.

(Contd. on page 10)

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev 07

Date of issue: 09/18/2025 Revised on 09/18/2025

Trade Name: Durasole Equine Sole Dressing

Observe all federal, state and local environmental regulations when disposing of this material.

- · Uncleaned packaging
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

14 Transport Information

· UN-Number:

· DOT, ADR/ADN, IMDG, IATA UN1993

· UN proper shipping name:

Flammable liquids, n.o.s. (Isopropanol, Methanol)

· ADR/ADN UN1993 FLAMMABLE LIQUID, N.O.S. (ISOPROPANOL

(ISOPROPYL ALCOHOL), METHANOL)

· IMDG, IATA FLAMMABLE LIQUID, N.O.S. (ISOPROPANOL

(ISOPROPYL ALCOHOL), METHANOL)

· Transport hazard class(es):

· DOT



· Class: 3 Flammable liquids

· Label:

· ADR/ADN



· Class: 3 (F1) Flammable liquids

· Label:

· IMDG, IATA



· *Class:* 3 Flammable liquids

· Label:

· Packing group:

· DOT, ADR/ADN, IMDG, IATA

· Environmental hazards: Not applicable.

· Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code: Not applicable.

· Transport/Additional information:

· DOT

• Quantity limitations: On passenger aircraft/rail: 5 L

3

On cargo aircraft only: 60 L

(Contd. on page 11)

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev 07

Date of issue: 09/18/2025 Revised on 09/18/2025

Trade Name: Durasole Equine Sole Dressing

· ADR/ADN

• Excepted quantities (EQ): Code: E2

Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml

· IMDG

· Limited quantities (LQ):

· Excepted quantities (EQ): Code: E2

Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml

Warning: Flammable liquids

Special precautions for user: Warning: F
 Hazard identification number (Kemler code): 33

EMS Number: F-E,S-E
Stowage Category B

· UN "Model Regulation": UN 1993 FLAMMABLE LIQUID, N.O.S. (ISOPROPANOL

(ISOPROPYL ALCOHOL), METHANOL), 3, II

15 Regulatory Information

· Safety, health and environmental regulations/legislation specific for the substance or mixture:

No further relevant information available.

· SARA (Superfund Amendments and Reauthorization):

· Section 355 (extremely hazardous substances):

50-00-0 Formaldehyde

· Section 313 (Specific toxic chemical listings):

67-63-0 Isopropanol

50-00-0 Formaldehyde

67-56-1 Methanol

· TSCA (Toxic Substances Control Act):

All components have the value ACTIVE.

· Hazardous Air Pollutants

50-00-0 Formaldehyde

67-56-1 Methanol

· California Proposition 65:

· Chemicals known to cause cancer:

50-00-0 Formaldehyde

Chemica s known to cause reproductive toxicity for females:

None of the ingredients are listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity:

67-56-1 Methanol

New Jersey Right-to-Know List:

67-63-0 Isopropanol

50-00-0 Formaldehyde

(Contd. on page 12)

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev 07

Date of issue: 09/18/2025 Revised on 09/18/2025

Trade Name: Durasole Equine Sole Dressing

New Jersey Special Hazardous Substance List:	
67-63-0 Isopropanol	F3
50-00-0 Formaldehyde	CA, CO, MU, F
67-56-1 Methanol	TE, F3
Pennsylvania Right-to-Know List:	'
67-63-0 Isopropanol	
50-00-0 Formaldehyde	
Pennsylvania Special Hazardous Substance List:	
67-63-0 Isopropanol	E
50-00-0 Formaldehyde	E

· Carcinogenic categories:

· EPA (Environmental Protection Agency):	
50-00-0 Formaldehyde	B1
TLV (Threshold Limit Value established by ACGIH):	·
67-63-0 Isopropanol	A4
50-00-0 Formaldehyde	A2
NIOSH-Ca (National Institute for Occupational Safety and Health):	·
50-00-0 Formaldehyde	

GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

Hazard pictograms:





· Signal word: Danger

· Hazard-determining components of labeling:

Formaldehyde Isopropanol

Methanol

C.I. Acid Violet 017

· Hazard statements:

H227 Combustible liquid.

H302 Harmful if swallowed.

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H317 May cause an allergic skin reaction. H341

Suspected of causing genetic defects. H350

May cause cancer.

H336 May cause drowsiness or dizziness. H402

Harmful to aquatic life.

Precautionary statements:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

(Contd. on page 13)

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev 07

Date of issue: 09/18/2025 Revised on 09/18/2025

Trade Name: Durasole Equine Sole Dressing

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P261	Avoid breathing dust/fume/gas/mist/vapors/spray.
P264	Wash thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P271	Use only outdoors or in a well-ventilated area.
P272	Contaminated work clothing must not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
P301+P312	If swallowed: Call a poison center/doctor if you feel unwell.
P330	Rinse mouth.
P302+P352	If on skin: Wash with plenty of water.
P304+P340	If inhaled: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338	If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308+P313	IF exposed or concerned: Get medical advice/attention.
P321	Specific treatment (see supplementary first aid instructions on this Safety Data Sheet).
P362+P364	Take off contaminated clothing and wash it before reuse.
P332+P313	If skin irritation occurs: Get medical advice/attention.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P337+P313	If eye irritation persists: Get medical advice/attention.
P370+P378	In case of fire: Use CO2, powder or water spray to extinguish.
P403+P233	Store in a well-ventilated place. Keep container tightly closed.
P405	Store locked up.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.

· National regulations:

The product is not subject to be labelled according with the prevailing version of the regulations on hazardous substances.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other Information

The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied, and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.

- · Date of previous version 07/15/2024
- · Version number of previous version: 1
- · Date of preparation 09/18/2025
- · Abbreviations and acronyms:

ADR: The European Agreement concerning the International Carriage of Dangerous Goods by Road

ADN: The European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

OSHA HazCom Standard 29 CFR 1910.1200(g) revised in 2024 and GHS Rev 07

Revised on 09/18/2025 Date of issue: 09/18/2025

Trade Name: Durasole Equine Sole Dressing

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety and Health

OSHA: Occupational Safety & Health Administration

TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit

BEI: Biological Exposure Limit Flammable liquids 2: Flammable liquids - Category 2 Flammable liquids - Category 4
Acute toxicity - oral 3: Acute toxicity - Category 4
Acute toxicity - oral 4: Acute toxicity - Category 4 Acute toxicity - inhalation 2: Acute toxicity - Category 2

Skin corrosion 1B: Skin corrosion/irritation - Category 1B Skin irritation 2: Skin corrosion/irritation - Category 2

Eye damage 1: Serious eye damage/eye irritation - Category 1 Eye irritation 2A. Serious eye damage/eye irritation - Category 2A

Sensitization - skin 1: Skin sensitisation - Category 1 Sensitization - skin 1A: Skin sensitisation - Category 1A Germ cell mutagenicity 2: Germ cell mutagenicity – Category 2

Carcinogenicity 1A: Carcinogenicity – Category 1A
Carcinogenicity 2: Carcinogenicity – Category 2
Specific target organ toxicity (single exposure) 1: Specific target organ toxicity (single exposure) – Category 1
Specific target organ toxicity (single exposure) 3: Specific target organ toxicity (single exposure) – Category 3

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1

Aquatic Acute 3: Hazardous to the aquatic environment - acute aquatic hazard - Category 3

* Data compared to the previous version altered.

SDS created by MSDS Authoring Services www.msdsauthoring.com +1-877-204-9106