

DX
13,22,26
kW

POWERPROTECT
Standby Generators


BRIGGS & STRATTON
ENERGY SOLUTIONS



10
YEAR
WARRANTY
PARTS • LABOR • TRAVEL

DX

Crafted with innovation and engineered to tackle any challenge, the Briggs & Stratton® PowerProtect DX Generator series offers the ultimate solution for a home's power demands. From the compact 13kW¹ model to the industry's most powerful air-cooled generator at 26kW¹, our line is backed by the most comprehensive warranty² and service network in the industry.

FEATURES



Highest Rated Power Output on Natural Gas³

Engineered with NGMax for superior power and performance with convenient hookups for both liquid propane and natural gas.



Corrosion Protection

Reinforced, corrosion-resistant aluminum enclosures and bases with Dura-Zen™ coating for a long-lasting attractive appearance.



Vanguard® Commercial-Grade Engine

Designed for reliable, continuous performance—from the engine experts at Briggs & Stratton.



Eco-Cise™ Weekly Test Mode

Our short 16-second weekly test mode ensures your generator is in top operating condition while reducing noise and fuel consumption.



Superior Motor Starting

Ensure smooth operation of your large appliances during startup.



Flexible Installation & Maintenance

Approved for installation as close as 18" to a building⁴ with easy toolless panel removal for serviceability and maintenance.



13kW Compact Size

The smallest generator footprint in its class⁵. Upright design provides the smallest footprint possible so it's easier to install in tight areas. The front exhaust design allows for ultimate installation versatility.



Suitable for Off-Grid use or Demand Response Programs

Certified for non-emergency use, partner with your utility company's demand response program to receive incentives for helping reduce the overall load on the power grid. (22kW and 26kW only)



In-House Call Support

Enjoy direct access to our US-based Briggs & Stratton energy experts whenever you need them.

POWERPROTECT

Standby Generators



BRIGGS & STRATTON
ENERGY SOLUTIONS



Engineered with
NGMax™


for superior power and performance



Learn More

briggsandstratton.com/powerprotect

Experience unmatched power with NGMax: With over 70% of US homes having access to natural gas, our PowerProtect generators are designed to run on both liquid propane (LP) and natural gas (NG). **With NGMax, you get more power on natural gas, setting a new standard that leaves the competition behind.**



Most comprehensive warranty in the industry over time.²

Coverage for 10 years on parts, labor, and travel through the entire warranty period.

This extended warranty is offered to every model in the PowerProtect DX lineup - a value up to \$1,225.



Air-Cooled DX Warranty Comparison	Mileage	Labor	Parts	Major Components
Briggs & Stratton - 10 years	10 years	10 years	10 years	10 years
Generac - 5 years	2 years	2 years	3 years	5 years
Kohler - 5 years	5 years	5 years	5 years	5 years



Generator Set Rating			
Model Name	PPDX13	PPDX22	PPDX26
Model Number	040740	040780	040664
Running Power (Liquid Propane/Natural Gas) kW ¹	13 / 11.5	22 / 22	26 / 24
Running Amperage (Liquid Propane/Natural Gas) Amps	54.2 / 47.9	91.7 / 91.7	108.3 / 100
Voltage	120 / 240	120 / 240	120 / 240
Circuit Breaker Amps	70	100	125

Engine	
Manufacturer	Vanguard®
Frequency Regulation Steady State	+/-1.0%

Sound Rating ⁷	PPDX13	PPDX22	PPDX26
Low Idle Mode Sound	65 dBA	64 dBA	63 dBA
Normal Operating Sound ⁷	69 dBA	68 dBA	65 dBA


Fuel Consumption ⁸	PPDX13	PPDX22	PPDX26
No Load (BTU/hr)	NG - 65,000 / LP - 70,000	NG - 108,000 / LP - 107,000	NG - 122,000 / LP - 123,000
Half Load (BTU/hr)	NG - 119,000 / LP - 154,000	NG - 194,000 / LP - 217,000	NG - 206,000 / LP - 235,000
Full Load (BTU/hr)	NG - 212,000 / LP - 258,000	NG - 281,000 / LP - 368,000	NG - 323,000 / LP - 427,000

Available Accessories	PPDX13	PPDX22	PPDX26
Oil Warmer	6922	6840	
Battery Warmer	6921	6869	
Maintenance Kit	6873	6872	
Fuel Regulator Warmer		6845	
Surge Protector		6631	
InfoHub™ Universal - Cellular		6574	


Product Dimensions	PPDX13	PPDX22	PPDX26
Overall Dimensions (in / mm)	28.5 x 25.5 x 37.6 / 724 x 647 x 955	46.5 x 26.8 x 28.4 / 1181 x 681 x 721	46.5 x 26.8 x 28.4 / 1181 x 681 x 721
Packaged Dimensions (in / mm)	39.0 x 33.5 x 45.0 / 991 x 851 x 1143	48.8 x 30.5 x 50.5 / 1240 x 775 x 1283	48.8 x 30.5 x 50.5 / 1240 x 775 x 1283
Assembled Weight (lbs / kg)	315 / 143	465 / 210	540 / 245
Packaged Weight (lbs / kg)	370 / 168	540 / 245	625 / 285



13kW (PPDX13)



22kW & 26kW (PPDX22, PPDX26)



¹ This generator is rated in accordance with UL (Underwriters Laboratories) 2200 (stationary engine generator assemblies) and CSA (Canadian Standards Association) standard C22.2 No. 100-14 (motor and generators).

² See operator's manual or BRIGGSandSTRATTON.com for complete warranty details.

³ 39% smaller footprint than competitors

⁴ Of global and U.S. parts

⁵ The installation manual contains specific instructions related to generator placement in addition to NFPA 37, including the requirement that carbon monoxide detectors be installed and maintained in your home or business.

⁶ Fuel consumption rates are estimated based on normal operating conditions. Generator operation may be greatly affected by elevation and the cycling operation of multiple electrical appliances – fuel flow rates may vary depending on these factors.

⁷ Per ISO 3744. Sound level measurement at other locations around generator may differ depending on installation, based on lowest microphone at 7m. Normal operation based on average household usage.

Briggs & Stratton has a policy of continuous product improvement and reserves the right to modify its specifications at any time and without prior notice.

This standby generator is not for Prime Power applications.

Published January 2024. Please visit BRIGGSandSTRATTON.com for the latest information.