

BICYCLE TOOL

2026 CATALOG

Räder Bike GmbH

Opelstr. 13 D-64546, Mörfelden-Walldorf, Germany

Tel +49 06105 340-1224

Mobile +49 176 2342 9839

E-Mail kathleen@raederbike.de

**THE JOY
OF RIDING**



BIKE HAND

CONTENT

| | |
|-----------------------|----|
| REPAIR STAND | 01 |
| DISPLAY STAND | 05 |
| WALL HANGER | 09 |
| BOTTOM BRACKET TOOL | 11 |
| CRANK TOOL | 17 |
| FREEWHEEL TOOL | 18 |
| SPOKE WRENCH | 20 |
| TOOL KIT | 22 |
| TORQUE WRENCH | 28 |
| WORK SHOP TOOL | 30 |
| CHAIN TOOL | 32 |
| TIRE LEVER | 36 |
| DISC BRAKE TOOL | 37 |
| FORK & HEAD TUBE TOOL | 38 |
| FOLDING TOOL | 39 |
| WRENCHES | 44 |
| CLEANING BRUSH | 48 |



THE JOY OF RIDING

360°

YC-100BH

Bicycle Repair Stand
Aluminum
360° rotated head
Height adjusted quickly
PAT. 264193
YC-100-1A Tool Tray
YC-100-1B Bag




YC-100-1B

Bag



YC-100-P

Tablet Rack



YC-100-1A-MG

Magnetic Tool Tray

360°

YC-115

Bicycle Repair Stand
Workbench Mount
360° Rotated Head



360°

YC-115ST

Heavy-Duty Bicycle Repair Stand
Workbench mount, 360°
steel rotated head, e-bike use



360°

YC-116

Bicycle Repair Stand
Wall Mount
360° Rotated Head



360°

YC-116ST

Heavy-Duty Bicycle Repair Stand
Wall mount, 360°
steel rotated head, e-bike use



360°

YC-116AB

Bicycle repair stand
360° Rotated head
With both workbench and wall mount functions



360°

YC-116AB-ST

Heavy-Duty Bicycle Repair Stand
Both workbench and wall mount, 360°
steel rotated head, e-bike use



360°

YC-900BH

Bicycle Repair Stand, floor type.
NOT including steel base



360°

YC-100ST

Heavy-duty Bicycle Repair Stand
Steel rotated head,
aluminum base, height
adjusted.
Max load : 50 kgs,
E-bike use



360°

YC-300BH

Bicycle Repair Stand
Tripod extension




YC-100-1J

Handlebar Holder
To prevent the handlebar and
front wheel from moving when
the bike is mounted on the
repair stand



YC-100-1A-MG

Magnetic Tool Tray



YC-200BH

PATENT

Professional Bicycle Repair Stand, tripod extension Aluminum

Height adjustable. For the bikes without clamping the frame and seatpost. It is 360° horizontal rotation and holds the bikes securely by the adjustable clamp. With strap for secure the Bottom Bracket. Foldable design for storage. It can use with tool tray. (YC-100-1A)
For both QR forks and Thru-Axle forks



360°

YC-100UD

PowerLift Pro: Heavy-Duty Hand-Cranked Repair Stand for E-Bikes

It features an easy-to-use hand-crank design that is compatible with all bikes, including heavy e-bikes. With an exclusive patented chain, it offers a sturdy, stable, and durable lifting mechanism. Constructed from high-quality metal, it ensures reliable safety. Lightweight and equipped with a foldable handle, it's perfect for travel. Rotatable steel construction with adjustable height and dual quick-release locks for convenience and stability. Max load 50 kgs. Product weight: 7.5kgs



NEW

PATENT

E-BIKE TOOL



YC-91

Front wheel display stand
Keep the front wheel in position and need to work with the rear display stand



YC-92

Bicycle Storage Mount
Material : steel Size : 9mm
Mount it in the car trunk for travel or storage
NOT including mounting screws



YC-96FB

Universal Bicycle Lever Storage Stand
For most of bicycles use from 26"-29", maximum tire width 5". It's foldable

PATENT



YC-96L

Bicycle Lever Storage Stand, floor mount
Mount the stand on suitable surface for bike storage from 20mm wide tire to 2.5" wide tires in sizes 26" to 29" wheels



YC-96LFB

Universal Bicycle Lever Storage Stand
Floor mount, for most of the bicycles use from 26"-29" maximum tire wide 5". It's foldable. Mount the stand on suitable surface for bike storage



YC-92-12

Bicycle Storage Mount
Material : steel
Size : 12mm*100mm
Tighten it on YC-92 which is mounted in the car trunk for travel or storage use
For Thru-axle size 12mm use



YC-92-15

Bicycle Storage Mount
Material : steel
Size : 15mm*100mm
Tighten it on YC-92 which is mounted in the car trunk for travel or storage use
For Thru-axle size 15mm use



YC-92-15L

Bicycle Storage Mount
Material : Steel
Size : 15mm*110mm
Tighten it on YC-92 which is mounted in the car trunk for travel or storage use
For thru-axle size 15mm use



YC-92-20

Bicycle Storage Mount
Material : steel , Size : 20mm*110mm
Tighten it on YC-92 which is mounted in the car trunk for travel or storage use
For Thru-axle size 20mm use



YC-96

Bicycle Lever Storage Stand
It designed for bike storage from 20mm wide tire on 650C&700C road wheels to 2.5" wide MTB/BMX tires in size 26" to 29" wheels



PATENT



YC-93

Wall Rack
It's designed for wall-mounted bike storage from 26"-29" road and mountain bikes, tire width 3". Simple push in design, foldable and almost 180 degree rotation
Max load : 25 kgs

PATENT



YC-109

Bicycle Stand
For 26" wheel and road bikes



Pat M298556



YC-109H

Bicycle Stand
For 29" wheel and road bikes

PATENT



YC-109A

Bicycle Stand
Adjustable height to fit different size from 26" to 29" wheels and road bikes



PATENT



YC-109AF

PATENT

Foldable Bicycle Stand

Adjustable height for different size of bikes from 24"-29", foldable design for space and transportation



YC-117

Bicycle Tune-up Stand

Updated height to fit different size from 20" to 29" wheels



YC-117N

Bicycle Tune-up Stand

Updated height to fit different size from 20" to 29" wheels



YC-97

Display Stand

With two pulleys design, new bike stand can display bikes from 20"-29" by sliding wheel in position easily.

PATENT

YC-103

Display Stand

Adjustable height and angle to fit different bicycle frame



YC-97FB

Universal Display Stand

For most of bicycles use from 20"-29", maximum tire wide 5" It can adjust the pulley height for different sizes of tires.

PATENT



YC-97T

Bicycle Lever Storage Stand

The rack is designed for wheel size bikes from the range of 20" kids bikes, 20"-24"BMX bikes, 26" to 29" MTB and 700c road bikes. Max tire width: 2.5".

NEW



YC-118W

Display Stand Aluminum

Height adjusted quickly
Foldable design

PATENT



YC-98

Dual-Touch Bicycle Stand Aluminum

Height adjusted quickly
Foldable design
It can hold up to 4 bikes
(2 cradle hooks included)



YC-99-330

Floor To Ceiling Bicycle Stand (330cm) Aluminum

Height adjusted quickly
It can hold up to 4 bikes
(2 cradle hooks included)

YC-99-400(400cm)

PATENT





YC-30H
Bike Wall Hanger



YC-29S
Bike Wall Hanger



YC-30A
Foldable Bike Wall Hanger
It can't adjust angle



YC-30F
Foldable Bike Wall Hanger
It can adjust angle



YC-28H
Bike Wall Hanger



YC-26H
Bicycle Storage Hanger
New designed wall mount display hanger for different type of bikes and heavy duty bikes



YC-101R-P
Rear Wheel Pad



YC-23SA
Storage Hanger,
10mm



YC-20SA
Storage Hanger,
6mm



YC-22S
Storage Hanger,
6mm



YC-27S
Bicycle Storage Hanger
Mount it on the wall or ceiling
for storage and display 2pcs/set



YC-101
Bicycle Storage Hanger



YC-101R
Rotatable Bicycle Storage Hanger
It's compatible with aluminum rim
for bike storage from 26"-29" road
and mountain bikes, tire width 2.5"
and with rear wheel pad
(YC-101R-P). It's almost 180 degree
rotation
Max load : 25 kgs



YC-101WR
Rotatable Bicycle Storage Hanger
Wide type. It's compatible with
aluminum rim for bike storage from
26"-29" road and mountain bikes,
tire width 3" and with rear wheel
pad (YC-101R-P). It's almost 180
degree rotation.
Max load : 25 kgs



YC-101HF
Bicycle Storage Hanger
It's added with reinforce steel base
for bike storage from 26"-29" road
and mountain bikes, tire width 2.5".
Max load : 25 kgs



YC-303BBN

Bottom Bracket Wrench

Add curve design for narrow space.
Length : 350mm , size : 16 notch*44mm
For Shimano Hollowtech II BB ,Campagnolo BB use and new locking on center lock disc

YC-303BB

Bottom Bracket Wrench

Length: 350mm
For Shimano and Campagnolo use

YC-26BB-2A

Cartridge Bottom Bracket Wrench

For use with Shimano cartridge B.B

YC-26BB-1A (axle post)

YC-26BB

Cartridge Bottom Bracket Tool

For Shimano cartridge B.B.
Use with 24mm wrench or 1/2" driver



YC-304SD

4 Sizes Bottom Bracket Wrench

For Shimano Hollowtech II, BBR60, MT800, BB9000, BB-R9100, XTR BB93 and SRAM® DUB™

YC-41BB-2A

Bottom Bracket Wrench

For installing and removing the 12 notch external BB bearing. For SRAM® DUB™, Race Face® Cinch™, Rotor® BSA30, Zipp® Vuma™, Hawk Racing™ BB3086™
Size : 12x 46mm

YC-29BB-1A

Bottom Bracket Tool

For stably installing and removing external bearing cups, axle center is designed to improve the function for Shimano, SRAM , Truvativ , Giga X pipe and Howitzer, Race Face and Campagnolo 16 bearing cups

YC-46BB-2A

Bottom Bracket Wrench

For 16 notch T47, including Enduro® T47 and SRAM® T47 DUB® Length : 290mm

YC-307HF

Bottom Bracket Wrench

2 in 1 wrench, for Shimano Hollowtech II external BB and FSA MegaEvo



YC-27BB

Bottom Bracket Wrench

For Shimano Hollowtech II BB

YC-303BB-2A

Bottom Bracket Wrench

Round and long type.
Length : 289mm , size : 16 notch*44mm
For Shimano Hollowtech II BB ,Campagnolo BB use and new locking on center lock disc

YC-303BB-2AN

Bottom Bracket Wrench

For Shimano Hollowtech II BB, Campagnolo BB and new locking on center lock disc

NEW



YC-27

Dust Cap Wrench

YC-27ST

Dust Cap Tool

For Shimano Hollowtech II crank and use it with 8mm hex wrench for removing and installing the cap
Material : steel



YC-29BB-2A

Bottom Bracket Wrench

For Shimano Hollowtech II BB, Truvativ, Campagnolo external B.B. bearing use



YC-26BB-1A YC-26BB



YC-39BB-P

Plastic BB Adaptor

For BBR60 and MT800



YC-40BB-P

Plastic BB Adaptor

For BBR9000, BB-R9100 and XTRBB93



YC-32BB

Bottom Bracket Tool

For Shimano BB9000, BB-R9100 and XTR BB93, steel, use with 1/2" driver or 24mm wrench



YC-32BB-H24

Bottom Bracket Tool

For Shimano BB9000, BB-R9100 and XTR BB93, aluminum, use with 1/2" driver or 24mm wrench.
Size : 16 notches *39mm OD



YC-41BB

Bottom Bracket Tool

For installing and removing the 12 notch external BB bearing. Use with 1/2" drive wrench. For SRAM® DUB™, Race Face® Cinch™, Rotor® BSA30, Zipp® Vuma™, Hawk Racing™ BB3086™, material : aluminum
Size : 12 x 46mm



YC-41BB-ST

Bottom Bracket Tool

For installing and removing the 12 notches external BB bearing. Use with 1/2" drive wrench. For SRAM® DUB™, Race Face® Cinch™, Rotor® BSA30, Zipp® Vuma™, Hawk Racing™ BB3086™, material : steel
Size : 12 x 46mm



YC-29BB

Bottom Bracket Tool

For Shimano Hollowtech II



YC-29BB-3A

Bottom Bracket Tool

with 16 notches Aluminum inner ring which can be used on both sides and won't damage bottom bracket cups



YC-29BB-3AP

16 notches inner ring. It is used with YC-29BB-3A



YC-29BB-5A

Bottom Bracket Tool

Light aluminum tool for install and remove Shimano Hollowtech II external BB bearing. Use with 1/2" driver wrench. It can prevent the damage of the aluminum bearing



YC-46BB-H24

Bottom Bracket Tool

For 16 notch T47, use with 1/2" driver or 24mm wrench, including Enduro® T47 and SRAM® T47 DUB®, material : aluminum



YC-46BB-ST

Bottom Bracket Tool

For 16 notch T47, including Enduro® T47 and SRAM® T47 DUB®, use with 1/2" driver or 24mm wrench.
Material : steel



YC-31BB-H24

Bottom Bracket Tool

For Shimano BBR60, aluminum, and MT800 use with 1/2" driver or 24mm wrench. Size : 16*41mmOD



YC-47BB

Crank Locking Tool

For installing and removing the locking on Shimano direct-mount chainring systems including XTR® 9120,XT® 8120,MT900. Use with 36mm wrench or YC-27BB wrench. Size: 16 notches *41mm OD. Material : Steel



YC-31BB

Bottom Bracket Tool

For Shimano BBR60 and MT800 steel, use with 1/2" driver or 24mm wrench



YC-47BB-ST

Crank Locking Tool

For installing and removing the locking on Shimano direct-mount chainring systems. The lockrings with 41 mm outside diameter and 16 notches, including XTR® 9120,XT® 8120,MT900. Use with 1/2" driver



YC-37BB-ST

Bottom Bracket Tool

For installation and removal of bottom brackets with 16-notch tool fittings, including FSA® MegaEvo®, Wheels Manufacturing™ T47, & Wheels Manufacturing™ PF30. Use with 1/2" driver or 24mm wrench. Material : steel



YC-48BB-ST

Bottom Bracket Tool

For 12 notches T47, use with 1/2" driver or 24mm wrench, including Rotor® T47 External 30 mm, Rotor® BBright®, BB30, BB386EVO, and PF30 thread-together, Enduro® BBright® TorqTite®. Material : steel



YC-37BB-H24

Bottom Bracket Tool

For installation and removal of select threaded bottom brackets with 16-notch tool fittings, including FSA® MegaEvo®, Wheels Manufacturing™ T47, & Wheels Manufacturing™ PF30. Material : aluminum, Size : 16 notches *49mm OD



YC-48BB-H24

Bottom Bracket Tool

For 12 notches T47, use with 1/2" driver or 24mm wrench, including Rotor® T47 External 30 mm, Rotor® BBright®, BB30, BB386EVO, and PF30 thread-together, Enduro® BBright® TorqTite®. Material : aluminum



YC-50BB-ST

Bottom Bracket Tool

For installing and removing PRAXIS M30 BBs / PRAXIS M30-THRU BBs / PRAXIS 29mm BBs. Material : steel



YC-28BB

8 Notches Cartridge Bottom Bracket Tool

Cr-Mo steel
For use with 36mm spanner



YC-35BB

Chainring tool

For Shimano E8000, E6100, E7000 and E9000. Use with Hollowtech II wrench YC-27BB or YC-29BB. Size : 16 notches *54mm OD



YC-49BB-ST

Locking Socket Tool 36mm

Use with 1/2" torque wrench or 24mm wrench, for installation and removal of YAMAHA e-bike PW-SE and PW-TE lockring. Size : 36mm



YC-36BB

Chainring tool

For Shimano E6000



YC-33BB

Counter-ring tool

For Bosch Active, Performance line and Performance line CX. Use with 24mm wrench. Size : 8 notches *51mm OD



YC-42BB-ST

Counter-ring tool

For Bosch Active Plus system and YAMAHA PW-X and PW-X2. Use with 1/2" driver or 24mm wrench. Size: 8 notches x42mm OD



YC-34BB

Counter-ring tool

For Bosch Classic line



YC-38BB

Counter-ring wrench

For Bosch Classic and Active/Performance line



YC-42BB

Counter-ring wrench

For Bosch Active/Performance line and Active Plus system



YC-37BB-2A

NEW

Bottom Bracket Wrench

For installation and removal of select threaded bottom brackets with 16-notch tool fittings, including FSA® MegaEvo®, Wheels Manufacturing™ T47, & Wheels Manufacturing™ PF30.



YC-40BB

Bottom Bracket Wrench

For Shimano BB9000, BB-R9100 and XTR BB93



YC-39BB

Bottom Bracket Wrench

For Shimano BBR60 and MT800



YC-12AP

NEW

Bottom Bracket Tool Retaining Kit

Compatible with almost any 1/2" drive bottom bracket tool, it features a spring-based tension system that maintains consistent, adjustable pressure. This ensures secure engagement with the tool fitting and prevents slipping.



YC-48BB-2A

NEW

Bottom Bracket Wrench

For installation and removal of select threaded bottom brackets with 12-notch T47 tool fittings, including Rotor® T47 External 30 mm, Rotor® BBright®, BB30, BB386EVO, and PF30 thread-together, Enduro® BBright® TorqTite®.



YC-50BB-2A

Bottom Bracket Wrench

For installing and removing PRAXIS M30 BBs / PRAXIS M30-THRU BBs / PRAXIS 29mm BBs, Length: 290mm



YC-26BB-2ALP

Cartridge Bottom Bracket Wrench

For use with Shimano cartridge B.B. With extra long round handle for better torque and insert the screw nut for security



YC-25BB-29AB

Press-fit B.B. Installation Tool

For SRAM DUB Press fit BB, PF92/BB30/PF30, bike frame with 41mm, 42mm or 46mm shell. Color box package Model YC-25BB-29A (1set/polybag)



YC-304BB

PATENT

4 sizes Bottom Bracket Wrench

It designed for the installation and removal of Shimano Hollowtech II external BB, BBR60, BB9000, and FSA Mega Evo



YC-306BB

PATENT

Bottom Bracket Wrench

It designed for the installation and removal of Shimano Hollowtech II external B.B. Including BB-9000



YC-25BB

Press-Fit B.B. Removal Tool

For Shimano Press-fit BB use



YC-307BB

PATENT

3 sizes Bottom Bracket Wrench

It designed for the installation and removal of Shimano Hollowtech II external BB, BB-9000 and BBR60



YC-171

PATENT

Bottom Bracket Wrench

36mm box-end wrench and B.B. pin tool
The pin is hardened, replaceable and the distance between pins is adjustable



YC-30BB

Designed for removing B.B. 30 bearing

It must be used with the handle of YC-25BB

YC-25BB-30

Press-fit B.B. Installation Tool

YC-25BB-30 is a professional tool which combines three functions of installation. It can be used for press-fit B.B. installation, B.B. bearing I.D. 30mm and bearing I.D. 24mm



YC-216C

Crank Puller

It is designed for removing crank from Shimano spindle, over-sized B.B. and ISIS drive. With interchangeable adaptor fits both square and splined axles. Use with 15mm wrench



YC-215CB

Crank Puller

For Shimano spline, oversized B.B. and ISIS drive. With interchangeable adaptor fits both square and splined axles. Use with 15mm wrench



YC-216

Cotterless Crank Extractor

For square axle
Use with 15mm wrench



YC-216A-15

Cotterless Crank Extractor

For square axle



YC-216A

Cotterless Crank Extractor

For square axle



YC-271

Chain Ring Nut Wrench

Crank Wrench



YC-215A

Crank Wrench

With 8mm Allen key, it removes crank arms from Shimano spline, oversized B.B. and ISIS drive. With interchangeable adaptor fits both square and splined axles



YC-218

Crank Bolt Wrench

14MM socket and 8MM Hex wrench



YC-43BB

Crank Locking tool

For Rotor® 3D+ 3DF crank locking 30mm axle



YC-27-16ST

Crank Cap tool

Material : steel
For Shimano adjustment cap, SRAM® and Race Face® crank cap with 16mm hex hole. Use with 8mm hex wrench or attached 8mm socket with torque wrench



YC-291

Crank Arm Installation Tool

For Shimano XTR crank



YC-291P

Crank Nut Adjustment Tool



YC-126-5A

Freewheel Repair Set

It's a 2 in 1 freewheel tool set for installation and removal, for 7-12 speeds cassette freewheel.



YC-813C

10mm Allen Key Wrench

Extra long

For Campagnolo B B 10mm bolt



YC-126C-4A

B B cassette tool

for Campagnolo

Use with 24mm wrench or 1/2" driver

Campagnolo



YC-126-6AM

Cassette Locking Wrench

For removing and installing cassette locking from the thru axle hubs. The 12mm aluminum guide pin can attached on the regular guide pin



YC-501A

Freewheel Turner

Length: 305mm



YC-501AL

Freewheel Turner

With extra long round handle for better operation. It can use for 7-12 speeds chain
Length : 353mm Black color



YC-126-2A

Freewheel Remover

For Shimano HG cassette
With guide axle



YC-126-2AL

Freewheel Remover

For Shimano cassette lock ring with extra long round handle for better torque
Length : 356mm Black color

YC-505

Freewheel Turner

For 7-12 speeds cassette freewheel
15MM pedal wrench

YC-505



YC-506-10S / YC-506-BMX

Lock Ring Tool

For 7-12 speeds cassette freewheel
For BMX 1/8" freewheel

YC-521

Chain holder

It can replace freewheel for bike repair or chain clean. Work with all derailleur and chain. Insert into the rear dropouts and tighten the quick release. It works with open dropout and thru-axle frames up to 12mm



YC-45BB

Inner Ratchet Hub Nut Removal Tool
For ratchet-style hubs nut like the DT Swiss 240s, 350 and Prime SR1 hubs. Use with 24mm wrench.
Material : steel
Not compatible with DT Swiss EXP Ratchet hubs or Pawl drive hubs



YC-500A-BMX

Single Speed Freewheel Tool
8/9/10/11/12/13/14/15mm, bottle opener, locking wrench




YC-155

Bottom Bracket Cup Tool

YC-202-ST

Freehub tool set
For installing and removing most Shimano® freehub. Use with a 24 mm wrench or 1/2" ratchet wrench.
Material : Steel



YC-126-6A

Cassette locking tool
For removing and installing cassette locking from the thru axle hubs. The 12mm aluminum guide pin can attached on the regular guide pin



YC-126-6A-10

Cassette locking tool
For removing and installing cassette locking from the thru axle hubs. The 10 mm aluminum guide pin can attached on the regular guide pin



YC-126-6A-15

Cassette locking tool
For removing and installing cassette locking from the thru axle hubs. The 15 mm aluminum guide pin can attached on the regular guide pin



YC-126-1A

Lock Ring Remover (guide axle)
For Shimano HG cassette lock ring. Use with 24mm wrench or 1/2" driver



YC-515

Freewheel turner and pedal wrench
2 sides of 15mm pedal wrench combines with freewheel turner. For 7-12 speeds cassette freewheel



YC-502A

Freewheel Turner
For lock ring 15/16mm spanner. Length: 230mm



YC-126

Freewheel Remover
For Shimano cassette locking. Use with 24mm wrench or 1/2" driver



YC-157

Lock Ring Tool
The pivot section provides a secure fit for all kinds of lock ring



YC-159S-BK

Lock Ring Tool
15/16mm spanner



YC-121A

Freewheel remover
For use of Shimano freewheel. Hardened, black finish



YC-122A

Freewheel Remover
Lengthened size. Size : 12 notches*22.6mm



YC-401H

Freewheel Remover
For 4-notch freewheels. Lengthened size



YC-201L

Freewheel Remover
For two notch freewheels



YC-402

Freewheel Remover
For 4-notch BMX/single speed freewheels



YC-120B

Freewheel Remover



YC-1VW

Valve Wrench
For installing and removing Schrader and Presta valve cores, also Presta valve extenders



YC-189

Nipple Tool Kit
YC-189 is a perfect tool kit for tighten nipples accurately. It has a great nipple box to place 36 nipples and other small parts



YC-189L

Extended Nipple Tool Kit
Longer design for building the deep aero rims and same for the regular rims. Length : 120mm. It has great nipple box to place 36 nipples and other small parts



YC-188

Bladed Spoke Holder
It is designed for holding bladed spoke securely when building wheel



YC-1AB-1



YC-1AB-2



YC-1AB-3

Spoke Wrench

Diamond shape
YC-1AB-1 For 0.127" (3.2mm) nipple, black
YC-1AB-2 For 0.130" (3.3mm) nipple, green
YC-1AB-3 For 0.136" (3.5mm) nipple, red



YC-1A

Spoke Wrench
For 0.127" (3.2mm) nipple, black
For 0.130" (3.3mm) nipple, green
For 0.136" (3.5mm) nipple, red



YC-1R-1



YC-1R-2



YC-1R-3

Spoke Wrench

Diamond shape
increase thickness to improve strength from deforming the nipple
YC-1R-1 For 0.127" (3.2mm) nipple, black
YC-1R-2 For 0.130" (3.3mm) nipple, green
YC-1R-3 For 0.136" (3.5mm) nipple, red



YC-1S
(SHIMANO)



YC-1M
(MAVIC)

YC-1S Spoke Wrench For 4.3mm nipple

YC-1M Spoke Wrench For Mavic nipple



YC-8F

Spoke Wrench

3.2/3.5mm unique diamond shape design
It provides extra strength and helps prevent
slipping and deformation of aluminum nipples
3.3/4.0mm spoke wrench



YC-6G

Spoke Wrench
10G-15G



YC-8A

Spoke Wrench
9G-15G



YC-1H



YC-1HS



YC-1HM

YC-1H Spoke Wrench For 3.2/3.5mm

YC-1HS Spoke Wrench For 4.0/4.3mm

YC-1HM Spoke Wrench For Mavic 7mm and 8mm



YC-1JPH

Spoke Wrench

For carbon rim, 3.2mm nipple



YC-8B

Spoke Wrench
9G-15G



YC-6A

Spoke Wrench
14G/15G



YC-618

Tool Kit

includes 6 items:

- Spoke wrench (YC-8A)
- Chain rivet extractor (YC-327)
- Folding tool 7 functions
2/3/4/5/6mm hex key wrench,
flat/Phillips screwdriver (YC-267)
- Red tire lever (YC-311-RD)
- 8mm/10mm spanner (YC-151-8-10)
- Patch kit (YC-123)



YC-638

Essential Bike Tool Kit

- Chain tool (YC-327)
- Folding tool (YC-286B)
- Spoke wrench (YC-1A)
- Freewheel chain whip (YC-502A)
- Cassette lock ring tool (YC-126-1A)
- 15mm pedal wrench (YC-658-15S-4T)
- 8mm hex key wrench/adaptor (YC-812LE)



YC-628

Tool Kit

Includes 6 items

- Crank puller (YC-215CB)
- Chain rivet extractor (SL-326A)
- Tire lever (YC-308)
- Hex key wrench set
(2/2.5/3/4/5/6/8mm)(YC-613-H8)
- Patch kit (YC-123)
- 15mm spanner (YC-658-15S-4T)



YC-739

Tool Kit

including 8 items:

- Freewheel turner (YC-502A)
- Hex key wrench set 2/2.5/3/4/5/6mm (YC-613)
- Lock ring remover (YC-126-1A)
- Freewheel remover (YC-122A)
- Crank puller (YC-215CB)
- Cartridge B.B. tool (YC-26BB-1A)
- Chain rivet extractor (YC-329)
- Spoke wrench (YC-6A)



YC-737

BIKE HAND Tool Kit

including 13 items:

- Cartridge B.B. tool (YC-26BB-1A)
- Cotterless crank extractor (YC-216)
- Red tire lever (YC-311-RD)
- Chain rivet extractor (YC-327)
- Lock ring remover (YC-126-1A)
- Freewheel turner (YC-502A)
- 8mm hex key wrench/square adaptor (YC-812LE)
- Hub cone spanner 13/14/15/16mm, set of 2 pieces (YC-152)
- Flat/ Phillips screwdriver (YC-611)
- 8mm/10mm spanner (YC-151-8-10mm)
- Folding tool -2/3/4/5/6mm hex key wrench, flat/Phillips screwdriver (YC-267)
- Spoke wrench 9G-15G (YC-8A)
- Patch kit (YC-123)



YC-725

Tool kit

including 10 items:

- Crank puller (YC-215CB)
- Chain tool (YC-325-P2)
- Bottom Bracket wrench (YC-27BB)
- 15mm spanner (YC-162)
- Freewheel turner (YC-501A)
- Dust cap wrench (YC-27)
- Cartridge B.B. tool (YC-26BB-1A)
- Lock ring remover (YC-126-1A)
- 8mm hex key wrench/square adaptor (YC-812LE)
- Chain hook (YC-207)



For Shimano use

YC-720

BIKE HAND Home Mechanic Tool Kit

including 15 items:

- Chain rivet extractor (YC-325-P2)
- Folding tool, 2/2.5/3/4/5/6/8mm/flat/Phillips screwdriver (YC-262)
- Patch kit (YC-123)
- Flat screwdriver 3mm (YC-612)
- Flat 5mm/Phillips screwdriver (YC-611)
- 8mm hex key wrench/square adaptor (YC-812LE-BK)
- Freewheel & pedal wrench (YC-515)
- Freewheel wrench (YC-126-1A)
- Chain Scrubber (YC-790)
- Hub spanner 13/14mm (YC-257A)
- Hub spanner 15/16mm (YC-257B)
- Hub spanner 17/18mm (YC-257C)
- Tire lever set (YC-308)
- Spoke wrench (YC-1A)
- Chain hook (YC-207)



For Shimano use

YC-721

BIKE HAND Professional Tool Kit, for Shimano use

including 20 items:

- T20 (YC-T20)
- T25 (YC-T25)
- T30 (YC-T30)
- Spoke wrench (YC-8F)
- Dust cap wrench (YC-27)
- Chain ring nut wrench (YC-271-BK)
- Flat screwdriver 3mm (YC-612)
- Flat 5mm/Phillips screwdriver (YC-611)
- 8mm hex key wrench/square adaptor (YC-812LE-BK)
- Tire lever set (YC-305D)
- 2/2.5/3/4/5/6mm hex key wrench (YC-613-BK)
- Bottom Bracket wrench, for Hollowtech II BB, BB9000, BBR60 (YC-307BB)
- Freewheel & pedal wrench (YC-515)
- Freewheel wrench (YC-126-1A)
- Cartridge bottom bracket tool (YC-26BB-1A)
- Multipurpose master link tool (YC-335CO)
- Chain rivet extractor (YC-336)
- Hub spanner 13/14/15/16/17/18mm (YC-257ABC)
- Crank puller (YC-215CB)
- Chain hook (YC-207)



YC-735A

Advanced Tool Kit

including 19 items:

- Flat/ Phillips screwdriver (YC-611)
- Tire lever (YC-313)
- Chain rivet extractor (YC-329)
- Adjustable wrench (YC-610)
- Hex key wrench 2/2.5/3/4/5/6mm (YC-613)
- 8mm/10mm spanner (YC-151-8-10)
- Lock ring tool (YC-157)
- 8mm hex key wrench/ square adaptor (YC-812LE)
- Pedal remover (YC-156A)
- Freewheel turner (YC-501A)
- B.B. cup tool (YC-155)
- Flat screwdriver (YC-612)
- Headset wrench 30/32/36/40mm (YC-153)
- Lock ring remover (YC-126-1A)
- Hub cone spanner 13/14/15/16mm set of 2 pieces (YC-152)
- Cartridge B.B. tool (YC-26BB-1A)
- Patch kit (YC-123)
- Crank puller (YC-215CB)
- Spoke wrench 9G-15G (YC-8A)



YC-735ABB

Advanced Tool Kit

including 19 items:

- Flat/ Phillips screwdriver (YC-611)
- Tire lever (YC-313)
- Chain rivet extractor (YC-329)
- Adjustable wrench (YC-610)
- Hex key wrench 2/2.5/3/4/5/6mm (YC-613)
- 8mm/10mm spanner (YC-151-8-10)
- Lockring tool (YC-157)
- 8mm hex key wrench/square adaptor (YC-812LE)
- Pedal remover (YC-156A)
- Freewheel turner (YC-501A)
- B.B. cup tool (YC-155)
- Flat screwdriver (YC-612)
- Bottom Bracket wrench (YC-27BB)
- Lockring remover (YC-126-1A)
- Hub cone spanner 13/14/15/16mm set of 2 pieces (YC-152)
- Cartridge B.B. tool (YC-26BB-1A)
- Patch kit (YC-123)
- Crank puller (YC-215CB)
- Spoke wrench 9G-15G (YC-8A)



For Shimano use

YC-728

BIKE HAND Professional Tool Kit

For Shimano use, including 18 items:

- Chain rivet extractor (YC-325P2)
- Flat 5mm /Phillips screwdrivers (YC-611)
- Dust cap wrench (YC-27)
- Chain ring nut wrench (YC-271)
- Tire lever (YC-3123)
- 8mm hex key wrench/square adaptor (YC-812LE)
- Pedal wrench (YC-161)
- Freewheel turner (YC-501A)
- Bottom Bracket wrench (YC-27BB)
- Hub cone spanner 13/14/15/16mm set of 2 pieces (YC-152)
- Lock ring remover (YC-126-1A)
- Crank puller (YC-216C)
- Spoke wrench 0.127" 0.130" 0.136" (YC-1A)
- Cartridge B.B. tool (YC-26BB-1A)
- Flat screwdriver 3mm (YC-612)
- YC- T25
- Patch kit (YC-123)
- Hex key wrench 2/2.5/3/4/5/6mm (YC-613)



YC-799-PART B

Parts for YC-799AB or YC-799B



YC-799-PART A

Parts for YC-799AB or YC-799A



YC-799

For Shimano use

YC-799AB

BIKE HAND Professional Mechanic Tool Kit

Updated and best collection, including 23 items:

- Chain ring nut wrench (YC-271-BK)
 - Chain scrubber (YC-790)
 - Master link tool (YC-335CO)
 - Cable cutter (YC-767-BK)
 - Tire lever set (YC-305D)
 - Spoke wrench 3.2/3.3/3.5/4.0mm (YC-8F)
 - Chain hook (YC-207)
 - Pedal wrench (YC-658-15S-4T)
 - 8mm hex key wrench /square adaptor (YC-812LE-BK)
 - Chain wear indicator (YC-503)
 - Freewheel turner/Pedal wrench (YC-515)
 - Bottom Bracket wrench, for Hollowtech II BB, BB-9000, BBR60 (YC-307BB)
 - T10/T15/T20/T25/T27/T30/T40/T45/T50 wrench (YC-633-SCP)
 - Crank puller (YC-215CB)
 - Dust cap wrench (YC-27)
 - Freewheel remover (YC-126-1A)
 - Cartridge B.B. tool (YC-26BB-1A)
 - Chain rivet extractor (YC-324SC)
 - Flat/Phillips screwdriver (YC-611)
 - Hex Key wrench 2/2.5/3/4/5/6mm (YC-613-BK)
 - Torque wrench set (YC-617-2S)
 - Press-fit BB installation tool (YC-25BB-30)
 - Press-fit BB removal tool (YC-25BB/30BB)
- Optional choices with YC-799A, YC-799B or YC-799AB
- YC-799A with Torque wrench set, 2-24NM, 3/4/5/6/8/10mm/T20/T25/T30/5mm-L/Flat/PH2 (YC-617-2S)
- YC-799B with Press-fit BB installation tool (YC-25BB-30) and Press-fit BB removal tool (YC-25BB/30BB)

UPDATED



YC-748

BIKE HAND Advanced Mechanic Tool Kit

including 32 items:

- Chain scrubber (YC-791)
- Freewheel turner (YC-501A)
- Cable cutter (YC-767)
- Chain ring nut wrench (YC-271)
- Chain scrubber (YC-790)
- Hub cone spanner 13/14/15/16/17/18/19mm (YC-658-13-19)
- Adjustable chain remover (YC-324SC)
- Tire lever set of 3 pieces (YC-311)
- Crank puller (YC-215CB)
- Spoke wrench 0.127"=3.2mm (YC-1R-1)
- Spoke wrench 0.130"=3.3mm (YC-1R-2)
- Spoke wrench 0.136"=3.5mm (YC-1R-3)
- Pedal remover (YC-156A)
- Cartridge B.B. tool (YC-26BB-2A)
- Bottom Bracket wrench (YC-27BB)
- Dust cap wrench (YC-27)
- 8mm/10mm spanner (YC-151-8-10mm)
- 12mm/14mm spanner (YC-151-12-14mm)
- Patch kit (YC-123)
- Chain wear indicator (YC-503)
- 8 notch cartridge B.B. (YC-28BB)
- Freewheel remover (YC-126-2A)
- Headset wrench 30/32/36/40mm (YC-153)(2pcs)
- Ball-end hex key wrench 1.5/2/2.5/3/4/5/6/8/10mm (YC-623)
- Flat/Phillips screwdriver (YC-611)
- YC- T25



YC-758

BIKE HAND Advanced Mechanic Tool Kit

updated including 33 items :

- Chain scrubber (YC-790)
- Hub cone spanner 13/14/15/16/17/18mm (YC-658-13-18)
- Adjustable chain remover (YC-324SC)
- Freewheel remover (YC-126-2AB)
- Freewheel turner/Pedal wrench (YC-515)
- Chain ring nut wrench (YC-271-BK)
- Spoke wrench 0.127"=3.2mm (YC-1R-1)
- Spoke wrench 0.130"=3.3mm (YC-1R-2)
- Spoke wrench 0.136"=3.5mm (YC-1R-3)
- Flat/Phillips screwdriver (YC-611)
- Flat screwdriver (YC-612)
- Master link tool (YC-335CO)
- Cable cutter (YC-767-BK)
- Dust cap wrench (YC-27)
- Ball-end hex key wrench 1.5/2/2.5/3/4/5/6/8/10mm (YC-623-BK)
- Chain wear indicator (YC-503)
- Bottom Bracket wrench, for Hollowtech II BB, BB-9000, BBR60 and FSA Mega Evo (YC-304BB)
- Chain hook (YC-207)
- 8mm/10mm spanner (YC-151 8-10mm)
- 12mm/14mm spanner (YC-151-12-14mm)
- Patch kit (YC-123)
- Crank puller (YC-215CB)
- Cartridge B.B. tool (YC-26BB-1A)
- Dual Functions wrench (YC-172)
- Metal tire lever, length : 202mm (YC-3125) (2pcs)
- T25
- T20
- T30

TORQUE
Two Directions



YC-617W

1/2" Torque Wrench (42-210NM)

YC-617W-2

1/4" Torque Wrench (5-25NM)

YC-617

1/2" Torque Wrench (28-210NM)

YC-637

Essential torque wrench 1/4" driver
range : 2-12NM

YC-637+BITS

Essential torque wrench 1/4" driver
range : 2-12NM
Bits : 2/2.5/3/4/5/6/8mm/PH2/T10/T25



YC-636

Torque Wrench Kit

BIKE HAND new design torque wrench features easy operation and portable. It designed for checking and tightening the bolts on frame and components at the safe value. 1/4" driver, Range: 2-10NM
Bits : 2/2.5/3/4/5/6/8mm/Phillips/T10/T25



YC-635

1/4" torque wrench set

3-15 NM,
3/4/5/6/8/10mm/T20/T25/T30/4mm-L/5mm-L



YC-617WD-2

1/4" Torque wrench set

1-25NM
3/4/5/6/8/10mm/T15/T20/T25/T27/T30/T40/PH2/PH3
1/4" socket extension /5mmL



YC-617-2ST

Torque Wrench Set

1/4" Torque Wrench Set
2-24NM
3/4/5/6/8/10mm/T20/T25/T30/4mm-L/5mm-L
It's an updated design for set up the torque value securely by tighten the bottom screw



YC-617-2S

1/4" Torque Set

2-24 NM 3/4/5/6/8/10 mm
T20 / T25 / T30 / 5mm-L



YC-617-2SW7



YC-617-2SW8



YC-617-2SW10

YC-617-2SW7 / YC-617-2SW8 / YC-617-2SW10

7/8/10mm wrench adaptor

It is used with 1/4" drive torque wrench to check and set the brake hose connecting bolt to the correct amount. thickness : 4mm



YC-509

Wheel Centering Gauge

For rim size 24" to 29"



YC-512N-CG

Center Gauge for YC-512NB

For reset the center of the wheel truing stand



YC-508

Rear Dropout Adjustment Tool

For rim 20"-29"



YC-507

Frame & Fork Adjustment Tool


For expanding and narrowing steel forks and chain stays. Size: 80mm - 160mm



YC-512E-2

Portable bike wheel repair tuning tool with percentage indicator

It is designed to easily true the front and rear wheels without removing the tire. It can be strapped anywhere on the bike frame or forks. With a percentage indicator, it allows for precise adjustments using a spoke wrench for accurate wheel alignment.



YC-508A

Universal Star Nut Setter & Brake Lever Alignment Tool

This versatile 2-in-1 tool combines a star nut setting function with a brake lever height alignment feature.

Star Nut Setting Tool: Designed for easy installation of star-shaped nuts into the stem of the fork.

Size: 28.6mm

Brake Lever Alignment Tool: Use in conjunction with the YC-508 rear dropout adjustment tool to align road bike brake levers to the same height for precise adjustment.



YC-516

Axle vise

Insert the axle into proper size and use with bench vise to prevent the axle from turning around

YC-512NB

Wheel Truing Stand

For wheel from 16"-29"





YC-512N-TA

Thru Axle Adaptor

Use for BIKE HAND wheel truing stand (YC-512NB) to work for 12mm, 15mm, 20mm thru axle front wheel and rear 135mm/142mm thru axle hubs.



YC-510

Seat Tube Gauge

Material: Aluminum Size: ψ 34.9/31.8/31.6/31.4/30.9/30.8/30.4/30.2/30/29.4/29.2/28.8/28.6/28.2/27.4/27.2/26.8/26.4/26.2/26/25.8/25.6/25.4/25mm



YC-514

Tubeless tool kit

With 2 ways functions of tire reamer and insertion tool which are installed on the aluminum case. Also, it includes 5 pcs *1.5mm thickness strips for road tires and 5 pcs*3.5mm for mountain bike and hybrid tires



YC-513

Internal cable routing kit

It's designed for routing the cables, wires and housing of the internal frame. The kit includes magnet guide tool, adaptor tips and 2.5M installation cables, each with a magnet on one end and tapered adaptor tip/Di2 adaptor tip on the other end. For carbon fiber, titanium, and aluminum frames with a minimum ψ 6mm hole. Including Di2® EW-SD300 adapter.



YC-517

Pick Set

3 picks with magnets for small detail work



YC-511

Spoke Gauge

For sizing spokes, ball bearings and crank catters
Material: Stainless steel



YC-323

Chain Rivet Extractor

It is a mini chain tool with comfortable handle and suitable for UG & HG use for 7-13 speeds.



SL-326A

Chain Rivet Extractor



SL-326L

Chain Rivet Extractor

Made of steel
4/5/6mm hex key wrench



YC-324SC

Chain Rivet Extractor

It's suitable for UG, HG, Hp, 3/16" & 3/8" BMX/Freestyle chain and compatible with all chains including 7,8,9,10,11,12 and 13 speeds Shimano and Campagnolo chains.



YC-324SC-13

Replaceable Chain Rivet Extractor

For all chains including 7-13 speeds Shimano and Campagnolo chains, UG, HG, Hp, 3/16" & 3/8" BMX/freestyle chains. With replaceable tips parts if wear out.



SL-326G

Chain Rivet Extractor



YC-336

Chain Rivet Extractor

It fits all 7,8,9,10,11,12 and 13 speeds and HG, UG, IG chains. Comfortable handle design.



YC-399

Folding Chain Rivet Extractor

It designed to use on all chains including 7,8,9,10,11,12 and 13 speeds Shimano and Campagnolo chains. It's small and easy operation and features 8/9/10mm wrench and 3.2/3.3/3.5/4.0mm spoke wrench, 8mm Mavic spoke wrench and includes extra pin



YC-285

Chain Rivet Extractor

4/5/6mm Allen key, Phillips screwdriver
For 7-13 speeds chains



YC-396

Ultimate Chain Rivet Extractor

This is BIKE HAND new chain tool for all chains including 7,8,9,10,11,12 and 13 speeds Shimano and Campagnolo chains. It combines with master link tool both open and close and chain hook. With long thread which provides strong power. Excellent design and easy operation



YC-397

Chain Rivet Extractor

For all the chains including 7-13 speeds Shimano and Campagnolo chains. With replaceable tips parts if wear out. It also includes chain hook and extra pin.
YC-397-T Replaceable tips parts



YC-329

Chain Rivet Extractor

For UG ,HG, Alpha, 410,408 chain
For 7-13 speeds chains



YC-327

Chain Rivet Extractor

Made of steel, CP finish
For 7-13 speeds chains



YC-503

Chain Wear Indicator

A worn chain shifts poorly and wears sprockets at an accelerated rate. 0.75% and 1%, the points at which chain experts suggest replacement



YC-325SC

Chain Rivet Extractor

It designed for installation and removal of all chains including 7,8,9,10, 11,12 and 13 speeds Shimano and Campagnolo chains. It also includes chain hook and extra pin



YC-331

Chain Rivet Extractor

8/9/10 mm spanner
For 7-13 speeds chains



YC-325P2

Chain Rivet Extractor

It suits for 7,8,9,10,11,12 and 13 speeds HG,UG,IG chain and come with one extra removing pin



YC-503H

Multipurpose Chain Wear Indicator

New design chain wear tool which includes the function of chain hook and measurement tool of spoke nipple size 3.2/3.3/3.4/3.5/3.6/4mm. A worn chain shifts poorly and wears sprockets at an accelerated rate. 0.75 % and 1 % , the points at which chain experts suggest replacement



YC-HG9S

YC-HG10S

YC-HG9S

Quick fix pin for 9 speeds

YC-HG10S

Quick fix pin for 10 speeds



YC-207

Chain Hook

It can fix the chain when assemble it



YC-005-P

Pin

YC-005-P



YC-335CO

Multipurpose Master Link Tool

Advanced tool for both open and close the master link. For 8,9,10,11,12 and 13 speeds



YC-335

Master Link Opener

It allows 8,9,10,11,12 and 13 speeds derailleur chain to be removed from a master link



YC-335ST

Multipurpose Master Link

Tool It's a compact and portable design for close and open the master link. It connects with tire lever as handle extension. For 8,9,10,11,12 and 13 speeds



YC-335C

Master Link Fixer

It allows 8,9,10,11,12 and 13 speeds derailleur chain to be rebuilt easily



YC-335CO-S

Mini Master Link tool

Multipurpose master link tool for both open and close. For 8-13 speeds chain. With tiny magnets can attach the spare master link. Small but remains strong design for travel use



YC-305D

Tire Lever Set

Plastic-metal boosted, (3 pieces 1 set) This is the new tire lever set which keep the advantage of strong steel and also covered with plastic part to prevent the rim from damage



YC-308

Tire Lever Set

3 pcs of 1 set



YC-3128P

Tire Lever Set

2 sides reinforced metal core for remove different tires even the heavy-duty tires. It's small and portable. Length: 10cm, 2pcs of 1 set



YC-3123

Tire Lever Set

Long type, 2 pieces



YC-3125

Tire Lever

The excellent design combines plastic and steel 2 sides tire lever for better function. Length: 202mm



YC-3126

Tire Clamp

Tire clamp is a outstanding design for installing heavy-duty tire. Length: 225mm



YC-311-Box



YC-311



YC-311-Box

30 sets Tire Lever / Box

YC-311

Tire Lever Set

In red, black, green, blue and yellow (3 pieces/set)



YC-309

Tire Lever Set

2 pcs of 1 set



YC-313

Tire Lever Set

Made of steel, cp finish. 3 pcs of 1 set



YC-129A

Patch Kit

Six flexible patches, glue, tire levers and sandpaper



YC-129B

Patch Kit

Six round gluey patches, tire levers and sandpaper



YC-192

Disc Brake Centering Adaptor
Simple, convenient, and fast way to install disc brake accurately



YC-193

Brake Pad Installation Tool
For install the brake pad easily and accurately



YC-76KP

Hydraulic Disc Brake Tool
It's an updated design tool for both brake hose cutter and needle driver insertion tool. It prevents damage when insert the soft brass fittings and make the insertion with perfect alignment. Insert or remove the needle for different fittings



YC-169-17

Hydraulic Disc Brake Tool
It's design to open piston by pushing the brake pads apart
Small and portable type



YC-169

Hydraulic Disc Brake Tool
Allow user to open piston by pushing the brake pads apart



YC-617-W

7/8mm wrench
Double-ended wrench features 7 mm and 8 mm wrench openings. It is designed for nuts, nipples and other fittings found on hydraulic brake systems. Built-in 3/8" and 1/4" fittings allow for use with a torque wrench to achieve proper torque. Thickness :4.5mm Length :101mm



YC-172

Dual Functions Wrench
For flattening rotor and spreading hydraulic disc brake caliper apart



YC-761

Hydraulic Disc Brake Hoses Cutter
It's a small and compact design for cutting the brake hoses.



YC-165

Rotor Flattening Tool



YC-766

Inner Wire Plier



YC-768

Cable Cutter



YC-768S

Cable Cutter
With spike to reform the cable housing



YC-760

Hydraulic Disc Brake Hoses Cutter



YC-767

Cable Cutter
Use for all bike cable, outer casing, cut without fraying



YC-107

YC-107

Headset Press-In Tool
Use for regular and oversized headset bearing cup



YC-107-B

B.B. Press-In Tool
Use for regular BB bearing, BMX, MTB & ATB



YC-107F

Economic Head Cup Press
It makes the head cup installation easily. For all sizes of head cup and one-piece bottom bracket cups

YC-1858M
YC-1858S



Head Cup Remover

YC-1858M
size :28.6mm
YC-1858S
size : 25.4mm

YC-1858-22



YC-1858-22

Press-fit BB Removal Tool
For Shimano press-fit BB bearing removal use, internal diameter 24mm-30mm



YC-113A (28.6mm) YC-113B (25.4mm)

Star Nut Setting Tool
Install the star-shaped nut on the tool and tap it into the stem of the fork with a hammer.



YC-128

Hack Saw
Multi-angle hacksaw for iron tube and aluminum frame with blade tension adjuster. Blade size : 24T, 12" * 300mm



YC-128C

Hack Saw Blade
Unique blade for carbon bike frame



Crown Race Setting Tool

YC-1860
It is a universal Setting Tube with 1" and 1 1/8" Inserts
YC-1860-12
For 1.5" and 1 1/8"
YC-1860-3S
For 1", 1 1/8", 1.5"



YC-1860-12



YC-1860-3S



YC-112LW

Oversized Adjustable Saw Guide
It is designed for guiding hack saw to cut fork, airfoil shaped seat posts up to 80mm or round tube from 25.4mm to 45mm in diameter



YC-112

Saw Guide Set
it can be used on 25.4 / 28.6 / 31.8mm threadless fork and 21.5 mm handlebar. Shop quality.



YC-1859

Crown Race Remover
Range: 25.4-28.6mm



YC-263-15



Folding Tool
2/3/4/5/6/T20/T25/15mm



YC-279

Folding Tool
2/2.5/3/4/5/6/8mm hex key wrench
flat/Phillips screwdriver, 14G/15G
spoke wrench, knife, Chain rivet
extractor, tire levers



YC-279-D

Folding Tool
2/2.5/3/4/5/6/8mm hex key wrench,
flat/Phillips screw driver, 14/15G spoke
wrench, 8/9/10/12/13/15mm spanner,
8/9/10mm sockets, tire levers



YC-287B1

Folding Tool
2/2.5/3/4/5/6/8mm hex key wrench, flat/Phillips
screwdriver, T25, 14G/15G spoke wrench for
Shimano 4.3mm nipple, spoke wrench for Mavic,
chain rivet extractor, tire levers.



YC-266

Folding Tool
3/4/5/6mm hex key wrench,
flat and Phillips screwdriver.



YC-270

Folding Tool
2/2.5/3/4/5/6mm hex key wrench,
flat and Phillips screwdriver.



YC-273

Folding Tool
2/2.5/3/4/5/6/8mm hex key
wrench, flat/ Phillips screw
driver, 14/15G spoke wrench



YC-274

Folding Tool
2/2.5/3/4/5/6/8mm hex key wrench,
flat/ Phillips screwdriver, T25



YC-279-DN

Folding Tool
2/2.5/3/4/5/6/8mm hex key
wrench, flat/Phillips screwdriver,
8/9/10mm sockets



YC-287AS

Folding Tool
2/2.5/3/4/5/6/8mm hex key wrench, flat/Phillips
screwdriver, T25, 14G/15G spoke wrench for
Shimano 4.3mm nipple, spoke wrench for
Mavic, chain rivet extractor, tire levers.



YC-267

Folding Tool
2/3/4/5/6mm hex key wrench, flat
and Phillips screwdriver.



YC-282

Folding Tool
T9/T10/T15/T20/T25/T27/
T30/T40



YC-282AS

Folding tool
T9/T10/T15/T20/T25/T27/T30/T40
Aluminum silver case.



YC-280

Folding tool
2, 2.5, 3, 4, 5, 6, 8mm allen key
8, 9, 10, 12, 13, 14mm box end wrench, 3.2/3.3/3.5mm
spoke wrench, flat/Phillips screwdriver, tire lever



YC-280ET25

Folding Tool
2, 2.5, 3, 4, 5, 6, 8mm allen key
8, 9, 10, 12mm box end wrench, 3.2/3.3/3.5mm
spoke wrench, flat/Phillips screwdriver, tire lever
Chain rivet extractor, T25

YC-280KE

GERMANY
NO.20118728.0

Folding Tool
2, 2.5, 3, 4, 5, 6, 8mm allen key
8, 9, 10, 12mm box end wrench, 3.2/3.3/3.5mm spoke
wrench, flat/Phillips screwdriver, tire lever
Chain rivet extractor, knife



YC-286N

Mini Folding Tool
2/2.5/3/4/5/6/8mm hex key wrench,
Phillips screwdriver, T25 wrench



YC-286B

Folding Tool
2/2.5/3/4/5/6/8mm hex key wrench, Phillips
screwdriver, T25.



YC-289

Mini Folding Tool
2/2.5/3/4/5/6mm hex key wrench, flat/Phillips screw-
driver, T25 wrench, 3.2/3.3/3.5 and Mavic spoke wrench



YC-292-2P

Portable Tool
2/2.5/3/4/5/6 mm hex key wrench, - screw-
driver, tire lever and disc brake pad adapter





YC-262

Folding Tool

2/2.5/3/4/5/6/8mm/flat/Phillips screwdriver



YC-262-TB

Folding tool

2/2.5/3/4/5/6/8/flat/PH2, chain tool, tire lever, tire reamer and tire insertion tool for tubeless tire



YC-261

Folding tool

3/4/5/6/8mm/flat/Phillips screwdriver, speculum plating, aluminum CP case



YC-262-T

Folding tool

2/2.5/3/4/5/6/8/T25/flat/PH2, tire reamer and tire insertion tool for tubeless tire



YC-261BK

Folding tool

3/4/5/6/8mm/flat/Phillips screwdriver, speculum plating, aluminum black case



YC-260-2T

Folding tool

3/4/5/6/8mm/T25/T30 Aluminum silver case



YC-262-2T

Folding tool

2/2.5/3/4/5/6/8mm/T25/T30/flat screwdriver



YC-287T5-H8

Folding tool

2/2.5/3/4/5/6/8/T10/T15/T20/T25/T30/Phillips/chain rivet extractor



YC-293

All Function Folding Tool

2/2.5/3/4/5/6/8 mm hex key wrench, flat / Phillips screwdriver, T25 wrench, tire lever, 3.2/3.3/3.5 and Mavic spoke wrench, 8mm/9mm/10mm wrench.



YC-290

All Function Folding Tool

2/2.5/3/4/5/6/8 mm hex key wrench, flat / Phillips screwdriver, T25 wrench, tire lever, chain rivet extractor, 3.2/3.3/3.5 and Mavic spoke wrench, 8mm/9mm/10mm wrench and 15mm wrench.



YC-145

Two-way Hex Wrench Kit

2/2.5/3/4/5/6/8mm/T10/T25/PH2



YC-279DFB-123

Tool Bag

2/2.5/3/4/5/6/8mm hex key wrench, flat/Phillips screwdriver, 8/9/10mm sockets, 13/15mm spanner, knife, 3.5mm spoke wrench, patch kit, tire lever



YC-146

Ratchet Wrench Kit
Bits: 2/2.5/3/4/5/6/8/Phil-
lips/T10/T25
With extender for
better torque



YC-147A

**Ratchet Wrench and
Torque Wrench Kit**
Bits: 2/2.5/3/4/5/6/8/Phil-
lips/T10/T25
With extra extender for
better torque and 1/4"
mini torque wrench,
2-10NM



YC-147

**Ratchet Wrench and
Chain Tool Kit**
Bits: 2/2.5/3/4/5/6/8/Phil-
lips/T10/T25,
Chain rivet extractor for
multi speeds chain use
With extender for better
torque



YC-147C

**Ratchet Wrench and
Chain Tool Roll Kit**
Small roll bag desgin with
mini ratchet wrench,
extension bar, T Bar, valve
wrench and chain tool,
Bits: 3/4/5/6/8/T25/PH2/-
Flat head /4mm-L



YC-147B

**Ratchet Wrench and
Tire Lever Kit**
Bits: 2/2.5/3/4/5/6/8/Phil-
lips/T10/T25
With extra extender
for better torque and
2 pcs tire levers



YC-147BP

**Ratchet Wrench and
Chain Tool Kit**
Bits: 2/2.5/3/4/5/6/8/Phil-
lips/T10/T25
Chain rivet extractor for
mutli speeds chain
use, with extra
extender for better
torque , mini box case



YC-623-9C

YC-623-9C

9 Colors Hex Key Wrench Set
1.5/2/2.5/3/4/5/6/8/10 mm ball-end hex key wrench

YC-613-6C

6 Colors Hex Key Wrench Set
2/2.5/3/4/5/6mm hex key wrench



YC-623

YC-623

Ball-End Hex Key Wrench
1.5/2/2.5/3/4/5/6/8/10mm

YC-613

Hex Key Wrench
2/2.5/3/4/5/6mm



YC-TPHB-T25

Hex Wrench Set
2,2.5,3,4,5,6,8,T25mm

YC-TPHB-10

Hex Wrench Set
2,2.5,3,4,5,6,8,10mm



YC-2-10TPHB /T25/T30

Hex Wrench Set 2mm ~ 10mm ,T25 ,T30
Ball-type hex wrench and the T-handles are ergonomic perfection for comfortable use.
The hex wrench set includes 2, 2.5, 3, 4, 5, 6, 8, 10mm ,T25,T30 sizes

YC-633 long type

T10/T15/T20/T25/T27/T30/T40/T45/T50



YC-633S short type

T10/T15/T20/T25/T27/T30/T40/T45/T50

YC-350YA

T25/T30/T40



YC-355YA

2/2.5/3mm



YC-356YB

4/5/6mm ball-end



YC-356Y

4/5/6mm



YC-356YA

4/5/6mm



YC-357Y

8/9/10mm



YC-658-15S-4T

15mm Spanner

Length: 164mm

Thickness: 4mm For pedal use



YC-818

4 Sizes Wrench

5/6/8/10mm, long grip handle

Length: 300mm



YC-156A

Pedal Wrench

15/16mm, 15/17mm

Length: 300mm



YC-813L

YC-812L

YC-T30

YC-T25

YC-813L / YC-812L / YC-T25 / YC-T30

10mm Hex Key Wrench,
8mm Hex Key Wrench



YC-161

Pedal Wrench

15mm spanner, 14/15mm socket
wrench for rear/front hub nut

YC-160

Pedal Wrench

15mm pedal wrench and
6/8mm hex key wrench



YC-161-10

Pedal Wrench

15mm pedal wrench, 14/15mm socket
wrench and 10mm hex key wrench



YC-12

1/2" Socket Wrench



YC-162

15mm Spanner

Length: 235mm



YC-626-15D

Portable Pedal Tool

15mm spanner, 3.2/3.5mm
spoke wrench, tire lever, 14/15
socket wrench, stainless steel



YC-626

Portable Pedal Tool

15mm spanner, 3.2/3.5mm
spoke wrench, tire lever,
bottle wrench
Stainless steel



YC-1568

Pedal Tool

6/8mm hex key wrench,
use with 15mm pedal wrench(YC-658-15S-4T)

PATENT



YC-153

Headset Wrench

30/32/36/40MM

Length: 280mm



YC-153-L6

Headset Wrench

32/36MM

Thickness: 6mm

Length: 285mm



YC-163



YC-163L



YC-163L3

YC-163

Pedal Wrench

14/15MM, 24MM

Length: 285mm

Thickness: 5mm

YC-163L3

Pedal Wrench

15mm*3,

Length: 338mm, 2

angles for different

pedal position, strong

and durable

Thickness: 4mm

YC-163L

Pedal Wrench

15MM*2,

Length: 350mm

Thickness: 5mm



YC-148

Ratchet Wrench

8/9/10/11/12/13/14/15MM



YC-152

Hub Cone Spanner

13/14/15/16MM 2 pcs/set

YC-257-A / YC-257-B / YC-257-C

Hub Cone Spanner

13/14MM, 15/16MM, 17/18MM





YC-658

Hub Cone Spanner

13/14/15/16/17/18/19/23/24/25MM Sets of 6
Length: 207mm



YC-659-30D/32C/36B/40A

Headset Wrench

30/32/36/40MM
Length: 275mm

YC-786

Apron



YC-786L

Apron, large



YC-658-15S

15mm Spanner

Length: 167mm For hub use



YC-1305

Portable Wrench

Stainless steel
32mm for headset use,
8/10/12/13/14/15mm wrench



YC-256

Hub Cone Spanner

13/14/15/17mm



YC-795

Bike Cleaning Brush

Tender fiber and wide range
brush for big cleaning area, soft
grip handle.



YC-792BP

Bike Cleaning Brush



YC-790

Chain Scrubber



YC-S210

**10MM Hex Key Wrench,
3/8" Adaptor**



YC-268L-1

Hex Key Wrench Set
2/3/4/5/6/7mm



YC-56N

5/6MM Hex Key Wrench



YC-769

Bike Cleaning Brush

Brush can be connected with
water tube.



YC-792AP

Bike Cleaning Brush



YC-791

Chain Scrubber

2 steps cleaning process with large
reservoir and rotating bristles

Pat 202075



YC-1300-BK

16 Way Spanner

7/8/9/10/11/13/14/16/17mm
12/15mm box-end wrench



YC-1301-BK

8/12/14/15/32 MM Spanner



YC-797

Bike Cleaning Brush



YC-798

Bike Cleaning Brush Set

