

Insert to *Flora of Bungendore Park* report

Jeff Lewis (July 2007)

The *Flora of Bungendore Park* report was published in 2007. Since then additional species have been recorded in the park and there have been numerous taxonomic changes to the original list. This insert replaces Appendix 'A', pages 20–26 of the 2007 report.

| Genus and Species | Family | Common Name |
|--|-------------------|----------------------------|
| <i>Acacia alata</i> | Fabaceae | Winged Wattle |
| <i>Acacia barbinervis</i> | Fabaceae | |
| <i>Acacia chrysella</i> | Fabaceae | |
| <i>Acacia dentifera</i> | Fabaceae | |
| <i>Acacia extensa</i> | Fabaceae | Wiry Wattle |
| * <i>Acacia iteaphylla</i> | Fabaceae | Flinders Range Wattle |
| <i>Acacia lateriticola</i> | Fabaceae | Gravel Wattle |
| * <i>Acacia longifolia</i> | Fabaceae | Sydney Golden Wattle |
| <i>Acacia nervosa</i> | Fabaceae | Rib Wattle |
| * <i>Acacia podalyriifolia</i> | Fabaceae | Queensland Silver Wattle |
| <i>Acacia pulchella</i> | Fabaceae | Prickly Moses |
| <i>Acacia saligna</i> | Fabaceae | Orange Wattle |
| <i>Acacia teretifolia</i> | Fabaceae | |
| <i>Acacia urophylla</i> | Fabaceae | |
| <i>Adenantheros barbiger</i> | Proteaceae | Hairy Glandflower |
| * <i>Agave americana</i> | Asparagaceae | Century Plant |
| <i>Agrostocrinum scabrum</i> | Hemerocallidaceae | Blue Grass Lily |
| * <i>Aira cupaniana</i> | Poaceae | Silvery Hairgrass |
| <i>Allocasuarina fraseriana</i> | Casuarinaceae | Sheoak |
| <i>Allocasuarina huegeliana</i> | Casuarinaceae | Rock Sheoak |
| <i>Allocasuarina humilis</i> | Casuarinaceae | Dwarf Sheoak |
| <i>Andersonia lehmanniana</i> | Ericaceae | |
| <i>Anigozanthos manglesii</i> | Haemodoraceae | Red & Green Kangaroo Paw |
| * <i>Arctotheca calendula</i> | Asteraceae | Capeweed |
| * <i>Asparagus asparagoides</i> | Asparagaceae | Bridal Creeper |
| ¹ <i>Austrostipa campylachne</i> | Poaceae | |
| * ² <i>Babiana angustifolia</i> | Iridaceae | Baboon Flower |
| ³ <i>Babingtonia camphorosmae</i> | Myrtaceae | Camphor Myrtle |
| <i>Banksia grandis</i> | Proteaceae | Bull Banksia, Pulgarla |
| <i>Beaufortia macrostemon</i> | Myrtaceae | Darling Range Beaufortia |
| * ⁴ <i>Bellardia viscosa</i> | Orobanchaceae | Sticky Bartsia |
| <i>Billardiera floribunda</i> | Pittosporaceae | White-flowered Billardiera |
| ⁵ <i>Billardiera fraseri</i> | Pittosporaceae | Elegant Pronaya |
| ⁶ <i>Billardiera heterophylla</i> | Pittosporaceae | Australian Bluebell |
| <i>Billardiera variifolia</i> | Pittosporaceae | |
| <i>Boronia fastigiata</i> | Rutaceae | Bushy Boronia |
| <i>Boronia spathulata</i> | Rutaceae | |

¹ Was *Stipa campylachne*; ref. Jacobs & Everett, *Telopea* 6(4).

² *Babiana stricta* misapplied against current name.

³ Was *Baeckea camphorosmae*; ref. B.L. Rye in *Nuytsia* 25:229 (2015).

⁴ Was *Parentucellia viscosa*; ref. S. Uribe-Convers & D.C. Tank in *Syst.Bot.* 41:682 (2016)

⁵ Was *Pronaya fraseri*; ref. *Austral.Syst.Bot.* 17:117 (2004).

⁶ Was *Sollya heterophylla*; ref. Cayzer, *Austral.Syst.Bot.* 17:119 (2004).

| Genus and Species | Family | Common Name |
|--|-------------------|---------------------------|
| <i>Borya sphaerocephala</i> | Boryaceae | Pincushions |
| <i>Bossiaea eriocarpa</i> | Fabaceae | Common Brown Pea |
| <i>Bossiaea ornata</i> | Fabaceae | Broad-leaved Brown Pea |
| * <i>Briza maxima</i> | Poaceae | Blowfly Grass |
| * <i>Briza minor</i> | Poaceae | Shivery Grass |
| ⁷ <i>Burchardia congesta</i> | Colchicaceae | Milkmaids |
| <i>Burchardia multiflora</i> | Colchicaceae | Dwarf Burchardia |
| ⁸ <i>Caesia micrantha</i> | Hemerocallidaceae | Pale Grass-lily |
| <i>Caladenia flava</i> | Orchidaceae | Cowslip Orchid |
| <i>Caladenia hirta</i> | Orchidaceae | Sugar Candy Orchid |
| <i>Caladenia latifolia</i> | Orchidaceae | Pink Fairy Orchid |
| <i>Caladenia longicauda</i> subsp. <i>clivicola</i> | Orchidaceae | Hills Spider Orchid |
| <i>Caladenia longicauda</i> subsp. <i>longicauda</i> | Orchidaceae | White Spider Orchid |
| <i>Caladenia macrostylis</i> | Orchidaceae | Leaping Spider Orchid |
| <i>Caladenia marginata</i> | Orchidaceae | White Fairy Orchid |
| <i>Caladenia nana</i> subsp. <i>nana</i> | Orchidaceae | Pink Fan Orchid |
| <i>Caladenia reptans</i> | Orchidaceae | Little Pink Fairy Orchid |
| <i>Caladenia uliginosa</i> | Orchidaceae | Darting Spider Orchid |
| <i>Calothamnus quadrifidus</i> | Myrtaceae | One-sided Bottlebrush |
| <i>Calothamnus rupestris</i> | Myrtaceae | Mouse Ears |
| <i>Calothamnus sanguineus</i> | Myrtaceae | Silky-leaved Blood flower |
| <i>Calytrix acutifolia</i> | Myrtaceae | |
| <i>Calytrix depressa</i> | Myrtaceae | |
| <i>Cassytha glabella</i> | Lauraceae | Tangled Dodder Laurel |
| <i>Cassytha racemosa</i> | Lauraceae | Dodder Laurel |
| * <i>Centaurium erythraea</i> | Gentianaceae | Common Centaury |
| * <i>Chamaecytisus palmensis</i> | Fabaceae | Tagasaste or Tree Lucerne |
| <i>Chamaescilla corymbosa</i> | Xanthorrhoeaceae | Blue Squill |
| <i>Cheilanthes austrotenuifolia</i> | Pteridaceae | Rock Fern |
| <i>Cheilanthes distans</i> | Pteridaceae | Bristly Cloak Fern |
| <i>Chorizema dicksonii</i> | Fabaceae | Yellow-eyed Flame Pea |
| ⁹ <i>Clematis pubescens</i> | Ranunculaceae | Common Clematis |
| <i>Comesperma calymega</i> | Polygalaceae | Blue-spike Milkwort |
| <i>Comesperma ciliatum</i> | Polygalaceae | Love Creeper |
| <i>Comesperma virgatum</i> | Polygalaceae | Milkwort |
| <i>Conospermum huegelii</i> | Proteaceae | Slender Smokebush |
| <i>Conostylis aculeata</i> | Haemodoraceae | Prickly Conostylis |
| <i>Conostylis androstemma</i> | Haemodoraceae | Trumpets |
| <i>Conostylis caricina</i> | Haemodoraceae | |
| <i>Conostylis setigera</i> | Haemodoraceae | Bristly Cottonhead |
| <i>Conostylis setosa</i> | Haemodoraceae | White Cottonhead |
| * ¹⁰ <i>Conyza sumatrensis</i> | Asteraceae | Tall Fleabane |
| ¹¹ <i>Corymbia calophylla</i> | Myrtaceae | Marri |

⁷ *Burchardia umbellata* misapplied against current name; ref. Keighery & Muir in *Nuytsia* 15:347 (2005).

⁸ *Caesia parviflora* misapplied against current name; ref. Keighery & Muir in *Nuytsia* 15:351 (2005).

⁹ Was *Clematis aristata* var. *occidentalis*; ref. H.J. Eichler & J.A. Jeanes in *Fl. Australia* 2:304 (2007).

¹⁰ Was *Conyza albida*; ref. McClintock & Marshall, *Watsonia* 17:172–173 (1988).

¹¹ Syn. *Eucalyptus calophylla*.

| Genus and Species | Family | Common Name |
|---|-------------------|------------------------|
| <i>Craspedia variabilis</i> | Asteraceae | |
| <i>Cryptandra arbutiflora</i> | Rhamnaceae | Waxy Cryptandra |
| ¹² <i>Cyanicula gemmata</i> | Orchidaceae | Blue China Orchid |
| ¹³ <i>Cyanicula ixioides</i> | Orchidaceae | White China |
| ¹⁴ <i>Cyanicula sericea</i> | Orchidaceae | Silky Blue Orchid |
| <i>Dampiera alata</i> | Goodeniaceae | Winged-stem Dampiera |
| <i>Dampiera linearis</i> | Goodeniaceae | Common Dampiera |
| <i>Darwinia citriodora</i> | Myrtaceae | Lemon-scented Darwinia |
| <i>Daviesia cordata</i> | Fabaceae | Bookleaf |
| <i>Daviesia decurrents</i> | Fabaceae | Prickly Bitter Pea |
| <i>Daviesia horrida</i> | Fabaceae | Prickly Bitter Pea |
| <i>Daviesia longifolia</i> | Fabaceae | |
| <i>Daviesia preissii</i> | Fabaceae | |
| <i>Daviesia rhombifolia</i> | Fabaceae | Bitter Pea |
| <i>Desmocladus fasciculatus</i> | Restionaceae | |
| <i>Desmocladus flexuosus</i> | Restionaceae | |
| ¹⁵ <i>Dianella revoluta</i> | Hemerocallidaceae | Blueberry Lily |
| <i>Dioscorea hastifolia</i> | Dioscoreaceae | Warrine |
| * <i>Dipogon lignosus</i> | Fabaceae | Dolichos Pea |
| * ¹⁶ <i>Disa bracteata</i> | Orchidaceae | South African Orchid |
| * <i>Dittrichia graveolens</i> | Asteraceae | Stinkweed |
| <i>Diuris brumalis</i> | Orchidaceae | Winter Donkey Orchid |
| <i>Diuris corymbosa</i> | Orchidaceae | Common Donkey Orchid |
| <i>Diuris laxiflora</i> | Orchidaceae | Bee Orchid |
| <i>Diuris longifolia</i> | Orchidaceae | Purple Pansy Orchid |
| <i>Diuris magnifica</i> | Orchidaceae | Pansy Orchid |
| ¹⁷ <i>Diuris micrantha</i> | Orchidaceae | Dwarf Bee Orchid |
| <i>Diuris setacea</i> | Orchidaceae | Bristly Donkey Orchid |
| <i>Drakaea livida</i> | Orchidaceae | Warty Hammer Orchid |
| <i>Drosera bulbosa</i> subsp. <i>bulbosa</i> | Droseraceae | Red-leaved Sundew |
| <i>Drosera erythrorhiza</i> subsp. <i>collina</i> | Droseraceae | Red Ink Sundew |
| <i>Drosera gigantea</i> | Droseraceae | Giant Sundew |
| <i>Drosera glanduligera</i> | Droseraceae | Pimpernel Sundew |
| <i>Drosera menziesii</i> subsp. <i>menziesii</i> | Droseraceae | Pink Rainbow |
| <i>Drosera microphylla</i> | Droseraceae | Golden Rainbow |
| <i>Drosera pallida</i> | Droseraceae | Pale Rainbow |
| <i>Drosera stolonifera</i> | Droseraceae | Leafy Sundew |
| ¹⁸ <i>Dryandra armata</i> | Proteaceae | Prickly Dryandra |
| ¹⁹ <i>Dryandra bipinnatifida</i> subsp. <i>bipinnatifida</i> | Proteaceae | Ground Dryandra |
| ²⁰ <i>Dryandra lindleyana</i> | Proteaceae | Couch Honeypot |

¹² Was *Caladenia gemmata*; ref. *Orchids of SW Australia*, Ed.2:158 (1992).

¹³ Was *Caladenia ixioides*; ref. *Orchids of SW Australia*, Ed.2 (1992).

¹⁴ Was *Caladenia sericea*; ref. *Orchids of SW Australia*, Ed.2:156 (1992).

¹⁵ Was *Dianella divaricata* (taxonomic synonym).

¹⁶ Was *Monadenia bracteata* (nomenclatural synonym).

¹⁷ Declared Rare Flora.

¹⁸ Syn. *Banksia armata*.

¹⁹ Syn. *Banksia bipinnatifida* subsp. *bipinnatifida*.

²⁰ Syn. *Banksia dallanneyi*.

| Genus and Species | Family | Common Name |
|--|---------------|-------------------------------|
| ²¹ <i>Dryandra praemorsa</i> | Proteaceae | Cut-leaf Dryandra |
| ²² <i>Dryandra sessilis</i> | Proteaceae | Parrot Bush |
| * <i>Echium plantagineum</i> | Boraginaceae | Paterson's Curse |
| <i>Elythranthera brunonis</i> | Orchidaceae | Purple Enamel Orchid |
| <i>Elythranthera emarginata</i> | Orchidaceae | Pink Enamel Orchid |
| <i>Eriochilus dilatatus</i> | Orchidaceae | White Bunny Orchid |
| <i>Eryngium pinnatifidum</i> | Apiaceae | Blue Devils |
| <i>Eucalyptus marginata</i> | Myrtaceae | Jarrah |
| <i>Eucalyptus patens</i> | Myrtaceae | Blackbutt |
| <i>Eucalyptus rufa</i> | Myrtaceae | Flooded Gum |
| <i>Eucalyptus wandoo</i> | Myrtaceae | Wandoo |
| * <i>Ficus carica</i> | Moraceae | Common Fig |
| * <i>Fumaria muralis</i> | Papaveraceae | Wall Fumitory |
| ²³ <i>Gastrolobium nervosum</i> | Fabaceae | |
| * <i>Genista monspessulana</i> | Fabaceae | Montpellier Broom, Cape Broom |
| * <i>Geranium molle</i> | Geraniaceae | Dove's Foot Cranesbill |
| <i>Geranium solanderi</i> | Geraniaceae | Native Geranium |
| * <i>Gladiolus undulatus</i> | Iridaceae | Wavy Gladiolus |
| * <i>Gomphocarpus fruticosus</i> | Apocynaceae | Narrowleaf Cottonbush |
| <i>Gompholobium capitatum</i> | Fabaceae | |
| <i>Gompholobium knightianum</i> | Fabaceae | Yellow Pea |
| <i>Gompholobium marginatum</i> | Fabaceae | |
| <i>Gompholobium polymorphum</i> | Fabaceae | |
| <i>Gompholobium preissii</i> | Fabaceae | Orange-cluster Pea |
| ²⁴ <i>Goodenia coerulea</i> | Goodeniaceae | |
| <i>Goodenia fasciculata</i> | Goodeniaceae | Bristly Goodenia |
| <i>Goodenia pulchella</i> | Goodeniaceae | |
| <i>Grevillea bipinnatifida</i> | Proteaceae | Fuschia Grevillea |
| <i>Grevillea endlicheriana</i> | Proteaceae | Spindly Grevillea |
| <i>Grevillea pilulifera</i> | Proteaceae | Woolly-flowered Grevillea |
| <i>Grevillea quercifolia</i> | Proteaceae | Oak-leaf Grevillea |
| <i>Grevillea synapheae</i> | Proteaceae | Catkin Grevillea |
| <i>Grevillea wilsonii</i> | Proteaceae | Wilson's Grevillea |
| <i>Haemodorum simplex</i> | Haemodoraceae | |
| <i>Hakea auriculata</i> | Proteaceae | |
| <i>Hakea erinacea</i> | Proteaceae | Hedgehog Hakea |
| <i>Hakea lissocarpa</i> | Proteaceae | Honey Bush |
| <i>Hakea prostrata</i> | Proteaceae | Harsh Hakea |
| <i>Hakea stenocarpa</i> | Proteaceae | Narrow-fruited Hakea |
| <i>Hakea trifurcata</i> | Proteaceae | Two-leaf Hakea |
| <i>Hakea undulata</i> | Proteaceae | Wavy-leaved Hakea |
| <i>Hemigenia incana</i> | Lamiaceae | Silky Hemigenia |
| ²⁵ <i>Hemigenia parviflora</i> | Lamiaceae | |

²¹ Syn. *Banksia undata*.

²² Syn. *Banksia sessilis*.

²³ Was *Nemicia reticulata*, ref. Chandler *et al.* in *Austral.Syst.Bot.* **15**:680 (2002).

²⁴ *Goodenia caerulea* is an incorrect spelling.

²⁵ Identification to be verified.

| Genus and Species | Family | Common Name |
|-----------------------------------|------------------|------------------------------|
| * <i>Hesperantha falcata</i> | Iridaceae | |
| <i>Hibbertia amplexicaulis</i> | Dilleniaceae | |
| <i>Hibbertia commutata</i> | Dilleniaceae | |
| <i>Hibbertia glomerata</i> | Dilleniaceae | |
| <i>Hibbertia huegelii</i> | Dilleniaceae | |
| <i>Hibbertia hypericoides</i> | Dilleniaceae | Yellow Buttercups |
| <i>Hibbertia pilosa</i> | Dilleniaceae | Hairy Guinea Flower |
| <i>Hibbertia subvaginata</i> | Dilleniaceae | |
| <i>Hovea chorizemifolia</i> | Fabaceae | Holly-leaved Hovea |
| <i>Hovea pungens</i> | Fabaceae | Devils Pins |
| <i>Hovea trisperma</i> | Fabaceae | Common Hovea |
| <i>Hylaiosperma cotula</i> | Asteraceae | |
| <i>Hybanthus floribundus</i> | Violaceae | |
| <i>Hydrocotyle hirta</i> | Araliaceae | Hairy Pennywort |
| <i>Hypocalymma angustifolium</i> | Myrtaceae | White Myrtle |
| <i>Hypocalymma robustum</i> | Myrtaceae | Swan River Myrtle |
| * <i>Hypochaeris glabra</i> | Asteraceae | Smooth Cats-ear |
| <i>Isopogon asper</i> | Proteaceae | |
| <i>Isopogon dubius</i> | Proteaceae | Pincushion Coneflower |
| <i>Isopogon sphaerocephalus</i> | Proteaceae | Drumstick Isopogon |
| <i>Isotoma hypocrateriformis</i> | Campanulaceae | Woodbridge Poison |
| <i>Jacksonia alata</i> | Fabaceae | |
| <i>Jacksonia lehmannii</i> | Fabaceae | |
| <i>Juncus pallidus</i> | Juncaceae | Pale Rush |
| <i>Kennedia coccinea</i> | Fabaceae | Coral Vine |
| <i>Kennedia prostrata</i> | Fabaceae | Running Postman |
| <i>Kingia australis</i> | Dasygolygonaceae | Kingia |
| <i>Labichea punctata</i> | Fabaceae | Lance-leaved Cassia |
| <i>Lagenophora huegelii</i> | Asteraceae | |
| <i>Lasiopteratum floribundum</i> | Malvaceae | Free-flowering Lasiopteratum |
| * <i>Lathyrus latifolius</i> | Fabaceae | |
| <i>Laxmannia squarrosa</i> | Asparagaceae | |
| <i>Lechenaultia biloba</i> | Goodeniaceae | Blue Lechenaultia |
| <i>Lepidosperma angustatum</i> | Cyperaceae | |
| <i>Lepidosperma leptostachyum</i> | Cyperaceae | |
| <i>Lepidosperma longitudinale</i> | Cyperaceae | Pithy Sword-sedge |
| <i>Lepidosperma scabrum</i> | Cyperaceae | |
| <i>Lepidosperma squamatum</i> | Cyperaceae | |
| <i>Lepidosperma tetraquetrum</i> | Cyperaceae | |
| <i>Lepidosperma tuberculatum</i> | Cyperaceae | |
| <i>Leporella fimbriata</i> | Orchidaceae | Hare Orchid |
| <i>Leptomeria cunninghamii</i> | Santalaceae | |
| <i>Leptospermum erubescens</i> | Myrtaceae | Roadside Teatree |
| * <i>Leptospermum laevigatum</i> | Myrtaceae | Coastal Teatree |
| <i>Leptospermum roei</i> | Myrtaceae | |
| <i>Leucopogon capitellatus</i> | Ericaceae | |
| <i>Leucopogon gracillimus</i> | Ericaceae | |
| <i>Leucopogon pulchellus</i> | Ericaceae | Beard-heath |

| Genus and Species | Family | Common Name |
|---|----------------|---------------------------|
| <i>Leucopogon verticillatus</i> | Ericaceae | Tassel Flower |
| ²⁶ <i>Levenhookia leptantha</i> | Stylidiaceae | Trumpet Stylewort |
| <i>Levenhookia stipitata</i> | Stylidiaceae | Common Stylewort |
| <i>Lobelia gibbosa</i> | Campanulaceae | Tall Lobelia |
| <i>Lobelia heterophylla</i> | Campanulaceae | Wing-seeded Lobelia |
| <i>Lobelia rhombifolia</i> | Campanulaceae | Tufted Lobelia |
| <i>Lobelia rhytidosperma</i> | Campanulaceae | Wrinkled-seeded Lobelia |
| <i>Lomandra integra</i> | Asparagaceae | |
| <i>Lomandra nigricans</i> | Asparagaceae | Mat Rush |
| <i>Lomandra preissii</i> | Asparagaceae | |
| * <i>Lotus angustissimus</i> | Fabaceae | Narrowleaf Trefoil |
| <i>Lyperanthus serratus</i> | Orchidaceae | Rattle Beak Orchid |
| * ²⁷ <i>Lysimachia arvensis</i> | Primulaceae | Pimpernel |
| <i>Macrozamia riedlei</i> | Zamiaceae | Zamia |
| ²⁸ <i>Marianthus bicolor</i> | Pittosporaceae | Painted Marianthus |
| ²⁹ <i>Melaleuca hamulosa</i> | Myrtaceae | |
| <i>Melaleuca pauciflora</i> | Myrtaceae | |
| <i>Melaleuca preissiana</i> | Myrtaceae | Moonah |
| <i>Melaleuca radula</i> | Myrtaceae | Graceful Honeymyrtle |
| <i>Melaleuca raphiophylla</i> | Myrtaceae | Swamp Paperbark |
| ³⁰ <i>Melaleuca trichophylla</i> | Myrtaceae | Rough Honeymyrtle |
| <i>Mesomelaena tetragona</i> | Cyperaceae | Semaphore Sedge |
| <i>Microtis aff. alba</i> | Orchidaceae | Scented Mignonette Orchid |
| <i>Microtis alba</i> | Orchidaceae | White Mignonette Orchid |
| <i>Microtis media</i> subsp. <i>media</i> | Orchidaceae | Tall Mignonette Orchid |
| <i>Mirbelia dilatata</i> | Fabaceae | Holly-leaved Mirbelia |
| * ³¹ <i>Moraea flaccida</i> | Iridaceae | One-leaf Cape Tulip |
| <i>Neurachne alopecuroidaea</i> | Poaceae | Foxtail Mulga Grass |
| <i>Nuytsia floribunda</i> | Loranthaceae | WA Christmas Tree |
| <i>Olearia paucidentata</i> | Asteraceae | Autumn Scrub Daisy |
| <i>Opercularia echinocephala</i> | Rubiaceae | Bristly Headed Stink Weed |
| <i>Opercularia vaginata</i> | Rubiaceae | Dog Weed |
| <i>Orthrosanthus laxus</i> | Iridaceae | Morning Iris |
| * <i>Oxalis glabra</i> | Oxalidaceae | Finger-leaf Wood Sorrel |
| * <i>Oxalis pes-caprae</i> | Oxalidaceae | Soursob |
| * <i>Oxalis purpurea</i> | Oxalidaceae | Largeflower Wood Sorrel |
| <i>Patersonia occidentalis</i> | Iridaceae | Purple Flag |
| <i>Patersonia pygmaea</i> | Iridaceae | Pygmy Patersonia |
| ³² <i>Pauridia occidentalis</i> | Hypoxidaceae | |
| <i>Pelargonium littorale</i> | Geraniaceae | |

²⁶ Presence in Bungendore Park to be confirmed.

²⁷ Was *Anagallis arvensis*; ref. U. Manns & A. Anderberg in *Willdenowia* **39**:51 (2009).

²⁸ Was *Billardiera bicolor*; ref. L.W. Cayzer & M.D. Crisp in *Austral.Syst.Bot.* **17**:130 (2004).

²⁹ Query presence in Bungendore Park.

³⁰ *Melaleuca scabra* is from Esperance area.

³¹ Was *Homeria flaccida* (nomenclatural synonym).

³² Was *Hypoxis occidentalis*; ref. D.A. Snijman & A. Kocyan in *Phytotaxa* **116**:28 (2013).

| Genus and Species | Family | Common Name |
|---|------------------|-----------------------------------|
| ³³ <i>Pentapeltis peltigera</i> | Apiaceae | |
| <i>Pericalymma ellipticum</i> | Myrtaceae | Swamp Teatree |
| <i>Persoonia angustiflora</i> | Proteaceae | Snottygobble |
| <i>Persoonia elliptica</i> | Proteaceae | Snottygobble |
| <i>Persoonia longifolia</i> | Proteaceae | Snottygobble |
| <i>Petrophile biloba</i> | Proteaceae | Granite Petrophile |
| <i>Petrophile linearis</i> | Proteaceae | Pixie Mops |
| <i>Petrophile striata</i> | Proteaceae | |
| * <i>Petrorhagia dubia</i> | Caryophyllaceae | Velvet Pink |
| ³⁴ <i>Pheladenia deformis</i> | Orchidaceae | Blue Fairy Orchid |
| ³⁵ <i>Philotheca spicata</i> | Rutaceae | Pepper & Salt |
| <i>Philydrella pygmaea</i> | Philydraceae | Butterfly Flowers |
| <i>Phyllanthus calycinus</i> | Phyllanthaceae | False Boronia |
| <i>Phylloglossum drummondii</i> | Lycopodiaceae | Pygmy Club Moss |
| <i>Pilostyles hamiltonii</i> | Apodanthaceae | |
| <i>Pimelea ciliata</i> | Thymelaeaceae | White Banjine |
| <i>Pimelea imbricata</i> | Thymelaeaceae | |
| <i>Pimelea rosea</i> | Thymelaeaceae | Rose Banjine |
| <i>Pimelea spectabilis</i> | Thymelaeaceae | Bunjong |
| <i>Pimelea suaveolens</i> | Thymelaeaceae | Sweet Banjine |
| ³⁶ <i>Pithocarpa corymbulosa</i> | Asteraceae | Corymbose Pithocarpa |
| <i>Pithocarpa pulchella</i> | Asteraceae | Beautiful Pithocarpa |
| * <i>Plantago lanceolata</i> | Plantaginaceae | Ribwort Plantain |
| <i>Poa drummondiana</i> | Poaceae | Knotted Poa |
| <i>Podolepis lessonii</i> | Asteraceae | |
| <i>Prasophyllum aff. elatum</i> | Orchidaceae | Crowded Leek Orchid |
| <i>Prasophyllum elatum</i> | Orchidaceae | Tall Leek Orchid |
| <i>Prasophyllum fimbria</i> | Orchidaceae | Fringed Leek Orchid |
| <i>Prasophyllum giganteum</i> | Orchidaceae | Bronze Leek Orchid |
| ³⁷ <i>Prasophyllum gracile</i> | Orchidaceae | Little Laughing Leek Orchid |
| <i>Prasophyllum hians</i> | Orchidaceae | Yawning Leek Orchid |
| <i>Prasophyllum parvifolium</i> | Orchidaceae | Autumn Leek Orchid |
| <i>Prasophyllum plumiforme</i> | Orchidaceae | Dainty Leek Orchid |
| <i>Pteridium esculentum</i> | Dennstaedtiaceae | Bracken |
| ³⁸ <i>Pterochara paniculata</i> | Asteraceae | Wooly Waitzia |
| <i>Pterostylis aff. sanguinea</i> | Orchidaceae | Crowded Banded Greenhood Orchid |
| <i>Pterostylis barbata</i> | Orchidaceae | Bird Orchid |
| <i>Pterostylis pyramidalis</i> | Orchidaceae | Snail Orchid |
| <i>Pterostylis recurva</i> | Orchidaceae | Jug Orchid |
| <i>Pterostylis vittata</i> | Orchidaceae | Banded Greenhood Orchid |
| <i>Ptilotus drummondii</i> | Amaranthaceae | Narrowleaf Mulla Mulla |
| <i>Ptilotus manglesii</i> | Amaranthaceae | Rose-tipped Mulla Mulla; Pom Poms |

³³ Was *Xanthosia peltigera*.

³⁴ Was *Caladenia deformis*; ref. *Orchids of SW Australia*, Ed.2:157 (1992).

³⁵ Was *Eriostemon spicatus*; ref. Paul G. Wilson in *Fl. Australia* 26:412 (2013).

³⁶ Priority 3 conservation code.

³⁷ Was *Prasophyllum ringens*; ref. Jones & Clements, *Nuytsia* 10:411 (1996).

³⁸ Was *Waitzia paniculata*; ref. P.G Wilson *Nuytsia* 8:422 (1992).

| Genus and Species | Family | Common Name |
|--|-------------------|-----------------------------------|
| <i>Ptilotus polystachyus</i> | Amaranthaceae | Prince of Wales Feather |
| <i>Pyrorchis nigricans</i> | Orchidaceae | Redbeaks |
| <i>Ranunculus colonorum</i> | Ranunculaceae | Common Buttercup |
| * <i>Raphanus raphanistrum</i> | Brassicaceae | Wild Radish; Mediterranean Radish |
| ³⁹ <i>Rhodanthe citrina</i> | Asteraceae | |
| * <i>Romulea rosea</i> | Iridaceae | Guildford Grass; Onion Grass |
| * ⁴⁰ <i>Rubus aff. laudatus</i> | Rosaceae | Blackberry |
| <i>Scaevola calliptera</i> | Goodeniaceae | Royal Robe |
| <i>Scaevola pilosa</i> | Goodeniaceae | Hairy Fanflower |
| <i>Scaevola platyphylla</i> | Goodeniaceae | Broad-leaved Fanflower |
| <i>Schoenus sp.</i> | Cyperaceae | |
| ⁴¹ <i>Senecio pinnatifolius</i> | Asteraceae | Variable Groundsel |
| <i>Senecio squarrosus</i> | Asteraceae | Squarrose Fireweed |
| * <i>Soliva sessilis</i> | Asteraceae | Bindi Weed, Onehunga |
| <i>Sowerbaea laxiflora</i> | Asparagaceae | Purple Tassles |
| <i>Sphaerolobium medium</i> | Fabaceae | |
| <i>Sphaerolobium vimineum</i> | Fabaceae | Leafless Globe Pea |
| <i>Spiculaea ciliata</i> | Orchidaceae | Elbow Orchid |
| * <i>Stachys arvensis</i> | Lamiaceae | Staggerweed |
| <i>Stachystemon vermicularis</i> | Euphorbiaceae | Wormflower |
| <i>Stackhousia monogyna</i> | Celastraceae | Creamy Stackhousia |
| <i>Stylidium amoenum</i> | Styliadiaceae | Lovely Triggerplant |
| ⁴² <i>Stylidium breviscapum</i> | Styliadiaceae | Boomerang Triggerplant |
| <i>Stylidium brunonianum</i> | Styliadiaceae | Pink Fountain Triggerplant |
| <i>Stylidium bulbiferum</i> | Styliadiaceae | Circus Triggerplant |
| <i>Stylidium calcaratum</i> | Styliadiaceae | Book Triggerplant |
| <i>Stylidium carnosum</i> | Styliadiaceae | Fleshy-leaved Triggerplant |
| <i>Stylidium hispidum</i> | Styliadiaceae | White Butterfly Triggerplant |
| ⁴³ <i>Stylidium junceum</i> | Styliadiaceae | Reed Triggerplant |
| <i>Stylidium leptophyllum</i> | Styliadiaceae | Needle-leaved Triggerplant |
| <i>Stylidium obtusatum</i> | Styliadiaceae | Pinafore Triggerplant |
| <i>Stylidium perpusillum</i> (ID to be verified) | Styliadiaceae | Tiny Triggerplant |
| <i>Stylidium petiolare</i> | Styliadiaceae | Horn Triggerplant |
| <i>Stylidium repens</i> | Styliadiaceae | Matted Triggerplant |
| <i>Stylidium rhynchosarcum</i> | Styliadiaceae | Black-beaked Triggerplant |
| <i>Stylidium schoenoides</i> | Styliadiaceae | Cow Kicks |
| <i>Stypandra glauca</i> | Hemerocallidaceae | Blind Grass |
| ⁴⁴ <i>Styphelia erubescens</i> | Ericaceae | |
| ⁴⁵ <i>Styphelia foliosa</i> | Ericaceae | Candle Cranberry |

³⁹ Was *Waitzia citrina*; ref. P.G. Wilson (1992).

⁴⁰ *Rubus selmeri* has been misapplied against the current name *R. laudatus*. K.J. Evans *et al.* in *Austral.Syst.Bot.* **20**:237 (2007). Misapplied in *Fl. Perth* **1**:210 (1987).

⁴¹ *Senecio laetus* is an excluded name as it does not occur in Australia and has been widely misapplied; ref. I.R. Thompson in *Fl. Australia* **37**:306 (2015).

⁴² Doubtful presence in Bungendore Park.

⁴³ Presence in Bungendore Park to be confirmed.

⁴⁴ Formerly *Leucopogon oxycedrus*; ref. D.M. Crayn, M. Hislop, C. Puente-Lelièvre in *Austral.Syst.Bot.* **33**:149 (2020)

⁴⁵ Formerly *Astroloma foliosum*; ref. D.M. Crayn, M. Hislop, C. Puente-Lelièvre in *Austral.Syst.Bot.* **33**:144 (2020)

| Genus and Species | Family | Common Name |
|--|-------------------|---------------------------|
| ⁴⁶ <i>Styphelia nitans</i> | Ericaceae | Drooping Leucopogon |
| ⁴⁷ <i>Styphelia pallida</i> | Ericaceae | Kick Bush |
| ⁴⁸ <i>Styphelia propinqua</i> | Ericaceae | |
| <i>Styphelia tenuiflora</i> | Ericaceae | Common Pinheath |
| <i>Synaphea acutiloba</i> | Proteaceae | Granite Synaphea |
| <i>Synaphea petiolaris</i> | Proteaceae | Synaphea |
| ⁴⁹ <i>Taxandria linearifolia</i> | Myrtaceae | Swamp Peppermint |
| <i>Tetrarrhena laevis</i> | Poaceae | Forest Ricegrass |
| <i>Tetratheca hirsuta</i> | Elaeocarpaceae | Black-eyed Susan |
| <i>Thelymitra antennifera</i> | Orchidaceae | Lemon-scented Sun Orchid |
| <i>Thelymitra benthamiana</i> | Orchidaceae | Cinnamon Sun Orchid |
| <i>Thelymitra crinita</i> | Orchidaceae | Blue Lady Orchid |
| <i>Thelymitra macrophylla</i> | Orchidaceae | Scented Sun Orchid |
| <i>Thelymitra pauciflora</i> | Orchidaceae | Slender Sun Orchid |
| ⁵⁰ <i>Thelymitra stellata</i> | Orchidaceae | Star Sun Orchid |
| <i>Thomasia foliosa</i> | Malvaceae | Leafy Paper Flower |
| <i>Thysanotus dichotomus</i> | Asparagaceae | Branching Fringe Lily |
| <i>Thysanotus gracilis</i> | Asparagaceae | |
| <i>Thysanotus manglesianus</i> | Asparagaceae | Fringe Lily |
| <i>Thysanotus multiflorus</i> | Asparagaceae | Many-flowered Fringe Lily |
| <i>Thysanotus tenellus</i> | Asparagaceae | |
| <i>Trachymene pilosa</i> | Araliaceae | Native Parsnip |
| <i>Tribonanthes brachypetala</i> | Haemodoraceae | |
| <i>Trichocline spathulata</i> | Asteraceae | Native Gerbera |
| <i>Tricoryne elatior</i> | Hemerocallidaceae | Yellow Autumn Lily |
| <i>Tricoryne</i> sp. | Hemerocallidaceae | |
| <i>Tricostularia neesii</i> | Cyperaceae | |
| ⁵¹ <i>Tripterooccus brunonis</i> | Celastraceae | Winged Stackhousia |
| <i>Trymalium ledifolium</i> | Rhamnaceae | |
| ⁵² <i>Trymalium odoratissimum</i> | Rhamnaceae | |
| * <i>Ursinia anthemoides</i> | Asteraceae | Ursinia |
| <i>Verticordia acerosa</i> var. <i>preissii</i> | Myrtaceae | |
| <i>Verticordia densiflora</i> var. <i>densiflora</i> | Myrtaceae | Compacted Featherflower |
| <i>Verticordia huegelii</i> | Myrtaceae | Variegated Featherflower |
| <i>Verticordia insignis</i> | Myrtaceae | |
| <i>Verticordia pennigera</i> | Myrtaceae | Featherflower |
| * <i>Vicia sativa</i> | Fabaceae | Common Vetch |
| <i>Viminaria juncea</i> | Fabaceae | Swishbush |
| * <i>Wahlenbergia capensis</i> | Campanulaceae | Cape Bluebell |
| * <i>Watsonia meriana</i> var. <i>bulbillifera</i> | Iridaceae | Bugle Lily |
| <i>Xanthorrhoea gracilis</i> | Xanthorrhoeaceae | Graceful Balga |

⁴⁶ Formerly *Leucopogon nutans*; ref. D.M. Crayn, M. Hislop, C. Puente-Lelièvre in *Austral.Syst.Bot.* **33**:151 (2020)

⁴⁷ Formerly *Astroloma pallidum*; ref. D.M. Crayn, M. Hislop, C. Puente-Lelièvre in *Austral.Syst.Bot.* **33**:145 (2020)

⁴⁸ Formerly *Leucopogon propinquus*; ref. D.M. Crayn, M. Hislop, C. Puente-Lelièvre in *Austral.Syst.Bot.* **33**:151 (2020)

⁴⁹ Was *Agonis linearifolia*; ref. J.R. Wheeler & N.G. Marchant in *Nuytsia* **16**:424 (2007).

⁵⁰ Declared Rare Flora

⁵¹ Was *Stackhousia brunonis*.

⁵² Was *Trymalium floribundum*; ref. J. Kellerman et al. in *Trans. Roy. Soc. South Australia* **132**:32 (2008).

| Genus and Species | Family | Common Name |
|---|------------------|--------------------|
| <i>Xanthorrhoea preissii</i> | Xanthorrhoeaceae | Balga |
| ⁵³ <i>Xerochrysum macranthum</i> | Asteraceae | |
| * <i>Zantedeschia aethiopica</i> | Araceae | Arum Lily |

* introduced or naturalised species, not originally native.

Updated: 8 November 2020 by Kim Sarti



Bungendore Park is an ‘A’ Class reserve vested in the City of Armadale and cared for by the Bungendore Park Environmental Group Inc., a community-based group responsible for the management and protection of the bushland. The park is managed as a conservation reserve with low-impact usage.

⁵³ Formerly *Helichrysum*. *Xerochrysum bracteatum* does not occur in WA. See Paul G. Wilson in *Nuytsia* 28:15 (2017).