

Moisture Analyzer LMB1, LMB1IR



SALIENT FEATURES


- ✦ LMB1 - Halogen Lamp Heating Source
- ✦ LMB1IR - Infrared Lamp Heating Source
- ✦ Touch Screen, Loadcell Sensor
- ✦ Temperature and time can be set
- ✦ The percentage of Moisture content
- ✦ Curve (Graph) residual
- ✦ The percentage of dry
- ✦ Store historical setting
- ✦ RS232C Interface

110g / 1mg
MOISTURE ANALYZER

LMB1, LMB1IR



E - Catalogue



MOISTURE DETERMINATION (1)

Machine Type : LMB1
Heating Mode : STANDARD
Stop Mode : AUTO STOP
Heating Temp. : 130°C
Elasapsed Time : 03:25
MW : 2.056g
DW : 1.933g
Moisture : 5.98%M
Date : 2017-10-17
Time : 08:16:14



Moisture Analyzer

HSN Code - 90160010










SPECIFICATIONS

MODEL	LMB1	LMB1IR
Heating Source	Halogen Lamp	Infrared Lamp
Temperature Setting	40°C~199°C	40°C~160°C
Make	WENSAR	
Capacity	110g	
Readability	0.001g (1mg)	
Repeatability	0.001g	
Linearity (±)	0.003g	
Display	Touch Screen	
Pan Size	90 mm Ø	
Sensor	loadcell	
Calibration	Automatic External	
Operating Temperature	5°C to 35°C	
Temp. Sensor	PT - 100	
Interface	RS232C	
Temp. Step	1°C	
Time Setting	1~99 minutes	
Dry Readability	0.01%	
Dry Range	100.00% ~ 0.00%	
Curve	Yes	
Aluminium Sample PAN	Available	
No. of Storage	20	
Power Supply	AC 220V / 50-60 Hz	
Dimension (LxWxH)	490 x 350 x 355 mm	
Weight	7 kg	








★ Specifications are subject to change without notice.

STANDARD ACCESSORIES : Main Instrument, Aluminium PAN - 50 Nos., Dust Plate, PAN Handle, PAN Supporter, Power Cable, Instruction Manual, Test Certificate.

WENSAR Product Range 2025-26

TAB9T  102/220g - 0.01/0.1mg	TAB10T  81/220g - 0.01/0.1mg	KAB10L  61g/0.01mg	KAB4L, 7L  82/220g, 102/220g - 0.01/0.1mg	KAB8L, 9L  51/220g, 100/120g - 0.01/0.1mg
KAB2L  220g / 0.1mg	KAB5L, 6L  220, 320g / 0.1mg	TAB1T  220g/0.1mg	TAB2T, 3T  220, 320g / 0.1mg	TAB5T  220g / 0.1mg
EMB11  Moisture Analyzer	LMB1, LMB1IR  Moisture Analyzer (Halogen / IR)	LMB16  Moisture Analyzer	LMB17T  Moisture Analyzer	LMB20  Moisture Analyzer
EPB6T, 7T, 8T  220g, 520g, 1020g / 0.001g	EPB3000  3200g / 0.01g	IZ540A, IZ540E  Ionizer	LPB1GSM  Digital GSM Meter	PGB201D  220g / 0.001g - Density Balance
PGB200, PGB301  200g, 300g / 0.001g	LPB21, 22  200g, 300g / 0.001g	LPB23  200g / 0.001g	PGB220, 321  220g, 330g / 0.001g	LPB25T, 26T  220g, 320g / 0.001g

WENSAR Product Range 2025-26

PGB211M  220g/0.001g	PGB600, 1000  600g, 1000g / 0.01g	PGB630  600g / 0.01g	PGB3010, 6000  3000g/0.01g, 6000g/0.1g	PGB3110, 6100  3000g/0.01g, 6000g/0.1g
LPB24  3000g / 0.01g	PGB5010M  5000g / 0.01g	PGB610  600g / 0.01g	PGB1200  1200g / 0.01g (Price Calculation)	PGB1210  1200g / 0.01g
PGB3001  3000g / 0.01g	TTB30M  30kg / 0.1g	TTB3, 15, 31  3kg/0.1g, 15kg/0.5g, 30kg/1g	TTB20HH  20kg / 0.1g	TTB52  50kg / 2g
PFB101H  100kg / 1g	PFB60, 100, 300  60kg/5g, 100kg/10g, 300kg/20g	WDK200 - 205 WDK250  Density Kit	TP1, TP2, TP3, TP4  Thermal Printer	DP5 to DP18  Dotmatrix Printer
AVP304SS, AVP100  Anti Vibration Pad	EDP10, 20, 30  Extra Display	E1 Standard Weights  E1 Class - Standard Weights	E2 Standard Weights  E2 Class - Standard Weights	F1 Standard Weights  F1 Class - Standard Weights