

Platform Balance
PFB60, 100, 300



60kg/5g, 100kg/10g, 300kg/20g

Platform Balance PFB60,100,300

SALIENT FEATURES

- ✦ Accumulation
- ✦ Animal Weighing Mode
- ✦ High & Low limit alarm
- ✦ Hold Function option
- ✦ Low Battery indication, Power Off automatically
- ✦ In built rechargeable battery for continuous use
- ✦ Rust Proof Stainless steel platter of High Quality
- ✦ Overload Protection Design
- ✦ Back Rail support provided
- ✦ RS232C Interface



E - Catalogue

HSN Code - 84238290







SPECIFICATIONS

MODEL	PFB60	PFB100	PFB300
Capacity	60kg	100kg	300kg
Readability	5g	10g	20g
Repeatability	5g	10g	20g
Linearity (±)	10g	20g	40g
Pan Size	400 x 400 mm		600 x 600 mm
Make	WENSAR		
Display	RED LED		
Response Time	3 - 4 Sec		
Calibration	Automatic External		
Tare Range	Full		
Operating Temp.	10°C to 40°C		
Power Supply	AC 220V / 50-60 Hz		
Dimension (LxWxH)	710 x 540 x 200 mm		860 x 770 x 220 mm
Weight	16 kg		34 kg








★ Specifications are subject to change without notice.

STANDARD ACCESSORIES : Main Instrument with SS PAN, Indicator, Pole for Indicator, Back rail, Power Cable, Instructional Manual, Test Certificate.

WENSAR Product Range 2025-26

TAB9T  102/220g - 0.01/0.1mg	TAB10T  81/220g - 0.01/0.1mg	KAB10L  61g/0.01mg	KAB4L, 7L  82/220g, 102/220g - 0.01/0.1mg	KAB8L, 9L  51/220g, 100/120g - 0.01/0.1mg
KAB2L  220g / 0.1mg	KAB5L, 6L  220, 320g / 0.1mg	TAB1T  220g/0.1mg	TAB2T, 3T  220, 320g / 0.1mg	TAB5T  220g / 0.1mg
EMB11  Moisture Analyzer	LMB1, LMB1IR  Moisture Analyzer (Halogen / IR)	LMB16  Moisture Analyzer	LMB17T  Moisture Analyzer	LMB20  Moisture Analyzer
EPB6T, 7T, 8T  220g, 520g, 1020g / 0.001g	EPB3000  3200g / 0.01g	IZ540A, IZ540E  Ionizer	LPB1GSM  Digital GSM Meter	PGB201D  220g / 0.001g - Density Balance
PGB200, PGB301  200g, 300g / 0.001g	LPB21, 22  200g, 300g / 0.001g	LPB23  200g / 0.001g	PGB220, 321  220g, 330g / 0.001g	LPB25T, 26T  220g, 320g / 0.001g

WENSAR Product Range 2025-26

PGB211M  220g/0.001g	PGB600, 1000  600g, 1000g / 0.01g	PGB630  600g / 0.01g	PGB3010, 6000  3000g/0.01g, 6000g/0.1g	PGB3110, 6100  3000g/0.01g, 6000g/0.1g
LPB24  3000g / 0.01g	PGB5010M  5000g / 0.01g	PGB610  600g / 0.01g	PGB1200  1200g / 0.01g (Price Calculation)	PGB1210  1200g / 0.01g
PGB3001  3000g / 0.01g	TTB30M  30kg / 0.1g	TTB3, 15, 31  3kg/0.1g, 15kg/0.5g, 30kg/1g	TTB20HH  20kg / 0.1g	TTB52  50kg / 2g
PFB101H  100kg / 1g	PFB60, 100, 300  60kg/5g, 100kg/10g, 300kg/20g	WDK200 - 205 WDK250  Density Kit	TP1, TP2, TP3, TP4  Thermal Printer	DP5 to DP18  Dotmatrix Printer
AVP304SS, AVP100  Anti Vibration Pad	EDP10, 20, 30  Extra Display	E1 Standard Weights  E1 Class - Standard Weights	E2 Standard Weights  E2 Class - Standard Weights	F1 Standard Weights  F1 Class - Standard Weights