



Base Aluminium Alloy Construction (AI)

**Platform Balance**  
**PFB61AI, PFB101AI, PFB201AI**



**PFB61AI**  
60kg/1g

**PFB101AI, PFB201AI**  
100kg/1g, 200kg/1g

**SALIENT FEATURES**

- ✦ Base Aluminium Alloy Construction (AI)
- ✦ PFB61AI - RED LED Display
- ✦ PFB101AI, PFB201AI - LCD Backlight Display
- ✦ High Capacity with High Accuracy
- ✦ Stainless Steel Top Platter
- ✦ Level Indicator
- ✦ Piece Counting Function
- ✦ Overload Protection



E - Catalogue

**Platform Balance**

HSN Code - 84238290

**SPECIFICATIONS**

MODEL	PFB61AI	PFB101AI	PFB201AI
Max. Capacity	60kg	100kg	200kg
Readability	1g	1g	1g
Repeatability		1g	
Linearity (±)	3g		
Verification Scale Intervals (e)	2d	5d	10d
Make	WENSAR		
Unit	g, kg, lb, Pcs.,		
Operating Temperature	5 to 40°C		
Base Cabinet	Aluminium Alloy Construction (AI)		
Display	RED LED	LCD with Back light	
Pan Size (W x L)	320 x 380mm	420 x 520mm	
Battery	4 x AAA Battery	Rechargeable	
RS232C Interface	Optional	Available	
Display Back light Auto on/off	NA	Available	
Charging level shown in display	NA	Available	
Power Supply	AC 220V / 50-60Hz		
Packing Dimension (LxWxH)	520 x 350 x 100mm	890 x 560 x 250mm	
Gross Weight	6.5kg	25kg	

★ Specifications are subject to change without notice.

**STANDARD ACCESSORIES:** Main Instrument, Weighing SS pan, Indicator, Pole for Indicator, Power Cable Instruction Manual, Test Certificate.

## WENSAR Product Range 2025-26

<p>TAB9T</p>  <p>102/220g - 0.01/0.1mg</p>	<p>TAB10T</p>  <p>81/220g - 0.01/0.1mg</p>	<p>KAB10L</p>  <p>61g/0.01mg</p>	<p>KAB4L, 7L</p>  <p>82/220g, 102/220g - 0.01/0.1mg</p>	<p>KAB8L, 9L</p>  <p>51/220g, 100/120g - 0.01/0.1mg</p>
<p>KAB2L</p>  <p>220g / 0.1mg</p>	<p>KAB5L, 6L</p>  <p>220, 320g / 0.1mg</p>	<p>TAB1T</p>  <p>220g/0.1mg</p>	<p>TAB2T, 3T</p>  <p>220, 320g / 0.1mg</p>	<p>TAB5T</p>  <p>220g / 0.1mg</p>
<p>EMB11</p>  <p>Moisture Analyzer</p>	<p>LMB1, LMB1IR</p>  <p>Moisture Analyzer (Halogen / IR)</p>	<p>LMB16</p>  <p>Moisture Analyzer</p>	<p>LMB17T</p>  <p>Moisture Analyzer</p>	<p>LMB20</p>  <p>Moisture Analyzer</p>
<p>EPB6T, 7T, 8T</p>  <p>220g, 520g, 1020g / 0.001g</p>	<p>EPB3000</p>  <p>3200g / 0.01g</p>	<p>IZ540A, IZ540E</p>  <p>Ionizer</p>	<p>LPB1GSM</p>  <p>Digital GSM Meter</p>	<p>PGB201D</p>  <p>220g / 0.001g - Density Balance</p>
<p>PGB200, PGB301</p>  <p>200g, 300g / 0.001g</p>	<p>LPB21, 22</p>  <p>200g, 300g / 0.001g</p>	<p>LPB23</p>  <p>200g / 0.001g</p>	<p>PGB220, 321</p>  <p>220g, 330g / 0.001g</p>	<p>LPB25T, 26T</p>  <p>220g, 320g / 0.001g</p>

## WENSAR Product Range 2025-26

<p>PGB211M</p>  <p>220g/0.001g</p>	<p>PGB600, 1000</p>  <p>600g, 1000g / 0.01g</p>	<p>PGB630</p>  <p>600g / 0.01g</p>	<p>PGB3010, 6000</p>  <p>3000g/0.01g, 6000g/0.1g</p>	<p>PGB3110, 6100</p>  <p>3000g/0.01g, 6000g/0.1g</p>
<p>LPB24</p>  <p>3000g / 0.01g</p>	<p>PGB5010M</p>  <p>5000g / 0.01g</p>	<p>PGB610</p>  <p>600g / 0.01g</p>	<p>PGB1200</p>  <p>1200g / 0.01g (Price Calculation)</p>	<p>PGB1210</p>  <p>1200g / 0.01g</p>
<p>PGB3001</p>  <p>3000g / 0.01g</p>	<p>TTB30M</p>  <p>30kg / 0.1g</p>	<p>TTB3, 15, 31</p>  <p>3kg/0.1g, 15kg/0.5g, 30kg/1g</p>	<p>TTB20HH</p>  <p>20kg / 0.1g</p>	<p>TTB52</p>  <p>50kg / 2g</p>
<p>PFB101H</p>  <p>100kg / 1g</p>	<p>PFB60, 100, 300</p>  <p>60kg/5g, 100kg/10g, 300kg/20g</p>	<p>WDK200 - 205      WDK250</p>  <p>Density Kit</p>	<p>TP1, TP2, TP3, TP4</p>  <p>Thermal Printer</p>	<p>DP5 to DP18</p>  <p>Dotmatrix Printer</p>
<p>AVP304SS</p>  <p>Anti Vibration Pad</p>	<p>EDP10, 20, 30</p>  <p>Extra Display</p>	<p>E1 Standard Weights</p>  <p>E1 Class - Standard Weights</p>	<p>E2 Standard Weights</p>  <p>E2 Class - Standard Weights</p>	<p>F1 Standard Weights</p>  <p>F1 Class - Standard Weights</p>