




Vertical Storage Tanks • Horizontal Transport Tanks  
Nurse Trailers • Cone Bottom Trailers • Tender Tank Trailers





# OUR VISION & STORY

## OUR VISION

To be a trusted resource for superior liquid management equipment when and where you need it.

## OUR STORY

Since 2003 we have been delivering high quality and reliable superior liquid management equipment like poly tanks and trailers to local farmers and growers. Our company has grown steadily based on the quality of our products and our determined pursuit of service excellence. Our commitment to research and development is combined with a willingness to listen to the people who everyday depend on our superior poly tanks and trailers. As a growing company, we continue to strive to help increase productivity in the agriculture and commercial industries by delivering products that are Engineered for Endurance™. At Enduraplas, it makes us proud to watch local businesses thrive across the country. That's why Enduraplas products can be purchased from a local dealer near you.





# CONTENTS



- 4 Flat Bottom Storage Tanks
- 12 Cone Bottom Storage Tanks
- 18 Freestanding Transport Tanks
- 24 Sump Bottom Transport Tanks
- 30 Pickup Tanks
- 34 Nurse Trailers
- 40 Cone Bottom Trailers
- 44 Tender Tank Trailers
- 48 Accessories

"We are proud that the Enduraplas® brand is viewed as premium and high quality in the markets we serve. We will continue to provide our customers with innovative products that are truly Engineered for Endurance™."

- Greg Firth, Managing Director

# FLAT BOTTOM STORAGE TANKS



	PRODUCT CODE	TANK SIZE (GAL)	DIMENSIONS (DIAMETER X HEIGHT)	LID SIZE	FITTING SIZE	SPECIFIC GRAVITY	TIE DOWN POINTS	SIPHON TUBE	WARRANTY	COLORS	MANUFACTURED IN*
	THV SERIES - PAGE 7										
1	THV10000	10,400	144" x 178"	16"	3"	1.9	Yes	Yes	*10 Years	Green, Black, Yellow, White	ND, TX
2	THV08000	8,150	144" x 142"	16"	3"	1.9	Yes	Yes	*10 Years	Green, Black, Yellow, White	ND, TX
3	THV07011	7,011	144" x 126"	16"	3"	1.9	Yes	Yes	*10 Years	Green, Black, Yellow, White	ND, TX
4	THV06250	6,300	120" x 147"	16"	3"	1.9	Yes	Yes	*10 Years	Green, Black, Yellow, White	TX

Featured Image: 10,000 Gallon Flat Bottom Storage Tanks (THV10000)



# FLAT BOTTOM STORAGE TANK SPECS

	PRODUCT CODE	TANK SIZE (GAL)	DIMENSIONS (DIAMETER X HEIGHT)	LID SIZE	FITTING SIZE	SPECIFIC GRAVITY	TIE DOWN POINTS	SIPHON TUBE	WARRANTY	COLORS	MANUFACTURED IN*
	THV SERIES - PAGE 8, 9, 10										
5	THV06011	6,011	144" x 110"	16"	3"	1.9	Yes	Yes	*10 Years	Green, Black, Yellow, White	ND, TX
6	THV06000	6,500	110" x 179"	16"	3"	1.9	Yes	Yes	*10 Years	Green, Black, Yellow, White	ND
7	THV05050	5,050	120" x 120"	16"	3"	1.9	Yes	Yes	*10 Years	Green, Black, Yellow, White	TX
8	THV05200	5,200	100" x 164"	16"	3"	1.9	Yes	Yes	*10 Years	Green, Black, Yellow, White	TX
9	THV05000	5,500	110" x 150"	16"	3"	1.9	Yes	Yes	*10 Years	Green, Black, Yellow, White	ND
10	THV04000	4,100	110" x 124"	16"	3"	1.9	Yes	Yes	*10 Years	Green, Black, Yellow, White	ND
11	THV03200	3,300	110" x 103"	16"	3"	1.9	Yes	Yes	*10 Years	Green, Black, Yellow, White	ND
12	THV03100	3,100	100" x 103"	16"	3"	1.9	Yes	Yes	*10 Years	Green, Black, Yellow, White	TX
13	THV03000	3,126	90" x 125"	16"	3"	1.9	Yes	Yes	*10 Years	Green, Black, Yellow, White	ND, TX
14	THV02600	2,700	100" x 92"	16"	2"	1.9	Yes	Yes	*10 Years	Green, Black, Yellow, White	TX
15	THV02520	2,600	110" x 86"	16"	2"	1.9	Yes	Yes	*10 Years	Green, Black, Yellow, White	ND
16	THV02500	2,680	90" x 113"	16"	2"	1.9	Yes	Yes	*10 Years	Green, Black, Yellow, White	ND, TX
17	THV02100	2,208	85" x 100"	16"	2"	1.9	Yes	Yes	*10 Years	Green, Black, Yellow, White	ND, TX
18	THV02020	2,100	110" x 73"	16"	2"	1.9	Yes	Yes	*10 Years	Green, Black, Yellow, White	ND
19	THV02000	2,276	90" x 93"	16"	2"	1.9	Yes	Yes	*10 Years	Green, Black, Yellow, White	ND, TX
20	THV01750	2,009	85" x 89"	16"	2"	1.9	Yes	Yes	*10 Years	Green, Black, Yellow, White	ND, TX
21	THV01650	1,731	90" x 75"	16"	2"	1.9	Yes	Yes	*10 Years	Green, Black, Yellow, White	ND, TX
22	THV01550	1,700	85" x 80"	16"	2"	1.9	Yes	Yes	*10 Years	Green, Black, Yellow, White	ND, TX
23	THV01400	1,450	80" x 79"	16"	2"	1.9	Yes	Yes	*10 Years	Green, Black, Yellow, White	ND
24	THV01350	1,530	85" x 71"	16"	2"	1.9	Yes	Yes	*10 Years	Green, Black, Yellow, White	ND, TX
25	THV01125	1,125	85" x 56"	16"	2"	1.9	Yes	Yes	*10 Years	Green, Black, Yellow, White	TX
26	THV01100	1,100	60" x 97"	16"	2"	1.9	Yes	Yes	*10 Years	Green, Black, Yellow, White	ND, TX
27	THV01000	1,125	80" x 65"	16"	2"	1.9	Yes	Yes	*10 Years	Green, Black, Yellow, White	ND
28	THV00870	870	60" x 78"	16"	2"	1.9	Yes	Yes	*10 Years	Green, Black, Yellow, White	ND, TX
29	THV00600	600	40" x 120"	16"	2"	1.9	Yes	Yes	*10 Years	Green, Black, Yellow, White	TX
30	THV00550	550	60" x 52"	16"	2"	1.9	Yes	Yes	*10 Years	Green, Black, Yellow, White	ND, TX
31	THV00340	340	40" x 74"	16"	2"	1.9	Yes	Yes	*10 Years	Green, Black, Yellow, White	TX
32	THV00210	210	40" x 48"	16"	2"	1.9	Yes	Yes	*10 Years	Green, Black, Yellow, White	TX
33	THV00200	200	30" x 79"	8"	2"	1.9	Yes	Yes	*10 Years	Green, Black, Yellow, White	TX
34	THV00150	150	30" x 61"	8"	2"	1.9	Yes	Yes	*10 Years	Green, Black, Yellow, White	TX
35	THV00100	100	30" x 43"	8"	2"	1.9	Yes	Yes	*10 Years	Green, Black, Yellow, White	TX

\*ND = North Dakota, TX = Texas

\*Warranty must be registered to receive 10 years. See page 55 for details.



# DURABILITY TEST



[YouTube.com/Enduraplas](https://www.youtube.com/Enduraplas)

ENDURAPLAS  
**VS**  
SUV





# THV SERIES



These vertical storage tanks are clearly a cut above the competition. With features including the unique Ribbed Wall™ for extra strength and the superior StrongX™ roof structure for extra support.

Featured Image (Above): 10,000 Gallon Flat Bottom Storage Tanks (THV10000)



## Built-in Ribbed Wall™ design technology

When storing heavy liquids, a strong Ribbed Wall™ is a must to eliminate failure.



## StrongX™ roof structure for extra support

The superior roof design is a key part of its overall structural strength.



## Securing your tanks is made easy

With 4 built-in tie down points, you can safely secure your tanks.



## 4 colors to choose from

Green & black are standard colors, yellow & white are available on special request.



\*Manufactured in ND & TX



\*Manufactured in ND & TX



\*Manufactured in ND & TX



\*Manufactured in TX

THV10000	
Capacity	10,400 Gallons
Dimensions	144"D x 178"H
Specs	Page 4, Row 1

THV08000	
Capacity	8,150 Gallons
Dimensions	144"D x 142"H
Specs	Page 4, Row 2

THV07011	
Capacity	7,011 Gallons
Dimensions	144"D x 126"H
Specs	Page 4, Row 3

THV06250	
Capacity	6,300 Gallons
Dimensions	120"D x 147"H
Specs	Page 4, Row 4





# THV SERIES



\*Manufactured in ND & TX

THV06011

Capacity	6,011 Gallons
Dimensions	144"D x 110"H
Specs	Page 5, Row 5



\*Manufactured in ND

THV06000

Capacity	6,500 Gallons
Dimensions	110"D x 179"H
Specs	Page 5, Row 6



\*Manufactured in TX

THV05050

Capacity	5,050 Gallons
Dimensions	120"D x 120"H
Specs	Page 5, Row 7



\*Manufactured in TX

THV05200

Capacity	5,200 Gallons
Dimensions	100"D x 164"H
Specs	Page 5, Row 8



\*Manufactured in ND

THV05000

Capacity	5,500 Gallons
Dimensions	110"D x 150"H
Specs	Page 5, Row 9



\*Manufactured in ND

THV04000

Capacity	4,100 Gallons
Dimensions	110"D x 124"H
Specs	Page 5, Row 10



\*Manufactured in ND

THV03200

Capacity	3,300 Gallons
Dimensions	110"D x 103" H
Specs	Page 5, Row 11



\*Manufactured in TX

THV03100

Capacity	3,100 Gallons
Dimensions	100"D x 103"H
Specs	Page 5, Row 12



\*Manufactured in ND & TX

THV03000

Capacity	3,126 Gallons
Dimensions	90"D x 125"H
Specs	Page 5, Row 13



\*Manufactured in TX

THV02600

Capacity	2,700 Gallons
Dimensions	100"D x 92"H
Specs	Page 5, Row 14



\*Manufactured in ND

THV02520

Capacity	2,600 Gallons
Dimensions	110"D x 86"H
Specs	Page 5, Row 15



\*Manufactured in ND & TX

THV02500

Capacity	2,680 Gallons
Dimensions	90"D x 113"H
Specs	Page 5, Row 16

# THV SERIES



\*Manufactured in ND & TX

THV02100

Capacity	2,208 Gallons
Dimensions	85"D x 100"H
Specs	Page 5, Row 17



\*Manufactured in ND

THV02020

Capacity	2,100 Gallons
Dimensions	110"D x 73"H
Specs	Page 5, Row 18



\*Manufactured in ND & TX

THV02000

Capacity	2,276 Gallons
Dimensions	90"D x 93"H
Specs	Page 5, Row 19



\*Manufactured in ND & TX

THV01750

Capacity	2,009 Gallons
Dimensions	85"D x 89"H
Specs	Page 5, Row 20



\*Manufactured in ND & TX

THV01650

Capacity	1,731 Gallons
Dimensions	90"D x 75"H
Specs	Page 5, Row 21



\*Manufactured in ND & TX

THV01550

Capacity	1,700 Gallons
Dimensions	85"D x 80"H
Specs	Page 5, Row 22



\*Manufactured in ND

THV01400

Capacity	1,450 Gallons
Dimensions	80" D x 79"H
Specs	Page 5, Row 23



\*Manufactured in ND & TX

THV01350

Capacity	1,530 Gallons
Dimensions	85"D x 71"H
Specs	Page 5, Row 24



\*Manufactured in TX

THV01125

Capacity	1,125 Gallons
Dimensions	85"D x 56"H
Specs	Page 5, Row 25



\*Manufactured in ND & TX

THV01100

Capacity	1,100 Gallons
Dimensions	60"D x 97"H
Specs	Page 5, Row 26



\*Manufactured in ND

THV01000

Capacity	1,125 Gallons
Dimensions	80"D x 65"H
Specs	Page 5, Row 27



\*Manufactured in ND & TX

THV00870

Capacity	870 Gallons
Dimensions	60"D x 78"H
Specs	Page 5, Row 28





# THV SERIES



\*Manufactured in TX

THV00600

Capacity	600 Gallons
Dimensions	40"D x 120"H
Specs	Page 5, Row 29



\*Manufactured in ND & TX

THV00550

Capacity	550 Gallons
Dimensions	60"D x 52"H
Specs	Page 5, Row 30



\*Manufactured in TX

THV00340

Capacity	340 Gallons
Dimensions	40"D x 74"H
Specs	Page 5, Row 31



\*Manufactured in TX

THV00210

Capacity	210 Gallons
Dimensions	40"D x 48"H
Specs	Page 5, Row 32



\*Manufactured in TX

THV00200

Capacity	200 Gallons
Dimensions	30"D x 79"H
Specs	Page 5, Row 33



\*Manufactured in TX

THV00150

Capacity	150 Gallons
Dimensions	30"D x 61"H
Specs	Page 5, Row 34



\*Manufactured in TX

THV00100

Capacity	100 Gallons
Dimensions	30"D x 43"H
Specs	Page 5, Row 35

Featured Image: 3,000 Gallon Flat Bottom Storage Tank (THV03000)





Featured Image: 10,000 Gallon Flat Bottom Storage Tanks (THV10000)



# CONE BOTTOM STORAGE TANKS



	PRODUCT CODE	TANK SIZE (GAL)	DIMENSIONS (DIAMETER X HEIGHT)	STAND INCLUDED	LID SIZE	FITTING SIZE	SPECIFIC GRAVITY	TIE DOWN POINTS	CONE SLOPE	WARRANTY	COLORS	MANUFACTURED IN*
	THC SERIES - PAGE 14											
1	THC10000K	10,400	144" x 202"	Yes	16"	3"	1.9	Yes	15°	*10 Years	Green, Black, Yellow, White	ND, TX
2	THC10000	10,400	144" x 193"	No	16"	3"	1.9	Yes	15°	*10 Years	Green, Black, Yellow, White	ND, TX
3	THC08000K	8,150	144" x 166"	Yes	16"	3"	1.9	Yes	15°	*10 Years	Green, Black, Yellow, White	ND, TX
4	THC08000	8,150	144" x 158"	No	16"	3"	1.9	Yes	15°	*10 Years	Green, Black, Yellow, White	ND, TX
5	THC07011K	7,011	144" x 150"	Yes	16"	3"	1.9	Yes	15°	*10 Years	Green, Black, Yellow, White	ND, TX
6	THC07011	7,011	144" x 141"	No	16"	3"	1.9	Yes	15°	*10 Years	Green, Black, Yellow, White	ND, TX

Featured Image: 5,000 Gallon Cone Bottom Storage Tanks (THC05000K)

# CONE BOTTOM STORAGE TANK SPECS

	PRODUCT CODE	TANK SIZE (GAL)	DIMENSIONS (DIAMETER X HEIGHT)	STAND INCLUDED	LID SIZE	FITTING SIZE	SPECIFIC GRAVITY	TIE DOWN POINTS	CONE SLOPE	WARRANTY	COLORS	MANUFACTURED IN*
	THC SERIES - PAGE 14, 15, 16											
7	THC06011K	6,011	144" x 134"	Yes	16"	3"	1.9	Yes	15°	*10 Years	Green, Black, Yellow, White	ND, TX
8	THC06011	6,011	144" x 125"	No	16"	3"	1.9	Yes	15°	*10 Years	Green, Black, Yellow, White	ND, TX
9	THC06000K	6,500	110" x 204"	Yes	16"	3"	1.9	Yes	15°	*10 Years	Green, Black, Yellow, White	ND
10	THC06000	6,500	110" x 195"	No	16"	3"	1.9	Yes	15°	*10 Years	Green, Black, Yellow, White	ND
11	THC05000K	5,500	110" x 175"	Yes	16"	3"	1.9	Yes	15°	*10 Years	Green, Black, Yellow, White	ND
12	THC05000	5,500	110" x 166"	No	16"	3"	1.9	Yes	15°	*10 Years	Green, Black, Yellow, White	ND
13	THC04000K	4,100	110" x 146"	Yes	16"	3"	1.9	Yes	15°	*10 Years	Green, Black, Yellow, White	ND
14	THC04000	4,100	110" x 135"	No	16"	3"	1.9	Yes	15°	*10 Years	Green, Black, Yellow, White	ND
15	THC03200K	3,300	110" x 126"	Yes	16"	3"	1.9	Yes	15°	*10 Years	Green, Black, Yellow, White	ND
16	THC03200	3,300	110" x 116"	No	16"	3"	1.9	Yes	15°	*10 Years	Green, Black, Yellow, White	ND
17	THC03000K	3,126	90" x 146"	Yes	16"	3"	1.9	Yes	15°	*10 Years	Green, Black, Yellow, White	ND, TX
18	THC03000	3,126	90" x 136"	No	16"	3"	1.9	Yes	15°	*10 Years	Green, Black, Yellow, White	ND, TX
19	THC02520K	2,600	110" x 108"	Yes	16"	3"	1.9	Yes	15°	*10 Years	Green, Black, Yellow, White	ND
20	THC02520	2,600	110" x 99"	No	16"	3"	1.9	Yes	15°	*10 Years	Green, Black, Yellow, White	ND
21	THC02500K	2,680	90" x 130"	Yes	16"	3"	1.9	Yes	15°	*10 Years	Green, Black, Yellow, White	ND, TX
22	THC02500	2,680	90" x 120"	No	16"	3"	1.9	Yes	15°	*10 Years	Green, Black, Yellow, White	ND, TX
23	THC02000K	2,276	90" x 113"	Yes	16"	3"	1.9	Yes	15°	*10 Years	Green, Black, Yellow, White	ND, TX
24	THC02000	2,276	90" x 113"	No	16"	3"	1.9	Yes	15°	*10 Years	Green, Black, Yellow, White	ND, TX
25	THC01600K	1,700	90" x 96"	Yes	16"	3"	1.9	Yes	15°	*10 Years	Green, Black, Yellow, White	ND, TX
26	THC01600	1,700	90" x 86"	No	16"	3"	1.9	Yes	15°	*10 Years	Green, Black, Yellow, White	ND, TX
27	THC01550K	1,700	85" x 95"	Yes	16"	3"	1.9	Yes	15°	*10 Years	Green, Black, Yellow, White	ND
28	THC01550	1,700	85" x 87"	No	16"	3"	1.9	Yes	15°	*10 Years	Green, Black, Yellow, White	ND
29	THC01350K	1,530	85" x 86"	Yes	16"	3"	1.9	Yes	15°	*10 Years	Green, Black, Yellow, White	ND
30	THC01350	1,530	85" x 75"	No	16"	3"	1.9	Yes	15°	*10 Years	Green, Black, Yellow, White	ND
31	THC01200K	1,250	90" x 83"	Yes	16"	3"	1.9	Yes	15°	*10 Years	Green, Black, Yellow, White	ND, TX
32	THC01200	1,250	90" x 73"	No	16"	3"	1.9	Yes	15°	*10 Years	Green, Black, Yellow, White	ND, TX
33	THC01100K	1,100	60" x 113"	Yes	16"	3"	1.9	Yes	15°	*10 Years	Green, Black, Yellow, White	ND, TX
34	THC01100	1,100	60" x 103"	No	16"	3"	1.9	Yes	15°	*10 Years	Green, Black, Yellow, White	ND, TX
35	THC00870K	870	60" x 95"	Yes	16"	3"	1.9	Yes	15°	*10 Years	Green, Black, Yellow, White	ND, TX
36	THC00870	870	60" x 85"	No	16"	3"	1.9	Yes	15°	*10 Years	Green, Black, Yellow, White	ND, TX
37	THC00550K	550	60" x 69"	Yes	16"	3"	1.9	Yes	15°	*10 Years	Green, Black, Yellow, White	ND, TX
38	THC00550	550	60" x 59"	No	16"	3"	1.9	Yes	15°	*10 Years	Green, Black, Yellow, White	ND, TX

\*ND = North Dakota, TX = Texas

\*Warranty must be registered to receive 10 years. See page 55 for details.





# THC SERIES



Built for small and large liquid storage projects, these high quality cone bottom tanks provide you with the return on investment you are looking for. Each tank features the Ribbed Wall™ technology.

Featured Image (Above): 5,000 Gallon Cone Bottom Storage Tanks (THC05000K)




**Securing your tank is made easy**

With 4 built-in tie down points, you can safely secure your tanks.



**Engineered superior frame structure**

For heavy liquid, the right stand is needed to manage the weight.



**Completely drain your liquid to the last drop**

With the 15° slope in the base of each tank, you can be sure to use it all.



**4 colors to choose from**

Green & black are standard colors, yellow & white are available on special request.



\*Manufactured in ND & TX

**THC10000K**

Capacity	10,400 Gallons
Dimensions	144"D x 202"H
Specs	Page 12, Row 1



\*Manufactured in ND & TX

**THC08000K**

Capacity	8,150 Gallons
Dimensions	144"D x 166"H
Specs	Page 12, Row 3



\*Manufactured in ND & TX

**THC07011K**

Capacity	7,011 Gallons
Dimensions	144"D x 150"H
Specs	Page 12, Row 5



\*Manufactured in ND & TX

**THC06011K**

Capacity	6,011 Gallons
Dimensions	144"D x 134"H
Specs	Page 13, Row 7

# THC SERIES



\*Manufactured in ND

## THC06000K

Capacity	6,500 Gallons
Dimensions	110"D x 204"H
Specs	Page 13, Row 9



\*Manufactured in ND

## THC05000K

Capacity	5,500 Gallons
Dimensions	110"D x 175"H
Specs	Page 13, Row 11



\*Manufactured in ND

## THC04000K

Capacity	4,100 Gallons
Dimensions	110"D x 146"H
Specs	Page 13, Row 13



\*Manufactured in ND

## THC03200K

Capacity	3,300 Gallons
Dimensions	110"D x 126"H
Specs	Page 13, Row 15



\*Manufactured in ND & TX

## THC03000K

Capacity	3,126 Gallons
Dimensions	90"D x 146"H
Specs	Page 13, Row 17



\*Manufactured in ND

## THC02520K

Capacity	2,600 Gallons
Dimensions	110"D x 108"H
Specs	Page 13, Row 19



\*Manufactured in ND & TX

## THC02500K

Capacity	2,680 Gallons
Dimensions	90"D x 130"H
Specs	Page 13, Row 21



\*Manufactured in ND & TX

## THC02000K

Capacity	2,276 Gallons
Dimensions	90"D x 113"H
Specs	Page 13, Row 23



\*Manufactured in ND & TX

## THC01600K

Capacity	1,700 Gallons
Dimensions	90"D x 96"H
Specs	Page 13, Row 25



\*Manufactured in ND

## THC01550K

Capacity	1,700 Gallons
Dimensions	85"D x 95"H
Specs	Page 13, Row 27



\*Manufactured in ND

## THC01350K

Capacity	1,530 Gallons
Dimensions	85"D x 86"H
Specs	Page 13, Row 29



\*Manufactured in ND & TX

## THC01200K

Capacity	1,250 Gallons
Dimensions	90"D x 83"H
Specs	Page 13, Row 31





# THC SERIES



\*Manufactured in ND & TX

## THC01100K

Capacity	1,100 Gallons
Dimensions	60"D x 113"H
Specs	Page 13, Row 33



\*Manufactured in ND & TX

## THC00870K

Capacity	870 Gallons
Dimensions	60"D x 95"H
Specs	Page 13, Row 35



\*Manufactured in ND & TX

## THC00550K

Capacity	550 Gallons
Dimensions	60"D x 69"H
Specs	Page 13, Row 37



Featured Image: 10,000 Gallon Cone Bottom Storage Tanks (THC10000K)



# FREESTANDING TRANSPORT TANKS



Featured Image: 3,000 Gallon Freestanding Transport Tanks (THF03000)

# FREESTANDING TANK SPECS

	PRODUCT CODE	TANK SIZE (GAL)	DIMENSIONS (L X W X H)	MOUNTING PINS REQUIRED	LID SIZE	LID TYPE	FITTING SIZE	SPECIFIC GRAVITY	WARRANTY	COLORS	MANUFACTURED IN*
	THF SERIES - PAGE 21, 22, 23										
1	THF04500	4,500	179" x 95" x 84"	8 x AZP04	16"	Stainless Steel	3"	1.9	*10 Years	Green, Black, Yellow, White	ND
2	THF03500	3,500	179" x 95" x 70"	8 x AZP04	16"	Stainless Steel	3"	1.9	*10 Years	Green, Black, Yellow, White	ND
3	THF03200	3,200	145" x 97" x 79"	8 x AZP04	16"	Stainless Steel	3"	1.9	*10 Years	Green, Black, Yellow, White	ND
4	THF03000	3,000	130" x 87" x 90"	8 x AZP04	16"	Stainless Steel	3"	1.9	*10 Years	Green, Black, Yellow, White	ND
5	THF02800	2,800	145" x 97" x 75"	8 x AZP04	16"	Stainless Steel	3"	1.9	*10 Years	Green, Black, Yellow, White	ND
6	THF02500	2,500	130" x 87" x 75"	8 x AZP04	16"	Stainless Steel	3"	1.9	*10 Years	Green, Black, Yellow, White	ND
7	THF02200	2,200	130" x 71" x 72"	8 x AZP04	16"	Stainless Steel	3"	1.9	*10 Years	Green, Black, Yellow, White	ND
8	THF01900	1,900	130" x 71" x 65"	8 x AZP04	16"	Stainless Steel	3"	1.9	*10 Years	Green, Black, Yellow, White	ND
9	THF01600	1,600	130" x 71" x 59"	8 x AZP04	16"	Stainless Steel	3"	1.9	*10 Years	Green, Black, Yellow, White	ND
10	THF01400	1,400	102" x 70" x 66"	6 x AZP04	16"	Poly	2"	1.9	*10 Years	Green, Black, Yellow, White	ND
11	THF01200	1,200	102" x 70" x 59"	6 x AZP04	16"	Poly	2"	1.9	*10 Years	Green, Black, Yellow, White	ND
12	THF01000	1,100	94" x 60" x 63"	6 x AZP03	16"	Poly	2"	1.9	*10 Years	Green, Black, Yellow, White	ND
13	THF00800	800	94" x 60" x 48"	6 x AZP03	16"	Poly	2"	1.9	*10 Years	Green, Black, Yellow, White	ND
14	THF00500	550	80" x 57" x 40"	6 x AZP03	16"	Poly	2"	1.9	*10 Years	Green, Black, Yellow, White	ND
15	THF00400	400	74" x 46" x 37"	4 x AZP02	16"	Poly	2"	1.9	*10 Years	Green, Black, Yellow, White	ND
16	THF00300	340	74" x 46" x 31"	4 x AZP02	16"	Poly	2"	1.9	*10 Years	Green, Black, Yellow, White	ND
17	THF00250	260	55" x 47" x 34"	4 x AZP01	16"	Poly	2"	1.9	*10 Years	Green, Black, Yellow, White	ND
18	THF00200	200	55" x 47" x 27"	4 x AZP01	16"	Poly	2"	1.9	*10 Years	Green, Black, Yellow, White	ND
19	THF00150	160	46" x 41" x 28"	4 x AZP01	8"	Poly	2"	1.9	*10 Years	Green, Black, Yellow, White	ND
20	THF00100	110	46" x 41" x 21"	4 x AZP01	8"	Poly	2"	1.9	*10 Years	Green, Black, Yellow, White	ND

\*ND = North Dakota, TX = Texas

\*Warranty must be registered to receive 10 years. See page 55 for details.

Featured Image: 3,200 Gallon Freestanding Transport Tanks (THF03200)




# DURABILITY TEST



[YouTube.com/Enduraplas](https://www.youtube.com/Enduraplas)

ENDURAPLAS  
**VS**  
CRANE





# THF SERIES



With the Pin Mount™ advantage, these tanks are the safest choice you will ever make. With many sizes to pick from you can easily fit your liquid transport application.

Featured Image (Above): 4,500 Freestanding Transport Tank (THF04500)



**Secure your tank with confidence**

The Pin Mount™ advantage means more mounting points than any other tank.



**Anti-splash stainless steel lid**

The new design lockable lid includes an anti-splash seal to ensure no spillage.

\*This lid comes standard on all horizontal transport tanks 1,600 gallons and larger.



**Internal baffles to eliminate surge**

Reduce liquid surge in transport with the built-in baffle system.



**4 colors to choose from**

Green & black are standard colors, yellow & white are available on special request.



\*Mounting Pins Required = 8 x AZP04

**THF04500**

Capacity	4,500 Gallons
Dimensions	179"L x 95"W x 84"H
Specs	Page 19, Row 1

\*Manufactured in ND



\*Mounting Pins Required = 8 x AZP04

**THF03500**

Capacity	3,500 Gallons
Dimensions	179"L x 95"W x 70"H
Specs	Page 19, Row 2

\*Manufactured in ND



\*Mounting Pins Required = 8 x AZP04

**THF03200**

Capacity	3,200 Gallons
Dimensions	145"L x 97"W x 79"H
Specs	Page 19, Row 3

\*Manufactured in ND



\*Mounting Pins Required = 8 x AZP04

**THF03000**

Capacity	3,000 Gallons
Dimensions	130"L x 87"W x 90"H
Specs	Page 19, Row 4

\*Manufactured in ND





# THF SERIES



\*Mounting Pins Required = 8 x AZP04

## THF02800

Capacity	2,800 Gallons
Dimensions	145"L x 97"W x 75"H
Specs	Page 19, Row 5 *Manufactured in ND



\*Mounting Pins Required = 8 x AZP04

## THF02500

Capacity	2,500 Gallons
Dimensions	130"L x 87"W x 75"H
Specs	Page 19, Row 6 *Manufactured in ND



\*Mounting Pins Required = 8 x AZP04

## THF02200

Capacity	2,200 Gallons
Dimensions	130"L x 71"W x 72"H
Specs	Page 19, Row 7 *Manufactured in ND



\*Mounting Pins Required = 8 x AZP04

## THF01900

Capacity	1,900 Gallons
Dimensions	130"L x 71"W x 65"H
Specs	Page 19, Row 8 *Manufactured in ND



\*Mounting Pins Required = 8 x AZP04

## THF01600

Capacity	1,600 Gallons
Dimensions	130"L x 71"W x 59"H
Specs	Page 19, Row 9 *Manufactured in ND



\*Mounting Pins Required = 6 x AZP04

## THF01400

Capacity	1,400 Gallons
Dimensions	102"L x 70"W x 66"H
Specs	Page 19, Row 10 *Manufactured in ND



\*Mounting Pins Required = 6 x AZP04

## THF01200

Capacity	1,200 Gallons
Dimensions	102"L x 70"W x 59"H
Specs	Page 19, Row 11 *Manufactured in ND



\*Mounting Pins Required = 6 x AZP03

## THF01000

Capacity	1,100 Gallons
Dimensions	94"L x 60"W x 63"H
Specs	Page 19, Row 12 *Manufactured in ND



\*Mounting Pins Required = 6 x AZP03

## THF00800

Capacity	800 Gallons
Dimensions	94"L x 60"W x 48"H
Specs	Page 19, Row 13 *Manufactured in ND



\*Mounting Pins Required = 6 x AZP03

## THF00500

Capacity	550 Gallons
Dimensions	80"L x 57"W x 40"H
Specs	Page 19, Row 14 *Manufactured in ND



\*Mounting Pins Required = 4 x AZP02

## THF00400

Capacity	400 Gallons
Dimensions	74"L x 46"W x 37"H
Specs	Page 19, Row 15 *Manufactured in ND



\*Mounting Pins Required = 4 x AZP02

## THF00300

Capacity	340 Gallons
Dimensions	74"L x 46"W x 31"H
Specs	Page 19, Row 16 *Manufactured in ND

# THF SERIES



\*Mounting Pins Required = 4 x AZP01

THF00250

Capacity	260 Gallons
Dimensions	55"L x 47"W x 34"H
Specs	Page 19, Row 17

\*Manufactured in ND



\*Mounting Pins Required = 4 x AZP01

THF00200

Capacity	200 Gallons
Dimensions	55"L x 47"W x 27"H
Specs	Page 19, Row 18

\*Manufactured in ND



\*Mounting Pins Required = 4 x AZP01

THF00150

Capacity	160 Gallons
Dimensions	46"L x 41"W x 28"H
Specs	Page 19, Row 19

\*Manufactured in ND



\*Mounting Pins Required = 4 x AZP01

THF00100

Capacity	110 Gallons
Dimensions	46"L x 41"W x 21"H
Specs	Page 19, Row 20

\*Manufactured in ND

Featured Image: 3,000 Gallon Freestanding Transport Tanks (THF03000)





# SUMP BOTTOM TRANSPORT TANKS



Featured Image: (100% drain-out) 2,500 Gallon Sump Bottom Transport Tank (THD02500K)



# SUMP TANK SPECS


	PRODUCT CODE	TANK SIZE (GAL)	DIMENSIONS (L X W X H)	MOUNTING PINS REQUIRED	FRAME INCLUDED	LID SIZE	LID TYPE	SPECIFIC GRAVITY	WARRANTY	COLORS	MANUFACTURED IN*
	THD SERIES - PAGE 26, 27, 28, 29										
1	THD03200K	3,200	145" x 97" x 84"	8 x AZP04 Included	Yes	16"	Stainless Steel	1.9	*10 Years	Green, Black, Yellow, White	ND
2	THD03200	3,200	145" x 97" x 83"	8 x AZP04	No	16"	Stainless Steel	1.9	*10 Years	Green, Black, Yellow, White	ND
3	THD03000K	3,000	130" x 87" x 94"	8 x AZP04 Included	Yes	16"	Stainless Steel	1.9	*10 Years	Green, Black, Yellow, White	ND
4	THD03000	3,000	130" x 87" x 93"	8 x AZP04	No	16"	Stainless Steel	1.9	*10 Years	Green, Black, Yellow, White	ND
5	THD02800K	2,800	145" x 97" x 76"	8 x AZP04 Included	Yes	16"	Stainless Steel	1.9	*10 Years	Green, Black, Yellow, White	ND
6	THD02800	2,800	145" x 97" x 75"	8 x AZP04	No	16"	Stainless Steel	1.9	*10 Years	Green, Black, Yellow, White	ND
7	THD02500K	2,500	130" x 87" x 78"	8 x AZP04 Included	Yes	16"	Stainless Steel	1.9	*10 Years	Green, Black, Yellow, White	ND
8	THD02500	2,500	130" x 87" x 77"	8 x AZP04	No	16"	Stainless Steel	1.9	*10 Years	Green, Black, Yellow, White	ND
9	THD02200K	2,200	130" x 71" x 76"	8 x AZP04 Included	Yes	16"	Stainless Steel	1.9	*10 Years	Green, Black, Yellow, White	ND
10	THD02200	2,200	130" x 71" x 75"	8 x AZP04	No	16"	Stainless Steel	1.9	*10 Years	Green, Black, Yellow, White	ND
11	THD01900K	1,900	130" x 71" x 70"	8 x AZP04 Included	Yes	16"	Stainless Steel	1.9	*10 Years	Green, Black, Yellow, White	ND
12	THD01900	1,900	130" x 71" x 79"	8 x AZP04	No	16"	Stainless Steel	1.9	*10 Years	Green, Black, Yellow, White	ND
13	THD01600K	1,600	130" x 71" x 60"	8 x AZP04 Included	Yes	16"	Stainless Steel	1.9	*10 Years	Green, Black, Yellow, White	ND
14	THD01600	1,600	130" x 71" x 59"	8 x AZP04	No	16"	Stainless Steel	1.9	*10 Years	Green, Black, Yellow, White	ND
15	THD01400K	1,400	102" x 70" x 71"	6 x AZP04 Included	Yes	16"	Poly	1.9	*10 Years	Green, Black, Yellow, White	ND
16	THD01400	1,400	102" x 70" x 70"	6 x AZP04	No	16"	Poly	1.9	*10 Years	Green, Black, Yellow, White	ND
17	THD01200K	1,200	102" x 70" x 64"	6 x AZP04 Included	Yes	16"	Poly	1.9	*10 Years	Green, Black, Yellow, White	ND
18	THD01200	1,200	102" x 70" x 63"	6 x AZP04	No	16"	Poly	1.9	*10 Years	Green, Black, Yellow, White	ND
19	THD01010K	1,010	130" x 49" x 59"	8 x AZP03 Included	Yes	16"	Poly	1.9	*10 Years	Green, Black, Yellow, White	TX
20	THD01010	1,010	130" x 49" x 58.5"	8 x AZP03	No	16"	Poly	1.9	*10 Years	Green, Black, Yellow, White	TX
21	THD01000K	1,100	94" x 60" x 71"	6 x AZP03 Included	Yes	16"	Poly	1.9	*10 Years	Green, Black, Yellow, White	ND
22	THD01000	1,100	94" x 60" x 70"	6 x AZP03	No	16"	Poly	1.9	*10 Years	Green, Black, Yellow, White	ND
23	THD00800K	800	94" x 60" x 56"	6 x AZP03 Included	Yes	16"	Poly	1.9	*10 Years	Green, Black, Yellow, White	ND
24	THD00800	800	94" x 60" x 55"	6 x AZP03	No	16"	Poly	1.9	*10 Years	Green, Black, Yellow, White	ND
25	THD00500K	550	80" x 57" x 49"	6 x AZP03 Included	Yes	16"	Poly	1.9	*10 Years	Green, Black, Yellow, White	ND
26	THD00500	550	80" x 57" x 48"	6 x AZP03	No	16"	Poly	1.9	*10 Years	Green, Black, Yellow, White	ND
27	THD00400K	400	74" x 46" x 45"	4 x AZP02 Included	Yes	16"	Poly	1.9	*10 Years	Green, Black, Yellow, White	ND
28	THD00400	400	74" x 46" x 42"	4 x AZP02	No	16"	Poly	1.9	*10 Years	Green, Black, Yellow, White	ND
29	THD00300K	340	74" x 46" x 36"	4 x AZP02 Included	Yes	16"	Poly	1.9	*10 Years	Green, Black, Yellow, White	ND
30	THD00300	340	74" x 46" x 34"	4 x AZP02	No	16"	Poly	1.9	*10 Years	Green, Black, Yellow, White	ND
31	THD00250K	260	55" x 47" x 38"	4 x AZP01 Included	Yes	16"	Poly	1.9	*10 Years	Green, Black, Yellow, White	ND
32	THD00250	260	55" x 47" x 37"	4 x AZP01	No	16"	Poly	1.9	*10 Years	Green, Black, Yellow, White	ND
33	THD00200K	210	55" x 47" x 32"	4 x AZP01 Included	Yes	16"	Poly	1.9	*10 Years	Green, Black, Yellow, White	ND
34	THD00200	210	55" x 47" x 31"	4 x AZP01	No	16"	Poly	1.9	*10 Years	Green, Black, Yellow, White	ND
35	THD00150K	160	46" x 41" x 34"	4 x AZP01 Included	Yes	8"	Poly	1.9	*10 Years	Green, Black, Yellow, White	ND
36	THD00150	160	46" x 41" x 33"	4 x AZP01	No	8"	Poly	1.9	*10 Years	Green, Black, Yellow, White	ND
37	THD00100K	110	46" x 41" x 28"	4 x AZP01 Included	Yes	8"	Poly	1.9	*10 Years	Green, Black, Yellow, White	ND
38	THD00100	110	46" x 41" x 27"	4 x AZP01	No	8"	Poly	1.9	*10 Years	Green, Black, Yellow, White	ND

\*ND = North Dakota, TX = Texas

\*Warranty must be registered to receive 10 years. See page 55 for details.



# THD SERIES



The Enduraplas sump tanks are a perfect option if you are looking to have a complete drain-able leg tank. With a \*molded-in sloped floor and a lowered sump, you can drain to the last drop.

Featured Image (Above): 2,500 Gallon Sump Bottom Transport Tank (THD02500K)

\*The following sizes contain a molded-in sloped floor: 1,010, 2,800, 3,200 gallons.



## Completely drain your tank

By utilizing the superior sump tank, you can drain your tank to the last drop.



## The Pin Mount™ advantage

Secure your tank with confidence with extra mounting points.



## Built in extra fitting flat spots

Add fittings on each end of larger tanks to suit your transport application.



## 4 colors to choose from

Green & black are standard colors, yellow & white are available on special request.



\*Mounting Pins Included = 8 x AZP04

THD03200K

Capacity	3,200 Gallons
Dimensions	145"L x 97"W x 84"H
Specs	Page 25, Row 1

\*Manufactured in ND




\*Mounting Pins Required = 8 x AZP04

THD03200

Capacity	3,200 Gallons
Dimensions	145"L x 97"W x 83"H
Specs	Page 25, Row 2

\*Manufactured in ND



\*Mounting Pins Included = 8 x AZP04

THD03000K

Capacity	3,000 Gallons
Dimensions	130"L x 87"W x 94"H
Specs	Page 25, Row 3

\*Manufactured in ND



\*Mounting Pins Required = 8 x AZP04

THD03000

Capacity	3,000 Gallons
Dimensions	130"L x 87"W x 93"H
Specs	Page 25, Row 4

\*Manufactured in ND



# THD SERIES



\*Mounting Pins Included = 8 x AZP04

## THD02800K

Capacity	2,800 Gallons
Dimensions	145"L x 97"W x 76"H
Specs	Page 25, Row 5

\*Manufactured in ND




\*Mounting Pins Required = 8 x AZP04

## THD02800

Capacity	2,800 Gallons
Dimensions	145" L x 97"W x 75"H
Specs	Page 25, Row 6

\*Manufactured in ND



\*Mounting Pins Included = 8 x AZP04

## THD02500K

Capacity	2,500 Gallons
Dimensions	130"L x 87"W x 78"H
Specs	Page 25, Row 7

\*Manufactured in ND



\*Mounting Pins Required = 8 x AZP04

## THD02500

Capacity	2,500 Gallons
Dimensions	130"L x 87"W x 77"H
Specs	Page 25, Row 8

\*Manufactured in ND



\*Mounting Pins Included = 8 x AZP04

## THD02200K

Capacity	2,200 Gallons
Dimensions	130"L x 71"W x 76"H
Specs	Page 25, Row 9

\*Manufactured in ND



\*Mounting Pins Required = 8 x AZP04

## THD02200

Capacity	2,200 Gallons
Dimensions	130"L x 71"W x 75"H
Specs	Page 25, Row 10

\*Manufactured in ND



\*Mounting Pins Included = 8 x AZP04

## THD01900K

Capacity	1,900 Gallons
Dimensions	130"L x 71"W x 70"H
Specs	Page 25, Row 11

\*Manufactured in ND



\*Mounting Pins Required = 8 x AZP04

## THD01900

Capacity	1,900 Gallons
Dimensions	130"L x 71"W x 79"H
Specs	Page 25, Row 12

\*Manufactured in ND



\*Mounting Pins Included = 8 x AZP04

## THD01600K

Capacity	1,600 Gallons
Dimensions	130"L x 71"W x 60"H
Specs	Page 25, Row 13

\*Manufactured in ND



\*Mounting Pins Required = 8 x AZP04

## THD01600

Capacity	1,600 Gallons
Dimensions	130"L x 71"W x 59"H
Specs	Page 25, Row 14

\*Manufactured in ND



\*Mounting Pins Included = 6 x AZP04

## THD01400K

Capacity	1,400 Gallons
Dimensions	102"L x 70"W x 71"H
Specs	Page 25, Row 15

\*Manufactured in ND



\*Mounting Pins Required = 6 x AZP04

## THD01400

Capacity	1,400 Gallons
Dimensions	102"L x 70"W x 70"H
Specs	Page 25, Row 16

\*Manufactured in ND



# THD SERIES



\*Mounting Pins Included = 6 x AZP04

## THD01200K

Capacity	1,200 Gallons
Dimensions	102"L x 70"W x 64"H
Specs	Page 25, Row 17

\*Manufactured in ND



\*Mounting Pins Required = 6 x AZP04

## THD01200

Capacity	1,200 Gallons
Dimensions	102"L x 70"W x 63"H
Specs	Page 25, Row 18

\*Manufactured in ND



\*Mounting Pins Included = 6 x AZP03

## THD01000K

Capacity	1,100 Gallons
Dimensions	94"L x 60"W x 71"H
Specs	Page 25, Row 19

\*Manufactured in ND



\*Mounting Pins Required = 6 x AZP03

## THD01000

Capacity	1,100 Gallons
Dimensions	94"L x 60"W x 70"H
Specs	Page 25, Row 20

\*Manufactured in ND

**NEW**

**NEW**



\*Mounting Pins Included = 8 x AZP03

## THD01010K

Capacity	1,010 Gallons
Dimensions	130"L x 49"W x 59"H
Specs	Page 25, Row 19

\*Manufactured in TX




\*Mounting Pins Required = 8 x AZP03

## THD01010

Capacity	1,010 Gallons
Dimensions	130"L x 49"W x 58.5"H
Specs	Page 25, Row 20

\*Manufactured in TX

**Featured Image: (100% drain-out) 2,500 Gallon Sump Bottom Transport Tank (THD02500K)**



\*Mounting Pins Included = 6 x AZP03

## THD00800K

Capacity	800 Gallons
Dimensions	94"L x 60"W x 56"H
Specs	Page 25, Row 23

\*Manufactured in ND



\*Mounting Pins Required = 6 x AZP03

## THD00800

Capacity	800 Gallons
Dimensions	94"L x 60"W x 55"H
Specs	Page 25, Row 24

\*Manufactured in ND



\*Mounting Pins Included = 6 x AZP03

## THD00500K

Capacity	550 Gallons
Dimensions	80"L x 57"W x 49"H
Specs	Page 25, Row 25

\*Manufactured in ND



\*Mounting Pins Required = 6 x AZP03

## THD00500

Capacity	550 Gallons
Dimensions	80"L x 57"W x 48"H
Specs	Page 25, Row 26

\*Manufactured in ND



# THD SERIES



\*Mounting Pins Included = 4 x AZP02

## THD00400K

Capacity	400 Gallons
Dimensions	74"L x 46"W x 45"H
Specs	Page 25, Row 27

\*Manufactured in ND



\*Mounting Pins Required = 4 x AZP02

## THD00400

Capacity	400 Gallons
Dimensions	74"L x 46"W x 42"H
Specs	Page 25, Row 28

\*Manufactured in ND



\*Mounting Pins Included = 4 x AZP02

## THD00300K

Capacity	340 Gallons
Dimensions	74"L x 46"W x 36"H
Specs	Page 25, Row 29

\*Manufactured in ND



\*Mounting Pins Required = 4 x AZP02

## THD00300

Capacity	340 Gallons
Dimensions	74"L x 46"W x 34"H
Specs	Page 25, Row 30

\*Manufactured in ND



\*Mounting Pins Included = 4 x AZP01

## THD00250K

Capacity	260 Gallons
Dimensions	55"L x 47"W x 38"H
Specs	Page 25, Row 31

\*Manufactured in ND



\*Mounting Pins Required = 4 x AZP01

## THD00250

Capacity	260 Gallons
Dimensions	55"L x 47"W x 37"H
Specs	Page 25, Row 32

\*Manufactured in ND



\*Mounting Pins Included = 4 x AZP01

## THD00200K

Capacity	210 Gallons
Dimensions	55"L x 47"W x 32"H
Specs	Page 25, Row 33

\*Manufactured in ND



\*Mounting Pins Required = 4 x AZP01

## THD00200

Capacity	210 Gallons
Dimensions	55"L x 47"W x 31"H
Specs	Page 25, Row 34

\*Manufactured in ND



\*Mounting Pins Included = 4 x AZP01

## THD00150K

Capacity	160 Gallons
Dimensions	46"L x 41"W x 34"H
Specs	Page 25, Row 35

\*Manufactured in ND



\*Mounting Pins Required = 4 x AZP01

## THD00150

Capacity	160 Gallons
Dimensions	46"L x 41"W x 33"H
Specs	Page 25, Row 36

\*Manufactured in ND



\*Mounting Pins Included = 4 x AZP01

## THD00100K

Capacity	110 Gallons
Dimensions	46"L x 41"W x 28"H
Specs	Page 25, Row 37

\*Manufactured in ND



\*Mounting Pins Required = 4 x AZP01

## THD00100

Capacity	110 Gallons
Dimensions	46"L x 41"W x 27"H
Specs	Page 25, Row 38

\*Manufactured in ND



# PICKUP KING™

	PRODUCT CODE	TANK SIZE (GAL)	DIMENSIONS (HEIGHT)	DIMENSIONS (TOP WIDTH)	DIMENSIONS (BOTTOM WIDTH)	FITTING SIZE	LID SIZE	SPECIFIC GRAVITY	WARRANTY	COLORS
PICKUP KING™ - PAGE 30										
1	TLV00275	275	29"	60"	48"	2"	16"	1.1	*10 Years	White
2	TLV00400	400	40"	60"	48"	2"	16"	1.1	*10 Years	White

\*Warranty must be registered to receive 10 years. See page 55 for details.



Perfect shape for your pickup

Integrated wheel well design to reduce tank movement.



Superior structure for extra durability

The StrongX™ roof design and Ribbed Wall™ design eliminates cracks in transit.



Built-in tie down points

Each tank comes standard with 4 tie down points to safely secure your load.



Unique design UV stabilize lid

Each lid includes a 3" vent and a lockable latch to keep your water secure.



TLV00275	
Capacity	275 Gallons
Dimensions	29"H
Specs	Page 30, Row 1



TLV00400	
Capacity	400 Gallons
Dimensions	40"H
Specs	Page 30, Row 2



# WATER TANKS



We offer a large range of water tanks. **Request a brochure** from your local dealer.





# ALL ENGINEERED FROM



Available from  
one manufacturer.

## AG SERIES NURSE TRAILERS



The AG Series nurse trailers are a perfect economic, cost effective option for transporting liquid around your farm or ranch. These were designed to meet the high demand of a basic trailer that needs to be tough, durable and above all, reliable. These trailers are built with premium brand components at an affordable price.

## DOT SERIES NURSE TRAILERS



These DOT approved and HWY ready nurse trailers come with every feature you'll need to get the job done quicker. With the highest quality tanks, pumps and plumbing accessories used, on this trailer you will find our new 4-in-1 benefit a real bonus. While these were designed to meet the expectations of the customer, we still included some extra features that exceed the basic requests we received.



# CUSTOMER FEEDBACK



Sold & serviced by  
your local dealer.



## DOUBLE & TRIPLE CONE BOTTOM TRAILERS



The cone bottom trailer range has simply been engineered from feedback we have received from real farmers that rely on this product every season. Every cone trailer comes with features like the unique jacking system and 100% drain plumbing design. These trailers are a perfect portable bulk storage solution that allows you to move your liquid where you need it.

## TENDER TANK TRAILERS



These tender tank trailers are another masterpiece of our customers requests. Unlike other semi trailers on the market, the entire tank plumbing is now under the deck. This gives you more useful space on your trailer deck that you won't get anywhere else. These trailers are designed to perform better with premium products.

# NURSE TRAILERS



Featured Image: 1,200 Gallon DOT Series Nurse Trailer (WNI12FGOL4800)



# NURSE TRAILER SPECS

	AG SERIES - PAGE 37				DOT SERIES - PAGE 39				
	1	2	3	4	5	6	7	8	9
PRODUCT CODE	WNC05FG0R9801	WNC10FG0R9801	WNC12FG0R9801	WNET16FG0R9802	WNI05FG0L4800	WNI08FG0L4800	WNI10FG0L4800	WNI12FG0L4800	WNI16FG0L4800
TANK SIZE (GAL)	500	1,100	1,200	1,600	500	800	1,100	1,200	1,600
DIMENSIONS (L X W X H)	134" x 77" x 74"	158" x 84" x 88"	175" x 96" x 85"	203" x 106" x 96"	134" x 78" x 74"	158" x 80" x 73	158" x 80" x 88"	175" x 92" x 85"	203" x 102" x 84"
DOT COMPLIANT	No	No	No	No	Yes	Yes	Yes	Yes	Yes
FRAME CONSTRUCTION	5" x 2" Rectangle Tubing	6" x 2" Rectangle Tubing	6" x 2" Rectangle Tubing	8" x 2" Rectangle Tubing	5" x 2" Rectangle Tubing	6" x 2" Rectangle Tubing	6" x 2" Rectangle Tubing	6" x 2" Rectangle Tubing	8" x 2" Rectangle Tubing
AXLE (S)	1 x 7,000 lbs. Slipper Spring	2 x 7,000 lbs. Slipper Spring	2 x 7,000 lbs. Slipper Spring	2 x 10,000 lbs. Slipper Spring	1 x 7,000 lbs. Slipper Spring	2 x 7,000 lbs. Slipper Spring	2 x 7,000 lbs. Slipper Spring	2 x 7,000 lbs. Slipper Spring	2 x 10,000 lbs. Slipper Spring
TIRES	235/80 R16 10 PLY HWY Tire on Ag Wheel	235/80 R16 10 PLY HWY Tire on Ag Wheel	235/80 R16 10 PLY HWY Tire on Ag Wheel	385/65 R22.5 18 PLY Super Single on Ag Wheel	235/80 R16 10 PLY DOT Tire & Wheel	235/80 R16 10 PLY DOT Tire & Wheel	235/80 R16 10 PLY DOT Tire & Wheel	235/80 R16 10 PLY DOT Tire & Wheel	235/75 R17.5 18 PLY DOT Tire & Wheel
BRAKES	No	No	No	Electric with emergency breakaway (1 x Axle)	Electric with emergency breakaway (2 x Axle)	Electric with emergency breakaway (2 x Axle)	Electric with emergency breakaway (2 x Axle)	Electric with emergency breakaway (2 x Axle)	Electric with emergency breakaway (2 x Axle)
FENDERS	No	No	No	No	Yes	Yes	Yes	Yes	Yes
LIGHTS	No	No	No	No	DOT compliant clearance/stop/turn/tail/license	DOT compliant clearance/stop/turn/tail/license	DOT compliant clearance/stop/turn/tail/license	DOT compliant clearance/stop/turn/tail/license	DOT compliant clearance/stop/turn/tail/license
ELECTRICAL PLUG	No	No	No	7 Pole RV Plug	7 Pole RV Plug	7 Pole RV Plug	7 Pole RV Plug	7 Pole RV Plug	7 Pole RV Plug
HITCH TYPE	20,000 lbs. Clevis	20,000 lbs. Clevis	20,000 lbs. Clevis	20,000 lbs. Clevis	20,000 lbs. 2 - 5/16" Ball	20,000 lbs. 2 - 5/16" Ball	20,000 lbs. 2 - 5/16" Ball	20,000 lbs. 2 - 5/16" Ball	21,000 lbs. 2 - 5/16" Ball
TANK TYPE	Poly sump bottom transport tank	Poly sump bottom transport tank	Poly sump bottom transport tank	Poly sump bottom transport tank	Poly sump bottom transport tank	Poly sump bottom transport tank	Poly sump bottom transport tank	Poly sump bottom transport tank	Poly sump bottom transport tank
TANK COLOR	Green	Green	Green	Green	Green	Green	Green	Green	Green
MOTOR	Briggs & Stratton® 6.5 HP	Briggs & Stratton® 6.5 HP	Briggs & Stratton® 6.5 HP	Briggs & Stratton® 6.5 HP	Honda® GX160 5.5 HP	Honda® GX160 5.5 HP	Honda® GX160 5.5 HP	Honda® GX160 5.5 HP	Honda® GX160 5.5 HP
PUMP	2" Banjo® Centrifugal Poly, 195 GPM	2" Banjo® Centrifugal Poly, 195 GPM	2" Banjo® Centrifugal Poly, 195 GPM	2" Banjo® Centrifugal Poly, 195 GPM	2" Banjo® Centrifugal Poly, 195 GPM	2" Banjo® Centrifugal Poly, 195 GPM	2" Banjo® Centrifugal Poly, 195 GPM	2" Banjo® Centrifugal Poly, 195 GPM	2" Banjo® Centrifugal Poly, 195 GPM
VALVE FITTINGS	2" Banjo® sweep manifold	2" Banjo® sweep manifold	2" Banjo® sweep manifold	2" Banjo® sweep manifold	2" Banjo® sweep manifold	2" Banjo® sweep manifold	2" Banjo® sweep manifold	2" Banjo® sweep manifold	2" Banjo® sweep manifold
HOSE SIZE/TYPE	2" /Black Fertilizer	2" /Black Fertilizer	2" /Black Fertilizer	2" /Black Fertilizer	2" /Black Fertilizer	2" /Black Fertilizer	2" /Black Fertilizer	2" /Black Fertilizer	2" /Black Fertilizer
DISCHARGE HOSE LENGTH	15'	20'	20'	20'	15'	20'	20'	20'	20'
DRY WEIGHT (LBS)	900	1,610	1,940	3,800	950	1,560	1,650	2,035	3,350



# AG SERIES



A perfect economic, cost effective option for transporting liquid around your farm or ranch. The Ag Series nurse trailer family has been designed to withstand rough treatment when work is getting done.

Featured Image (Above): 1,200 Gallon Ag Series Nurse Trailer (WNC12FG0R9801)



## Standard with a Briggs & Stratton® Engine

Enjoy an affordable high quality pump and engine on every trailer.



## Keep your discharge hose safe

All hoses are stored in a designated spot to avoid the possibility of them tangling.



## Superior design tube frame

All Ag Series nurse trailers come equipped with an extra strong constructed frame.



## Completely drain your tank

By utilizing the superior sump tank, you can drain your tank to the last drop.



## Site Gauge Kit



## Recirculation Kit



## 2" Honda® & Side Fill Kit



## 4' Wood Deck Kit



## 30 Gallon Mixing Cone Kit



## 3" Honda® Kit

AVAILABLE ON 1,200 - 1,600 GALLON TRAILERS



# AG SERIES



WNC05FG0R9801

Capacity	500 Gallons
Specs	Page 35, Column 1



WNC10FG0R9801

Capacity	1,100 Gallons
Specs	Page 35, Column 2



WNC12FG0R9801

Capacity	1,200 Gallons
Specs	Page 35, Column 3



WNET16FG0R9802

Capacity	1,600 Gallons
Specs	Page 35, Column 4

\*All 1,600 Gallon Ag Series Nurse Trailers are supplied with quality used tires.


Featured Image: 1,200 Gallon Ag Series Nurse Trailer








# DOT SERIES



The DOT series Nurse Trailer family allows you to transport liquid safely while legally driving on state roads. Each trailer is equipped with a Honda® engine and a DOT light kit.

Featured Image (Above): 1,200 Gallon DOT Series Nurse Trailer (WN112FGOL4800)



## Sturdy Pin Mount™ Securing System

The Enduraplas exclusive Pin Mount™ System is proven and hassle free.



## Honda® engine and Banjo® pump

A high quality engine gives you the confidence to use your trailer all year round.



## A complete DOT approved package

All DOT Series trailers come with lights, brakes & fenders that comply with DOT standards



## Fitted: discharge hose, side fill & recirculation kit

Easily fill your equipment with high quality hose and fittings.



## Site Gauge Kit



## 4' Wood Deck Kit




## 30 Gallon Mixing Cone Kit



AVAILABLE ON 1,200 - 1,600  
GALLON TRAILERS

## 3" Honda® Kit



## Deck Extension

92" Total Width (1200-1600 gallon trailers)  
82" Total Width (1000 gallon trailers)



## Fender Basket



# DOT SERIES

BUILT IN  
USA



WNI05FGOL4800

Capacity	550 Gallons
Specs	Page 35, Column 5



WNI08FGOL4800

Capacity	800 Gallons
Specs	Page 35, Column 6



WNI10FGOL4800

Capacity	1,100 Gallons
Specs	Page 35, Column 7



WNI12FGOL4800

Capacity	1,200 Gallons
Specs	Page 35, Column 8



WNI16FGOL4800

Capacity	1,600 Gallons
Specs	Page 35, Column 9



WNCI12FGOL4800

Capacity	1,200 Gallons
Specs	Page 35, Column 8

# CONE BOTTOM TRAILERS



Featured Image: Double Cone 6,000 Gallon Trailer (WCDC60FGOL3801)



# CONE BOTTOM TRAILER SPECS

	5,000 GALLON DOUBLE CONE - PAGE 43		6,000 GALLON DOUBLE CONE - PAGE 43		9,000 GALLON TRIPLE CONE - PAGE 43	
	1	2	3	4	5	6
PRODUCT CODE	WCDC50FG0L3801	WCDC50FG0030801	WCDC60FG0L3801	WCDC60FG0030801	WCTC90FG0L3801	WCTC90FG0030801
TANK SIZE (GAL)	2 x 2,500	2 x 2,500	2 x 3,000	2 x 3,000	3 x 3,000	3 x 3,000
DIMENSIONS (L X W X H)	21' x 100" x (Raised - 158" / Lowered - 146")	21' x 100" x (Raised - 158" / Lowered - 146")	21' x 100" x (Raised - 158" / Lowered - 146")	21' x 100" x (Raised - 158" / Lowered - 146")	29' x 100" x (Raised - 158" / Lowered - 146")	29' x 100" x (Raised - 158" / Lowered - 146")
FRAME CONSTRUCTION	6" x 2" Rectangle Tubing	6" x 2" Rectangle Tubing	6" x 2" Rectangle Tubing	6" x 2" Rectangle Tubing	6" x 2" Rectangle Tubing	6" x 2" Rectangle Tubing
AXLE (S)	2 x 3,500 lbs. Spindle	2 x 3,500 lbs. Spindle	2 x 3,500 lbs. Spindle	2 x 3,500 lbs. Spindle	2 x 3,500 lbs. Spindle	2 x 3,500 lbs. Spindle
TIRES	235/80 R16 10 PLY, HWY Tire on Ag Wheel	235/80 R16 10 PLY, HWY Tire on Ag Wheel	235/80 R16 10 PLY, HWY Tire on Ag Wheel	235/80 R16 10 PLY, HWY Tire on Ag Wheel	235/80 R16 10 PLY, HWY Tire on Ag Wheel	235/80 R16 10 PLY, HWY Tire on Ag Wheel
LIGHTS	(Optional) DOT compliant clearance/stop/turn/tail	(Optional) DOT compliant clearance/stop/turn/tail	(Optional) DOT compliant clearance/stop/turn/tail	(Optional) DOT compliant clearance/stop/turn/tail	(Optional) DOT compliant clearance/stop/turn/tail	(Optional) DOT compliant clearance/stop/turn/tail
ELECTRICAL PLUG WITH LIGHT OPTION	7 Pole RV Plug	7 Pole RV Plug	7 Pole RV Plug	7 Pole RV Plug	7 Pole RV Plug	7 Pole RV Plug
HITCH TYPE	20,000 lbs. Clevis	20,000 lbs. Clevis	20,000 lbs. Clevis	20,000 lbs. Clevis	20,000 lbs. Clevis	20,000 lbs. Clevis
TANK TYPE	Poly cone bottom storage tank	Poly cone bottom storage tank	Poly cone bottom storage tank	Poly cone bottom storage tank	Poly cone bottom storage tank	Poly cone bottom storage tank
TANK COLOR	Green	Green	Green	Green	Green	Green
MOTOR	Honda® GX160 5.5 HP	Honda® GX200 6.5 HP	Honda® GX160 5.5 HP	Honda® GX200 6.5 HP	Honda® GX160 5.5 HP	Honda® GX200 6.5 HP
PUMP	2" Banjo® Centrifugal Poly, 195 GPM	3" Banjo® Centrifugal Poly, 293 GPM	2" Banjo® Centrifugal Poly, 195 GPM	3" Banjo® Centrifugal Poly, 293 GPM	2" Banjo® Centrifugal Poly, 195 GPM	3" Banjo® Centrifugal Poly, 293 GPM
VALVE FITTINGS	3" Feed 2" Discharge Banjo® sweep manifold	3" Feed 3" Discharge Banjo® sweep manifold	3" Feed 2" Discharge Banjo® sweep manifold	3" Feed 3" Discharge Banjo® sweep manifold	3" Feed 2" Discharge Banjo® sweep manifold	3" Feed 3" Discharge Banjo® sweep manifold
HOSE SIZE/TYPE	3" - 2" / Black Fertilizer	3" - 3" / Black Fertilizer	3" - 2" / Black Fertilizer	3" - 3" / Black Fertilizer	3" - 2" / Black Fertilizer	3" - 3" / Black Fertilizer
DRY WEIGHT (LBS)	2,600	2,620	2,800	2,820	4,070	4,090



# CONE BOTTOM TRAILER



A perfect portable storage solution for someone that requires liquid in different spots at different times. With new design features, these cone trailers offer a range of user-friendly benefits.

Featured Image (Above): Double and Triple Cone Trailers



## Industry leading Ribbed Wall™ tank warranty

You can depend on each Ribbed Wall™ tank to work as hard as you do.



## Unique jacking system

Ergonomic jack height with center pull hydraulic ram.




## Heavy duty powder coated frame

Extra strong tube frame with built-in hose storage brackets.




## A Complete drainage system

Pump position allows you to fully drain all hoses



Recirculation Kit



Sight Gauge Kit



DOT Lights Kit



# CONE BOTTOM TRAILER



## 5000 DOUBLE CONE

Capacity	5,000 Gallons
Specs	Page 41, Column 1 & 2



## 6000 DOUBLE CONE

Capacity	6,000 Gallons
Specs	Page 41, Column 3 & 4



## 9000 TRIPLE CONE

Capacity	9,000 Gallons
Specs	Page 41, Column 5 & 6



# TENDER TANK TRAILERS



Featured Image: 38' Tender Tank Trailer



# TENDER TANK TRAILER SPECS

	38' TENDER TANK TRAILER - PAGE 46	42' TENDER TANK TRAILER - PAGE 46
	1	2
TANK SIZE RANGE (GAL)	1,600 - 3,200	1,600 - 3,200
DIMENSIONS (L X W X H)	*38' x 102" x *(Top Deck - 65" / Bottom Deck - 41")	**42' x 102" x *(Top Deck - 65" / Bottom Deck - 41")
FRAME CONSTRUCTION	16" I-Beam	16" I-Beam
AXLE (S)	2 x 25,000 lbs. (ABS on 1 Axle)	2 x 25,000 lbs. (ABS on 1 Axle)
TIRES	255/70 R22.5 - 16 PLY DOT Tire & Wheel	255/70 R22.5 - 16 PLY DOT Tire & Wheel
LIGHTS	LED, DOT compliant clearance/stop/turn/tail/ABS	DOT compliant clearance/stop/turn/tail/ABS
CAPACITY	60,000 GVWR	60,000 GVWR
HITCH TYPE	5th Wheel Semi	5th Wheel Semi
DECKING	Treated Wood, 2" x 8"	Treated Wood, 2" x 8"
TANK TYPE	Poly Sump/Freestanding Transport Tank	Poly Sump/Freestanding Transport Tank
TANK COLOR	Black	Black
STANDARD MOTOR	Honda® GX160 6.5 HP	Honda® GX160 6.5 HP
STANDARD PUMP	3" Banjo® Centrifugal Poly, 293 GPM	3" Banjo® Centrifugal Poly, 293 GPM
VALVE FITTINGS	3" Feed 3" Discharge Banjo® sweep manifold	3" Feed 3" Discharge Banjo® sweep manifold
HOSE SIZE/TYPE	3" /Black Fertilizer	3" /Black Fertilizer
WEIGHT (LBS) - TRAILER ONLY	11,400	11,900

\*38' Tender Tank Trailer Lengths (Top Deck = 12' | Bottom Deck = 26')  
 \*\*42' Tender Tank Trailer Lengths (Top Deck = 12' | Bottom Deck = 30')



## Secure your tank with confidence

The Pin Mount™ advantage means more mounting points than any other tank.



## Anti-splash stainless steel lid

The new design lockable lid includes an anti-splash seal to ensure no spillage.



## Allow extra room for chemical totes

Each Tender Tank Trailer comes complete with extra deck space for your convenience.



## Superior axle and suspension package

Fitted with a DOT approved tandem axle package with air/ABS brakes.






# TENDER TANK TRAILER



## TENDER TANK TRAILER

Length Range	38' - 42'
Specs	Page 45, Column 1 & 2



Site Gauge Kit



All Plumbing Under the Deck



Tank Ladder



Flow Center



1,600 - 3,200 Gallon Tanks



Pull or Electric Start Engines / 2" or 3" Pump



Featured Image: Deck Space on the 38' Tender Tank Trailer



Featured Image: 38' Tender Tank Trailer



# ACCESSORIES & PARTS



Featured Image: 45 Gallon Mixing Cone, 2" & 3" plumbing accessories and a Honda® Engine




# INTERNAL TANK BAFFLE



## Only 1% liquid displacement

The amount of water the baffle displaces is minimal.



## Sturdy mounting process

The baffle is mounted via the roof to keep it extra secure.




## Robust engineering and design

The middle planks connect to the vertical end support for added strength.




## Stops your truck 16.6% faster

The truck stopped 16.6% faster with the baffle, than without it.




AVB1010

Tank Size	1,010 Gallons
Tank Style	Horizontal



AVB2800

Tank Size	2,800 Gallons
Tank Style	Horizontal



AVB3200

Tank Size	3,200 Gallons
Tank Style	Horizontal



# ACCESSORIES



	PRODUCT CODE	TANK SIZE (GAL)	DIMENSIONS (DIAMETER X HEIGHT)	LID SIZE	FITTING SIZE
	MIXING CONES				
1	THM030KWH01	30	20" x 45"	16"	2"
2	THM030AKWH01	30	24" x 42"	16"	2"
3	THM045KWH01	45	30" x 43"	16"	2"
4	THM060KWH01	60	30" x 45"	16"	2"



	PRODUCT CODE	COMPATIBLE TANKS (GALLONS)	MATERIAL
	TANK LADDER		
1	AZFTLH01	1,000, 1,200, 1,400, 1,600, 1,900, 2,200, 2,500, 2,800, 3,000, 3,200, 3,500, 4,500	Steel
2	AZFTLH01EXT	Extension Needed For - 3,000, 4,500	Steel



# ACCESSORIES

**BUILT IN  
USA**




	PRODUCT CODE	DIMENSIONS (L X W X H)	HOSE LENGTH	HOSE DIAMETER	WEIGHT (LBS)
<b>ELECTRIC REEL</b>					
1	AHTSF002	29" x 31" x 27"	HOSE NOT INCLUDED	2" (Fits 60 feet)	150
2	AHTSF001	41" x 31" x 39"	HOSE NOT INCLUDED	3" (Fits 75 feet)	225



	PRODUCT CODE	DIAMETER	WEIGHT (LBS)	MATERIAL	AMOUNT NEEDED PER 100 GALLONS
<b>BALL BAFFLES</b>					
1	AVB195	7.5"	0.25	Poly	50
2	AVB355	14"	0.8	Poly	10



PUMP ENGINE COVER	
Dimensions	20"L x 15"W x 17"H
Material	Poly



SIGHT GAUGE - (THREADED)	
Product Code	ATG01
Size	3/4"


Fits on: All THF & THD Series  
Fits on: THV & THC (1,000 - 3,100)



SIGHT GAUGE (BOLTED)	
Product Code	ATG03
Size	3/4"

Fits on: THV & THC (3,200 - 10,000)

# PARTS



	PRODUCT CODE	MAX FLOW (GPM)	MAX PRESSURE (PSI)	MANUAL OR ELECTRIC START	MOTOR TYPE	PUMP TYPE	SEAL TYPE	HOSE CONNECTION SIZE
	TRANSFER PUMPS							
1	CB200P6PRO	216	53	Manual	Briggs & Stratton® 6.5 HP	2" Banjo® Centrifugal Poly	EPDM	2" In/2" Out
2	CB200PH5	216	53	Manual	Honda® GX160 5.5 HP	2" Banjo® Centrifugal Poly	EPDM	2" In/2" Out
3	CB300PH6	293	35	Manual	Honda® GX200 6.5 HP	3" Banjo® Centrifugal Poly	EPDM	3" In/3" Out
4	CB222PIH5	205	43	Manual	Honda® GX160 5.5 HP	2" Banjo® Centrifugal Cast Iron	EPDM	2" In/2" Out



	PRODUCT CODE	DESCRIPTION
	LIDS	
1	CFLS16HVCONVKIT	16" STAINLESS STEEL LID
2	CFLP16HV	16" HINGED - 3" VENTED LID
3	CA356060	16" HINGED, 2" VENTED LID
4	CA3511221	8" THREADED, VENTED LID
5	CVTL06	6" THREADED VENTED LID ONLY
6	CG839113021	4" THREADED VENTED LID ONLY



	PRODUCT CODE	DESCRIPTION
	HOSE	
1	CLUPEB10009	2" REINFORCED FLEXIBLE SUCTION HOSE
2	CLUPEB08513	3" REINFORCED FLEXIBLE SUCTION HOSE
3	CLUESB020001	3/8" EPDM SPRAY HOSE 200 PSI
4	CLUESB020002	1/2" EPDM SPRAY HOSE 200 PSI
5	CLUESB020004	3/4" EPDM SPRAY HOSE 200 PSI
6	CLUVGC03504	3/4" CLEAR VINYL HOSE
7	CLUESB020005	1" EPDM SPRAY HOSE 200PSI



# PARTS



VALVES



FITTINGS



SIPHON TUBES



BOLTED FITTINGS



STAINLESS FITTINGS



STAINLESS VALVES

To access our large range of parts and accessories, visit you local Enduraplas dealer or browse our website.



[www.enduraplasdealers.com](http://www.enduraplasdealers.com)



[www.enduraplas.com](http://www.enduraplas.com)

# OUR COMMUNITY

## STAY CONNECTED

Want to be kept up-to-date on the latest news and information from Enduraplas? Enduraplas has several ways to get easy access to news alerts and instant updates on what's happening in the world of Enduraplas. Join the Enduraplas Community and connect with other Enduraplas fans, participate in giveaways, see videos of Enduraplas products in action, give us input on Enduraplas products, share your Enduraplas photos, and much more.



FIND US ON FACEBOOK  
@enduraplas



FIND US ON INSTAGRAM  
@enduraplas



FIND US ON TWITTER  
@enduraplas



WATCH US ON YOUTUBE  
YouTube.com/enduraplas



GET TIPS ON OUR BLOG  
blog.enduraplas.com

#EngineeredforEndurance



# COMPANY INFORMATION

## WARRANTY

You can depend on your Enduraplas tanks and trailers to work as hard as you do, and for Enduraplas to stand behind its equipment. We now offer an industry leading warranty because we can.

	Standard Warranty	Extended Warranty
<b>Tanks</b>	<b>5 Years</b>	<b>*10 Years</b>
<b>Trailer Frames</b>	<b>1 Year</b>	-
<b>Parts &amp; Accessories</b>	<b>**1 Year</b>	-

\*Double your tank warranty by completing your warranty registration. Please contact your dealer for complete terms & conditions.

\*\*Unless expressly stated that they have an extended original manufacturer warranty.

## THE BRAND

The name Enduraplas® originated in 2003. Since then, the brand has spread quickly throughout USA and Canada to a point where it is a common name heard in the agriculture industry. Products with the Enduraplas® brand are recognized as high quality and premium in the markets we serve.

The following are registered (®) or unregistered (™) trademarks of Enduraplas LLC:  
Enduraplas®, Ribbed Wall™, Pin Mount™, StrongX™, Pickup King™, Engineered For Endurance™.

## LEGAL NOTICE

Enduraplas reserves the right to change specifications, design and price of the products described in this literature without notice. Images used in this literature are pictured for display purposes only. Warranty of all products is only applicable when the product is used in accord with the operator's manual. Improper use of any tank, trailer or accessory may cause serious or fatal injury. Read, understand and follow carefully the operator's manual before using these products.



# #EngineeredforEndurance

SHARE YOUR ENDURAPLAS SET-UP



## CONTACT YOUR DEALER

Dealer Details Here:

**Enduraplas®**

113 1st Street  
Neche, ND 58265  
USA

1 (877) 877-4370  
[Info@enduraplas.com](mailto:Info@enduraplas.com)

To find a dealer: [enduraplasdealers.com](http://enduraplasdealers.com)  
For product information: [enduraplas.com](http://enduraplas.com)



\*All Enduraplas poly tanks are manufactured in the United States of America.