

BIOMED ORTHOPEDICS

TOTAL ORTHOPEDIC SOLUTIONS

ORTHOPEDIC INSTRUMENT SETS



Biomed Healthtech (P) Ltd.



Marthanda 207,
2nd Floor,
Dr. A. B. Road,
Worli Naka,
Mumbai – 400 018.



+91 96632 46970 | +91 97400 69305
+91 98202 35370 | 022 -43339200



info@biomedorthopedics.com





www.biomedorthopedics.com

Sr. No.	Description	Page No.
1.	Interlocking Tibia/Femur Instrument Set	1
2.	PFN / TFN Instrument Set	2
3.	PFNA2 Instrument Set	3-4
4.	Humerus Instrument Set	5
5.	Elastic Nail Instrument Set	6
6.	Universal Nail Extractor And Broken Nail Removal Set	6
7.	Supracondylar Instrument Set	7
8.	2.4/2.7 mm Distal Radius Instrument Set	7
9.	3.5 mm Locking Instrument Set	8
10.	5 mm Locking Instrument Set	8
11.	Mini Plate Instrument Set	9
12.	6.5 MM CC Instrument Set	10
13.	4.00 MM CC Instrument Set	10
14.	Broken Screw Removal Set	11
15.	DHS / DCS Instrument Set	12
16.	Fixed / Modular Bipolar Instrument Set	13
17.	Spine Instrument Set	14-15
18.	Pelvic Instrument Set	16
19.	Herbert Screw Instrument Set	17
20.	Large Fragment Instrument Set	17
21.	Small Fragment Instrument Set	18



Interlocking Tibia/Femur Instrument Set





BU.2520.162	DIAMOND POINTED AWL : CURVED FOR TIBIA (LOCK-IN-NAIL)
BU.2520.165	DIAMOND POINTED AWL : CANNULATED FOR FEMUR (LOCK-IN-NAIL)
BU.2501.030	LOCK-IN-NAIL: GUIDE WIRE 2.0MM X 60CM - BEEDED (8MM NAIL) (FOR 8MM NAIL)
BU.2501.031	LOCK-IN-NAIL: GUIDE WIRE 2.0MM X 60CM - NON BEEDED (8.0MM NA)
BU.2501.040	LOCK-IN-NAIL: GUIDE WIRE 2.5MMX60CM - BEEDED
BU.2501.041	LOCK-IN NAIL / K-NAIL: GUIDE WIRE 2.5MM X 60CM - NON BEEDED
BU.2501.050	LOCK-IN-NAIL: JIG FOR FEMUR
BU.2501.060	LOCK-IN-NAIL: INTRODUCER É THREADED BOLT FOR FEMUR
BU.2501.070	LOCK-IN-NAIL: JIG FOR TIBIA
BU.2501.080	LOCK-IN-NAIL: INTRODUCER É THREADED BOLT FOR TIBIA
BU.2501.090	LOCK-IN / PFN / SUPRA-CONDYLAR NAIL: BOX SPANNER É T-HANDLE (SOCKET WRENCH) 10MM
BU.2501.100	LOCK-IN / PFN / SUPRA-CONDYLAR NAIL: TOMMY BAR
BU.2501.110	LOCK-IN-NAIL: PROTECTION SLEEVE 8.0MM DIA
BU.2501.120	LOCK-IN-NAIL: TROCAR POINTED
BU.2501.130	LOCK-IN-NAIL: DRILL SLEEVE 3.2MM
BU.2501.140	LOCK-IN-NAIL: DRILL SLEEVE 3.9MM
BU.2501.170	LOCK-IN / PFN / SUPRA-CONDYLAR NAIL : SCREWDRIVER É FIBRE HDL. 4.5MM
BU.2501.180	LOCK-IN / PFN / SUPRA-CONDYLAR NAIL: HEAD FOR INTRODUCER (SUPINE DRIVER)
BU.2501.190	LOCK-IN-NAIL / PFN : LONG DEPTH GAUGE
BU.2501.200	LOCK-IN / PFN / SUPRA-CONDYLAR NAIL : EXTRACTOR ROD
BU.2501.210	LOCK-IN / PFN / SUPRA-CONDYLAR NAIL : HANDLE FOR EXTRACTOR ROD
BU.2501.220	LOCK-IN / PFN / SUPRA-CONDYLAR NAIL: ROUND HAMMER
BU.2302.832	DRILL BITS (S.S): 3.2MM X 8" (LOCK-IN-NAIL)
BU.2302.840	DRILL BITS (S.S): 4.0MM X 8"
BU.2501.310	LOCK-IN-NAIL : GUIDE WIRE EXCHANGE TUBE
BU.2754.011	ALUM.BOX WITH COTING FOR INTER LOCKING INST WITH GRAFICS.

PFN / TFN Instrument Set



BU.2505.001	PFN / TFN : JIG (ONLY JIG WITHOUT ARM)
BU.2505.002	PFN : ATTACHEMENT BOLT
BU.2505.003	TFN / PFN : GUIDE BAR FOR 130°
BU.2505.004	TFN / PFN : ONLY GUIDE BAR - 135°
BU.2505.020	PFN : INTRODUCER WITH THEADED BOLT
BU.2505.030	PFN : PROTECTION SLEEVE FOR 8MM HIP BOLT (12MM) X 6"
BU.2505.040	PFN : PROTECTION GUIDE SLEEVE 6.4MM PROXIMAL PIN (BOLT) (10M
BU.2505.050	PFN : GUIDE WIRE SLEEVE FOR 8MM HIP BOLT X 6"
BU.2505.060	PFN : GUIDE WIRE SLEEVE 6.4MM FOR PROXIMAL
BU.2505.070	PFN : CANNU.REAMER FOR 8MM HIP BOLT - 8.0X5.5X10X325L
BU.2505.080	PFN : CANNU.REAMER FOR 6.4MM PROXIMAL PIN - 6.4X5.0X10X325L
BU.2505.090	PFN : CANNU.RECON.TAP FOR 8MM HIP BOLT
BU.2505.100	PFN : CANNU.RECON.TAP FOR 6.4MM PROXIMAL PIN
BU.2505.120	PFN : HEX.CANNU.SCREWDRIVER FOR 6.4MM/8MM
BU.2505.130	PFN : CENTERING AWL (CANNULATED) - 15MM WITH QUICK COUPLING
BU.2505.135	PFN : POINTED AWL - 8MM X 230MM
BU.2505.150	PFN : STARTING BONE AWL
BU.2501.170	PFN : TOMMY BAR
BU.2501.180	PFN : SUPINE DRIVER
BU.2501.200	PFN : EXTRACTOR ROD
BU.2501.210	PFN : HANDLE FOR EXTRACTOR ROD
BU.2501.220	PFN : ROUND HAMMER
BU.2505.230	PFN : DRILL SLEEVE 4MM LONG
BU.2505.235	PFN : DRILL SLEEVE 5.5MM (PROTECTION GUIDE SLEEVE)
BU.2505.250	PFN : S.S. DRILL BITS - 5.5MM X 300MM (SOLID)
BU.2505.255	PFN : SHOLAPUR SLEEVE - 15MM
BU.2505.261	PFN : GUIDE WIRES : 2.0MM X 45CM
BU.2505.262	PFN : GUIDE WIRE FOR NAIL - 3.0MM X 60CM WITH SHARP DRILLING TIP
BU.2501.095	LOCK-IN-NAIL / PFN : SOCKET WRENCH WITH HINGE - BOX SPANNER É T-HDL. (10MM SOCKET WRENCH)
BU.2302.840	DRILL BITS (S.S): 4.0MM X 8"
BU.2201.010	D.H.S. / PFN:COUPLING WITH S.S HANDLE
BU.2754.001	ALUM. BOX É TRAY FOR LOCK-IN / PFN / UNI-LOCK INST : 18"X6" X 4"
BU.2501.170	LOCK-IN-NAIL/PFN : SCREWDRIVER É FIBRE HDL. 4.5MM
BU.2501.190	LOCK-IN-NAIL / PFN : LONG DEPTH GAUGE


PFNA2 Instrument Set



BO.1200.0701	4.5 MM SCREW DRIVER FOR DISTAL LOCK
BO.1200.0702	STARTING REAMER FOR NAIL
BO.1200.0703	C.C. REAMER FOR PFN 2 BLADE
BO.1200.0704	4.3 MM DRILL BIT FOR 4.9MM DISTAL SCREW
BO.1200.0705A	PROTECTION SLEEVE FOR
BO.1200.0705	4.3 MM DRILL SLEEVE D/L4.3 MM DRILL SLEEVE FOR DL
BB0.1200.0706A	PROTECTION SLEEVE FOR 4.3 MM DRILL SLEEVE D/L
BO.1200.0706B	4.3 MM DRILL SLEEVE FOR DL
BO.1200.0706C	TROCAR SLEEVE FOR FOR D/L
BO.1200.0707	OPEN DEPTH GUAGE 70 - 120 FOR BLADE
BO.1200.0708	WRENCH FOR CONICAL BOLTP
BO.1200.0709	SPANER FOR BLADE HOLDING
BO.1200.0710	PROTECTION SLEEVE FOR STARTING REAMER AND GUIDE WIRE SLEEVE
BO.1200.0711	C.C SCREW DRIVER FOR NAIL CAP
BO.1200.0712	C.C. SPANER FOR C.C CAP SCREW DRIVER
BO.1200.0713	TISSUE PROTECTOR
BO.1200.0714	QUICK COUPLING HANDLE
BO.1200.0715	CANNULATED AWL FOR ENTRY
BO.1200.0716	GUIDE WIRE HANDLE
BO.1200.0717	DISTAL POSITION LOCK
BO.1200.0718	DRILL FOR DISTAL POSITION
BO.1200.0719	ROD FOR DISTAL POSITION
BO.1200.0720A	POSITION DRILL SLEEVE FOR
BO.1200.0720B	5.2 MM DRILL BIT 5.2 MM POSITION DRILL BIT
BO.1200.0721	NAIL REMOVAL EXTRACTION ROD
BO.1200.0722	LONG DEPTHGUAGE 0 - 100 MM
BO.1200.0723	BLADE REMOVAL EXTRACTOR ROD
BO.1200.0724	CANNULATED REDUCTION ROD
BO.1200.0725	FLEXIBLE REAMER
BO.1200.0726	3MM THREADED GUIDE WIRE
BO.1200.0727	GUIDE WIRE FOR ENDCAP
BO.1200.0728	TEMPLATE FOR DEVELOPMENT
BO.1200.0729	REAMER HEAD 9MM - 13.5 MM
BO.1200.0730	IMPACTOR FOR NAIL
BO.1200.0731A	PROTECTION SLEEVE FOR POSITION DRILL SLEVE




PFNA2 Instrument Set



BO.1200.0731B	TROCAR SLEEVE FOR POSITON
BO.1200.0732	OPEN WRENCH FOR EXTRACTOR ROD
BO.1200.0733	ALANKEY FOR 4.3 MM DRILL STOPPER
BO.1200.0734	ALANKEY FOR 4.3 MM DRILL STOPPER
BO.1200.0735	DISTAL ZIG FOR 17 CM / 20 CM
BO.1200.0736	DISTAL ZIG FOR 22 CM / 24 CM
BO.1200.0737	DISTAL ZIG FOR 17 CM / 20 CM / 22 CM / 24 CM
BO.1200.0738	PROXIMAL ZIG FOR H BLADE
BO.1200.0739	FIX HAMMER
BO.1200.0740	ZIG FOR NAIL ATTACH
BO.1200.0741	CONICAL BOLT
BO.1200.0742	1ST DISTAL ATTACHMENT BOLT
BO.1200.0743	2nd DISTAL ATTACHMENT BOLT
BO.1200.0744	3rd DISTAL ATTACHMENT BOLT
BO.1200.0745	DISTAL ZIG FOR LONG NAIL
BO.1200.0746	BLADE INSERTER SCREW DRIVER
BO.1200.0747	MEDIAL ATTACHMENT FOR DISTAL ZIG
BO.1200.0748	SLIDE HAMMER
BO.1200.0749	CONNECTING ROD FOR BLADE HAMMERING
BO.1200.0750	ZIG FOR LONG NAIL DISTAL SCREW LOCATION
BO.1200.0751 A	PROTECTION SLEEVE FOR H BLADE
BO.1200.0751 B	PROTECTION SLEEVE FOR
BO.1200.0751 C	TROCAR & G/W FOR BLADETROCAR FOR H BLADE
BO.1200.0752	LONG GUIDE WIRE
BO.336.131	BOX FOR PFN 2 IMPLANTS
BO.709.039	BOX WITH PFN2 INSTRUMENTS SET Bolts - (1,2,3,4,5,6 type) - 6 pcs
B.IM.S.001.14	EXTRACTOR ROD
B.IM.S.001.16	ROUND HAMMER
B.IM.S.001.04	SPANNER
	ALLUMINIUM BOX



Humerus Instrument Set




B0.711.015	HUMERUS ZIG
B0.711.021	PROTECTION SLEEVE LONG
B0.711.026	TROCAR SLEEVE
B0.711.006	DRILL SLEEVE 2.5 MM
B0.711.003	CONICAL BOLT
B0.711.016	TISSUE PROTECTOR
B0.711.001	BONE AWL
B0.711.005	DRILL BIT 2.5 MM X 250 MM
B0.711.011	INT. HUMERUS HAMMER
B0.711.013	INT. HUMERUS SCREW DRIVER 3.5 MM
B0.711.004	INT. HUMERUS DEPTH GAUGE
B0.711.015	INT. HUMERUS GUIDE WIRE PLAIN 2.0 MM X 450 MM
B0.711.015	INT. HUMERUS NYLON TUBE
B0.711.015	C.C. REAMER 380 MM X 06 MM
B0.711.015	C.C. REAMER 380 MM X 07 MM
B0.711.015	C.C. REAMER 380 MM X 08 MM
B0.711.015	COMPRESSION BOLT
B0.711.007	INT. HUMERUS EXTRACTOR ROD
B0.711.008	INT. HUMERUS EXTRACTOR HANDLE
B0.711.002	INT. HUMERUS CAP
B0.711.017	INT. HUMERUS TOMMY BAR
B0.711.014	INT. HUMERUS SPANNER SMALL
B0.711.027	INT. HUMERUS SPANNER LARGE
B0.711.022	INT. HUMERUS BOX SPANNER
B0.711.029	INT. HUMERUS GUIDE WIRE HANDLE
B0.711.015	BOX FOR HUMERUS INTERLOCKING SET




Elastic Nail Instrument Set




- BU.2521.601** TITANIUM ELASTIC NAIL IMPACTOR WITH SLANT END - 7"
- BU.2521.602** TITANIUM ELASTIC NAIL : F - TOOL
- BU.2521.603** TEN - INTRODUCER WITH OFFSET T- HANDLE WITHOUT CHUCK
- BU.2521.604** TEN - EXTRACTOR ROD FOR OFFSET T-HANDLE
- BU.2521.605** TEN - FLEXIBLE SLOTTED HAMMER WITH FIBER HANDLE
- BU.2521.625** TEN - END CAP DRIVER (INTRODUCER) UPTO 2.5MM ELASTIC NAIL CAP (3409.125)
- BU.2521.640** TEN - END CAP DRIVER (INTRODUCER) FROM 3.0 TO 4.0MM ELASTIC NAIL CAP (3409.140)
- BU.2306.511** IMPORTED S.S.CHUCK & KEY FOR U.B.DRIL/JACOB INTRO - 6.0MMCAP NEW PRICE W.E.F. 01.12.2014
- BU.2521.610** TEN - SQUARE AWL ANGLED WITH HANDLE
- BU.2521.611** TEN - SQUARE AWL STRAIGHT WITH HANDLE
- BU.2521.672** TEN / NAIL EXTRACTOR - PLIER (ONE SIDE SERRATED) WITH EXTENSION FOR HAMMERING
- BU.2714.033** HIT WIRE CUTTER SIDE 12" LONG (NO GUARANTEE / WARRANTY)
- BU.2754.091** ALUM. BOX-COATING É SIDELOCK (480 X 250 X 110MM) FOR TIT ELASTIC NAIL IMPL & INST WITH SILICON FITTING.



Universal Nail Extractor And Broken Nail Removal Set



- BU.2520.820** UNIVERSAL NAIL EXTRACTOR WITH 14 BOLTS, ROD & CONTAINER
- BU.2520.830** BROKEN NAIL TIP EXTRACTOR WITH TAPERED THREADED END-62CMLONG WITH THREADED END FOR K-NAIL EXTRACTOR
- BU.2520.835** BROKEN NAIL TIP EXTRACTOR WITH LONG HOOK (WIRE TYPE) TO BE INTRODUCED FROM SIDE OF NAIL








Supracondylar Instrument Set



BU.2502.020	SUPRA-CONDYLAR:DRILL BAR
BU.2502.030	SUPRA-CONDYLAR:DRILL BOLT
BU.2502.040	SUPRA-CONDYLAR:ATTACHMENT BOLT
BU.2502.050	SUPRA-CONDYLAR:GUIDE SLEEVE 8MM
BU.2502.060	SUPRA-CONDYLAR:DRILL SLEEVE 4MM
BU.2502.070	SUPRA-CONDYLAR:TROCAR
BU.2502.080	SUPRA-CONDYLAR:CANNULATED CUTTER
BU.2501.090	LOCK-IN / PFN / SUPRA-CONDYLAR NAIL: BOX SPANNER É T-HANDLE (SOCKET WRENCH) 10MM
BU.2501.100	LOCK-IN / PFN / SUPRA-CONDYLAR NAIL: TOMMY BAR
BU.2501.170	LOCK-IN / PFN / SUPRA-CONDYLAR NAIL : SCREWDRIVER É FIBRE HDL. 4.5MM
BU.2501.180	LOCK-IN / PFN / SUPRA-CONDYLAR NAIL: HEAD FOR INTRODUCER (SUPINE DRIVER)
BU.2501.190	LOCK-IN-NAIL / PFN : LONG DEPTH GAUGE
BU.2501.200	LOCK-IN / PFN / SUPRA-CONDYLAR NAIL : EXTRACTOR ROD
BU.2501.210	LOCK-IN / PFN / SUPRA-CONDYLAR NAIL : HANDLE FOR EXTRACTOR ROD
BU.2501.220	LOCK-IN / PFN / SUPRA-CONDYLAR NAIL: ROUND HAMMER
BU.2501.040	LOCK-IN-NAIL: GUIDE WIRE 2.5MMX60CM - BEEDED
BU.2501.041	LOCK-IN NAIL / K-NAIL: GUIDE WIRE 2.5MM X 60CM - NON BEEDED
BU.2501.310	LOCK-IN-NAIL : GUIDE WIRE EXCHANGE TUBE
BU.2302.840	DRILL BIT 4.0MM X 8"
BU.2520.130	V-NAIL TISSUE PROTECTOR (TISSUE PROTECTOR)



2.4/2.7 mm Distal Radius Instrument Set



BU.2308.027	BONE TAP WITH T-HANDLE : 2.7MM
BU.2307.127	DEPTH GAUGE É LASER PRINTING : 2.7MM
BU.2325.027	LOCK-IN (ALT) SLEEVE : FOR 2.4/2.7MM SCREW
BU.2325.027	LOCK-IN (ALT) SLEEVE : FOR 2.4/2.7MM SCREW
BU.2302.620	DRILL BITS (S.S): 2.0MM X 6"
BU.2302.625	DRILL BITS (S.S): 2.5MM X 6"
BU.2310.352	SCREWDRIVER E FIBRE HANDLE 3.5MM
BU.2310.708	SCREWDRIVER WITH FIBER HANDLE : TORX (STAR DRIVE) : T8 FOR 2.7MM SCREW - GOLDEN
BU.2310.279	COATEDTORQUE LIMITNG SCREW DRIVER 2.4/2.7MM SCREW 2MM A/F
BU.2340.327	SCREWDRIVER WITH SILICON HDL (EXPORT QUALITY) : 2.0MM A/F

Biomed Healthtech (P) Ltd.

Marthanda 207, 2nd Floor, Dr. A. B. Road, Worli Naka, Mumbai – 400 018.



3.5 mm Locking Instrument Set



BU.2310.351	SCREWDRIVER É FIBRE HANDLE HEX.: 3.5MM
BU.2308.035	BONE TAP WITH T-HANDLE : 3.5MM (1.75MM PITCH OR 14 TPI)
BU.2312.020	PLATE BENDER (IRON TYPE)
BU.2302.628	DRILL BITS (S.S): 2.7MM X 8"
BU.2302.828	DRILL BITS (S.S): 2.8MM X 8"
BU.2307.135	DEPTH GAUGE É LASER PRINTING : 3.5MM
BU.2325.035	LOCK-IN (ALT) SLEEVE : FOR 3.5MM SCREW
BU.2310.359	TORQUE LIMITIND SCREW DRIVER 3.5MM
BU.2309.535	QUICK COUPLING SCREWDRIVER (3.5MM DIA)
BU.2753.224	ALUM. BOX-COATING É SIDELOCK FOR 3.5MM LOCKING SCREW & INSTRUMENT WITH SILICON FITTING (295 X 185 X 135MM - INSIDE DIMENSION).


5 mm Locking Instrument Set




BU.2312.010	PLATE BENDER (ORDINARY) (ONE PAIR)
BU.2325.050	LOCK-IN (ALT) SLEEVE : FOR 5.0MM SCREW
BU.2308.045	BONE TAP WITH T-HANDLE : 4.5MM (14 TPI) POINT
BU.2310.459	TORQUE LIMITING SCREWDRIVER 4.5MM SCREW (HEX) - 3.5 A/F
BU.2302.832	DRILL BITS (S.S): 3.2MM X 8" (LOCK-IN-NAIL)
BU.2302.032	DRILL BITS (S.S): 3.2MM X 10" (LOCK-IN-NAIL)
BU.2302.842	DRILL BITS (S.S): 4.2MM X 8" (LOCK-IN ALT 5.0MM SYSTEM)
BU.2302.042	DRILL BITS (S.S): 4.2MM X 10" (LOCK-IN ALT 5.0MM SYSTEM)
BU.2310.451	SCREWDRIVER É FIBRE HANDLE HEX.: 4.5MM
BU.2307.145	DEPTH GAUGE É LASER PRINTING : 4.5MM
BU.2309.545	QUICK COUPLING SCREW DRIVER : 4.5MM
BU.2753.225	ALUM. BOX-COATING É SIDELOCK FOR 5.0MM LOCKING SCREW & INSTRUMENT WITH SILICON FITTING (330 X 220 X 145MM - INSIDE DIMENSION).



Mini Plate Instrument Set



BU.2302.310	DRILL BITS (S.S) FOR MICRO HAND DRILL: 1.0MM X 3" (SHAFT DIA 2.35MM)
BU.2302.315	DRILL BITS (S.S) FOR MICRO HAND DRILL: 1.5MM X 3" (SHAFT DIA 2.35MM)
BU.2302.620	DRILL BITS (S.S): 2.0MM X 6"
BU.2305.201	DRILL SLEEVE (D/E) É SLANT HDL.: 2.0MM X 2.7MM (30MM SLEEVE LENGTH)
BU.2302.627	DRILL BITS (S.S): 2.7MM X 6"
BU.2305.210	TRIPLE DRILL / PARALLEL K-WIRE GUIDE FOR 2.0MM 3 PARALLELE HOLES ON ONE SIDE AND ONE HOLE ON OTHER SIDE
BU.2305.208	DRILL SLEEVE (D/E) É SLANT HDL.: 1.5MM X 2.0MM (20MM SLEEVE LENGTH)
BU.2307.115	DEPTH GAUGE FOR 1.5/2.0/2.5MM (MINI) SCREW (MAXILLOFACIAL)
BU.2307.127	DEPTH GAUGE É LASER PRINTING : 2.7MM
BU.2310.151	SCREWDRIVER WITH FIBER HDL HEX.: 1.5MM A/F FOR MICRO SCREWS
BU.2340.327	SCREWDRIVER WITH SILICON HDL (EXPORT QUALITY) : 2.0MM A/F
BU.2310.708	SCREWDRIVER WITH FIBER HANDLE : TORX (STAR DRIVE) : T8 FOR 2.7MM SCREW - GOLDEN COATED
BU.2311.600	QUICK COUPLING HANDLE FOR CROSS SLOT SELF HOLD. SCREWDRIVER
BU.2311.615	SCREWDRIVER : CROSS SLOT SELF HOLD. Q.C. TIP ONLY 1.5 MM
BU.2311.620	SCREWDRIVER : CROSS SLOT SELF HOLD. Q.C. TIP ONLY 2.0 MM
BU.2311.625	SCREWDRIVER : CROSS SLOT SELF HOLD. Q.C. TIP ONLY 2.5 MM
BU.2312.001	MINI PLATE BENDER WITH PIN (MODELLING LEVER WITH PIN)
BU.2312.006	MINI PLATE SIMPLE PLIER (MAXILLOFACIAL)
BU.2312.020	PLATE BENDER (SMALL) (BENDING IRON)
BU.2350.010	PLATE HOLDING FORCEPS FOR MAXILLOFACIAL (MINI)
BU.2350.020	SCREW HOLDING FORCEPS FOR MAXILLOFACIAL (MINI)
BU.2106.093	SCRAPPER (SHARP HOOK)
BU.2652.106	HOHMAN'S BONE SPIKE FOR RADIUS/ULNA/MAXILLOFACIAL : 6MM
BU.2652.108	HOHMAN'S BONE SPIKE FOR RADIUS/ULNA/MAXILLOFACIAL : 8MM
BU.2640.031	PERIOSTEUM ELEVATOR (A.O.TYPE) : 3MM X STR X SQ TIP
BU.2619.405	REDUCATION CLAMP : SERRATED É RATCHET X 5"
BU.2610.004	SELF CENTERING FORCEPS (A.O.TYPE) : 4"
BU.2610.006	SELF CENTERING FORCEPS (A.O.TYPE) : 6"





6.5 MM CC Instrument Set




BU.2601.010	6.5MM CANNU.CANCE.:DRILL - 4.5MM
BU.2302.840	DRILL BITS (S.S): 4.0MM X 8"
BU.2601.020	6.5MM CANNU.CANCE.:TAP
BU.2310.451	SCREWDRIVER E FIBRE HANDLE HEX.: 4.5MM
BU.2601.040	6.5MM CANNU.CANCE.:ANGLE GUIDE
BU.2604.118	GUIDE WIRES : PLAIN : 1.8MM X 225MM (APPROX 9") FOR 6.5MM C.C. SCREW
BU.2753.131	ALUM. BOX-COATING É SIDELOCK (250 X 100 X 125) FOR 6.5MM C. SCREWS.

4.00 MM CC Instrument Set



BU.2602.020	4.0MM CANNU.CANCE.:TAP
BU.2602.018	4.0MM CANNU.CANCE/SCAFEX .:DRILL BITS LONG
BU.2602.010	4.0MM CANNU.CANCE/SCAFEX .:DRILL BITS SMALL
BU.2602.030	4.0MM CANNU.CANCE/HERBERT/SCAFEX.:SCREWDRIVER É BLUE HDL.
BU.2602.040	4.0MM CANNU.CANCE.:ANGLE GUIDE
BU.2604.212	GUIDE WIRES : THREADED : 1.2MM X 9" FOR 4.0MM C.C. /HERBERT/ SCAFEX SCREW
BU.2753.191	ALUM. BOX-COATING É SIDELOCK FOR 4.0MM C.C SCREWS.



Broken Screw Removal Set



BU.2326.000	SCREW REMOVAL SET WITH BOX (ADD BATCH NO OF INDIVIDUAL PRODUCT)
BU.2326.100	HOLLOW MILL (SET OF 4)
BU.2326.200	SCREW REMOVAL FORCEPS
BU.2326.125	SCREW REMOVAL SET (Q.C.-TRIANGLE) : HEX. S/D : 2.0MM A/F
BU.2326.135	SCREW REMOVAL SET (Q.C.-TRIANGLE) : HEX. S/D : 2.5MM A/F (FOR 3.5MM SCREW)
BU.2326.145	SCREW REMOVAL SET (Q.C.-TRIANGLE) : HEX. S/D : 3.5MM A/F (FOR 4.5MM SCREW)
BU.2326.165	SCREW REMOVAL SET (Q.C.-TRIANGLE) : HEX. S/D : 4.75MM A/F (FOR PFN BOLT)
BU.2326.535	SCREW REMOVAL SET (Q.C.-TRIANGLE) : HEAD SLIP EXTRACTOR (SQUARE TIP) : FOR 3.5MM SCREW
BU.2326.545	SCREW REMOVAL SET (Q.C.-TRIANGLE) : HEAD SLIP EXTRACTOR (SQUARE TIP) : FOR 4.5MM SCREW
BU.2326.627	SCREW REMOVAL SET (Q.C.-TRIANGLE) : HEAD SLIP EXTRACTOR (SPIRAL FLUTE) : FOR 2.7MM SCREW
BU.2326.635	SCREW REMOVAL SET (Q.C.-TRIANGLE) : HEAD SLIP EXTRACTOR (SPIRAL FLUTE) : FOR 3.5MM SCREW
BU.2326.645	SCREW REMOVAL SET (Q.C.-TRIANGLE) : HEAD SLIP EXTRACTOR (SPIRAL FLUTE) : FOR 4.5MM SCREW
BU.2326.708	SCREW REMOVAL SET (Q.C.-TRIANGLE) : TORX (STAR) S/D : T8 (FOR 2.4/2.7MM SCREW)
BU.2326.715	SCREW REMOVAL SET (Q.C.-TRIANGLE) : TORX (STAR) S/D : T15 (FOR 3.5MM SCREW)
BU.2326.725	SCREW REMOVAL SET (Q.C.-TRIANGLE) : TORX (STAR) S/D : T25 (FOR 4.5MM SCREW)
BU.2326.730	SCREW REMOVAL SET (Q.C.-TRIANGLE) : TORX (STAR) S/D : T30
BU.2326.010	QUICK COUPLING HANDLE (FOR TRIANGULAR TIP) WITH SILICON HANDLE
BU.2326.940	SCREW REMOVAL SET (Q.C.-TRIANGLE) : DRILL BIT (HSS) - FOR BREAKING LOCKING SCREW - 4.0MM (5/32)
BU.2326.948	SCREW REMOVAL SET (Q.C.-TRIANGLE) : DRILL BIT (HSS) : FOR BREAKING LOCKING SCREW : 4.8MM(3/16)
BU.2326.955	SCREW REMOVAL SET (Q.C.-TRIANGLE) : DRILL BIT (HSS) : FOR BREAKING LOCKING SCREW : 5.6MM (7/32)
BU.2759.326	ALUM. BOX FOR SCREW REMOVAL SET WITH TRAY (10"X7"X3") WITH SELF HOLDING ARRANGEMENT.



DHS / DCS Instrument Set



- BU.2201.120** D.H.S. / SUPRA-CONDYLAR :DIRECT MEASURING DEVICE (GAUGE)
- BU.2201.130** D.H.S.:ANGLE GUIDE - 90° TO 155°
- BU.2201.020** D.H.S.:BONE TAP SUITABLE FOR T-HDL / MANMAN DRILL
- BU.2201.060** D.H.S.:CENTERING SLEEVE FOR TAP
- BU.2201.070** D.H.S.:CENTERING SLEEVE FOR WRENCH
- BU.2201.140** D.H.S.:FIXED ANGLE GUIDE - 130°
- BU.2201.150** D.H.S.:FIXED ANGLE GUIDE - 135°
- BU.2201.080** D.H.S.:INTRODUCER WITH EXTRACTOR ROD
- BU.2201.050** D.H.S.:TRIPLE ACTION REAMER FOR D.C.S.SUITABLE FOR T-HANDLE / MANMAN DRILL
- BU.2201.080** D.H.S.:INTRODUCER WITH EXTRACTOR ROD
- BU.2201.030** D.H.S.:TRIPLE ACTION REAMER FOR D.H.S. (L/B) SUITABLE FOR T-HANDLE / MANMAN DRILL
- BU.2201.040** D.H.S.:TRIPLE ACTION REAMER FOR D.H.S. (S/B) SUITABLE FOR T-HANDLE / MANMAN DRILL
- BU.2201.050** D.H.S.:TRIPLE ACTION REAMER FOR D.C.S. SUITABLE FOR T-HANDLE / MANMAN DRILL
- BU.2201.111** D.H.S.:TUBE GUIDE - CANNULATED É EXTRACTOR ROD & T-HDL.
- BU.2201.100** D.H.S.:TUBE IMPACTOR WITH NYLON
- BU.2201.010** PHASED.H.S. / PFN:COUPLING WITH S.S HANDLE
- BU.2201.172** D.H.S.:IMPLANTS & INSTRUMENTS BOX (ALU) WITH ALU. INSERTS
- BU.2604.125** GUIDE WIRES : PLAIN : 2.5MM X 230MM (APPROX 9") FOR D.H.S.
- BU.2752.101** D.H.S.:BOX FOR INST / IMPL (ALUMINIUM) WITH INSERT& 3TRAYS A WITH ANODISING WITH SILICONE (BLUE) INSERTS.




Fixed / Modular Bipolar Instrument Set



BU.2401.201	THR : RASP FOR MULLER STEM : SMALL
BU.2401.202	THR : RASP FOR MULLER STEM : MEDIUM
BU.2401.203	THR : RASP FOR MULLER STEM : LARGE
BU.2401.205	THR : RASP FOR V-STEM - SMALL
BU.2401.206	THR : RASP FOR V-STEM - MEDIUM
BU.2401.207	THR : RASP FOR V-STEM - LARGE
BU.2401.210	TOTAL HIP - STEM DRIVER WITH HAMMER
BU.2408.139	MODULAR BI-POLAR TRIAL CUP : 39MM
BU.2408.141	MODULAR BI-POLAR TRIAL CUP : 41MM
BU.2408.143	MODULAR BI-POLAR TRIAL CUP : 43MM
BU.2408.145	MODULAR BI-POLAR TRIAL CUP : 45MM
BU.2408.147	MODULAR BI-POLAR TRIAL CUP : 47MM
BU.2408.149	MODULAR BI-POLAR TRIAL CUP : 49MM
BU.2408.151	MODULAR BI-POLAR TRIAL CUP : 51MM
BU.2408.153	MODULAR BI-POLAR TRIAL CUP : 53MM
BU.2410.025	CEMENT RESTRICTOR INTRODUCER é T-HDL: 250MM
BU.2730.225	ALUM. BOX-COATING é SIDELOCK (20" X 15" X 5") FOR THR INSTRUMENTS WITH FITTINGS INSIDE DIMENSION




Spine Instrument Set



BU.2103.010	UNI-LOCK - LENKE PROBE/AWL (LUMBER-FLAT) - STRAIGHT
BU.2103.011	UNI-LOCK - LENKE PROBE/AWL (LUMBER-FLAT) - CURVED
BU.2103.012	UNI-LOCK - AWL WITH STOPPER
BU.2103.013	UNI-LOCK : PEDICLE AWL (DR.BHOJRAJ DSG)
BU.2103.014	UNI-LOCK : CANDLE STICK : 2.5MM X 40MM X 100MM
BU.2103.015	UNI-LOCK : LENKE PROBE/AWL (THORACIC-SQUARE) - STRAIGHT
BU.2103.016	UNI-LOCK : LENKE PROBE/AWL (THORACIC-SQUARE) - CURVED
BU.2103.040	UNI-LOCK / TEN - ROD BENDER (IN SITU) - NEW DSG
BU.2103.045	UNI-LOCK : ROD BENDER (WITH ADJUSTABLE ARC)
BU.2103.046	UNI-LOCK : BENDING TEMPLATES FOR ROD - 4"
BU.2103.047	UNI-LOCK : BENDING TEMPLATES FOR ROD - 6"
BU.2103.048	UNI-LOCK : BENDING TEMPLATES FOR ROD - 12"
BU.2103.050	UNI-LOCK : COMPRESSOR
BU.2103.055	UNI-LOCK : COMPRESSOR WITH PARALLEL MOVEMENT (EXPORT QUALITY)
BU.2103.060	UNI-LOCK : DISTRACTOR
BU.2103.065	UNI-LOCK : DISTRACTOR WITH PARALLEL MOVEMENT NEW DESIGN
BU.2103.080	UNI-LOCK : ROD PUSHER
BU.2103.090	UNI-LOCK : ROD PULLER
BU.2103.100	UNI-LOCK : POLY AXIAL SCREWDRIVER é FIBRE HDL.LONG TIP - 3.5MM A/F - FOR ROD REDUCER
BU.2103.105	UNI-LOCK : QUICK COUPLING SCREWDRIVER FOR POLY-AXIAL TILL STOCK LAST. NO MORE PRODUCTION.
BU.2103.107	UNI-LOCK : POLYAXIAL DRIVER WITH THREADED SLEEVE - 3.5MM A/F SCREWS
BU.2103.108	UNI-LOCK : POLYAXIAL FLAT TIP DRIVER WITH THREADED SLEEVE
BU.2103.109	UNI-LOCK : POLY AXIAL DRIVER é HOLDING & THREADED SLEEVE
BU.2103.110	UNI-LOCK : QUICK COUPLING HANDLE
BU.2103.120	UNI LOCK: SCREWDRIVER FOR INNIE (SELF HOLDING)
BU.2103.125	UNI-LOCK / LOCK-IN / PFN / SUPRA-CONDYLAR NAIL : SCREWDRIVER é SILICON HDL FOR INNIE: SOLID
BU.2103.128	UNI-LOCK : SOLID INNIE SCREW DRIVER LONG FOR ROD REDUCER
BU.2103.129	TORQUE LIMITING SCREW DRIVER FOR UNI-LOCK WITH T-HANDLE 3.5MM A/F
BU.2103.137	UNI-LOCK : ANTI TORQUE SLEEVE WITH BLUE HANDLE
BU.2103.138	UNI-LOCK : ANTI TORQUE SLEEVE (ROD PUSHER SLEEVE)
BU.2103.145	UNI-LOCK: QUICK COUPLING SCREWDRIVER FOR MONO-AXIAL TILL STOCK LASTS. NO MORE PRODUCTION)



Spine Instrument Set



BU.2103.148	UNI-LOCK : MONOAXIAL FLAT TIP DRIVER WITH THREADED SLEEVE
BU.2103.149	UNI-LOCK : MONOAXIAL DRIVER WITH HOLDING & THREADED SLEEVE
BU.2103.150	UNI-LOCK : ROD HOLDING FORCEPS
BU.2103.160	UNI-LOCK : WISE GRIP FOR ROD HOLDING
BU.2103.161	UNI-LOCK : ROD ROTATER (HEXAGONAL TIP)
BU.2103.162	UNI-LOCK : ROD HOLDING CLAMP - RATCHET TYPE
BU.2103.165	UNI-LOCK : WISE GRIP FOR ROD HOLDING (EXPORT QUALITY)
BU.2103.170	UNI-LOCK : ROUND STAPLE 4 LEG HOLDER/IMPACTOR
BU.2103.181	UNI-LOCK : ROCKER FORCEPS TYPE
BU.2103.185	UNI-LOCK : ROD REDUCER FOR UNI-LOCK : GUN TYPE WITH OUTSIDE SLEEVE
BU.2103.186	UNI-LOCK : ROD REDUCER (GUN TYPE) FOR ROD REDUCING OVER TULIP AND COMPRESSION FROM OUTSIDE WITH NUT ASSEMBLY
BU.2103.210	UNI-LOCK : HOOK IMPACTOR
BU.2103.215	UNI-LOCK : LAMINAR HOOK INITIATOR
BU.2103.230	UNI-LOCK : SPANNER 6MM A/F FOR CROSS LINK WITH HINGES TOP SCREW
BU.2103.260	UNI-LOCK : REDUCTION SCREW TAB REMOVER
BU.2103.284	UNI-LOCK BONE TAP - 4.5MM
BU.2103.285	UNI-LOCK BONE TAP - 5.5MM
BU.2103.321	UNI-LOCK : POLYAXIAL DRIVER WITH HOLDING & THREADED SLEEVE FOR SQUARE QUICK COUPLING
BU.2103.325	UNILOCK : SCREWDRIVER WITH FIBER HANDLE FOR INNIE : TORX (T30) - SOLID
BU.2754.001	ALUM. BOX é TRAY FOR LOCK-IN / PFN / UNI-LOCK INST : 18"X6" X 4".




Pelvic Instrument Set



BU.2411.003	PELVIC REDUCTION FORCEP WITH BALL TIP - ST.X 200MM
BU.2411.004	PELVIC REDUCTION FORCEP WITH BALL TIPS-200MM - OBLIQUE
BU.2411.005	PELVIC REDUCTION FORCEP WITH BALL TIPS - 250MM - STRAIGHT
BU.2411.006	PELVIC REDUCTION FORCEP WITH BALL TIPS - 250MM LONG-OBLIQUE
BU.2411.007	PELVIC REDUCTION FORCEP WITH BALL TIPS - 400MM - STRAIGHT
BU.2411.008	PELVIC REDUCTION FORCEP WITH BALL TIPS - 400MM - OBLIQUE
BU.2411.009	PELVIC REDUCTION FORCEP WITH 3 BALL TIPS - 400MM
BU.2411.010	PELVIC REDUCTION FORCEP WITH BALL TIPS - 400MM - ASYMMETRICAL
BU.2411.021	PELVIC REDUCTION FORCEPS ADJUSTABLE SPEED LOCK PELVIC REDUCTION FORCEP : FARABEU-F-LAMBOTTE TYPE (LIKE LANE'S BONE HOLDING É RAT.) - 250MM FOR USE WITH 3.5/4.5M CORTICAL SCREWS-
BU.2411.024	MEDIUM
BU.2411.027	PELVIC SPIKED DISC (WASHER) WITH SOCKET FOR BALL TIP
BU.2411.030	PELVIC SPIKED DISC (WASHER) PUSHER : STRAIGHT (320MM LONG)
BU.2411.031	PELVIC SPIKED DISC (WASHER) PUSHER : ANGLED (320MM LONG)
BU.2411.100	PELVIC RECON PLATE BENDER (SINGLE HINGE) FOR LATERAL & LINEAR BENDING FOR PELVIC PLATES (CNC)
BU.2411.101	PELVIC IN SITU PLATE BENDING PLIER 300MM LONG
BU.2411.103	PELVIC IN SITU PLATE BENDER & TWISTER : STRAIGHT X 4MM SERRATED TIP (320MM LONG)
BU.2411.104	PELVIC IN SITU PLATE BENDER & TWISTER : 60° X 4MM SERRATED TIP (320MM LONG)
BU.2411.105	PELVIC IN SITU PLATE BENDER & TWISTER : 90° X 4MM SERRATED TIP (320MM LONG)
BU.2411.116	BENDING TEMPLATE FOR PELVIC RECON PLATE (3.5MM) : STRAIGHT - 16H
BU.2411.316	BENDING TEMPLATE FOR PELVIC RECON PLATE (3.5MM) : CURVED (MALE - RADIUS 108MM) : 16H
BU.2411.416	BENDING TEMPLATE FOR PELVIC RECON PLATE (3.5MM) : CURVED (FEMALE - RADIUS 88MM) : 16H
BU.2411.611	BLUNT PELVIC RETRACTOR - PELVIC RECONSTRUCTION SURGERY
BU.2411.631	PELVIC HOHMANS RETRACTOR : 20MM X 110 DEGREE X 35MM LONG BEAK
BU.2411.825	TROCAR FOR PELVIC (CANNULATED) - FOR 2.5MM GUIDE WIRE
BU.2411.832	TROCAR FOR PELVIC (CANNULATED) - FOR 3.2MM GUIDE WIRE
BU.2411.900	GANZ DISTRACTOR FOR PELVIC RECONSTRUCTION




Herbert Screw Instrument Set



BA.1501	Ø2,0 MM SCREWDRIVER HEXAGONAL
BA.1502	Ø2,0 MM CANNULATED SCREWDRIVER HEXAGONAL
BA.1503	CLEANING STYLET
BA.1504	KIRSCHNER WIRE
BA.1505	Ø2,2X150 MM CANNULATED DRILL BIT
BA.1506	MEASURING DEVICE
BA.1507	PARALLEL SLEEVE
BA.1508	SCREW FORCEPS
BA.1509	ALUMINIUM BOX

Large Fragment Instrument Set





BU.2302.445	DRILL BITS (S.S): 4.5MM X 4"
BU.2302.632	DRILL BITS (S.S): 3.2MM X 6"
BU.2305.204	DRILL SLEEVE (D/E) É SLANT HDL.: 3.2MM X 4.5MM
BU.2305.245	LC-DCP UNIVERSAL DRILL GUIDE 4.5MM - SPRING LOADED DRILL BITS 3.2 DIA AND 4.5M DIA AND TISSUE PROTECTOR FOR TAPS
BU.2305.545	CENTRIC/ECCENTRIC DRILL GUIDE (EXPROT QUALITY) : 4.5MM
BU.2307.145	DEPTH GAUGE É LASER PRINTING : 4.5MM
BU.2307.545	COUNTER SINK WITH T-HANDLE : 4.5MM
BU.2308.045	BONE TAP WITH T-HANDLE : 4.5MM (14 TPI)
BU.2310.451	SCREWDRIVER É FIBRE HANDLE HEX.: 4.5MM
BU.2610.010	SELF CENTERING FORCEPS (A.O.TYPE) : 10"
BU.2610.012	SELF CENTERING FORCEPS (A.O.TYPE) : 12"
BU.2619.110	REDUCTION CLAMP: SERRATED X 10"
BU.2641.212	FARABEUF PERIOSTEUM ELEVATOR (CRD): 12MM
BU.2312.010	PLATE BENDER (ORDINARY)
BU.2652.025	HOHMAN'S RETRACTOR : 25MM
BU.2652.015	HOHMAN'S RETRACTOR : 15MM
BU.2619.508	REDUCATION CLAMP : POINTED É RATCHET X 8"
BU.2640.103	PERIOSTEUM ELEVATOR (A.O.TYPE) : 10MM X CVD X SQ TIP
BU.2309.132	QUICK COUPLING DRILL BITS FOR A.O.: 3.2MM DIA X 145MM
BU.2759.005	ALUM. BOX-COATING É SIDELOCK (20"X8"X5") LARGE FRAG - INSTRUMENT INSIDE DIMENSION.





Small Fragment Instrument Set



BU.2302.625	DRILL BITS (S.S): 2.5MM X 6"
BU.2302.635	DRILL BITS (S.S): 3.5MM X 6"
BU.2305.202	DRILL SLEEVE (D/E) É SLANT HDL.: 2.5MM X 3.5MM
BU.2305.235	LC-DCP UNIVERSAL DRILL GUIDE 3.5MM - SPRING LOADED DRILL BIT 2.5 DIA AND 3.5MM AND TISSUE PROTECTION FOR TAPS
BU.2305.535	CENTRIC/ECCENTRIC DRILL GUIDE (DCP DRILL GUIDE):3.5MM
BU.2307.135	DEPTH GAUGE É LASER PRINTING : 3.5MM
BU.2307.535	COUNTER SINK WITH T-HANDLE : 3.5MM
BU.2308.135	BONE TAP WITH T-HANDLE : 3.5MM (1.25MM PITCH OR 20 TPI)
BU.2309.125	QUICK COUPLING DRILL BITS FOR A.O.: 2.5MM DIA X 110MM
BU.2310.351	SCREWDRIVER E FIBRE HANDLE HEX.: 3.5MM
BU.2312.020	PLATE BENDER (SMALL) (BENDING IRON)
BU.2610.008	SELF CENTERING FORCEPS (A.O.TYPE) : 8"
BU.2619.107	REDUCTION CLAMP: SERRATED X 7"
BU.2619.505	REDUCATION CLAMP : POINTED É RATCHET X 5"
BU.2641.208	FARABEU PERIOSTEUM ELEVATOR (CRD): 8MM
BU.2640.063	PERIOSTEUM ELEVATOR (A.O.TYPE) : 6MM X CVD X SQ TIP
BU.2652.010	HOHMAN'S RETRACTOR : 10MM
BU.2655.008	BONE SPIKES A.O.TYPE : 8MM
BU.2759.002	ALUM. BOX-COATING É SIDELOCK (415 X 235 X 85MM) FOR SMALL FRAG - INSTRUMENT WITH SILICON FITTING (INSIDE DIMENSION) - 1.