


Lighting, Lighting Fixtures & Wiring

ARCHITECTURAL LIGHTING	3
OUTDOOR LIGHTING	4
POLES & BRACKETS	5
ELECTRICAL PRODUCTS	6
COMMERCIAL INTERIOR	7
Flexible Metal	8
Pre-Wired Whips	8
Prewired armored conduit	9
SPECIFICATIONS	14




ARCHITECTURAL LIGHTING





RECESSED



OUTDOOR LIGHTING

AREA, SITE & ROADWAY












SOFFIT, CANOPY & GARAGE





POLES & BRACKETS





ELECTRICAL PRODUCTS



ELECTRICAL WHIPS



ELECTRICAL BOX



BOX COVER



COMMERCIAL INTERIOR










For Lighting and Power Distribution Prewired armored conduit

//

// 3/8" & 1/2" Trade Sizes

Standard fixture whips at 3/8"; and illumination control whips at $\frac{1}{2}$ "



// Make Connection Easier

Both snap-in and screw-in connectors are available





SPECIFICATIONS

ORDERING INFORMATION

FAMILY	M.I.N	# OF WIRES	WIRE GUAGE	WIRE TYPE	LENGTH	WIRE COLOR		NDUIT IZE	CONNECTOR
STANDARD	SFW312S6FT38SDSN	3	12AWG	Solid Wire	6-Feet	BK/WT/GR	3/8"	Steel	Snap-in
FIXTURE WHIPS	SFW312S6FT38SDSC	3	12AWG	Solid Wire	6-Feet	BK/WT/GR	3/8"	Steel	Screw-in
	SFW314S6FT38SDSN	3	14AWG	Solid Wire	6-Feet	BK/WT/GR	3/8"	Steel	Snap-in
	SFW314S6FT38SDSC	3	14AWG	Solid Wire	6-Feet	BK/WT/GR	3/8"	Steel	Screw-in



SPECIFICATIONS

ORDERING INFORMATION

FAMILY	M.I.N	# OF WIRES	WIRE GUAGE	WIRE TYPE	LENGTH	WIRE COLOR		NDUIT SIZE	CONNECTOR
ILLUMINATIO N CONTROL FIXTURE WHIPS	ICFW312S6FT38SDSN ICFW312S6FT38SDSC ICFW312S6FT38SDSN ICFW312S6FT38SDSC	5 5 5 5	3x12AWG, 2x16AWG 3x12AWG, 2x16AWG 3x14AWG, 2x16AWG 3x14AWG, 2x16AWG, 2x16AWG	Solid Wire Solid Wire Solid Wire Solid Wire	6-Feet 6-Feet 6-Feet 6-Feet	BK/WT/GR, PK/PR BK/WT/GR, PK/PR BK/WT/GR, PK/PR BK/WT/GR, PK/PR	1/2" 1/2" 1/2" 1/2"	Steel Steel Steel Steel	Snap-in Screw-in Snap-in Screw-in

