

2024 Prefab Cabins & Optional Accessories



Page 1/13



		A6 Apple Cabin(Fro	nt & rear gl	ass)			
		L5.8m*W2.25m*H2.45m (F					
	Structure	Descriptions	Dim	ensions(mn	n)	Unit	
	Structure	Galvanized square pipe steel structure frame	5800	2250	2450	mm	
	Ceiling	PVC Ceiling		13.05		m²	
	Electrical appliances	2 LED lights, switch, plug *3, electric control box		1		set	
Prefab House	Wall panels	Extruded plastic board		13.05		m²	
	Glass walls/doors	Insulating glass aluminum alloy glass (door + wall)		26.1		m²	
	Floor	cement fiberboard		13.05		m²	
	Outsourcing decorative panels	Aluminum veneer + aluminum-plastic panel + white powder coating		24.075		mm	
	Windows	One set of fixed glass windows on the left and right sides (L1200*W800mm)		1.96		m²	
Marrie Same	Decorative wall panels	Integral wall panel (white) Bathroom wall panel: LD-43 (gray)		21.2625		m²	
	SPC Floor	SPC Floor decoration panels and pre-installation		13.05		m²	
Electrical and water pipe installation	Pre-installed	Pre-installed wiring + drainage system + lighting		1		m²	
	Electrical appliances	3-color ceiling light*8 Electrical box*1 Electrical switch*6		1		set	
	1	1				1	





		A6 Apple Cabin(Front	t glass rear wall	panel)				
						(1) (1) (2) (2) (2) (2) (2) (2) (2) (2) (2) (2		
		L5.8m*W2.25m*H2.45m (Fron	t glass rear wall p	oanel)				
	Structure	Descriptions	Dimens	sions(mm)		Unit	QTY	
	Structure	Galvanized square pipe steel structure frame	5800	2250	2450	mm		
	Ceiling	PVC Ceiling	13	3.05		m²		
	Electrical appliances	2 LED lights, switch, plug *3, electric control box		1		set		
Prefab House	Wall panels	Extruded plastic board	2	26.1		m		
	Glass walls/doors	Insulating glass aluminum alloy glass (door + wall)	1	3.05		m		
	Floor	Cement fiberboard	13	3.05		m²		
	Outsourcing decorative panels	Aluminum veneer + aluminum-plastic panel + white powder coating	37	7.125		mm		
	Windows	One set of fixed glass windows on the left & right sides (L1200*W800mm)	1	1.96		m		
Statem	Decorative wall panels	Integral wall panel (white) Bathroom wall panel: LD-43 (gray)	26	5.775		m²		
	SPC Floor	SPC Floor decoration panels and pre-installation	1:	3.05		m²		
Electrical & water pipe installation	Pre-installed	Pre-installed wiring + drainage system + lighting		1		m²		
	Electrical appliances	3-color ceiling light*8 Electrical box*1 Electrical switch*1		1		set		



Page 3/13

		Optional (the following goods are optional items	, customers can purchase by choosing)		
1 L	Shower				
3	Toilet	Integrated to	bilet	l pcs	
	Bathroom door	-			
	Kitchen cabinet	 Cabinet: plywood Back plate: Plywood Door plate: double-sided decorative panel Handle: 45° beveled edge Door hinge: DTC hinge Countertop: monochrome quartz stone 	1800*850*600mm	l pes	_
	Electric underfloor heating (Whole house, excluding bathing room)	By manual to control the button for turning on / turning off		1 set	_
	A/C	Range of use: 11-17m ² Air conditioning power: 1 horsepower		1 pcs	
A way and a second seco	Water heater	40L storage electric water heater For 2 people		l pcs	
	Bathroom cabinet	Bathroom cabinet Countertop basin Intelligent square mirror Slate countertop, environmental protection & health, stain resistance & antibacterial	1	l set	_
Mile	Sofa	Fabric sofa	1	1 set	
	Tea table	Indoor coffee table	1	l set	
	curtains	Curtains (whole house)	1	2 sets	
	Bed	Pine and plywood frame, high-density sponge filling, cotton and linen fabric, mattress	Double bed: 2.2m*1.8m	l set	
		·		·	









Page 5/13

A9 Apple Cabin (Front & rear glass)

			H. C				
	1	L8.5m*W2.25m*H2.45m (Fro	nt & rear gla	ss rear)		1	
	Structure	Descriptions	Dime	ensions (mn	1)	Unit	
	Structure	Thermally insulated sandwich panels, Galvanized steel structure with partition	8500	2250	2450	mm	
	Ceiling	PVC Ceiling		19.125		m²	
	Electrical appliances	2 LED lights, switch, plug *3, electric control box		1		set	
Prefab House	Wall panels	Extruded plastic board		30.15		m	
	Glass walls/doors	Insulating glass aluminum alloy glass (door + wall)		38.25		m²	
	Floor	Cement fiberboard		19.125		m²	
	Outsourcing decorative panels	Aluminum veneer + aluminum-plastic panel + white powder coating		30.15		mm	
	Windows	Left & right sides of living room with fixed glass windows (L1200*W800mm)		1.92		m²	
and State	Decorative wall panels	Integral wall panel (white) Bathroom wall panel: LD-43 (gray)		38.955		m²	
	SPC Floor	SPC Floor decoration panels and pre-installation		19.125		m²	
Electrical & water pipe installation	Pre-installed	Pre-installed wiring + drainage system + lighting		1		m²	
	Electrical appliances	3-color ceiling light*2 Electrical box*1 Electrical switch*1		1		set	
						•	

	Optio	nal (the following goods are optional item	s, customers can purchase by cho	oosing)	
	Shower				
3	Toilet	Integrated to	bilet	1 set	
	Bathroom door				
	Kitchen cabinet	 Cabinet: Splint (Plywood) Back plate: Splint (Plywood) Door panel: double-sided decorative panel Handle: 45° beveled edge Door hinge: DTC hinge Countertop: monochrome quartz stone 	1800*850*600mm	1 set	
	Electric underfloor heating (Whole house, excluding bathing room)	By manual to control the button for turning on / turning off		1 set	
2	A/C	Range of use: 11-17m ²	Air conditioning power: 1.5 hp	1 pcs	
Al Al	Water heater	40L storage electric water heater	For 2 people	1 pcs	
	Bathroom cabinet	Bathroom cabinet Countertop basin Intelligent square mirror Slate countertop, environmental protection and health, stain resistance and antibacterial	1	1 set	
MZ	Sofa	Fabric sofa	1	1 set	
	Coffee table	Indoor coffee table	1	1 set	
TIM	Curtains	Curtains (whole house)	1	2 sets	
	TV cabinet	Lacquered panel cabinet	1	1 set	
	Bed	Pine and plywood frame, high-density sponge filling, cotton and linen fabric, mattress	Double bed: 2.2m*1.8m	1 set	

Page 7/13



		L8.5m*W2.25m*H2.45m (Front			
	Structure	Descriptions	Dimensions(mm)	Unit	
	Structure	Thermally insulated sandwich panels, Galvanized steel structure with partition	8500 2250 2450	mm	
	Ceiling	PVC Ceiling	19.125	m²	
	Electrical appliances	2 LED lights, switch, plug *3, electric control box	1	set	
Prefab House	Wall panels	Extruded plastic board	49.275	m²	
	Glass walls/doors	Insulating glass aluminum alloy glass (door + wall)	19.125	m	
	Floor	Cement fiberboard	19.125	m²	
	Outsourcing decorative panels	Aluminum veneer + aluminum-plastic panel + white powder coating	49.275	mm	
	Windowns	Left & right sides of living room with fixed glass windows (L1200*W800mm)	1.92	m²	
thore a set pund than than	Decorative wall panels	Integral wall panel (white) Bathroom wall panel: LD-43 (gray)	38.955	m²	
	SPC Floor	SPC Floor decoration panels and pre- installation	19.125	m	
Electrical & water pipe installation	Pre-installed	Pre-installed wiring + drainage system + lighting	1	m²	
	Electrical appliances	3-color ceiling light*2 Electrical box*1 Electrical switch*1	1	set	

Image: Problem integrated TorumImage: Prob		Shower				
Image Image Image Image Image Image 1. Cabinet: Splint (Plywood) 1. Body PS50*600mm 1 pcs 1 Image 1. Image: Provide dege 1. Body PS50*600mm 1 pcs 1 Image 1. Image: Provide dege 1. Body PS50*600mm 1 pcs 1 Image: Provide dege 0. Counterforp: monochrome quate: stone 1. Set 1 1 Image: Provide dege 0. Counterforp: monochrome quate: stone Air conditioning power: 1.5 hp 1 pcs 1 Image: Provide dege 0. Counterforp: monochrome quate: stone Air conditioning power: 1.5 hp 1 pcs 1 Image: Provide dege 0. Counterforp: monochrome quate: stone Air conditioning power: 1.5 hp 1 pcs 1 Image: Provide dege 0. Storage electric water heater For 2 pcople 1 pcs 1 Image: Provide dege 1. Set 1. Set 1 1 1 Image: Provide dege 1. Set 1. Set 1 1 1 Image: Provide dege 1. Set 1. Set 1 1 1 Image: Provide dege 1. Set 1. Set <	3	Toilet	Integrated T	oilet	l set	
Ait characterization2. Back place: Splint (Plywood) 3. Door parely back is decomine panel 4. Handle: 45° bevelved edge 5. Countertop: monochrome quartz stone1800*850*600mm1 pcsImage: Ait characterizationBit marker is the but of the but on for turning on but ing offPy manual to control the but on for turning on turning off1 setImage: Ait characterizationAit conditioning power: 1.5 hp1 pcs1 pcsImage: Ait characterizationAit conditioning power: 1.5 hp1 pcsImage: Ait characterizationBathroom cabinet Countertop basin heteligent square mirror slate countertop, environmental protection and health, starn resistance and antibacterial ait denotes configent table1 setImage: Ait configent tableBathroom cabinet Countertop basin heteligent square mirror slate countertop, environmental protection and health, starn resistance and antibacterial1 setImage: Ait configent tableIndoor coffee table1 set1 setImage: Ait configent tableIndoor coffee table1 set1 setImage: Ait contrains (whole house)11 set </td <td></td> <td>Bathroom door</td> <td></td> <td></td> <td>[</td>		Bathroom door			[
Image: Section of the section of the button for turning on bouse, excluding bathing roomBymanual to control the button for turning on bouse, excluding bathing roomI setI setImage: Section of bouse, excluding bathing roomACRange of use: 11-17rrfAir conditioning power: 1.5 hpI pesImage: Section of bouse, excluding bathing room40L storage electric water heaterFor 2 peopleI pesImage: Section of bouse, excluding bathing room cabinet Countertop basin heating storage mirror share bather on cabinet Countertop basin and health, stain resistance and antibacterialI setI setImage: Section of bouse, excluding bathing room cabinet Countertop basin and health, stain resistance and antibacterialI setI setImage: Section of and health, stain resistance and antibacterialI setI setI setImage: Section of and health, stain resistance and antibacterialI setI setI setImage: Section of and health, stain resistance and antibacterialI setI setI setImage: Section of and health, stain resistance and antibacterialI setI setI setImage: Section of and health, stain resistance and antibacterialI setI setI setImage: Section of and health, stain resistance and antibacterialI setI setI setImage: Section of and health, stain resistance and antibacterialI setI setI setImage: Section of and resistance and antibacterialI setI setI setImage: Section of and resistance and antibacterialI setI setI setImage: Section of and resist		Kitchen cabinet	 Back plate: Splint (Plywood) Door panel: Double-sided decorative panel Handle: 45° beveled edge Door hinge: DTC hinge 	1800*850*600mm	l pcs	
Image: Constraint of the constra		underfloor heating (Whole house, excluding	/ turning off		1 set	
Image: Solution of the solutio		A/C	Range of use: 11-17m ²	Air conditioning power: 1.5 hp	1 pcs	
Bathroom cabinedIntelligent square mirror Slate countertop, environmental protection and health, stain resistance and antibacterial11 setImage: SofaSofaFabric sofa11setImage: SofaCoffee tableIndoor coffee table11 setImage: SofaCurtainsCurtains (whole house)11 setImage: SofaTV cabinetLacquered panel cabinet11 setImage: SofaPine and plywood frame, high-density spongeDouble bod; 2 mit 8 m1 set	Rever 13	Water heater	40L storage electric water heater	For 2 people	1 pcs	
SofaFabric sofa11 setImage: SofaCoffee tableIndoor coffee table11 setImage: SofaCurtainsCurtains (whole house)11 setImage: SofaTV cabinetLacquered panel cabinet11 setImage: SofaPine and plywood frame, high-density spongeDouble bed: 2 are 1 Sm1 set		Bathroom cabinet	Intelligent square mirror Slate countertop, environmental protection	1	1 set	
Image: Second	MZ .	Sofa	Fabric sofa	1	1 set	
Image:		Coffee table	Indoor coffee table	1	1 set	
Pine and plywood frame, high-density sponge Double hed: 2 2m*1 8m Least		Curtains	Curtains (whole house)	1	1 set	
Bed Pine and plywood frame, high-density sponge filling, cotton and linen fabric, mattress Double bed: 2.2m*1.8m 1 set		TV cabinet	Lacquered panel cabinet	1	1 set	[
	Runnin (Bed		Double bed: 2.2m*1.8m	1 set	

Page 9/13

		A12 Apple Cabin(F	ront & Rear gl	ass)				
	Structure	L11.5m*W2.25m*H2.45m Descriptions		ass) sions(mm)		Unit		
	Structure	Thermally insulated sandwich panels, Galvanized steel structure with partition	11500	2250	2450	mm		
	Ceiling	PVC Ceiling	2.	5.875		m²		
	Electrical appliances	2 LED lights, switch, plug *3, electric control box		1		set		
Prefab House	Wall panels	Extruded plastic board	1	1.025		m²		
	Glass walls/doors	Insulating glass aluminum alloy glass (door + wall)	5	1.75		m²		
	Floor	Cement fiberboard	2:	5.875		m²		
	Outsourcing decorative panels	Aluminum veneer + white powder coating	:	36.9		mm		
	Windows	Left & right sides of living room with fixed glass windows (L1200*W800mm)		1.92		m		
Straw 222.048 34 St Well	Decorative wall panels	Integral wall panel (white) Bathroom wall panel: LD-43 (gray)	33	.4425		m²		
	SPC Floor	SPC Floor decoration panels and pre-installation	2	5.875		m²		
Electrical and water pipe installation	Pre-installed	Pre-installed electrical wiring and drainage system		1		m²		
	Electrical appliances	3-color ceiling light*2 Electrical box*1 Electrical switch*1		1		set		
	1	1	L			<u> </u>	<u> </u>	

	(Optional (the following goods are optional ite	ems, customers can purchase by choosing	g)		
	Shower					
B	Toilet	Integrated	Toilet	1 set		
	Bathroom door	-				
	Kitchen cabinet	Cabinet: Splint (plywood) Back plate: Splint (Plywood) Joor panel: Double-sided decorative panel Handle: 45° beveled edge Door hinge: DTC hinge Countertop: monochrome quartz stone	1800*850*600mm	1 set		
	Electric underfloor heating (Whole house, excluding bathing room)	By manual to control the button for turning on / turning off		l set		
	A/C	Range of use: 11-17m ²	Air conditioning power: 1.5 hp	2 pcs		
A second	Water heater	40L storage electric water heater	For 2 people	1 pcs		
1	Bathroom cabinet	Bathroom cabinet Countertop basin Intelligent square mirror Slate countertop, environmental protection and health, stain resistance and antibacterial	1	1 set		
M2	Sofa	Fabric sofa	1	1 set		
	Coffee table	Indoor coffee table	1	1 set		
	Curtains	Curtains (whole house)	1	2 sets		
	TV cabinet	Lacquered panel cabinet	1	1 set		
	Bed	Pine and plywood frame, high-density sponge filling, cotton and linen fabric, mattress	Double bed: 2.2m*1.8m	1 set		
	1	•	·	•	•	

Page 10/13





	Structure	Descriptions	Dime	ensions(mn	1)	Unit	
	Structure	Thermally insulated sandwich panels, Galvanized steel structure with partition	11500	2250	2450	mm	
	Ceiling	PVC ceiling		25.875		m²	
	Electrical appliances	2 LED lights, switch, plug *3, electric control box		1		set	
Prefab House	Wall panels	Extruded plastic board		36.9		m²	
	Glass walls/doors	Insulating glass aluminum alloy glass (door + wall)	25.875			m	
	Floor	Cement fiberboard		25.875		m	
	Outsourcing decorative panels	Aluminum veneer + aluminum-plastic panel + white powder coating		62.775		mm	
	Windows	Left & right sides of living room with fixed glass windows (L1200*W800mm)	1.92			m²	
Boot grant g	Decorative wall panels	Integral wall panel (white) Bathroom wall panel: LD-43 (gray)	38.955		m²		
	SPC Floor	SPC Floor decoration panels and pre- installation		25.875		m²	
Electrical and water pipe installation	Pre-installed	Pre-installed electrical wiring and drainage system		1		m²	
	Electrical appliances	3-color ceiling light*2 Electrical box*1 Electrical switch*1		1		set	

1	Shower					
B	Toilet	Integrated T	Integrated Toilet			
	Bathroom door					
A.	Kitchen cabinet	 Cabinet: Splint (Plywood) Back plate: Splint (Plywood) Door panel: Double-sided decorative panel Handle: 45° beveled edge Door hinge: DTC hinge Countertop: monochrome quartz stone 	1800*850*600mm	1 set		
	Electric underfloor heating(Whole house, excluding bathing room)	By manual to control the button for turning on / turning off		1 set		
	A/C	Range of use: 11-17m ²	Air conditioning power: 1.5 hp	2 pcs		
	Water heater	40L storage electric water heater	For 2 people	1 pcs		
A AN	Bathroom cabinet	Bathroom cabinet Countertop basin Intelligent square mirror Slate countertop, environmental protection and health, stain resistance and antibacterial	1	1 set		
MZ	Sofa	Fabric sofa	1	1 set		
	Coffee table	Indoor coffee table	1	1 set		
	Curtains	Curtains (whole house)	1	1 set		
	TV cabinet	Lacquered panel cabinet	1	1 set		
	Bed	Pine and plywood frame, high-density sponge filling, cotton and linen fabric, mattress	Double bed: 2.2m*1.8m	1 set		