



2023  
**BIG DEALS**  
JULY/AUGUST

# TABLE OF CONTENTS

UNBELIEVABLE DEALS

3-20

NEW PRODUCTS AND VENDORS

21-54

## UNBELIEVABLE DEALS

Vendor	Page	Vendor	Page	Vendor	Page	Vendor	Page
Aero Race Wheels.....	3	Detroit Speed Engineering .....	10	Lokar .....	13	Reese .....	17
Aeromotive.....	3	Design Engineering.....	10	Lunati .....	14	Richmond.....	17
AFCO Racing Products.....	3	Deatschwerks .....	11	Magnaflow Perf Exhaust .....	14	Ridetech .....	17
AFe Power .....	3	Dynomax .....	11	March Performance.....	14	Rigid Industries.....	17
Air Flow Research.....	3	Edge Products.....	11	Mark Williams .....	14	Rjs Safety.....	17
Air Lift.....	3	Eibach.....	11	McLeod.....	14	Scat Enterprises .....	18
Allstar Performance .....	4-8	Fivestar .....	11	Meziere .....	14	Sealed Power .....	18
Alpinestars Usa.....	8	Flaming River .....	11	Mickey Thompson.....	14	Simpson Safety.....	18
American Racing Wheels.....	8	Flo-Tek .....	11	Momo Automotive Accessories.....	15	Sparco.....	18
ATI Performance .....	8	Flowmaster .....	11,12	Mr. Gasket .....	15	Total Seal .....	18
Autometer .....	8	Ford .....	12	MSD Ignition .....	15	Trans-Dapt .....	18
Baer Brakes .....	9	Fox Factory Inc .....	12	NGK.....	15	Tuff-Stuff .....	18
Bbk Performance.....	9	G-Force .....	12	Nitrous Express .....	15	Trick Race Parts.....	18
BD Diesel.....	9	Gibson Exhaust .....	12	Nitrous Oxide Systems .....	15	Ultra Shield .....	18
Bestop .....	9	Griffin .....	12	Northern Radiator .....	15	Vibrant Performance .....	19
Billet Specialties .....	9	Holley .....	12	Pac Racing Springs.....	15,16	Vision Wheel .....	19
Boostane .....	9	Hooker .....	12	Patriot Exhaust .....	16	Volant .....	19
Borla.....	9	Impact Racing.....	12,13	Penske Racing Shocks .....	16	Woelf Aircraft Products .....	19
Canton .....	9	Innovate Motorsports .....	13	Peterson Fluid .....	16	Weld Racing .....	19,20
Corsa Performance.....	9	Intercomp.....	13	Precision Shaft Technologies.....	16	Westin .....	20
Curt Manufacturing .....	10	JE Pistons .....	13	Pypes Performance Exhaust.....	16	Wilwood .....	20
Dart .....	10	Joes Racing Products.....	13	QA1 .....	16	Wiseco.....	20
Daystar Products International .....	10	KC Hilites .....	13	Quick Fuel Technology.....	16	Yukon Gear And Axle .....	20
Dee Zee .....	10	Kool Mat .....	13	Racepak .....	17	Zamp .....	20
Diablosport .....	10	Lecarra Steering Wheels.....	13	Ram Clutch.....	17		
Defender Race Bodies .....	10	Leed Brakes .....	13	Rancho .....	17		

## NEW PRODUCTS INDEX

Vendor	Page	Vendor	Page	Vendor	Page	Vendor	Page
Aeromotive .....	48	DRP Performance Products.....	37	LEED Brakes.....	24	<b>Schultz Racing Fuel Cells .....</b>	<b>34</b>
AFe Power .....	48	Eibach .....	31	Lifeline .....	43	Scribner.....	46
Aidan American .....	46	Energy Suspension .....	51	MagnaFlow .....	24	Sparco.....	45
Allstar Performance .....	54	Five Star Race Car Bodies.....	28,29	Mickey Thompson Tires .....	47	Stewart .....	46
Alpinestars.....	35	Flo-Fast .....	34	Moroso .....	49	Stilo.....	43
AMP Research .....	47	Flowmaster.....	50	MPD Racing.....	21	Sunoco Race Jugs .....	44
Bassett Wheel.....	33	Fluidyne.....	37	MSD Ignition .....	44	Sweet.....	46
BD Diesel.....	48	FTI Transmissions.....	48	MyLaps.....	42	Swift Springs .....	29
Bell Racing .....	33	<b>Haltech New! .....</b>	<b>53</b>	Odyssey Battery .....	51	Ti22 Performance .....	21
Bert Transmission.....	27	Hawk Brake.....	37	Outerwears .....	39	Tilton .....	27
Bilstein .....	36	Head Pro Tech .....	39	Peterson Fluid Systems.....	43	Total Power Battery .....	24
Brinn Transmission .....	24	Hellwig .....	47	PPM Racing Products .....	42	Triple-X Racing .....	22
Bushwacker .....	48	Howe Racing Enterprises .....	39	Pro Shocks .....	42	UMI Performance .....	52
Centerforce .....	47	IDIDIT .....	51	Proform .....	51	<b>Van-K Wheels.....</b>	<b>37</b>
Cold Air Inductions.....	49	Impact .....	39	PRW .....	43	Vintage Air .....	52
Coleman Racing Products .....	37	Intercomp .....	34	QA1 .....	44	VP Racing .....	43
<b>Corrosionx New Vendor! .....</b>	<b>25</b>	Joes Racing Products .....	40	Quartermaster .....	24	Wehrs Machine.....	32
<b>CSF Cooling.....</b>	<b>26-27</b>	Jones Racing Products .....	41	Rancho .....	50	Willys Carb And Dyno.....	33
Curt Manufacturing .....	49	K1 Race Gear.....	41	ReadyLIFT Suspension.....	23	Wilwood.....	30,31
D.U.I. Performance Distributors .....	37	KC Hilites .....	23	Ridetech .....	49	Winters .....	46
Design Engineering .....	23	Koni .....	39	S-A Books.....	22	Zamp .....	24
Dominator Race Products .....	38	Landrum Performance Springs.....	42	Schroth Racing .....	46		

## NEW VENDORS


















**CALL NOW! DON'T MISS OUT ON THESE UNBELIEVABLE DEALS!**  
LIMITED QUANTITIES AVAILABLE AT SPECIAL SALE PRICES

Description	Photo	Part No.	Price
<b>AERO RACE WHEELS</b>			
<b>Black Series 51 Spun Steel 15" x 10.5" Wheel</b> 15" x 10.5" wheels are black powder-coated steel, with a 5.00" backspace and 5 x 4.75 bolt pattern. Reinforced rim shell helps prevent wheel damage.		ARW51-104750-RF	
<b>AEROMOTIVE</b>			
<b>GM LS7 Fuel Rails</b> Fuel rail kit for GM LS7 includes full installation kit. Constructed of red anodized aluminum. Each.		AFS14142	
<b>Billet Fuel Rails - Edelbrock Victor - Ford</b> Edelbrock Ford Windsor fuel rail kit includes everything needed for installation. Red anodized aluminum. With -8AN inlet/-8AN outlet, sold each.		AFS14149	
<b>15-Gallon Aluminum Fuel Cell w/ 3.5 GPM Spur Gear Pump</b> Fuel cell has a 15-gallon capacity and measures 20" x 18" x 10" with -10AN O-ring outlet/-8AN return/-8AN vents. Includes 3.5 GPM brushless pump. Natural finish aluminum tank is E85/gas compatible.		AFS18370	
<b>Gen II Stealth Performance Tank for 1973-74 Nova</b> The silver powder-coated steel tank comes complete with the 340 lph fuel pump and fuel level sending unit pre-assembled. -6AN male outlet/ -6AN male return.		AFS18436	
<b>AFCO RACING PRODUCTS</b>			
<b>Precision Pinto Spindles 10°</b> Steel black oxide-coated spindles have a 10° pin and are reamed for AFC20036 ball joints. Pair.		AFC100173	
<b>Double Adjustable Shock for Pro Touring</b> Pro-touring series double-adjustable twin-tube shock features an 11" compressed/14.90" extended length, and natural threaded aluminum body. Each.		AFC3840C	
<b>AFE POWER</b>			
<b>Rebel Series 2-1/2" Axle-Back Exhaust System</b> Stainless steel exhaust system has 2-1/2" pipe and dual 4-1/2" black exhaust tips. Fits 2018-up Jeep Wrangler JL.		AFE49-48067-B	
<b>Momentum Cold Air Intake System w/ Dual Filter</b> Cold air intake system comes with both reusable dry and oiled filters. Black plastic body. For 2015 Chevy Corvette Z06.		AFE52-74202-1	
<b>Magnum FORCE Stage-2 Cold Air Intake</b> Cold air intake kit comes with reusable pre-oiled cotton filter. Black powder-coated aluminum body. Fits 2014-18 Cadillac/GM full-size SUVs/trucks.		AFE54-12332-GR	
<b>AIR FLOW RESEARCH</b>			
<b>Fabricated Aluminum Valve Covers for BBC w/ 18° Heads</b> Aluminum 18° big block Chevy valve covers feature a laser-etched AFR logo. Sold in pairs.		AFR6728	
<b>AIR LIFT</b>			
<b>LoadLifter 5000 Ultimate Air Spring Kit</b> Air spring kit comes with black powder-coated mounting brackets and all hardware needed. 5,000-lb. capacity. Fits rear of 2005-10 Ford full-size trucks.		AIR88397	
<b>LoadLifter 5000 Pro Series Air Spring Kit</b> Air spring kit comes with black powder-coated mounting brackets and all hardware needed. 5,000-lb. capacity. Fits rear of 2011-19 GM 2500/3500 series trucks.		AIR93338	
<b>LoadLifter 5000 Ultimate Pro Series Air Spring Kit</b> Air spring kit comes with black powder-coated mounting brackets and all hardware needed. 5,000-lb. capacity. Fits rear of 2015-20 Ford full-size trucks.		AIR94385	

















**CALL NOW! DON'T MISS OUT ON THESE  
UNBELIEVABLE DEALS!**  
LIMITED QUANTITIES AVAILABLE AT SPECIAL SALE PRICES

Description	Photo	Part No.	Price
<b>ALLSTAR PERFORMANCE</b>			
<b>Silver Multi-Grip Medium Aluminum Head Rivet, 250 Pack</b> 3/16" multi-grip aluminum mandrel rivets feature a grip range of 1/16"-5/8" and a 1/2" head. Natural aluminum finish, box of 250.		ALL18074	
<b>Silver Multi-Grip Medium Aluminum Head Rivet, 250 Pack</b> 3/16" multi-grip steel mandrel rivets feature a grip range of 1/16"-5/8" and a 1/2" head. Natural aluminum finish, box of 250.		ALL18086	
<b>Black Multi-Grip Large Head Rivet, 250 Pack</b> 3/16" multi-grip steel mandrel rivets feature a grip range of 1/16"-3/8" and a 9/16" head. Black painted finish, box of 250.		ALL18095	
<b>White Multi-Grip Large Head Rivet, 250 Pack</b> 3/16" multi-grip steel mandrel rivets feature a grip range of 1/16"-3/8" and a 9/16" head. White painted finish, box of 250.		ALL18096	
<b>Black Multi-Grip Large Head Rivet, 250 Pack</b> 3/16" multi-grip steel mandrel rivets feature a grip range of 1/2"-3/4" and a 9/16" head. Black painted finish, box of 250.		ALL18097	
<b>Red Small Head Rivet, 250 Pack</b> 3/16" small aluminum head, steel mandrel rivet has 3/8" O.D. and 1/4"-3/8" grip range. Red painted finish, box of 250.		ALL18120	
<b>Orange Small Head Rivet, 250 Pack</b> 3/16" small head aluminum mandrel rivet has 3/8" O.D. and 1/4"-3/8" grip range. Orange paint finish, box of 250.		ALL18137	
<b>Yellow Small Head Rivet, 250 Pack</b> 3/16" small head aluminum mandrel rivet has 3/8" O.D. and 1/4"-3/8" grip range. Yellow paint finish, box of 250.		ALL18139	
<b>Chevron Blue Large Head Aluminum Rivet, 250 Pack</b> 3/16" large head aluminum mandrel rivet has 5/8" O.D. and 1/4"-3/8" grip range. Chevron blue paint finish, box of 250.		ALL18177	
<b>1/8" Cleco Pins, 100 Pack</b> Steel Cleco pins feature a 1/8" diameter and work with thicknesses up to 1/4". Box of 100.		ALL18224	
<b>3/16" Aluminum Line Clamps, 50 Pack</b> Aluminum line clamps feature neoprene cushion to prevent abrasion and 3/16" mounting hole to secure wiring, hoses, and cables. Box of 50.		ALL18300-50	
<b>1" Steel Body Stud with Slot, 10 Pack</b> 1/4"-20 flush-mount bolts have a 1" O.D. beveled head for a smooth, finished appearance. Slotted head allows installation with a standard screwdriver. 1" length, 10 pack.		ALL18645	
<b>7/16" Oval Head Aluminum T-30 Torx Fastener, 10 Pack</b> Oval head aluminum torx fasteners have a 7/16" body and measure .500" length. Natural aluminum finish, 10 pack.		ALL19071	
<b>7/16" Steel Flush-Head Self-Ejecting Fasteners, 10 Pack</b> Flush-head self-ejecting fasteners have a 7/16" body and measure .550" length. Natural steel finish, 10 pack.		ALL19110	
<b>Round DOM Steel Tubing 1-1/2" x .083" x 4'</b> 4' round D.O.M. mild steel tubing features a 1-1/2" O.D. and .083" wall thickness. Each.		ALL22133-4	

**CALL NOW! DON'T MISS OUT ON THESE UNBELIEVABLE DEALS!**  
LIMITED QUANTITIES AVAILABLE AT SPECIAL SALE PRICES

Description	Photo	Part No.	Price
<b>ALLSTAR PERFORMANCE</b>			
<b>Mild Steel Round Tubing 1-1/2" x .095" x 4'</b> 4' round mild steel tubing features a 1-1/2" O.D. and .095" wall thickness. Each.		ALL22138-4	
<b>Mild Steel Round Tubing 1-5/8" x .120" x 4'</b> 4' round mild steel tubing features a 1-5/8" O.D. and .120" wall thickness. Each.		ALL22139-4	
<b>Steel Angle Stock 2" x 1/8" x 4'</b> 4' steel 90° angled stock is ideal for building projects around the shop or creating supports when needed. Stock measures 2" x 2" x 1/8". Natural steel finish. Each.		ALL22158-4	
<b>Square Mild Steel Tubing 1" x .083" x 4'</b> 4' mild steel tubing is 1" square and features .083" wall thickness. Natural steel finish. Each.		ALL22169-4	
<b>Steel Screen 2' x 2' with 1" x 1" Squares</b> Wire screen is electrically welded .080" dia. galvanized steel and measures 2' x 2' overall with 1" x 1" squares. Each.		ALL22276	
<b>Steel Screen 2' x 2' with 1" x 2" Rectangles</b> Wire screen is electrically welded .080" dia. galvanized steel and measures 2' x 2' overall with 1" x 2" squares. Each.		ALL22277	
<b>Red Plastic Roll 50' x 24"</b> Red 50' HDPE rolled plastic is 24" wide by .070" thick and is commonly used for spoilers, skirts, and body patchwork. Each.		ALL22412	
<b>4' x 8' Black Plastic Sheet</b> 4' x 8' black HDPE plastic sheet features .100" thickness and is commonly used for spoilers, skirts, and body patchwork. Each.		ALL22461	
<b>4' x 8' Red Plastic Sheet</b> 4' x 8' red HDPE plastic sheet features .100" thickness and is commonly used for spoilers, skirts, and body patchwork. Each.		ALL22462	
<b>4' x 8' Orange Plastic Sheet</b> 4' x 8' orange HDPE plastic sheet features .100" thickness and is commonly used for spoilers, skirts, and body patchwork. Each.		ALL22465	
<b>Flexible Body Brace</b> Flexible brace is made from black plastic, extends from 9" to 31" and may be cut to fit shorter applications. Aluminum brackets are adjustable for multiple angles. Each.		ALL23075	
<b>Body Brace Rod Only</b> Replacement flexible body brace rod for ALL23080 body brace kit measures 33" long. Black. Each.		ALL23081	
<b>Remote Mount LS Coil Brackets</b> Designed for remote mounting LS Coils. Black anodized billet aluminum brackets include stainless hardware and standoffs for easy removal. Fits Fit Delco D580, LS1/LS6 Coils. Pair.		ALL26216	
<b>5/16"-18 Carb Hold-Down Nuts, 4 Pack</b> 5/16"-18 coarse-thread carb hold-down nuts can be applied or removed easily with 1/4" extension. Black oxide coated. Set of 4.		ALL26324	
<b>5/16"-24 Carb Hold-Down Nuts, 4 Pack</b> 5/16"-24 fine-thread carb hold-down nuts can be applied or removed easily with 1/4" extension. Black oxide coated. Set of 4.		ALL26326	















**CALL NOW! DON'T MISS OUT ON THESE  
UNBELIEVABLE DEALS!**  
LIMITED QUANTITIES AVAILABLE AT SPECIAL SALE PRICES

Description	Photo	Part No.	Price
<b>ALLSTAR PERFORMANCE</b>			
<b>15" 6-Blade Aluminum Fan</b> Heavy-duty, 27° 6-blade 16" dia. fan with aluminum blades and steel hub features a universal bolt pattern and 5/8" pilot hole. Black painted finish. Each.		ALL30096	
<b>17" 6-Blade Aluminum Fan</b> Heavy-duty, 27° 6-blade 17" dia. fan with aluminum blades and steel hub features a universal bolt pattern and 5/8" pilot hole. Black painted finish. Each.		ALL30097	
<b>19" 4-Blade Steel Fan</b> High-RPM, 32° 4-blade 19" dia. fan features a universal bolt pattern and riveted reinforcement plates for added strength. Black painted finish. Each.		ALL30101	
<b>15" 6-Blade Steel Fan</b> Heavy-duty, 27°, 6-blade 15" dia. steel fan features a universal bolt pattern and 5/8" pilot hole. Black painted finish. Each.		ALL30102	
<b>17" 6-Blade Steel Fan</b> Heavy-duty, 27° 6-blade steel 17" dia. fan features a universal bolt pattern and 5/8" pilot hole. Black painted finish. Each.		ALL30103	
<b>15" 4-Blade Steel Fan</b> Steel high-RPM 32° 4-blade 15" dia. fan features a universal bolt pattern and riveted reinforcement plates for added strength. Black painted finish. Each.		ALL30104	
<b>18" 4-Blade Steel Fan</b> Steel high-RPM 32° 4-blade 18" dia. fan features a universal bolt pattern and riveted reinforcement plates for added strength. Black painted finish. Each.		ALL30105	
<b>Polished Straight Water Neck</b> Polished aluminum straight water neck has a 1-1/2" I.D., and includes O-ring and two chrome-plated socket-head screws. Fits most Chevy V8's. Each.		ALL30172	
<b>75° Polished Swivel Water Neck</b> Polished aluminum one-piece fixed water neck has a 1-1/2" I.D. and includes O-ring and two chrome-plated socket head screws. Fits most Chevy V8's. Each.		ALL30173	
<b>Brake Caliper for 1973-77 Big GM</b> Stock-style single-piston caliper is a perfect replacement for most GM vehicles and fits up to 1" wide rotors. Caliper features 2.813" bore, 7.060" floating mount. Cast iron with a natural finish. RH. Each.		ALL42081	
<b>12mm-1.25 Steel Lug Nuts, 20 Pack</b> Steel lug nuts feature 12mm x 1-1/2" metric thread, 1" diameter to prevent pull-through, and 45° tapered seat. Zinc oxide-coated. Box of 20.		ALL44103-20	
<b>Lower Press-In Low Friction Ball joint</b> Greaseable steel press-in lower ball joint features hardened standard pin with 2" of taper. Low friction design. Natural finish. Each.		ALL56027	
<b>Steel Torque Absorber</b> Steel torque absorber may be used as the upper third link, right rear trailing arm, or Panhard bar to increase traction. Measures 7-1/2" between jam nuts and 10-3/8" end-to-end. Cadmium-plated finish. Each.		ALL56165	
<b>Left-Hand Tubular Lower Control Arm for 1968-72 Chevelle</b> Flat bottom driver's side lower control arm for use with press-in ball joints. Black powder-coated steel. For 1964-72 GM A-body. Each.		ALL56321	
<b>Single-Shaft Bushing-Style Pull Bar</b> Single-shaft bushing-style pull bar measures 15-1/2" long overall and includes two blue/one red poly bushings. Steel. Each.		ALL56364	
<b>Dual-Shaft Bushing-Style Pull Bar</b> Dual-shaft bushing style pull bar measures 19-1/2" long overall and includes one blue/one yellow/one red poly bushings. Steel. Each.		ALL56365	

**CALL NOW! DON'T MISS OUT ON THESE  
UNBELIEVABLE DEALS!**  
LIMITED QUANTITIES AVAILABLE AT SPECIAL SALE PRICES

Description	Photo	Part No.	Price
<b>ALLSTAR PERFORMANCE</b>			
<b>Upper Link Chassis Bracket</b> Weld-on bracket has curved 3/4" slots to maintain pinion angle as the 3rd link is raised or lowered. Bracket is notched for 1-3/4" round tubing and is 3/16" thick. Each.		ALL60065	
<b>3" Clamp-On Slotted Bracket</b> Steel bracket clamps on 3" axle tube for attachment of coil-over shocks and trailing arms. 2" slotted bracket includes hardware and Nyloc nuts. Black powder-coated finish. Each		ALL60135	
<b>Quick Change Panhard Bar Mount</b> Bolt-on Panhard bar mount is double-adjustable with black anodized aluminum finish. Designed by Scott Bloomquist. Each.		ALL60280	
<b>Quick Pin Lock Collar for 5/8" Pin</b> Steel 5/8" quick-release lock collar provides a positive lock for quick release pins. Black oxide-coated collar with 1/4"-28 button-head machine screw. Each.		ALL60336	
<b>5/8" Shock Spacers</b> Steel shock spacers measure 1/2" I.D. x 3/4" O.D. and are 5/8" thick. Zinc-oxide finish. Pair.		ALL64283	
<b>Aluminum Upper QC Lift Bar Brackets w/ 5/8" Hole</b> Aluminum upper quick-change bracket with 5/8" holes. Brackets mount to quick-change rear ends and accept most popular lift bars. Pair.		ALL68317	
<b>Aluminum Upper QC Lift Bar Brackets w/ 3/4" Hole</b> Aluminum upper quick-change bracket with 3/4" holes. Brackets mount to quick-change rear ends and accept most popular lift bars. Pair.		ALL68318	
<b>1-1/8" Lower Control Arm Limit Clamp</b> 2-piece suspension limiter chain clamp attaches to 1-1/8" O.D. lower control arm to provide a lower mounting point for a suspension limit chain. Black powder-coated finish. Each.		ALL68341	
<b>Pinion Yoke Wrench</b> Pinion yoke wrench works with 1/2" or 3/4" drive. For use on AMC, Dana, Ford, and GM yokes. Natural steel. Each.		ALL68372	
<b>Ring &amp; Pinion for Ford 9" 4.11</b> Ring and pinion set with 4.11 ratio and 28-spline pinion. Fits Ford 9" rear end.		ALL70016	
<b>Ring &amp; Pinion for GM 7.5" 10-bolt</b> Ring and pinion set with 4.10 ratio and 27-spline pinion. For GM 7.5" 10-bolt rear end.		ALL70117	
<b>Bolt-On Battery Box</b> 13-gauge steel battery box measures 11" x 7" and features multiple 1/2" mounting holes for added installation flexibility. Clear zinc finish.		ALL76102	
<b>4-Panel Full View Mirror</b> 4-panel mirror offers greater viewing capabilities over standard mirrors to help eliminate blind spots, 27-3/4" long. Black plastic. Each.		ALL76404	
<b>5-Panel Full View Mirror</b> 5-panel mirror offers greater viewing capabilities over standard mirrors to help eliminate blind spots, 34-3/4" long. Black plastic. Each.		ALL76405	
<b>Aluminum Timing Cover for Big Block Chevy</b> Polished cast aluminum 1-piece timing cover for big block Chevy engines resists warping and leaking that is common with OE-style stamped steel covers. Each.		ALL90009	
<b>Small Block Chevy Lifter Valley Vents, 8 Pack</b> Small block Chevy lifter valley vents have 1/4"NPT threads and a 9/16" hex head to ease installation. Clear anodized finish. Package of 8.		ALL90065	












**CALL NOW! DON'T MISS OUT ON THESE  
UNBELIEVABLE DEALS!**  
LIMITED QUANTITIES AVAILABLE AT SPECIAL SALE PRICES

Description	Photo	Part No.	Price
<b>ALLSTAR PERFORMANCE</b>			
<b>Small Block Chevy Pushrod Guide Plates</b> Guide plates are designed for 5/16" hardened pushrods and stabilize valvetrains using high-lift camshafts and high-pressure valve springs. Black oxide finish. Package of eight.		ALL90250	
<b>8-Point Roll Bar Kit for 1979-93 Ford Mustang/Capri</b> 8-point roll bar kit for 1979-93 Ford Mustang/Capri features 1-3/4" dia. tubing with .134" walls. Natural finish steel. Kit.		ALL22610	
<b>Main Hoop for 8-Point Roll Bar Kit for 1979-93 Ford Mustang/Capri</b> Main hoop assembly for ALL22610 8-point 1979-93 Ford Mustang/Capri roll cage kit. Natural finish steel. Each.		ALL99610	
<b>Replacement Fasteners for ALL44168 Mud Cover, 3 Pack</b> Aluminum quick-turn fasteners for ALL44168 mud covers. Clear anodized finish. Set of 3.		ALL99165	
<b>Replacement Fasteners for ALL44169 Mud Cover, 3 Pack</b> Aluminum quick-turn fasteners for Weld style mud covers. Clear anodized finish. Set of 3.		ALL99187	
<b>Replacement Fasteners for Wheel Rings, 3 Pack</b> Slotted aluminum oval-head quick-turn fasteners with 7/16" x 1/2" body for 3-fastener wheel rings. Set of 3.		ALL99338	
<b>ALPINESTARS USA</b>			
<b>Knoxville V2 Racing Suit Black Small/Medium</b> New and improved racing suit features a boot-cut design. Fire-retardant suit is SFI 3.2A/5 rated. Black in Small/Medium size.		ALP3355921-12-50	
<b>Knoxville V2 Racing Suit Mid-Grey/Black XX-Large</b> New and improved triple-layer racing suit features a boot-cut design. Fire-retardant suit is SFI 3.2A/5 rated. Grey/black in XX-Large size.		ALP3355921-971-64	
<b>AMERICAN RACING WHEELS</b>			
<b>Baja Satin Black 17" x 8" Wheel</b> Baja 17" x 8" aluminum wheel has a 4.50" backspace and 6 x 5.5" bolt pattern. Satin black anodized finish. Each.		AMRAR1727883B	
<b>Classic Torq Thrust II 20" x 10" Mag Gray Wheel</b> Torq Thrust II 20" x 10" mag-style aluminum wheel with machined lip has 5.740" back space and 5 x 127 mm bolt pattern. Gray anodized finish. Each.		AMRVN2152173	
<b>ATI PERFORMANCE</b>			
<b>Damper Shell Assembly w/Chevy Front</b> Harmonic balancer shell measures 7.074" O.D., aluminum, internally balance, and is SFI 18.1 rated. Each.		ATI917000	
<b>SBC 7.074 Harmonic Damper</b> Small block Chevy steel harmonic balancer measures 7.074" O.D., is internally balanced, and is SFI 18.1 rated.		ATI917783K	
<b>AUTOMETER</b>			
<b>3-3/8" American Muscle Speedometer 160MPH</b> American muscle-style speedometer has 160 mph analog range with programmable easy-to-calibrate feature. Brushed finish with black face, 3-3/8" dia.		ATM1288	
<b>2-1/16" Boost Gauge - 0-60psi</b> Ford factory match mechanical boost gauge reads up to 60 psi. Black face, 2-1/16" dia.		ATM8405	

**CALL NOW! DON'T MISS OUT ON THESE  
UNBELIEVABLE DEALS!**  
LIMITED QUANTITIES AVAILABLE AT SPECIAL SALE PRICES

Description	Photo	Part No.	Price
<b>BAER BRAKES</b>			
<b>Performance Slotted and Drilled Rotors</b> Rotors are slotted, drilled, and zinc plated for sports performance. 12.01" Dia. 1.03" thick. 5 x 120mm bolt pattern. Pair.		BAE55045-020	
<b>BBK PERFORMANCE</b>			
<b>Coated Shorty Headers for 1997-03 Ford F150 w/ 4.6L</b> BBK Performance shorty headers have 1-5/8" primaries and a polished ceramic finish. For 1997-03 Ford full-size SUV/truck. Pair.		BBK35150	
<b>Varitune Axle-Back Exhaust System for 2011-14 Mustang GT</b> Varitune exhaust kit can change from one to three chambers with the turn of a wrench. 2-3/4" stainless steel pipe with 4" dia. brushed stainless tips.		BBK41015	
<b>GM High-Flow Billet Aluminum Fuel Rail Kit</b> High-flow billet aluminum fuel rails for GM 5.7L LS1 with -6AN female inlet/outlets. Red anodized finish. All hardware included.		BBK5018	
<b>BD DIESEL</b>			
<b>Lift Pump Kit for 2003-04 Dodge w/ 5.9L</b> OEM bypass lift pump kit for 2003-04 Dodge Cummins. Zinc oxide finish.		BDD1050227	
<b>BESTOP</b>			
<b>Core Door for 2007-18 Jeep Wrangler JK</b> Passenger side core door fits 2007-18 Jeep Wrangler JK. Aluminum/plastic. Gray. Each.		BES587.30	
<b>BILLET SPECIALTIES</b>			
<b>20" x 8.5" Speedway Wheel</b> Billet Specialties 20" x 8.5" Speedway wheel has 5-1/2" backspace and 5 x 5 bolt pattern. Gray anodized aluminum with titanium center. Each.		BSPAC39023	
<b>BOOSTANE</b>			
<b>Premium-Octane Boost Case of (30) 16-oz. Bottles</b> BOOSTane Premium fuel additive for low-compression or 2-stroke engines. Case of (30) 16-oz. bottles.		B00OCT16PRE30	
<b>BORLA</b>			
<b>PROXS T-304 Stainless Oval Performance Muffler</b> ProXS muffler has 19" x 5 x 9-1/2" oval body with 2-1/2" dual outlets, and 3" center inlet. 23" overall length, stainless steel natural finish. Each.		BOR40349	
<b>CANTON</b>			
<b>1964-72 Chevelle BBC 8qt. T-Sump Style Oil Pan</b> Canton steel 8qt oil pan with "T" sump for big block Chevy. Clear zinc finish. 9" pan depth.		CAN15-350	
<b>Oil Cooler Thermostat</b> Thermostat is designed to bypass the cooler until the oil reaches 215°F. 1-1/16"-12 inlet/outlet. Black anodized aluminum finish. Each.		CAN22-480	
<b>CORSA PERFORMANCE</b>			
<b>Cat-Back Dual Rear Exit Exhaust System for 2019-21 Ram Trucks</b> Corsa Performance dual rear exit exhaust system with stainless 3" dia. pipe and single dual-wall 5" flat cut tips. Fits 2019-21 5.7L Ram full-size trucks.		COR21035BPC	
<b>PowerCore Air Intake w/ Filter for 2009-14 GM Full-Size Trucks/SUVs</b> PowerCore closed box cool air intake kit includes maintenance free filter and allows for easy bolt-in installation. Black plastic. For 2009-14 GM full-size SUV/Trucks.		COR44906	














**CALL NOW! DON'T MISS OUT ON THESE UNBELIEVABLE DEALS!**  
LIMITED QUANTITIES AVAILABLE AT SPECIAL SALE PRICES

Description	Photo	Part No.	Price
<b>CURT MANUFACTURING</b>			
<b>Class III Receiver Hitch for 2019-22 Subaru Ascent</b> Curt class 3 trailer hitch with 2" receiver. 5000 lb. max trailer weight, 675 lb. tongue weight. Black powder-coated finish. For 2019-22 Subaru Ascent. Kit.		CUR13400	
<b>TruTrack Trunnion Bar Weight Distribution Hitch Kit</b> Unit has a 10,000-lb. GVW and 1,000-lb. TW capacity. Kit includes hitch bar, formed steel head, 2-5/16" trailer ball, hitch pin, trunnion spring bars, and adjustable support brackets. Kit.		CUR17500	
<b>DART</b>			
<b>Pro-1 Cylinder Head for Big Block Chevy</b> Aluminum BB Chevy CNC-ported Pro 1 cylinder heads feature 2.30" intake/1.88" exhaust valves, 335cc intake runner, and 121cc chamber. Each.		DRT19474030	
<b>Little M Iron Block for Small Block Chevy 9.025" 4.125"/400</b> Dart SB Chevy "Little M2 Sportsman" cast iron engine block features 9.025" deck ht., 4.125" cyl. bore, and 2.65" main dia. Ductile iron main caps. Each.		DRT31192211	
<b>DAYSTAR PRODUCTS INTERNATIONAL</b>			
<b>Kevlar Body Mounts for 1999-18 Ford F250</b> Kevlar infused polyurethane body mount bushings for 1999-18 Ford full-size trucks. Kit.		DASKF04050KV	
<b>DEE ZEE</b>			
<b>4" Oval Step Bars</b> Polished 4" oval stainless step bars for 2004-19 GM full-size Crew Cab pickups, all mounting hardware included. Pair.		DZZ372537	
<b>DIABLOSPORT</b>			
<b>Diablo Sport Trinity 2 MX Performance Programmer</b> Diablo Trinity 2 MX Programmer Kit features a 5" LCD touch screen for monitoring, high-speed data logging, and the ability to read and clear DTCs. Kit.		DBL9050	
<b>Diablo Sport Trinity 2 EX Performance Programmer</b> Diablo Trinity 2 EX Programmer features a 5" LCD touch screen for monitoring, high-speed data logging, and offers prebuilt tunes for mileage, towing, and performance. Kit.		DBL9400	
<b>DEFENDER RACE BODIES</b>			
<b>White Fiberglass Dirt Late Model Roof</b> White fiberglass composite 45" x 46" roof fits Dirt Late Models.		DRB1550F	
<b>Black Fiberglass Dirt Late Model Roof</b> Black fiberglass composite 45" x 46" roof fits Dirt Late Models.		DRB1550F-06	
<b>DETROIT SPEED ENGINEERING</b>			
<b>Dash Insert w/o Stock Heater Control for 1969 Camaro</b> Steel gauge mounting panel fits 1969 GM F-Body. Natural finish. Each.		DSE010401VDS	
<b>Offset Shackles for 1967-81 F-Body/1968-74 X-Body</b> Black anodized aluminum 1-3/4" offset spring shackles fits the 2-1/2" wide springs used on 1967-81 F-body/1968-74 X-body. Kit.		DSE040901DS	
<b>DESIGN ENGINEERING</b>			
<b>Wrangler JL 4-Door Black Headliner (9-piece Kit)</b> Sound barrier foam headliner reduces noise levels 3-4 decimals and has self-adhesive backing. For use in 2018-22 Jeep Wrangler JL.		DSN50168	

**CALL NOW! DON'T MISS OUT ON THESE  
UNBELIEVABLE DEALS!**  
LIMITED QUANTITIES AVAILABLE AT SPECIAL SALE PRICES

Description	Photo	Part No.	Price
<b>DEATSCHWERKS</b>			
<b>DW440 In-Tank Brushless Fuel Pump with Controller and Install Kit</b> In-tank brushless fuel pump with PWM C103 controller delivers 440 LPH at 40 PSI. Fits 2016-up Chevy Camaro.		DWK9-442-C102-0902	
<b>DYNOMAX</b>			
<b>SS Cat Back Exhaust for 2012-15 Wrangler 3.6L</b> Ultra Flo Evolution Competition Cat-Back System is made with polished stainless steel, 2-1/2" dia. tubing, and has a turn down tip. Kit.		DYN39522	
<b>EDGE PRODUCTS</b>			
<b>Pulsar Tuning Module for 2015-18 Dodge Ram 1500 6.4L</b> Pulsar tuning module improves fuel economy, performance, and towing capabilities. For 2015-18 Dodge Ram 6.4L Hemi trucks. Each.		EDG32452	
<b>EIBACH</b>			
<b>PRO-KIT Performance Springs</b> Performance springs for 2017-20 Tesla 3 Long Range RWD. Front springs lower ride height 1", rear lowered 1.1". Black powder-coated finish. Set of 4.		EIBE10-87-001-01-22	
<b>FIVESTAR</b>			
<b>White Composite Short Track Truck Hood</b> White composite hood for short track truck body. Each.		FIV21001-33011-W	
<b>White Fender LMSC Plastic Right</b> White passenger side fender for Late Model Stock Car. Each.		FIV662-24-WR	
<b>FLAMING RIVER</b>			
<b>1994-04 Mustang Collapsible Shaft</b> High-performance telescoping steering shaft kit for 1994-04 Mustang with manual steering. Nickel-plated steel. Each.		FLAFR1509M	
<b>Stainless Steel Braided Hose Kit</b> Stainless steel braided power steering hose kit for remote reservoir to original Ford style pump.		FLAFR1610-F	
<b>Power Rack &amp; Pinion Cradle System for 1967-70 Mustang</b> Power rack and pinion cradle kit for 1967-70 Ford Mustang. Includes wiring connector, hardware, universal joint, P/S pump with bracket, pulley, and mounting reservoir.		FLAFR300NP1	
<b>FLO-TEK</b>			
<b>Assembled Aluminum Cylinder Head for BBC</b> Assembled aluminum cylinder head features 2.30"/1.88" valves, 360cc intake runner, 1.530" springs, and 112cc chamber volume. For Big Block Chevy. Each.		FTC360-600	
<b>FLOWMASTER</b>			
<b>American Thunder Crossmember-Back Exhaust System</b> Complete exhaust system for 1968-70 Mopar V8 B-body. Made from 3" aluminized steel tubing, features Super 40 series performance mufflers. Kit.		FL017382	
<b>Flowfx Cat-Back Exhaust System</b> Stainless 2-1/2" exhaust kit for 2015-2020 Ford F-150 with 2.7L/3.5L, 3.5L TiVCT or 5.0L engine. Super 40 series performance mufflers, 4" tips, kit.		FL0717785	
<b>American Thunder Cat-Back Exhaust System</b> Stainless 2-1/2" exhaust kit for 2009-2021 Toyota Tundra with 4.6L, 4.7L, or 5.7L engine. Super 40 series performance mufflers, dual 3-1/2" tips, kit.		FL0817664	














**CALL NOW! DON'T MISS OUT ON THESE  
UNBELIEVABLE DEALS!**  
LIMITED QUANTITIES AVAILABLE AT SPECIAL SALE PRICES

Description	Photo	Part No.	Price
<b>FLOWMASTER</b>			
<b>Outlaw Cat-Back Exhaust System for 2009-14 Ford Trucks</b> Stainless 3" exhaust kit for 2009-2014 Ford F-150 with 4.6L, 5.0L, or 5.4L engine. 4" black ceramic-coated stainless tips, kit. Emissions legal.		FL0817691	
<b>Outlaw Cat-Back Exhaust System for 2004-08 Ford Trucks</b> Stainless 3" exhaust kit for Fits 2004-2008 Ford F-150 with 4.6L or 5.4L engine. Super 10 muffler, 4" black ceramic-coated stainless tips, kit. Emissions legal.		FL0817696	
<b>FORD</b>			
<b>Oil Pump 5.0L TI-VCT Gerotor Style</b> Ford Performance gerotor-style internal oil pump for 2011-17 5.0 TI-VCT. Each.		FRDM6600-50CJ	
<b>FOX FACTORY INC</b>			
<b>2.0 Track Steel Shock Absorbers with Seal Screw</b> 2.0 Track steel monotube shock features C2.5-R7 valving and a 13.20" compressed/20.40" extended length. Zinc-plated. 2" O.D. Each.		FOX983-95-537-25	
<b>G-FORCE</b>			
<b>Nova Large White Helmet</b> White Nova full-face helmet meets Snell SA2020 standards. Helmet includes a Kevlar chin strap, polycarb shield, and head-and-neck restraint anchors. Large. Each.		GFR16004LRGWH	
<b>GIBSON EXHAUST</b>			
<b>Ceramic-Coated Performance Header</b> Headers with 1-1/2" primaries are factory replacements for 2007-11 Jeep Wrangler JK 3.8L. Made of ceramic-coated stainless steel 16-gauge tubing. Pair.		GIBGP403S-C	
<b>GRIFFIN</b>			
<b>Direct Fit Radiator for 1965-80 Mopar</b> Direct-fit aluminum radiator measures 26-1/2"W x 18-11/16"H x 3"D, with passenger side inlet, driver side outlet. For 1965-80 Mopar.		GRI8-00038	
<b>HOLLEY</b>			
<b>750CFM Ultra Double Pumper Carburetor</b> Ultra Double Pumper 4-barrel carburetor flows 750 CFM, features a square bore, electric choke, mechanical secondary, and dual inlets. Gray/black finish. Each.		HLY0-76750HB	
<b>470CFM Off-Road Truck Avenger Carburetor</b> Off-Road Truck Avenger 4-barrel carburetor flows 470 CFM, features a square bore, electric choke, vacuum secondary, and single inlet. Chromate finish. Each.		HLY0-90470	
<b>EFI 4150 Super Sniper 1250 Kit w/8 Injectors</b> 1250 HP forced induction Sniper EFI 4-barrel fuel injection conversion kit includes handheld EFI monitor. Self-tuning. Aluminum with gold anodized finish. Each		HLY550-517	
<b>Sniper EFI Xflow 1375</b> Sniper EFI Xflow flows 900 CFM, allowing it to support up to 1375HP with forced induction, and features eight 120 lb/hr fuel injectors. Classic gold finish. Each.		HLY550-546	
<b>HOOKEE</b>			
<b>LS1 Block Hugger Headers</b> Super competition block hugger headers for GM LS-1 feature 1-5/8" primaries and 2-1/2" collectors. Black painted steel. Pair.		HKR2312	
<b>IMPACT RACING</b>			
<b>Super Charger Helmet</b> White Super Charger series full-face helmet meets Snell SA2020 standards. HANS ready. Includes chin bar and forehead/crown/rear vents for added ventilation. Each.		IMP17020309	

**CALL NOW! DON'T MISS OUT ON THESE UNBELIEVABLE DEALS!**  
LIMITED QUANTITIES AVAILABLE AT SPECIAL SALE PRICES

Description	Photo	Part No.	Price
<b>IMPACT RACING</b>			
<b>Racer 2020 Racing Suit—Medium, Black</b> Racer 2020 Nomex double-layer 1-piece driving suit meets SFI 3.2A/5 standards. Lightweight boot-cut design w/ full-floating arm gussets. Black. Size medium. Each.		IMP24219410	
<b>Redline Drag Gloves Medium in Black</b> Double-layer nomex/suede driving gloves meet SFI 3.3/20 standards for safety. Black, size medium. Pair.		IMP37500410	
<b>INNOVATE MOTORSPORTS</b>			
<b>PSN-1 PowerSafe Nitrous Bottle Pressure/Wideband Gauge Kit</b> PSN-1 digital gauge combines the ability to calibrate O2 sensors with an all-in-one nitrous safety override and wideband AFR gauge. 0-1500 PSI. Each.		INN38930	
<b>INTERCOMP</b>			
<b>SW 500 E-Z Cabled Scale System</b> Electric vehicle scale features (4) 15" billet aluminum 1500-lb. capacity scale pads, 9-volt rechargeable battery, cable indicator, and case. Two-year warranty. Kit.		INT170125	
<b>JE PISTONS</b>			
<b>23° Dome Pistons for SB Chevy 350—4.040"</b> Forged pistons for 4.040" bore with +11cc dome and 1/16" top, 1/16" second, and 3/16" ring grooves. Set of 8 includes wrist pins and double spiral locks.		JEP182006	
<b>23° Dome Pistons for SB Chevy 400—4.123"</b> Forged pistons for 4.123" bore with +12.9cc and 1/16" top, 1/16" second, and 3/16" ring grooves. Set of 8 includes wrist pins and double spiral locks.		JEP182063	
<b>JOES RACING PRODUCTS</b>			
<b>Tubular 7.75" Control Arm for Screw-In Ball Joint</b> Tubular 7.75" control arm with 10° screw-in ball joint sleeve and slotted bearing-style aluminum cross shaft. Each.		JOE15495-SLB	
<b>KC HILITES</b>			
<b>Pro6 Gravity LED 8-Light Bar System</b> Gravity 50" light bar pro offers an 8-light white LED 160-watt combo beam. Black powder-coated aluminum housing. Fits 2007-16 Jeep Wrangler JK. Each.		KCH91313	
<b>KOOL MAT</b>			
<b>Koolmat Insulation 30" x 96"</b> Koolmat insulation heat barrier is made from fiberglass cloth with silicone backing to reduce heat build-up by up to 75%. 30" x 96". Gray. Each		KO007061	
<b>LECARRA STEERING WHEELS</b>			
<b>Mark 40 Unpainted Steering Wheel w/ Plastic Grip</b> Mark 40 15" steering wheel, 2-spoke style, unpainted black steel with plastic grips. 1-1/2" dish. Each.		LEC74000	
<b>LEED BRAKES</b>			
<b>7" Dual Reservoir Booster/Master Cylinder for 1967-72 Chevy Trucks</b> Power brake booster/master cylinder kit with dual integral reservoirs and dual diaphragm. 7" diameter with 1-1/8" bore. Zinc-plated finish. Fits 1960-72 GM trucks. Kit.		LEE761	
<b>LOKAR</b>			
<b>LED Taillights—Small</b> LED polished aluminum standard taillights, 2-3/4" x 5-1/2". Universal. Pair.		LOKTL-1910	













**CALL NOW! DON'T MISS OUT ON THESE  
UNBELIEVABLE DEALS!**  
LIMITED QUANTITIES AVAILABLE AT SPECIAL SALE PRICES

Description	Photo	Part No.	Price
<b>LUNATI</b>			
<b>Hydraulic Bracket Master II Camshaft w/ Lifters</b> Bracket Master II hydraulic style camshaft with .590"/.490" lift, 292°/292° duration, 110° LSA, and 1800-5800 RPM range. Fits 1955-81 Pontiac 326-455. Kit.		LNT10510471LK	
<b>MAGNAFLOW PERF EXHAUST</b>			
<b>2.5" Dual Exhaust System for 1964-67 GM A-Body</b> Dual tip cat-back performance exhaust system features 2-1/2" stainless steel pipes with 2-3/4" dual tips and hardware. Fits 1964-67 Chevelle/Malibu.		MAG15893	
<b>MARCH PERFORMANCE</b>			
<b>BBC Long Water Pump Ultra Pulley/Bracket Kit</b> Clear powder-coated aluminum pulley and bracket kit with 6-rib serpentine for 7.287" standard rotation long water pumps. Kit.		MPP23010	
<b>SB Chevy Pulley Set</b> Single-groove performance ratio V-belt pulley kit for SBC with long water pumps. Designed to replace factory V-belt or serpentine pulleys. Clear powder-coated aluminum. Kit.		MPP6050	
<b>MARK WILLIAMS</b>			
<b>Chrysler Transmission Slip Yoke</b> 30-spline slip yoke measures 6-1/8" long and accepts 1350 series U-joints. Forged 4340 steel. Fits Chrysler, Doug Nash, and Liberty transmission. Each.		MWE39002	
<b>MCLEOD</b>			
<b>RXT Street Twin Clutch Kit for 2011-17 Mustang 5.0L</b> RXT Street Twin Disc clutch kit with 9-11/16" ceramic disc, 1 x 23mm spline, rigid hub. For 2011-17 Ford Mustang 5.0L. Each.		MCL6932-25	
<b>MEZIERE</b>			
<b>SFI HD Billet Flexplate for Mopar V8</b> HD true billet 139-tooth flexplate is internally balanced and meets SFI 29.2 standards. Fits big block Mopar with 8-bolt crank. Each.		MEZFPS027	
<b>MICKEY THOMPSON</b>			
<b>285/55R-20LT Baja Boss M/T Tire</b> Baja Boss M/T 285/55R-20LT radial tires have black sidewalls with a max load capacity of 3305 lbs. Each.		MIC247440	
<b>33.0 x 12.50R-18LT Baja Boss M/T Tire</b> Baja Boss M/T 33.0 x 12.50R-18LT radial tires have black sidewalls with a max load capacity of 2910 lbs. Each.		MIC247875	
<b>33.0 x 12.50R-20LT Baja Boss M/T Tire</b> Baja Boss M/T 33.0 x 12.50R-20LT radial tires have black sidewalls with a max load capacity of 2600 lbs. Each.		MIC247877	
<b>305/55R-20LT Baja Boss M/T Tire</b> Baja boss M/T 305/55R-20LT radial tires have black sidewalls with a max load capacity of 3640 lbs. Each.		MIC247884	
<b>35.0 X 12.50R-15LT Baja Legend MTZ Tire</b> Baja Legend MTZ 35.0 X 12.50R-15LT radial tires have white letter sidewalls with a max load capacity of 2535 lbs. Each.		MIC247931	
<b>Dick Cepek DC-2 17 x 9" Wheel</b> DC II wheel measures 17" x 9" with 4.5" backspace and 6 x 5.5" bolt pattern. Gloss-black machined finish, satin finished center cap. Each.		MIC250711	











**CALL NOW! DON'T MISS OUT ON THESE UNBELIEVABLE DEALS!**  
LIMITED QUANTITIES AVAILABLE AT SPECIAL SALE PRICES

Description	Photo	Part No.	Price
<b>MOMO AUTOMOTIVE ACCESSORIES</b>			
<b>Supercup Racing Seat Regular in Black</b> Lightweight standard fiberglass seat measure 15.35" wide, upholstered in black fabric with five-point seatbelt openings. Meets FIA 8855-1999 standards. Each.		MOM1071BLK	
<b>Prototipo Heritage Black Leather Steering Wheel</b> Prototipo heritage 3-spoke steering wheel is black anodized aluminum with black leather grips and a 36mm dish. Each.		MOMPRH35BK2B	
<b>MR. GASKET</b>			
<b>Double-Barrel Shotgun Style Polished Scoop</b> Double scoop polished aluminum air cleaner assembly measures 20"L x 10"W x 5-1/4" tall with 5-1/8" carb flange. Kit.		MRG8008	
<b>MSD IGNITION</b>			
<b>Chevy V8 Cam Sync Distributor</b> Chevy V8 distributor with cam sync, magnetic pickup, electronic advance, and HEI style terminal. Must be used with an MSD 6, 7, or 8-series ignition. Black. Each		MSD2345	
<b>Pro-Billet CamSync Distributor, Ford 351W, Steel Gear</b> Ford 351W distributor with cam sync, magnetic pickup, electronic advance, and HEI-style terminal. For use with an MSD 6-, 7-, or 8-series ignition. Black. Each		MSD2362	
<b>GM LS2/LS7 Series Coils 8-Pack</b> LS2/LS7 series pro power red coil packs offer increased spark energy with multi-spark capabilities. Generate 40,000V with .480 ohms of resistance. Set of 8.		MSD82878	
<b>NGK</b>			
<b>NGK Iridium IX Spark Plug Stock # 7001</b> NGK Iridium IX spark plug has 14mm thread and 1/2" of reach, with a resistor core and gasket seat. Stock number 7001. Each.		NGKBR8HIX	
<b>NITROUS EXPRESS</b>			
<b>Mainline EFI 4.6L 2 Valve System w/ 10-lb. Bottle</b> Main-Line EFI Nitrous Single Stage nitrous system increases horsepower from 35-150 with the push of a button. Full kit. Fits 1996-04 Mustang GT and other Fords with 4.6L 2-valve.		NXSML3000	
<b>NITROUS OXIDE SYSTEMS</b>			
<b>NOS Big Shot Conversion Kit</b> Kit includes Super Pro Shot nitrous solenoid, -6AN supply line, 10-lb. nitrous bottle, a variety of power jets, 1/2" thick "fogging" plate, filters, fittings, switches, and hardware.		NOS0025	
<b>Cheater System Dominator</b> Kit includes full 10-lb. nitrous oxide bottle, NOS and fuel solenoids, filters, four stages of jets, hoses, and hardware. Designed for V8 Holley 4500 Dominator. Kit.		NOS02002	
<b>NORTHERN RADIATOR</b>			
<b>Radiator for 2013-18 Dodge Ram 2500 6.7L</b> Aluminum radiator with plastic tanks fits 2013-18 6.7L Dodge Ram trucks and measures 26-5/8"W x 21-7/8"H x 1-5/8"D. Driver side inlet, passenger side outlet. Each.		NRACR13490	
<b>PAC RACING SPRINGS</b>			
<b>1300 Series Drag Race 1.536" Dual Valve Springs</b> Dual-spring 1300 series drag race style valve springs have 964 lb./inch spring rate with 1.215" coil bind. 1.536" O.D. Set of 16.		PACPAC-1361H	
<b>Drag Race 1.550" Dual Valve Springs</b> Dual-spring 1300 series drag race style valve springs have 836 lb./inch spring rate with 1.230" coil bind. 1.550" O.D. Set of 16.		PACPAC-1370	












**CALL NOW! DON'T MISS OUT ON THESE UNBELIEVABLE DEALS!**  
LIMITED QUANTITIES AVAILABLE AT SPECIAL SALE PRICES

Description	Photo	Part No.	Price
<b>PAC RACING SPRINGS</b>			
<b>1.365" TI Valve Spring Retainers</b> Valve spring retainer 500 Pro Series Ti-17 titanium 1.365" O.D., 1.040" outside step dia., and .715" inside step for 1.365" O.D. dual spring, mini 8°. Set of 16.		PACPAC-R544	
<b>PATRIOT EXHAUST</b>			
<b>SBC Tight Tuck Headers</b> Tight Tuck Street Rod headers have 1-5/8" primaries tubing and 2-1/2" collectors. Unfinished steel. Universal for Small Block Chevy applications. Pair.		PEPH8027	
<b>SBM A-Body Coated Headers</b> Full-length headers feature 1-5/8" primaries and 3" collectors. Metallic ceramic-coated steel. For 1967-82 SB Mopar A/F-body. Pair.		PEPH8206-1	
<b>PENSKE RACING SHOCKS</b>			
<b>7150 Series Steel Non-Adjustable Shock w/ Schrader Valve</b> 7150 Series twin-tube shock features 3-3 valve, a 12-3/4" compressed/19-1/2" extended length, and a 1.94" O.D. Smooth nickel-plated steel finish. Each.		PENPS-7157-3/3	
<b>7150 Steel Shock 6.75" Stroke 19.5" OAL</b> 7150 Series twin-tube shock features 3-7 valve, a 12-3/4" compressed/19-1/2" extended length, and a 1.94" O.D. Smooth nickel-plated steel finish. Each.		PENPS-7157-3/7	
<b>PETERSON FLUID</b>			
<b>In-Line Temperature Port Assembly</b> In-line temperature port assembly has a -12AN male bulkhead and -12AN female/ 5/8"-18 female top port. Red anodized aluminum. Each.		PTR09-1963	
<b>PRECISION SHAFT TECHNOLOGIES</b>			
<b>Hot Rod Driveshaft 3" Dia. x 42-5/8" Center to Center</b> Universal hot rod drive shafts are 42-5/8" long x 3" O.D. with 1330 U-Joint yokes. Natural finished steel. Each.		PST300455	
<b>Critical Link Carbon Fiber Driveshaft 37"</b> Universal carbon fiber drive shaft measures 37" long x 3-1/4" O.D. Accepts 1310 U-joints. Each.		PST302370	
<b>Steel Driveshaft 51" Long</b> Universal drive shaft measures 51" long x 3" O.D. Accepts 1310 U-joints. White painted mild steel. Each.		PST310510	
<b>PYPES PERFORMANCE EXHAUST</b>			
<b>H-Bomb &amp; Bullet Mid Mufflers Cat-Back Exhaust Kit</b> Violator series exhaust system features mandrel-bent 3" 409 stainless steel tubing and polished 304 stainless 3" tips. All hardware included. For 2018-21 Mustang GT.		PYPFSM87MH	
<b>QA1</b>			
<b>Rear Coil-Over Conversion System for 1973-87 Chevy C10</b> Rear coil-over suspension for 1973-87 GM full-size trucks with single-adjustable shocks, Ford 9" rear, 200-lb. spring rate. Black powder-coated finish. Kit.		QA1R132-200	
<b>QUICK FUEL TECHNOLOGY</b>			
<b>QFX Series 4710-2 Carburetor 1050CFM</b> QFX Series 4-barrel carburetor flows 1050 CFM, and features mechanical secondary, dual inlets, and no choke. Dominator flange, polished/red anodized finish. Each		QFTFX-4710-2	














**CALL NOW! DON'T MISS OUT ON THESE  
UNBELIEVABLE DEALS!**  
LIMITED QUANTITIES AVAILABLE AT SPECIAL SALE PRICES

Description	Photo	Part No.	Price
<b>RACEPAK</b>			
<b>V-Net Dash App. Module</b> Bluetooth module turns wireless device into virtual IQ3 dash. Each.		RPK230-VM-DASHAPP	
<b>Shock Travel Sensor 9.700" - 13.700"</b> Shock travel sensor measures 9.70" compressed to 13.70" extended shock travel or tire shake. Each.		RPK800-LN-TRV4	
<b>RAM CLUTCH</b>			
<b>SBC Billet Alm Flywheel SFI 153-Tooth Int. Bal</b> Billet aluminum 153-tooth flywheel is internally balanced and weighs 17 lbs. Fits 1993-97 Chevy Camaro/Pontiac Firebird, LT/T-56 Trans. SFI approved. Each.		RAM2555	
<b>RANCHO</b>			
<b>RS5000X Series Shock</b> RS5000X series twin-tube shock features tuned compression control valve, 10-3/4" compressed/20-18" extended length. 2-1/4" O.D. white painted steel finish. Each.		RAN55288	
<b>REESE</b>			
<b>Retractable Transom Ratchet Tie-Downs 2" x 43"</b> Retractable transom tiedowns are 2"W x 43"L with an 1800-lb. capacity. Vinyl-coated stainless steel J-hooks with black polyester webbing. Pair.		REE2060266	
<b>Dual-Cam Sway Control Kit</b> Dual-cam active sway control system is black powder-coated steel, includes all hardware. Kit.		REE26002	
<b>RICHMOND</b>			
<b>Super T10 Four-Speed Transmission w/2.43 S Ratio</b> Super T-10 aluminum 4-speed manual transmission has 26-spline input/32-spline output for Ford applications with 375 ft.-lb. maximum torque. Each.		RIC1304000470	
<b>Ring and Pinion for GM 12-Bolt Rear End—4.33 Ration</b> Pro-gear series ring and pinion for GM 12-bolt rear end. 4.33 ratio with 30-spline pinion and 8-7/8" dia. ring gear. Kit.		RIC79-0074-1	
<b>RIDETECH</b>			
<b>1988-98 GM C1500 Wishbone System</b> System includes lower bars, wishbone, crossmembers, mounting brackets, and installation hardware. Black powder-coated finish, fits 1988-99 GM full-size truck.		ART11377199	
<b>RIGID INDUSTRIES</b>			
<b>360-Series 6" LED Off-Road Spot Optic w/ White Backlight</b> White surface-mounted LED light assembly projects up to 8,600 raw lumens in 6" round aluminum housing with black powder-coated finish. Universal, pair.		RIG36200	
<b>RJS SAFETY</b>			
<b>Buggy Belt Bolt-In</b> Buggy belt V-type 4-point harness features push button buckle and pull-up adjust. Black kit is built for multiple applications.		RJS4000101	












**CALL NOW! DON'T MISS OUT ON THESE  
UNBELIEVABLE DEALS!**  
LIMITED QUANTITIES AVAILABLE AT SPECIAL SALE PRICES

Description	Photo	Part No.	Price
<b>SCAT ENTERPRISES</b>			
<b>SuperLight 4340 Forged Crank for SBC—3.750" Stroke</b> Forged superlight 4340 steel crankshaft is internally balanced with 2-piece seal and 3.750" stroke. For Small Block Chevy 350. Each.		SCA4-350-3750-6000-3	
<b>Sportsman Pro Racing Seat—Red/Black</b> Sportsman Pro Series 1615 reclining seat comes complete with side bolsters, harness openings, and can be installed in both driver and passenger positions. Red velour/black vinyl. Each.		SCA80-1615-90	
<b>SEALED POWER</b>			
<b>Hypereutectic Flat-Head Cast Piston—4.155"</b> Hypereutectic flat-head pistons with duroshield skirt coating have 4.155" bore, .0781"/.0781"/.1875" ring grooves, and a -6cc dome volume. Set of 8.		SEAH616CP30	
<b>SIMPSON SAFETY</b>			
<b>Two-Piece Driving Jacket Black w/ White Stripes</b> Double-layer driving jacket is made from Nomex III Gabardine outer layer with Nomex III Aramide fleece inner and features zippered breast pockets. Meets SFI 3-2A/5 specs. Large. Each.		SIM402312	
<b>SPARCO</b>			
<b>Shield RW-9 Underwear Bottom—Black, Medium/Large</b> Shield FIA-certified Nomex bottoms are designed to deliver the highest degree of protection, comfort, and breathability. Black in medium/large size. Each.		SC0001765PNRML	
<b>Pro 2000 QRT Seat</b> FIA-approved seat has fiberglass composite core and features fire-retardant non-slip black fabric, harness openings, side bolsters, and removable lumbar cushions. Each.		SC0008016RNR	
<b>TOTAL SEAL</b>			
<b>TS1 Gapless® Second Ring File-Fit Piston Ring Set</b> Piston ring set fits 4.155" bore size and features gold power low-tension 3/16" oil ring, 1/16" gapless second ring, and 1/16" ductile iron top ring. Set of 8.		TOTTG0690-35	
<b>TRANS-DAPT</b>			
<b>LS Swap-in-a-Box Kit for 1967-69 GM F-Body</b> Conversion kit comes with crossmember, gaskets, hardware, HTC silver ceramic coated stainless steel headers, engine mounts, oil pan, and pickup tube for 1967-69 GM F-Body. Kit.		TRA42215	
<b>TUFF-STUFF</b>			
<b>Chome Power Steering Pump for 1980-88 Monte Carlo</b> GM-style Saginaw pump includes reservoir, pump assembly, billet chrome cap, new dipstick, and hardware. 1200 PSI at 2.9-3.1 GPM. Fits 1980-88 GM G-Body. Each.		TFS6180A	
<b>TRICK RACE PARTS</b>			
<b>Tire Siper Horizontal Cutting Head—3/16"W x 3/16"D</b> Standard series horizontal tire siper head with 3/16" cut depth and 3/16" spacing. Each.		TRPTRI-US-HS-188-188	
<b>ULTRA SHIELD</b>			
<b>FC1 Seat 14 LM 20° 1" Taller w/Black Cover</b> FC1 size 14 Late Model 20° seat is made from 5052 aluminum and include black cover. Seat measures 26" tall and has two-piece design for easy assembly. Kit.		ULTFCLM420T	

**CALL NOW! DON'T MISS OUT ON THESE  
UNBELIEVABLE DEALS!**  
LIMITED QUANTITIES AVAILABLE AT SPECIAL SALE PRICES

Description	Photo	Part No.	Price
<b>VIBRANT PERFORMANCE</b>			
<b>Manual Bead Roller</b> Vise-mounted steel bead roller for up to 18-gauge material includes mandrels. Black. Kit.		VIB2990	
<b>VISION WHEEL</b>			
<b>17" x 8" Legend Wheel w/ 4.500" Backspace</b> Legend 17" x 8" cast aluminum wheel with five-spoke design has 4.500" back spacing and 6" x 5.50" bolt pattern. Chrome-plated cast aluminum. Each.		VIS141H7883C0	
<b>VOLANT</b>			
<b>Closed Box Air Intake for 2011-15 Jeep Grand Cherokee 5.7L</b> Closed box air intake system with reusable oiled filter. For 2011-15 Dodge Durango/Jeep Grand Cherokee 5.7L. Black.		VOL16157	
<b>WOOLF AIRCRAFT PRODUCTS</b>			
<b>304 Stainless Bent Elbow 1.750" 90°</b> 16-gauge 304 stainless steel 90° elbow measures 1-3/4" diameter with a 1-3/4" radius. Each.		WAP175-065-175-090-304	
<b>304 Stainless Bent Elbow 2.000" 90°</b> 16-gauge 304 stainless steel 90° elbow measures 2" diameter with a 3" radius. Each.		WAP200-065-300-090-304	
<b>304 Stainless Bent Elbow 2.250" 45°</b> 16-gauge 304 stainless steel 45° elbow measures 2-1/4" diameter with a 2-1/4" radius. Each.		WAP225-065-225-045-304	
<b>304 Stainless Bent Elbow 2.250" 90°</b> 16-gauge 304 stainless steel 90° elbow measures 2-1/4" diameter with a 2-1/4" radius. Each.		WAP225-065-225-090-304	
<b>304 Stainless Bent Elbow 2.750" 90°</b> 16-gauge 304 stainless steel 90° elbow measures 2-3/4" diameter with a 4" radius. Each.		WAP275-065-400-090-304	
<b>304 Stainless Bent Elbow 2.750" 180°</b> 16-gauge 304 stainless steel 180° elbow measures 2-3/4" diameter with a 4" radius. Each.		WAP275-065-400-180-304	
<b>Aluminum Bent Elbow 3.000" 180°</b> 16-gauge 6061 aluminum 180° intake elbow measures 3" diameter with a 4-1/2" radius. Each.		WAP300-065-450-180-6061	
<b>304 Stainless Bent Elbow 4.000" 90°</b> 16-gauge 304 stainless steel 90° exhaust bend measures 4-1/2" diameter with a 4-1/2" radius. Each.		WAP400-065-600-090-304	
<b>Aluminum Bent Elbow 4.500" 90°</b> 16-gauge 6061 aluminum 90° intake elbow measures 4-1/2" diameter with a 4-1/2" radius. Each.		WAP450-065-450-090-6061	
<b>WELD RACING</b>			
<b>Magnum P.R.O. 15" x 3.5" 1-Piece Wheel w/ 1.750" Backspace</b> Magnum 5" x 3-1/2" 1-piece aluminum wheel has 1.750" of backspace and a 5" x 4.500" bolt pattern. Polished aluminum. Each.		WEL86P-15204	

**CALL NOW! DON'T MISS OUT ON THESE  
UNBELIEVABLE DEALS!**  
LIMITED QUANTITIES AVAILABLE AT SPECIAL SALE PRICES

Description	Photo	Part No.	Price
<b>WELD RACING</b>			
<b>Aluma Star 2.0 17" X 2.125" Wheel with Anglia Spindle Mount</b> Aluma-star 2.0 17" x 2-1/4" one-piece aluminum wheel has 1.000" of backspace and Anglia spindle mount. Polished finish. Each.		WEL88-17000	
<b>Draglite 15" X 15" Wheel w/ 5.500" Backspace</b> Draglite 15" x 15" cold-forged aluminum wheel has 5.500" of backspace and 5" x 4.500" / 5" x 4.750" bolt patterns. Street or Drag. Polished finish. Each.		WEL90-515350	
<b>Pro Star 15" X 14" Wheel w/ 5.500" Backspace</b> Pro Star 15" x 14" cold-forged aluminum wheel has 5.500" of back space and 5" x 4.500" bolt pattern. Street or Drag. Polished finish. Each.		WEL96-514210	
<b>Pro Star 15" X 14" Wheel w/ 6.500" Backspace</b> Pro Star 15" x 14" cold-forged aluminum 15" x 14" wheel has 6.500" of backspace and 5" x 4.750" bolt pattern. Street or Drag. Polished finish. Each.		WEL96-514282	
<b>Delta-1 16" x 16" Double Bead-Loc Drag Wheel</b> Delta-1 16" x 16" double bead-loc rear wheel has 4.000" of backspace and 5" x 4.750" bolt pattern. Pro modified and pro stock. SFI 15.1 approved. Polished aluminum. Each.		WELD1PPS616B4DP	
<b>WESTIN</b>			
<b>Black Pro Traxx Oval Nerf Bars</b> Steel 4" oval step bars include mounting kit. Black powder-coated finish. Fits 2019-21 GM full-size trucks. Pair.		WES21-24125	
<b>WILWOOD</b>			
<b>Pro Series Rear Brake Kit for Small Bearing Ford w/ 2.66" Offset</b> Heavy-duty pro series rear axle disc brake kit with 12" drilled rotors, Dynalite four-piston calipers, aluminum brake hat, brake pads, aluminum caliper brackets, and hardware. Black anodized calipers.		WIL140-2113-BD	
<b>WISECO</b>			
<b>Wiseco Dished Pistons—3.800" Bore, -7cc</b> Forged Wiseco pistons for Chevy LS 5.3 NA/Nitrous are furnished with 4140 chrome moly wrist pins, spirolox, and 1/16" x 1/16" x 3.0mm ring groove spacers. Includes piston rings.		WISK473M965	
<b>YUKON GEAR AND AXLE</b>			
<b>Duragrip Differential Dana 70 w/32 Spline</b> Nodular iron differential carrier, 32-spline, 4.10 ratio and down. Each.		YKNYDGD70-3-32	
<b>Trac Loc Differential Ford 9" w/31-spline axles</b> Nodular iron dura grip positraction carrier, 31-spline with smooth engagement for Ford 9". Each.		YKNYDGF9-31-SM	
<b>ZAMP</b>			
<b>ZR-50 Red Multi-Layer Race Suit, X-Large</b> ZR-50 multi-layer red race suit is made from fire-retardant Aramid material with ultra-stretch panels throughout, SFI 3.2A/5 approved. X-Large size. Each.		ZAMR040002XL	



## Panhard Bar Bracket

MPD81300

Frame-mounted design clamps onto 1.250" tubing and features a 1/2" mounting hole. Pinch bolt included. Black anodized aluminum.



## Double-Shear Birdcage / Left Side Your Choice -

Non-wing birdcage with double-shear bearings include hardware. Billet aluminum with black anodized finish.

Part No.	Description
MPD81120	Left Side
MPD81220	Right Side



## Synthetic Torsion Bar Grease

MPD30020

Synthetic grease for torsion bar lubrication. Sold in 8-oz. tub.



## Steering Box Mount

MPD18820

Sprint car upper power steering mount machined with accommodation for a fuel shut-off valve. Black anodized aluminum.



## Oil Filter - Block off Plate

MPD18200

Block-off plate for dry sump systems on Sprint car applications. Black anodized aluminum.



## Spindle

MPD14007

Sprint Car front spindle features an aluminum body with a 4" steel snout and includes a steel lockout. Black anodized aluminum body with natural steel parts.



## Front Wing Strap

MPD12500

Front wing strut strap allows for height adjustments from 9-14". Black anodized aluminum.



## 50" Front Sprint Car Axle

TIP2003

Lightweight front axle assembly is 50" wide and features adjustable shock towers and 9° and 12° front spindles to allow for optimum steering geometry. Black powder-coated 2.5" O.D. chromoly steel tube.



## Torsion Stop

TIP2384

Lightweight titanium torsion stop for Sprint cars features a 1-3/4" tube split. Includes hardware.



## Rock Screen Clamp with Titanium Hardware Kit

TIP4126

Rock screen clamp for Sprint cars fits 1-3/8" tubing. Black anodized aluminum, with lightweight titanium hardware.



## Lower Seat Spacer Kit for Maxim Chassis

TIP4150

Bottom seat spacer kit for Maxim Chassis with 1-1/4" mounting bar and 9" on-center bolt spacing. The kit includes both 1/2" and 1/4" bottom spacers.



## Lower Seat Spacer Kit for KPC/Eagle/Triple X Chassis

TIP4152


Bottom seat spacer kit for chassis with 1" bar mount for the lower seat. This kit includes 1/4" to 1-1/4" spacers.



## Sprint Car Lift Kit

TIP8550

Lightweight aluminum Sprint car lift provides up to 14" of lift in a sturdy, compact design that folds flat for easy storage and transport. Sold complete with hydraulic pump and hoses.






## Sprint Car Aluminum Rear Motor Plate TXRSC-EG-0231BLK

Long motor plate spans from the top motor bar to the bottom rails and features multiple pre-drilled/pre-tapped holes for pumps. A relieved upper lip follows dash contour. Black anodized 6061 aluminum with laser-etched Triple X Logo.



## 600 Mini Sprint "XPRS" Brake and Throttle Pedal System TXR600-CH-2046BLK

For use with MCP master cylinder applications, this adjustable brake/throttle pedal system for Mini-Sprints is designed to "grow" with young drivers, with a full 14" of distance on the pedal mounting holes. Includes lightweight CNC-machined black anodized aluminum pedals, lightened aluminum rails, and cross brace with black powder-coated steel throttle cable and master cylinder bracket.



## MPI New Dirt Wheel Large Grip Steering Wheels Your Choice -

Designed for Dirt Late Model / Modified racecars, these large-diameter three-spoke aluminum steering wheels with a 2.25" are CNC machined with rounded edges for increased safety. The ergonomic extra-large grip rim features a textured polyurethane foam partially covered with extreme grip RG material for a fatigue-preventing grip. Centerpiece included.



Part No.	Description
MPIMPI-DM2-15-XL	15" Dia. Steering Wheel
MPIMPI-DM2-16-XL	16" Dia. Steering Wheel

## MPI Center Plate Covers Your Choice -

Customize the look of the F and GT lines of steering MPI steering wheels with these Italian-made center covers. The black anodized base with powder coated accents features the MPI logo and is offered in red, blue, green, and orange, with the MPI logo. Includes 6 installation bolts.

Part No.	Color
<b>For F Style Steering Wheels</b>	
MPIMPI-A-CPC-F-RED	Red
MPIMPI-A-CPC-F-BLU	Blue
MPIMPI-A-CPC-F-GRN	Green
MPIMPI-A-CPC-F-ORG	Orange
<b>For GT Style Steering Wheels</b>	
MPIMPI-A-CPC-GT-RED	Red
MPIMPI-A-CPC-GT-BLU	Blue
MPIMPI-A-CPC-GT-GRN	Green
MPIMPI-A-CPC-GT-ORG	Orange




## Truck Beds – How to Install, Restore and Modify SABSA535

Comprehensive how-to book written by certified auto-body technician and television personality Kevin Tetz. The book covers how to restore, decorate, replace, customize, patina, or upgrade your bed floor. Softcover with 197 color photos.





## Chevy TPI Fuel Injection Swapper's Guide SABSA53P

This manual provides the basic knowledge and background on the Tune Port Injection Induction (TPI) system including fundamentals of induction systems, computerized controls, and circuitry. It also provides in-depth step-by-step guidance on how to retrofit the TPI system to a Chevy Gen-1 small block.



## S-A Books

Whether in the shop or working on a personal vehicle, S-A Books has a variety of helpful instructional guides with books on everything ranging from OBD-II codes to engine swaps.



Part No.	Description	Price
SABSA522	Hemi Engine Swaps 5.7L, 6.1L, 6.4L, and Hellcat	
SABSA532	OBD-1/II A Complete Guide to Diagnosis, Repair, and Emissions Compliance	
SABSA533	High-Performance Cams & Valvetrains	
SABCT658	Camaro Special Edition: 1967-Present	



## 2021-2023 Ford Bronco

Flex Era 3 Ditch Light pillar-mounted LED lights are available in intensely focused spot beam or spot and spread combo beam kits, these compact, high-performance LED lights feature the latest high-power CREE LEDs in an optimized triangular design. Systems include brackets, lights, light covers, wiring, and switch and feature independent amber LED backlight, Signature KC FLEX aesthetic with machined accent bezel with multi-sided die-cast construction and built-in thermal LED protection, and are IP68 rated for water and dust protection.



Part No.	Application	Price
KCH97156	Flood Beam Pattern	
KCH97157	Combo Beam Pattern	



## Heat Shroud Hose and Wire Sleeve

With everything needed to keep things cool and protected, Design Engineering provides outstanding line and hose protection. Hose and wire sleeve is made from silver-colored aluminized fiberglass fabric and resists direct heat up to 500°F. Offered in a variety of diameters and lengths, it features hook-and-loop closure for easy installation. Sold each.



Part No.	Description	Price
DSN10673	-12AN x 3 ft long	
DSN10674	-12AN x 10 ft long	
DSN10675	-16AN x 10 ft long – Aluminized Fiberglass Fabric – Silver	
DSN10676	-16AN x 3 ft long	
DSN10677	-20AN x 3 ft long	
DSN10678	-20AN x 10 ft long	

## Transmission Tunnel Heat Shield for 2006-15 Mazda Miata

Made from pre-cut aluminized fiberglass cloth, this heat barrier kit helps reflect transmission heat from entering the driver's compartment. Resists up to 1750°F of radiant heat. Kit includes 5 peel-and-stick pieces, adhesion promoter, a roll of heat-reflective sealing tape, and instructions.



## Drink Bottle Insulator for Longacre Drink Bottle

Premium neoprene drink bottle insulator covers the entire bottle and drinking tube to keep beverages cold, even on the hottest race days. Designed for use with the Longacre LON52-22551 roll-bar mounted drink bottle. Made in the USA.



## READYLIFT SUSPENSIONS

### Leveling Kit for 2019-2023 GMX AT4/Chevrolet Trail Boss Trucks

RDY66-3921  
Front leveling kit raises the front end of the truck 1-3/4" without compromising handling or ride. Kit includes front control arms, strut spacers, and installation hardware.



### Upper Ball Joint for 2007-18 GM 1500 Series Trucks

RDY67-3412  
Greaseable press-in upper ball joint fits a variety of applications including 2011-23 GM 2500/3500 series trucks, 2009-up RAM 1500 trucks, and 2009-up Ford F150 trucks using Ready-Lift control arms.



### SST Lift Kits

SST lift kits are a bolt-on solution for improved stance and clearance for oversize tires. Available for a variety of applications with different lift height options, each kit is custom designed for the specific application. Individual kit components vary by application.



Part	Application	Price
RDY69-21350	2021-2023 Ford F-150 4WD 3.5" SST Lift Kit	
RDY69-21200	2021-23 Ford Bronco 2" SST Lift Kit	
RDY69-3920	2019-2023 GM 1500 AT4/Trail Boss Plus 2.0" SST Lift Kit	
RDY69-39400	2019-2023 GM 1500 AT4/Trail Boss Plus 4.0" SST Lift Kit	
RDY69-1935	2019-2023 Ram 1500 2WD/4WD 3.5" SST Lift Kit	
RDY69-5060	2003-2023 Toyota FJ/4Runner 2WD/4WD 3" SST Lift Kit	
RDY69-5212	2005-2023 Toyota Tacoma TRD/SR5/Rock Warrior 3" SST Lift Kit	

# NEW PRODUCTS



## 2018-2023 Jeep Wrangler 2.0/3.6L Cat-Back Exhaust MAG19620

MagnaFlow Overland Series performance exhaust systems are designed with high-flow pipes and mufflers designed to improve engine performance while providing a higher mounting clearance than the stock exhaust. Stainless steel construction helps withstand the roughest conditions. The exhaust system has been specifically designed to provide a performance sound yet tuned to be comfortable for long drives.



## 1943-76 Jeep Front Disc Brake Conversion Kit LEEFC3001SM

Bolt-on kit makes converting Jeep CJ drum brakes to dual piston disc brakes simple, with no drilling, cutting, or grinding required. Designed to work with stock or aftermarket locking hubs and bearings, kit mounts directly to stock drum brake knuckles. Kit includes new two-piston calipers, 12" rotors, brake hoses, and installation hardware.



## 16V Racing Battery TPBTP16V

Offers 725CA, and features non-spillable, maintenance-free AGM construction for superior shock and vibration resistance. Hand-made in ISO 9001:2000 certified facilities, each battery is fully charged and tested prior to shipment.



## Lithium Battery Box

Total Power battery boxes secure 1-2 lithium batteries.

Part No.	Description	Price
TPBBB16-1	1 Battery	
TPBBB16-2	2 Battery	

## 16V Lithium Racing Battery and Charger

Part No.	Description	Price
TPBTP16LI	16V Lithium Racing Battery	
TPBTP16LIC	Battery Charger for 16V Lithium Batteries	



## Clutchless Reverse-Mount Starter Bellhousing Kit QTR120509134TM

Ideal for dirt oval track racers running a Bert or Brinn transmission, kit fits externally-balanced Chevy/Crate engines with a one-piece rear main seal. Aluminum bellhousing can accommodate a top or side mount oil pump, while the 91-tooth flywheel eliminates the need for an idler gear. Kit additionally includes reverse mount starter, and all required hardware.



## SB Chevy Block-Mount Starter Bellhousing QTR110432-C

Precision CNC-machined, steel bellhousing is compatible with stock diameter flywheel and traditional block mount starter. Designed for use with Tri-Lite or floating hydraulic race bearing and 5.5" or 7.25" dia. clutches. **NOTE: Also compatible with Ford applications using a Chevy transmission.**



## 3.5mm Elite Stereo Plug and Speakers ZAMHACOM005

Kit allows running one- or two-way communication in an existing helmet. Speakers fit in Zamp ear cups for easy installation and use. Includes (2) 28mm speakers, and 3.5mm plug with stereo wiring.



## ZR-30 Race Jackets ZAMR03J003XXXXXL

Zamp triple-layer race jackets are manufactured using 100% fire-resistant cotton with box-quilt stitching and Aramid cuffs around the wrist area. Jackets are SFI 3.2A/5-approved, size 5X.



## Transmission Installation Kits

Each kit includes the properly-sized fasteners required to install a Brinn transmission, bellhousing, or starter.



Part No.	Description	Price
BRI74064	Trans-to-Bellhousing Mounting Bolts (4) 12-Pt. Bolts, (4) Flat Washers & (4) Lock Washers	
BRI79133	Starter Mounting Bolts, (2) Allen Head Bolts, (2) Flat Washers & (2) Lock Washers	
BRI79135	Bellhousing-to-Mid-Plate Mounting Bolts, (6) Allen Head Bolts, (6) Flat Washers & (6) Lock Washers	

# NEW PRODUCTS

## CORROSIONX® NEW VENDOR

### Mud Slide

Designed specifically to meet the needs of dirt track racers and ORV enthusiasts, ready-to-use product will keep mud, oil, and exhaust from clinging to body panels and suspension components. Mud Slide is applied with just a single, thin coat and significantly eases post-race clean-up. Sold in a 1-gallon jug, 16-oz. spray bottle, or in a case.



Part No.	Description	Price
CNX36004	1-Gallon Jug	
CNX36004-X4	1 Case/(4) 1-Gallon Jugs	
CNX36102	16-Oz. Trigger Spray Bottle	
CNX36102-X12	1 Case/(12) 16-Oz. Trigger Spray Bottles	

### Bore Cleaner

Product safely and effectively removes contaminants from the bores and barrels of pistols, shotguns, and rifles. While it is an aggressive cleaner, Bore Cleaner is completely safe on polymers, varnishes, soft metals, and metal alloys with bluing, anodizing, and other finishes. Sold in 4-oz. bottle, or in a case.



Part No.	Description	Price
CNX50020	4-Oz. Bottle	
CNX50020-X12	1 Case/(12) 4-Oz. Bottles	

### Rejex

Rejex includes the ability to provide a high-release protective finish to cars, trucks, boats, RV's, etc. Once applied, product prevents stains and adhesion associated with bugs, bird droppings, road grime, etc. Product produces a deep, lustrous shine that outlasts popular waxes by months. Sold in 12-oz. bottle, 1-gallon jug, or in a case.



Part No.	Description	Price
CNX61001	12-Oz. Bottle	
CNX61001-X12	1 Case/(12) 12-Oz. Bottles	
CNX61004	1-Gallon Jug	
CNX61004-X4	1 Case/(4) 1-Gallon Jugs	

### ReelX

High-tech, extreme-pressure lubricant prevents the wear, corrosion, and rust common to fishing reels. Ideal for achieving maximum performance from spinning or casting reels, ReelX is the choice of many of the world's top fishing reel manufacturers. Sold in a 1-oz. bottle, or in a case.



Part No.	Description	Price
CNX77000	1-Oz. Bottle	
CNX77000-X24	1 Case/(24) 1-Oz. Bottles	

### SpeedX

Extreme performance lubricant chemically reacts with metal surfaces to reduce wear and deliver the lowest coefficient of friction measurable. With lubrication qualities greater than PTFE, SpeedX is well suited for use on high speed/high load bearings, gears, cables, etc. Sold in 1-oz. bottle, or in a case.



Part No.	Description	Price
CNX77001	1-Oz. Bottle	
CNX77001-X24	1 Case/(24) 1-Oz. Bottles	

### CorrosionX

Among the most advanced and effective corrosion preventatives currently available, CorrosionX disrupts rust and corrosion on the molecular level, while providing long-term protection. Effective as a lubricant, penetrant, and anti-seize, product is suitable for use on iron, steel, aluminum, etc. Sold in 6- or 16-oz. aerosols, 12-oz. trigger spray bottle, or in a case.



Part No.	Description	Price
CNX90101	6-Oz. Aerosol	
CNX90101-X12	1 Case/(12) 6-Oz. Aerosols	
CNX90102	16-Oz. Aerosol	
CNX90102-X12	1 Case/(12) 16-Oz. Aerosols	
CNX91002	12-Oz. Trigger Spray Bottle	
CNX91002-X12	1 Case/(12) 12-Oz. Trigger Spray Bottles	

### CorrosionX Heavy Duty

A high performance, thickened film version of CorrosionX developed specifically to provide maximum protection against moisture intrusion and the resulting rust and corrosion. Ideal for long-term protection against rust and corrosion where the surface is exposed directly to the elements. Sold in 12-oz. aerosol, or in a case.



Part No.	Description	Price
CNX90104	12-Oz. Aerosol	
CNX90104-X12	1 Case/(12) 12-Oz. Aerosols	

### CorrosionX Grease

Now available in a high performance, extreme pressure rated NLGI#2 grade premium grease, lubricant offers maximum shear stability, film strength, and heavy shock-load performance. Grease is equally suited to marine, construction, mining, agricultural, logging, and hauling applications. Sold in a 15-oz. tube, or in a case.



Part No.	Description	Price
CNX96801	15-Oz. Tube	
CNX96801-X10	1 Case/(10) 15-Oz. Tubes	

### CorrosionX Extended Duty

A medium build version of CorrosionX, yet thinner than CorrosionX Heavy Duty, lubricant offers longer-term resilience against rust and corrosion, while displacing moisture and preventing electrolysis. Product will not dry, harden, or crack under stress. Sold in 16-oz. aerosol, or in a case.



Part No.	Description	Price
CNX97102	16-Oz. Aerosol	
CNX97102-X12	1 Case/(12) 16-Oz. Aerosols	





**NEW  
VENDOR**

## Ultimate Performance Cooling

### High-Performance All-Aluminum Radiators

Premium quality radiators feature 100% all-aluminum, TIG-welded construction and include two-row (unless noted), 42mm high-performance cores with 6.5mm tall multi-louvered fins for maximum cooling. "Mirror finish" (unless specified) radiators include CNC-machined mounting brackets where applicable and offer a true, "drop-in" fit with no modifications necessary.

CSF7015



Part No.	Description	Price
CSF2862	1989-97 Mazda Miata NA	
CSF2863	1998-05 Mazda Miata NB	
CSF3054	1992-95 BMW 320i; 1992-98 BMW 323	
CSF3055	1999-03 BMW 320i; 1999-06 BMW 323	
CSF3076	2002-07 Subaru Impreza WRX/STI	
CSF3163	2003-07 Mitsubishi Lancer EVO 7/8/9	
CSF3164	2004-08 Mazda RX-8	
CSF7000	2002-06 Acura RSX, Single Row	
CSF7003	2010-11 Chevy Camaro V-8	
CSF7009	2000-10 Honda S2000	
CSF7015	2006-12 Mazda Miata NC	
CSF7019	2008-15 Mitsubishi Lancer EVO X	
CSF7022	2007-08 Nissan 350Z, HR Engine, M/T	
CSF7031	2007-21 Toyota Tundra, 4.6/4.7/5.7L	
CSF7036	2007-18 Jeep Wrangler JK	
CSF7037	2005-13 Ford Mustang V6/V8	
CSF7041	2008-Up Nissan GT-R R35	
CSF7045	2011-Up BMW 1 Series M; 2008-11 BMW 135i; 2007-11 BMW 335i, M/T	
CSF7046	2011-Up BMW 1 Series M; 2008-11 BMW 135i; 2007-11 BMW 335i, A/T	
CSF7050	2013-16 Scion FRS; 2013-20 Subaru BRZ; 2022-Up Subaru BRZ	
CSF7052	2012-15 Chevy Camaro 3.6/6.2L	

Part No.	Description	Price
CSF7058	BMW E46 M3	
CSF7065	Universal Import Drag Race, 14.4" H. x 10.0" L. x 3.6" W., 9" SPAL Fan	
CSF7065B*	Universal Import Drag Race, 14.4" H. x 10.0" L. x 3.6" W., 9" SPAL Fan	
CSF7072	2015-23 Ford Mustang 2.3L EcoBoost	
CSF7073	2015-23 Ford Mustang 5.0L GT	
CSF7074	2015-Up Mazda Miata ND, Triple Pass	
CSF7075	Mitsubishi Evo 7/8/9, Single Row Slim Design, Built-In Fan	
CSF7075B*	Mitsubishi Evo 7/8/9, Single Row Slim Design, Built-In Fan	
CSF7076	2007-14 Toyota FJ Cruiser 4.0L; 2003-09 4Runner 4.0L	
CSF7077	2014-19 Chevy Corvette C7 Stingray/Grand Sport/Z06, Triple Pass	
CSF7085	2010-22 Toyota 4Runner 2.7/4.0L	
CSF7092	2005-20 Toyota Tacoma	
CSF7094	2008-14 Subaru Impreza STI; 2015-21 WRX STI, Single Row	
CSF7095	2008-14 Subaru Impreza STI; 2015-21 WRX STI	
CSF8023	Universal R-1 Competition, 29.3" L. x 19.1" H x 2.55" W., Triple Pass	
CSF8028	2009-15 Cadillac CTS-V	
CSF8030	Dual Pass Heat Exchanger, 23" x 6-5/8" x 2-1/16" Core, 3/4" Connections	

\* Signifies radiator with black finish.

### K-Swap Radiators

Designed specifically for K-swap applications common to Honda Civic and Acura Integra, 100% all-aluminum, TIG-welded radiators significantly improve cooling system performance, eliminating the troublesome overheating often associated with high horsepower boosted or naturally-aspirated applications. Fits all 1992-00 Honda Civic EG/EK and 1994-01 Acura Integra. Offered with "mirror" or black finish.

CSF2850KB



Part No.	Description	Price
CSF2850K	"Mirror Finish"	
CSF2850KB	Black Finish	
<b>Related Components</b>		
CSF2858F	12" Fan and Shroud for K-Swap Radiator, "Mirror Finish" Shroud	
CSF2858FB	12" Fan and Shroud for K-Swap Radiator, Black Shroud	

### The Ultimate Half Radiator

Radiator offers direct fitment to popular 1992-00 Honda Civic and Mitsubishi Evolution 7/8/9 models. All-aluminum unit features a two-row, 42mm high-performance core with 6mm tall multi-louvered fins. Offered with "mirror" or black finish, radiator is sold complete with aluminum fan shroud and 12" high performance SPAL fan.

CSF2858X



Part No.	Description	Price
CSF2858X	"Mirror Finish"	
CSF2858XB	Black Finish	

### "O" Series High Performance Aluminum Radiators for Subaru

The "O" Series utilize the same quality construction and desirable features common to CSF Radiators with the addition of a built-in oil cooler. All-aluminum, "mirror" finish radiators include a four-plate, liquid-to-oil plate-type oil cooler, significantly more effective when compared to traditional air-to-oil coolers. A drop-in fit to popular Subaru applications.



Part No.	Description	Price
CSF30760	2002-07 Subaru STI/WRX	
CSF70420	2008-14 Subaru WRX; 2008-20 Subaru STI	

### High-Performance Auxiliary Radiator for Chevy Camaro/Cadillac CTS-V CSF8207

High-performance auxiliary radiator eliminates the heat soak issues often encountered during high performance driving. Increased capacity, 2-row 42mm core unit includes 100% all-aluminum, TIG-welded construction and features a drop-in fit with "quick connect" inlet and outlet. Fits all 2016-23 Chevy Camaro and 2016-19 Cadillac CTS-V.





**NEW  
VENDOR**

## Ultimate Performance Cooling

### Bar and Plate Intercooler Cores

Heavy-duty bar and plate intercooler cores feature a multi-louvered, high precision staggered fin design for maximum efficiency. Cores are pressure tested at 120 PSI for maximum reliability in extreme boost applications.



CSF8040

Part No.	Description	Price
<b>Magnum Cooler Series, Cross Flow</b>		
CSF8040	18" L. x 12" H. x 6" W., 1,300 HP	
<b>Cross Flow</b>		
CSF8045	25" L. x 12" H. x 3.5" W., 1,000 HP	
CSF8046	25" L. x 12" H. x 4.5" W., 1,200 HP	
CSF8047	22" L. x 12" H. x 3.5" W., 850 HP	
CSF8048	18" L. x 12" H. x 4.5" W., 1,000 HP	
CSF8056	20" L. x 12" H. x 3" W., 700 HP	
CSF8063	20" L. x 12" H. x 4" W., 850 HP	
CSF8067	24" L. x 12" H. x 3" W., 850 HP	
CSF8173	22" L. x 12" H. x 4.5" W., 1,000 HP	
CSF8174	22" L. x 10" H. x 4" W., 900 HP	
<b>Vertical Flow</b>		
CSF8053	24" L. x 6" H. x 3.5" W., 800 HP	
CSF8117	22" L. x 14" H. x 4.5" W., Nissan R35 GT-R Fitment, 1,500 HP	
<b>Air-to-Water</b>		
CSF8084	12" L. x 5" H. x 5" W., 1,000 HP	
CSF8085	12" L. x 6" H. x 6" W., 1,500 HP	
CSF8086	12" L. x 12" H. x 6" W., 2,000 HP	
CSF8134	8.5" L. x 4.5" H. x 6" W., 800 HP	

### Universal Dual-Pass Oil Coolers


High efficiency oil coolers utilize an "Aero-Flow" bar design that is not only lightweight, yet durable, while offering maximum flow through the core. Satin black finished.



Part No.	Description	Price
CSF8066	22" L. x 5" H. x 2.25" W., -10AN Male Fittings	
CSF8110	24" L. x 5.75" H. x 2.25" W., Dual Pass, Porsche IROC Direct Fit	
CSF8119	13" L. x 4.75" H. x 2.25" W., for Production Oil Cooler Kits	
CSF8201	22" L. x 4.75" H. x 2.16" W., Dual Pass, Porsche '73 RSR Direct Fit	

### High-Performance Heat Exchanger for Toyota GR Supra/BMW G-Series CSF8154

All-aluminum heat exchanger, which features a "drop-in" fit, significantly reduces intake air temperature for improved performance. Unit consists of a two-row, 42mm high performance core with 6.5mm tall multi-louvered fins, CNC-machined mounting brackets, and OEM-style, "quick connect" inlet and outlet. Fits all 2020-up Toyota GR Supra and 2018-up BMW G-Series.



### High-Performance Auxiliary Radiator for Toyota GR Supra/BMW G-Series CSF8179

Auxiliary radiator consists of a two-row, 42mm high performance core with 6.5mm tall multi-louvered fins for maximum cooling efficiency. Drop-in unit, which includes CNC-machined mounting brackets and OEM-style "quick connect" inlet/outlet, fits both left and right side of vehicle. Fits all 2020-up Toyota GR Supra and 2017-up BMW G-Series.



### High-Performance Transmission Oil Cooler for Toyota GR Supra/BMW G-Series CSF8183

Innovative, dual-core oil cooler design provides a 240% increase in core volume, resulting in reduced fluid temperatures and improved transmission durability. Suited to road racing, drag racing, etc., cooler is a drop-in fit and includes OEM-style inlet and outlet. Fits all 2020-up Toyota GR Supra and 2018-up BMW G-Series.



### All-Aluminum Filler Neck for Subaru/Scion/Toyota CSF8044

Custom fabricated aluminum filler neck directly replaces the weak OEM plastic unit. Sold complete with a 20 lb./1.4bar high-pressure radiator cap. Fits all 2022-Toyota GR86; 2022 Subaru BRZ; 2013-20 Toyota 86; 2013-20 Toyota BRZ, and 2013-16 Scion FR-S.



### 79-Series (ABS-Compatible) Master Cylinder TIL79-875

Engineered specifically for use with motor-sports ABS systems, 7/8" bore master cylinder is directly interchangeable with the 78-series. Master cylinder, which features a 3/8"-24 outlet port, includes a billet aluminum body with proprietary low-friction coatings to minimize wear and provide smooth operation. Fits Tilton 800- or 900-series pedal assemblies. **NOTE: Flexible lines must be used for inlet and outlet port plumbing.**



### Caged Needle Bearing BERSG-1057

Replacement for Bert second generation late model transmission.





## Dirt Late Model Hood Scoops and Extensions

Manufactured from high-impact, molded plastic, 5" tall x 18" wide hood scoops are shaped for peak aero performance. Hood scoop may be raised by simply adding a polycarbonate hood scoop extension, purchased separately.



Part No.	Description	Price
<b>Hood Scoops</b>		
FIV040-4118-CB	Blue	
FIV040-4118-CF	Carbon Fiber Look	
FIV040-4118-R	Red	
FIV040-4118-W	White	
<b>Hood Scoop Extension</b>		
FIV040-4119-TNT	Tinted	

## Premium Plastic Body Braces

Among the best currently available, body braces are significantly more durable than standard braces and spring right back to their original shape in the event of a collision. Offered in .300" and .375" thicknesses, braces are 48" long and may be trimmed to the desired length. Sold in packages of eight.



Part No.	Description	Price
FIV30000-75955	.300" Thick, 8-Pack	
FIV30000-75956	.375" Thick, 8-Pack	

## MD3 Air Deflectors

Manufactured from high-impact plastic, 6" tall air deflectors have a sleek, aerodynamic design that provides maximum air filter protection.



Part No.	Color	Price
FIV040-4102-CB	Blue	
FIV040-4102-CF	Carbon Fiber Look	
FIV040-4102-R	Red	
FIV040-4102-W	White	

## ABC Body Chevy SS Nose/Blue

**NOW AVAILABLE IN BLUE!**

FIV660-410-CB

Plastic nose is designed for use with popular ABC style bodies.



## Polycarbonate 5" High x 60" Long 90° Spoiler

**NOW STOCKING!**

FIV661-6749-B

Two-piece poly blade, aluminum bracket spoiler is 5" high and includes a 90° angle. Black finished.



## S2 Sportsman Body Composite Roof

**NOW STOCKING!**

FIV662-5102-W

Lightweight composite roof includes a white finish.



## MD3 Dirt Modified Body Panels and Components

High impact plastic body panels are significantly more durable when compared to traditional aluminum, offering flexibility and structural integrity when subjected to collision. Panels are designed to deliver maximum downforce and aerodynamics. Approved for use by IMCA, DIRTcar Racing, and USRA.



Part No.	Description	Price
FIV34001-21051-BL	Left Door, Black	
FIV34001-21051-BR	Right Door, Black	
FIV34001-21051-CBL	Left Door, Blue	
FIV34001-21051-CBR	Right Door, Blue	
FIV34001-21051-GL	Left Door, Gray	
FIV34001-21051-GR	Right Door, Gray	
FIV34001-21051-RL	Left Door, Red	
FIV34001-21051-RR	Right Door, Red	
FIV34001-21051-WL	Left Door, White	
FIV34001-21051-WR	Right Door, White	
FIV34001-27351-BL	Left Quarter Panel, Black	
FIV34001-27351-BR	Right Quarter Panel, Black	
FIV34001-27351-CBL	Left Quarter Panel, Blue	
FIV34001-27351-CBR	Right Quarter Panel, Blue	
FIV34001-27351-GL	Left Quarter Panel, Gray	
FIV34001-27351-GR	Right Quarter Panel, Gray	
FIV34001-27351-RL	Left Quarter Panel, Red	
FIV34001-27351-RR	Right Quarter Panel, Red	
FIV34001-27351-WL	Left Quarter Panel, White	
FIV34001-27351-WR	Right Quarter Panel, White	

## MD3 Lightweight Composite Dirt Roof/Chevron Blue

Stronger, more durable and less costly than carbon fiber, MD3 roof adds down force with minimal drag. Roof is 48" wide x 44" long, weighs just 6.9 lbs., and meets all sanctioning body rules. Chevron blue with matching Chevron blue roof cap.



## MD3 1988 Monte Carlo Street Stock Body Components

High-impact plastic, MD3 body components are designed exclusively for Street Stocks. Nose features a tipped-back, V-shaped design for improved aerodynamics. Nose and bumper cover include a two-piece design for eased installation and replacement.



Part No.	Description	Price
FIV021-410-G	Complete Nose, Gray	
FIV021-410-Y	Complete Nose, Yellow	
FIV021-450-G	Complete Bumper Cover, Gray	

# NEW PRODUCTS



## ABC NextGen Body Components

Body components are designed for offset/straight rail chassis, offering a 47" roof height, 66" maximum tread width, and 101"-106" wheelbase.



Part No.	Description	Price
FIV11002-21133-WL	Aluminum Door, Long, White, Left	
FIV11002-21133-WR	Aluminum Door, Long, White, Right	
FIV11132-82091	Complete Body Template Set	

## North American Sportsman Window Brace Kit FIV12001-76133

Manufactured from premium, black powder -oated aluminum, pre-drilled braces provide added window support. Foam padded to prevent window marring. Three-piece kit.



## MD3 Street Stock Mustang Nose FIV20321-41051-W

Modernize the look of older GM metric chassis with the MD3 high-impact plastic Ford Mustang nose. Suitable for dirt or asphalt racing. White only.



## Complete Short Track Truck Body Package FIV21001-10600-B

Engineered to fit short track truck chassis with a 57" roof height, 66" tread width and up to a 112" wheelbase, complete body package includes aluminum doors, high-impact plastic nose, bumper cover, molded plastic fenders, aluminum quarter panels, composite hood, front and rear greenhouse sections, rocker panels, rear window, spoiler, and windshield. Black only.



## Short Track Truck Lower Nose

FIV81001-41151-B

Compatible with Chevy Silverado or Ford F-150 noses, high-impact plastic lower nose includes a two-piece design. Black only.



## Dirt Late Model Hood Filler Panel

**NOW AVAILABLE IN GRAY!**

FIV32000-35851-G

Made from high-impact plastic.



## Dirt Late Model High-Impact Plastic Right Side Quarter Panel

High-impact plastic, right quarter panel is significantly more durable when compared to aluminum that can be easily damaged. Flame-retardant plastic panel weighs the same per foot as .040" aluminum.



Part No.	Color	Price
FIV32001-27351-BR	Black	
FIV32001-27351-CBR	Blue	
FIV32001-27351-RR	Red	
FIV32001-27351-WR	White	

## MD3 Evolution 2 Nose

**NOW AVAILABLE IN GRAY!**

FIV32004-41051-G

Durable, high-impact plastic noses are engineered to endure the rigors of dirt track racing. Two-piece design.



Swift Springs



## Rear Conventional 13" Tall x 5.0" Dia./50 Lb. Rate Coil Spring

**NEW RATE!**

SWI130-500-050

Springs are engineered to deliver the optimal spring rate "sweet spot" where the spring is to be used. Spring is 13" tall x 5.0" dia., and has a 50 lb. rate.



## Coilover Springs

Swift coilover springs are designed with ease and consistency of vehicle setup in mind. Black powder-coated steel springs have 2.5" O.D. and 10" length unless otherwise noted.

Part No.	Description	Price
<b>Tight Helix</b>		
SWI100-250-225TH	225lb	
SWI100-250-250TH	250lb	
SWI100-250-275TH	275lb	
<b>Standard Barrel</b>		
SWI100-250-525B	525lb	
SWI160-250-080B	16" x 2.5", 80lb	
<b>Conventional</b>		
SWI110-550-300	11" x 5.5", 300lb	



## DISC BRAKES wilwood

### Dynapro SA Lug Drive Dynamic Rear Drag Brake Kit for Big Ford WIL140-14134-D

Particularly beneficial to drag cars that rely heavily on the rear brakes, lug-drive system eliminates traditional rotor bolts, instead using a single large snap ring that retains the rotor in the hat. Includes Dynapro Lug Mount 4-piston calipers, caliper brackets, 11.25" drilled super alloy rotors, aluminum dynamic rotor hat, and necessary hardware.



### Rear Flexline Kit for 2007-up Jeep JK WIL220-13968

Stainless steel braided Flexline replaces the OEM rubber hoses common to the rear of 2007-up Jeep JK. Includes (2) -3AN lines, (2) 1/8"-27 90° NPT fittings, and (2) -3AN to 3/8"-24 I.F. fittings.



### FNS 6R Big Brake Front Brake Kit for 1963-87 C10 with Iron Drop Pro Spindles WIL140-15944

Engineered specifically for 1963-87 Chevy/GMC C10 pickups fitted with Wilwood Iron Drop Pro Spindles, disc brake kit delivers unsurpassed braking capacity. Includes black powder coat finished Forged Narrow Superlite 6R six-piston calipers, HPS 32 12.19" dia. rotors with a 6 x 5.50" bolt pattern, aluminum hubs, caliper brackets, BP-10 brake pads, and required hardware.



### D154 Rear Parking Brake Kit for 1963-87 C10 WIL140-12569

Pro-Series rear disc brake kit, which fits 1963-87 Chevy/GMC C10 axles, delivers substantially improved braking along with the convenience of parking brake provisions. Sold complete with black powder coated, forged D154 four-piston calipers, HP 32 12.19" dia. rotors, caliper brackets, BP-10 brake pads, and necessary hardware.



### Compact Tandem Master Cylinder for Classic Mustang WIL260-15520-P

Designed specifically for 1964-72 Ford Mustang, master cylinder includes a mount flange and pushrod that matches the OEM manual master cylinder mount. High-pressure, die cast master cylinder weighs just 3 lbs. and features a ball burnished finish.



### Forged Dynalite Pro Series Front Brake Kit for 1962-72 Dodge/Plymouth "A" Body WIL140-11022

FDL front disc brake kit is designed to deliver significantly improved braking to 1962-72 Dodge/Plymouth "A"-body with OEM drum brakes. Kit includes black powder coat finished FDL four-piston calipers, HP 30 11.00" dia. rotors, aluminum hubs, BP-10 brake pads, caliper brackets, and all hardware



### BP-20 Smartpads for Forged Dynalite (7112) Brake Calipers WIL150-20-7112K

Versatile, BP-20 Smartpads are equally suited to street, autocross, drag racing, or oval track applications. Pads offer smooth engagement, a medium wear rate, and are the baseline pad for track oriented street cars. For use with Forged Dynalite (7112) series brake calipers. Sold as an axle set.



### MC4 Mechanical Caliper WIL120-12070-RD

Wilwoods mechanical driver side calipers are red powder-coated and feature a die-cast aluminum body with a forged billet anvil for superior strength under load while only weighing 3.3 lbs. Floating style caliper fits 14" x .81" rotors.



### Aero4 Big Brake Rear Parking Brake Kit WIL140-10943-DR

AERO4 Big Brake kits replace the factory disc brakes and use the OE parking brake assembly as a complement to front big brake upgrades on late model high performance vehicles. Kit features two red powder-coated calipers, two 14" SRP drilled/slotted rotors, and all hardware. Rear brake kits fits Chevy 12-bolt, 2.81" axle offset.



### Forged Dynapro Low-Profile Rear Parking Brake Kit WIL140-11396-D

Forged Dynapro rear disc brake kit provides a complete solution for popular muscle car rear axles on applications that require a parking brake assembly and extra clearance for 14.00" to 15.00" rim applications. Kit features two black powder-coated calipers, two 11" SRP drilled/slotted rotors, and all hardware. Rear brake kit fits Ford 8.8 rear end axle, 2.50" axle offset.



### Polymatrix BP-20 Smartpads WIL150-20-6712K

Provides increased friction levels with extended temperature range over BP-10. Ideal for heavy braking on dirt tracks, as well as hobby and sportsman asphalt racing. Pads feature a medium to extreme heat range and light to medium torque tolerance.



### HD 36 Curved Vane Scalloped Rotor

Wilwood's HD 36 Scalloped Curved Vane Spec-37 rotors are manufactured from a proprietary iron alloy developed to withstand extreme temperatures with the highest possible degree of resistance against distortion, warping, cracking, and wear. Rotors measure 11.75" x .81" and weigh 8.65lbs.



Part No.	Side	Price
WIL160-16869	Right	
WIL160-16870	Left	

## DISC BRAKES wilwood

### Handlebar Master Cylinder WIL260-4202

Right hand 5/8" bore handlebar master cylinder is black e-coated aluminum with plastic housing designed to accept a 1/4"-32 threaded brake light switch. Lever assembly includes a three-position hydraulic parking brake lock.



### Open Wheel Rotor Adapter WIL300-12581

Rotor adapter for Wilwood's GEN II Sprint / Midget inboard hubs. Adapter has unique mounting 6" x 5.50" dynamic or fixed bolt pattern for rotor mounting. Constructed from high strength aluminum with corrosion and wear resistant type III hard anodize finish.



### Replacement Black Nylon Cap for Tandem Master Cylinder WIL330-16239

Master cylinder vented replacement cap for WIL260-4893.



### Chevrolet C10 Steel ProSpindles WIL831-15931

Black e-coated ProSpindles are designed to fit 1963-87 Chevrolet & GMC 2WD C10/C15 Pickups, Blazers and Suburban's in combination with Wilwood's disc brake kits and with a 2.50" drop a more aggressive look without sacrificing steering geometry.



## Eibach

### Conventional Front 9.5" Tall x 5.5" O.D. Coil Spring/550 Lb. Rate **NEW RATE!** EIB0950.550.0550

Now offered in a 550 lb. rate, stock-type coil spring is ideally suited to Street Stocks, Hobby Stocks, or Factory Stocks. Spring is manufactured from premium chrome-silicon steel, red powder coated with a durable epoxy finish, and imprinted with the part number.



### Pro-Damper Kits for Ford Mustang

Each kit includes a complete set of performance shock absorbers that deliver significantly improved handling without adversely affecting ride quality. Each kit includes (2) front and (2) rear shock absorbers.



Part No.	Description	Price
EIB35101.840	2005-10 Ford Mustang Coupe 4.6L	
EIB35125.840	2011-14 Ford Mustang Coupe 5.0L	
EIB3514.840	2003-04 Ford Mustang Mach 1 Coupe V8	

### Pro-Kit Performance Springs for Ford Mustang EIBE10-35-054-04-22

Pro-Kit includes a set of specially selected coil springs to lower the ride height of 2021-23 Ford Mustang Mach-E GT AWD. Kit, which lowers the front 1.4" and rear 1.3", utilizes a progressive spring design to provide substantially improved handling and cornering capability.



### Anti-Roll Kit for Tesla EIBE40-87-001-01-11

Featuring both front and rear anti-roll bars, kit delivers reduced body roll and improved handling to 2017-19 Tesla Model 3 Long Range RWD models. Includes tubular steel, adjustable front and rear anti-roll bars, polyurethane bushings, and necessary hardware.



### Spring Helper for 1.88" Coil-Over EIBHELPER188

Popularly used on Legend or Dwarf car applications that use 1.88" dia. coil-over springs, helper spring is employed to keep the main spring seated when the suspension is unloaded.



# NEW PRODUCTS



## Hole Spacing Marker

WEHWM514

Designed to ease the installation of body panels, tool allows marking hole spacing from 1" to 6" in 1" increments with both a hole and a point. Includes a 1"-4" mini version for hard-to-reach areas.



## Steel Suspension Tube 3/4"-16 x 29" Long

**NOW STOCKING MORE LENGTHS!**

WEHWM750T29

Constructed from .156" wall DOM (Drawn Over Mandrel) steel, 29" long suspension tube has 3/4"-16 threads with a 15/16" hex on each end to allow easy adjustment. Laser engraved with the length and thread direction.



## Small 5 Wheel Spacer

WEHWM143125

Lightweight aluminum, small 5-wheel spacer has 1/8" thickness.



## Panhard Bar Loop Stud

WEHWM153S

Stainless steel stud features 3/4"-16 thread with 1" of thread on one side and 2-1/2" on the other.



## Angled Pinion Mount with Climber

WEHWM197-2

Specially angled pinion mount allows mounting the Panhard bar at an angle off of the left side and is 2" taller than standard. Sold complete with climber hardware.



## 2" Extended Shock Mount

This steel shock mount moves the shock your choice of 1"-2" away from the cage compared to WEHWM200-7 or WEHWM200-7-1 and features a bolt hole for increased strength.

Part No.	Description	Price
WEHWM200-7-2-1	1" Drop	
WEHWM200-7-2-2	2" Drop	



## Double Shear Bearing Suspension Cage

WEHWM200NDS-H-0

Heavy LR steel cage is one of the strongest available and boasts several next level add-ons. Spacer package has high misalignment built in for maximum travel. Cage features built-in level for reference on cage indexing and includes zero index plates, hardware, and clamp rings.



## Standard Drop/Wider Center/Over-the-Top Panhard Bar

WEHWM220B-3

Panhard bar provides 5" drop and is 17-1/2" long (without studs).



## Clamp-On Steering Mount

WEHWM23634175C750

Steering mount measures 6-3/4" long and fits 1-3/4" tubing with 3/4" threaded hinge.



## Screw Jack Bolts

Available in 11" or 14" lengths, with 1"-8 (coarse) threads. Comes with a 3/8" bolt to secure to spring cup.



Part No.	Length	Price
WEHWM304B-11	11"	
WEHWM304B-14	14	

## Oberg Inline Check Valve Mount

WEHWM3461750

Designed to secure an Oberg check valve directly to the chassis, mount clamps to 1-3/4" round tubing.



## Ultra Force Load Rater

Ultra Force load rating machines are built with CNC components to ensure maximum strength and durability. Machines feature a digital read out display, quick adjust spring removal arm, and can compress up to 4,500 lbs. Auto machine allows you to run a test to a specified distance or load and collect the data to be stored and analyzed. Your data can be viewed on a graph and allows you to overlay 3 files on the machine.



Part No.	Description	Price
WEHWM430UFA-U	Automatic Move with Side Unloader	
WEHWM430UFM	Manual Move	
WEHWM430UFM-U	Manual Move with Side Unloader	

## Metric Stub Idler Arm Bolt

WEHWM467M

Wehrs idler arm bolt extends the hex end of standard idler arm bolt out of the frame rail providing easy fix to removal without having to fight the frame rail or lose a socket.



## 5/8" High Misalignment Spacers

Black oxide steel spacers feature a 5/8" -1/2" bore, lengths are measured from the end of the spacer to the heim.

Part No.	Length	Price
WEHWM6252375HM	2-3/8"	
WEHWM6258125HM	13/16"	



## 17" Suspension Tube

WEHWM625T17

Precision machined from DOM steel, suspension tubing includes 5/8"-18 threads and a 13/16" hex on each end. Tube is laser engraved with thread direction and measures 17".



# NEW PRODUCTS



## Anti-Reversion Muffler WCD6300

Engineered specifically for use with race engines utilizing a large overlap camshaft, muffler's unique design provides increased torque from off-idle to wide open throttle, adding up to 60 ft./lbs. of torque from 2,000-5,000 RPM. Fits both 3" or 3-1/2" exhaust.



## Fuel Cell Cap with High Flow Vent WCDWCD4003-CFV

Raised cell mount CNC billet cap features a 3-1/4" O.D. with built in high flow vent.



## M8 Carbon Your Choice -

The M8 Carbon combines an ultra-lightweight design with traditional styling. Carbon shell incorporates a multi-density, multi-piece liner and includes integrated channels for a radio system and drink tube. Meets Snell SA2020 and FIA8859-2015 standards. Gloss carbon finish helmet includes a clear SRV-8 shield.



Size	Part No.
Small (57)	BEL1208A01
Small (57+)	BEL1208A02
Medium (58)	BEL1208A03
Medium/Large (59)	BEL1208A04
Medium/Large (59+)	BEL1208A05
Large (60)	BEL1208A06
X-Large (61)	BEL1208A07
XX-Large (61+)	BEL1208A08

## BR8 Carbon Your Choice -

Ultra-lightweight and versatile, the BR8 Carbon offers exceptional protection, vision, and comfort. Carbon shell is fitted with a multi-density, multi-piece liner, while including integrated channels for a radio system and drink tube. Meets Snell SA2020 and FIA8859-2015 standards. Gloss carbon finish. Includes clear SRV-8 shield.



Size	Part No.
Small (57)	BEL1238A01
Medium/Large (59+)	BEL1238A05
XX-Large (61+)	BEL1238A08

## 10-Hole Top Air Inlet BEL2070139

Made for the HP7, HP5, RS7C LTWT, RS7 Carbon, RS7, GT5 Carbon, and GT5, 10-hole top air inlet utilizes the top and forehead channels to adapt the helmet for top forced air. Clear finish.



## 13" x 8" Inertia Advantage Legends/Mini-Stock Wheel

**NOW STOCKING!**

BAS38SP3

Black powder coated, spun shell wheel features the patented Inertia Advantage design that is 5% faster and adds 9 square inches of brake cooling area. Wheel is 13" x 8", has a 4 x 4.25" bolt circle, and includes 3" of back spacing.



## 14" x 7" Legends/Mini-Stock D-Hole Lightweight Wheel

**NOW STOCKING!**

BAS47SH4C

Chrome-plated, D-hole lightweight center design wheel has a spun-form rim shell for extra caliper clearance and a lower bead flange for a larger tire footprint. The valve stem is located behind the center to avoid clipping. Wheel is 14" x 7", has a 4 x 100mm bolt circle, and 4" of back spacing.



## 15" x 10" Ultra Light Wide 5 Wheels

**NOW STOCKING 5-1/2" AND 6" BACKSPACING!**

Manufactured from special, HSLA steel and engineered to offer a performance advantage, the Ultra Light Wide 5 is the lightest 15" x 10" steel wheel currently available. Offered with 5-1/2" or 6" of back spacing.

Part No.	Description	Price
BAS50SR55-LW	15" x 10", 5-1/2" Back Spacing	
BAS50SR6-LW	15" x 10", 6" Back Spacing	



## 15" x 7" D-Hole Lightweight Wheel

**NOW STOCKING!**

BAS57RH3

Rolled-type, D-hole lightweight wheel provides a more affordable wheel shell without sacrificing quality. Ideal for Bombers, Street Stocks, Sportsman, and Limited Late Models, wheel is 15" x 7", has a 4 x 100mm bolt circle, and 3" of back spacing.



## 15" x 8" IMCA Beadlock Wheel

**NOW STOCKING!**

BAS58DC475ILK

A true 15" x 8" for IMCA use, wheel includes a D-hole design with 8-spokes. Black powder coated wheel has a 5 x 4.75" bolt circle, and 5" of back spacing.



# NEW PRODUCTS



**NEW  
VENDOR**

## Ultimate Fuel Cell

Premium quality fuel cells, offered with steel cans, include lightweight nylon reinforced construction bladders for exceptional wear resistance. Each cell features an innovative top plate with proprietary metal flap to prevent rollover related fuel spills. All cells listed meet SFI 28.3 specifications.



Part No.	Dimensions	Price
<b>5-Gallon Fuel Cell, Top Load</b>		
SEPSFC05	13.25" L. x 13.25" W. x 9.25" H.	
<b>8-Gallon Fuel Cell, Top Load</b>		
SEPSFC08	20.5" L. x 12.5" W. x 9.13" H.	
<b>10-Gallon Fuel Cell, Top Load</b>		
SEPSFC10	24.25" L. x 12.75" W. x 10.25" H.	
<b>15-Gallon Fuel Cell, Top Load</b>		
SEPSFC15	24.5" L. x 17.75" W. x 9.5" H.	
<b>17-Gallon Fuel Cell, Top Load/Vertical End O/S</b>		
SEPSFC17	34" L. x 17.5" W. x 8" H.	
<b>22-Gallon Fuel Cell, Top Load</b>		
SEPSFC22B	25.13" L. x 16.88" W. x 13.75" H.	
<b>22-Gallon Fuel Cell, Top Load/Vertical End</b>		
SEPSFC22C	34" L. x 17.5" W. x 9.5" H.	
SEPSFC22E	33" L. x 17" W. x 9.25" H.	

## Ultimate Northeast Modified 24-Gallon Fuel Cell SEPSFC24B-AC

Racing cell, which is 17" L. x 25" W. x 14-1/2" H., is designed specifically for use on Northeast Modifieds and has a 24-gallon capacity. Includes a black powder coated aluminum can, lightweight nylon reinforced bladder, and billet aluminum fill plate with -10AN outlet, -8AN return, -8AN dipstick, -6AN rollover vent, and 1/4 turn fill cap.



## Ultimate Dirt Late Model 28-Gallon Fuel Cell SEPSLM28-DLM-AC

Top-of-the-line fuel cell is designed exclusively for the Dirt Late Model racer. Fuel cell, which is 23.5" L. x 20" high overall, includes a black powder coated aluminum can, lightweight nylon reinforced construction bladder, and billet aluminum top plate with -10AN outlet, -8AN return, -8AN dipstick, -6AN rollover vent, and billet aluminum fill cap.



## NASCAR 22-Gallon Touring Fuel Cells

Manufactured specifically for NASCAR touring series, each cell combines a steel container with a Kevlar reinforced bladder, and filler plate with 2-1/2" 45° quick fill. Cells meet NASCAR 2000 and FIA FT3.5 specifications.

Part No.	Dimensions	Price
<b>NASCAR Touring Modified Fuel Cell</b>		
SEPSTC22B*	16.88" L. x 25" W. x 13.75" H.	
<b>ARCA/Canadian Pinty Fuel Cell</b>		
SEPSTC22D†	17" L. x 33" W. x 9.25" H.	
<b>Asphalt Late Model Fuel Cell</b>		
SEPSTC22E*	17" L. x 33" W. x 9.25" H.	

\* Cell includes -8AN outlet, -6AN return, and -6AN dipstick.  
† Cell includes -10AN outlet, -8AN return, and -8AN dipstick.

## Fuel Cell Replacement Components

Part No.	Description	Price
SEPSBK24	Bolt Kit with Nylon Washers and Gasket for 24-Bolt Fill Plate	
SEPSFB15	15-Gallon Bladder with Foam, SFI 28.3	
SEPSFB22C	22-Gallon Bladder with Foam, Asphalt Late Model, SFI 28.3	
SEPSFP100-08	Aluminum Fill Plate, -8AN Outlet, -6AN Return, -6AN Vent, Billet Cap	
SEPSFP100-10	Aluminum Fill Plate, -10AN Outlet, -8AN Return, -6AN Vent, Billet Cap	
SEPSGA610	Fill Plate Gasket, 6 x 10-24	



## Compact Versa Cart FLF60604

Lightweight and foldable, yet durable and easy to use. Made in the USA, compact cart can secure any single Flo-Fast single jug or (2) 5-gallon jugs. Large, 10" dia. tires and telescoping handle eases transport.



## 7-1/2 Gallon Utility Jugs Your Choice -

Dual handle, 7-1/2 gallon utility jug is compatible with all types of fuels, coolants, etc. Manufactured from a plastic composite material, jug includes a molded-in petcock vent to ease pouring. Includes solid plastic cap with internal O-ring. Sold Each.



Part No.	Description
FLF75002	Blue Utility Jug
FLF75003	vWhite Utility Jug
FLF75004	Yellow Utility Jug



## High-Speed Shock Dynamometer INT102092-40

Test and evaluate shock absorbers precisely and effectively. Unit uses a 3 HP motor that runs on 220V power, with adjustable stroke settings of 1", 1.5", 2" or 2.25", and an eye-to-eye 40" mast. Easy-to-use shock analysis software displays all measurements in force, distance, and temperature. High-speed unit operates from 0.5 to 55 in./sec. Sold complete with laptop.



## Short Length Body Load Stick INT174003

Accessory, short length load stick is engineered solely for use with Intercomp's RFX Suspension Load Stick.





## Tech-1T V3 Driving Shoes

Providing optimum fit, feel, and comfort, the Tech-1T V3 shoe features full bovine leather construction with Nomex lining. Exceptionally lightweight shoe is also water repellent and oil resistant. Offered in black/fluorescent yellow, black/silver, white/black, or white/black/red. Meets SFI 3.3/5 specifications.



Size	Black/Fluor. Yellow	Price	Black/Silver	Price	White/Black	Price	White/Black/Red	Price
7	ALP2710122-1055-7		ALP2710122-119-7		ALP2710122-21-7		ALP2710122-213-7	
7-1/2	ALP2710122-1055-7.5		ALP2710122-119-7.5		ALP2710122-21-7.5		ALP2710122-213-7.5	
8	ALP2710122-1055-8		ALP2710122-119-8		ALP2710122-21-8		ALP2710122-213-8	
8-1/2	ALP2710122-1055-8.5		ALP2710122-119-8.5		ALP2710122-21-8.5		ALP2710122-213-8.5	
9	ALP2710122-1055-9		ALP2710122-119-9		ALP2710122-21-9		ALP2710122-213-9	
9-1/2	ALP2710122-1055-9.5		ALP2710122-119-9.5		ALP2710122-21-9.5		ALP2710122-213-9.5	
10	ALP2710122-1055-10		ALP2710122-119-10		ALP2710122-21-10		ALP2710122-213-10	
10-1/2	ALP2710122-1055-10.5		—	—	ALP2710122-21-10.5		—	—
11	ALP2710122-1055-11		ALP2710122-119-11		ALP2710122-21-11		—	—
12	ALP2710122-1055-12		—	—	ALP2710122-21-12		ALP2710122-213-12	
13	ALP2710122-1055-13		ALP2710122-119-13		ALP2710122-21-13		ALP2710122-213-13	

## GP Pro Comp V2 Bootcut Driving Suit

Your Choice -

Suit combines a plain material outer shell with a soft aramid base knit lining for superior comfort and protection. Stretchable, open mesh panels are employed to increase comfort and flexibility. Offered in black/white or blue/red. Meets SFI 3.2A/5 specifications.

Size	Black/White
X-Small	ALP3352122-1128-46
Small/Medium	ALP3352122-1128-50
Medium/Large	ALP3352122-1128-54
X-Large	ALP3352122-1128-60
X-Large/XX-Large	ALP3352122-1128-62
XX-Large	ALP3352122-1128-64
XX-Large/XXX-Large	ALP3352122-1128-66



## Atom Bootcut Driving Suit

Your Choice -

Double-layer driving suit features a twill outer shell and aramid lining for exceptional comfort and breathability. Full floating arms, pre-curved arms and legs, and stretch panels aid comfort and flexibility. Offered in black, black/silver, or silver/fluorescent yellow. Meets SFI 3.2A/5 specifications.

Size	Black	Black/Silver	Silver/Fluor. Yellow
X-Small	ALP3352822-10-44	ALP3352822-119-44	ALP3352822-1950-44
X-Small/Small	ALP3352822-10-46	ALP3352822-119-46	ALP3352822-1950-46
Small	ALP3352822-10-48	ALP3352822-119-48	ALP3352822-1950-48
Small/Medium	—	ALP3352822-119-50	ALP3352822-1950-50
Medium	ALP3352822-10-52	ALP3352822-119-52	ALP3352822-1950-52
Medium/Large	ALP3352822-10-54	ALP3352822-119-54	ALP3352822-1950-54
Large	ALP3352822-10-56	ALP3352822-119-56	ALP3352822-1950-56
Large/X-Large	ALP3352822-10-58	ALP3352822-119-58	ALP3352822-1950-58
X-Large	ALP3352822-10-60	ALP3352822-119-60	ALP3352822-1950-60
X-Large/XX-Large	ALP3352822-10-62	ALP3352822-119-62	ALP3352822-1950-62
XX-Large	ALP3352822-10-64	ALP3352822-119-64	ALP3352822-1950-64
XX-Large/XXX-Large	ALP3352822-10-66	ALP3352822-119-66	ALP3352822-1950-66



## V4 Race Socks

Your Choice -

Lightweight, comfortable, and ergonomically designed. Meets FIA specifications. Black or white.

Size	Part No.
<b>Black</b>	
Small	ALP4704021-10-S
Large	ALP4704021-10-L
X-Large	ALP4704021-10-XL
<b>White</b>	
Small	ALP4704021-20-S
Medium	ALP4704021-20-M
X-Large	ALP4704021-20-XL



## ZX V3 Socks

Your Choice -

Lightweight, compression design socks utilize an elastane fiber for exceptional comfort and movement. Meets FIA specifications. White only.

Size	Part No.
Small	ALP4704321-20-S
Medium	ALP4704321-20-M
Large	ALP4704321-20-L
X-Large	ALP4704321-20-XL





## SL/SZ Series Shock Absorbers

Your Choice -

Mono-tube gas, SL/SZ series shock absorbers are popularly used on Modifieds and Late Models. SZ series are digressive, while SL series are linear. All are 2.0" O.D. and utilize 1.81" (46mm) pistons for consistent, fade-free performance. Offered in 7" or 9" strokes, shocks may be converted to coil-overs. Sold each.

Part No.	Overall Length	Comp. Length	Stroke	Compression Damping	Rebound Damping
<b>SL Series Linear Shock Absorbers</b>					
BIL33-321790	20.00"	13.14"	7"	5	3
BIL33-321820	23.44"	14.94"	9"	2	4
BIL33-321905	23.44"	14.94"	9"	8	1
<b>SZ Series Digressive Shock Absorbers</b>					
BIL33-321608	20.00"	13.14"	7"	2	15
BIL33-321653	20.00"	13.14"	7"	3	8
BIL33-321660	20.00"	13.14"	7"	3	10
BIL33-321677	20.00"	13.14"	7"	3	12
BIL33-321684	20.00"	13.14"	7"	3	15
BIL33-321714	20.00"	13.14"	7"	4	8
BIL33-321752	20.00"	13.14"	7"	4	10
BIL33-321769	20.00"	13.14"	7"	4	12
BIL33-321776	20.00"	13.14"	7"	4	15
BIL33-321813	20.00"	13.14"	7"	6	3
BIL33-321899	23.44"	14.94"	9"	5	3
BIL33-321929	23.44"	14.94"	9"	8	3
BIL33-321936	23.44"	14.94"	9"	9	1
BIL33-321943	23.44"	14.94"	9"	9	2
BIL33-321950	23.44"	14.94"	9"	10	2
BIL33-321967	23.44"	14.94"	9"	12	2
BIL33-321974	23.44"	14.94"	9"	13	2
BIL33-321981	23.44"	14.94"	9"	14	2
BIL33-321998	23.44"	14.94"	9"	15	2
BIL33-329178	23.44"	14.94"	9"	1	6



## B6 4600 Series Shock Absorbers

B6 series delivers significantly improved handling without adversely affecting ride quality. Mono-tube, gas pressure digressive valved shocks are a direct replacement but with slightly stiffer valving. Sold each.

Part No.	Description	Price
BIL24-007214	1982-84 BMW 733i; 1985-86 BMW 735i, Rear	
BIL24-197434	2005-12 Nissan Pathfinder 4WD, Rear	
BIL33-187396	2009-13 Ford F150 2WD, Rear	



## SNS2-BV Dry Shock Kit

BIL33-316697

Shock incorporates BV (Base Valve) technology that provides ultra-low rod pressures, eliminating gas pre-load, while increasing fade-free performance. Dry shock kit requires that the piston and band be purchased separately.

Overall Length	Compressed Length	Stroke
23.44"	14.94"	9"



## B8 5100 Series Shock Absorbers

Shocks combine a mono-tube design with the largest available piston diameter. Patented digressive valving instantly reacts to changing conditions, on or off-road, for maximum control and comfort. Sold each.

Part No.	Description	Price
BIL24-185509	1983-97 Ford Ranger 4WD, 0-1" Lift, 1984-90 Bronco II, 4" Lift, Rear	
BIL24-187237	2000-14 Chevy Tahoe/Avalanche/ Suburban/GMC Denali 2/4WD, 0-2", Rear	



## B8 6112 Series Front Suspension Kit for 2014-20 Ford F150 4WD

BIL47-310995

Front coil-over suspension kit significantly improves off-road capability, while maintaining street ride quality. Kit utilizes large diameter, gas-charged monotube shock absorbers and specially-designed coil-over assemblies that allow ride height adjustments of 0", .5", 1", 1.5", or 2". Fits all 2014-20 Ford F150, 4WD only.



## Bypass Disc/8ID (1 Notch)

BILE4-FE2-Z147A00

Steel shock valve disc has a .315" I.D., 1.437" O.D., .006" Thickness, and .011" Bypass. Sold in pack of 20.

# NEW PRODUCTS



## Wide 5 Rear Spindle Snout/1° Cambered

COL20684

Snout is specially offset to allow the axle to line up with the drive flange. Fits inside 2-5/8" I.D. axle tubes.



## Throttle Pedal Assembly

COL30548

Lightweight aluminum accelerator pedal assembly features built-in rollers to provide smooth, instant throttle operation. Gold anodized finished.



## Coil-Over Eliminator for 5" Conventional Spring

COL450-180

All-steel, gold zinc-plated assembly is designed to accept a conventional, 5" dia. coil spring.



## Aluminum Double Pass 29" x 18" Radiators for Super Late Models

Manufactured and TIG-welded in Mooresville, N.C., lightweight, double pass radiators are engineered specifically for Super Late Models. Choose from a lightweight racing radiator only or a complete cooling module, which combines a lightweight racing radiator with an 11" SPAL electric fan and high efficiency engine oil cooler. Radiators include standard filler necks and GM inlet/outlet configurations.



Part No.	Description	Price
DUNFRP20-GCM-2FN	Super Late Model Cooling Module	
DUNFRP20-GRO-2FN	Super Late Model Radiator	



**NEW VENDOR**

## P-Zero PRO-Series 6" Kart Wheels

Popular with oval track dirt kart racers, premium quality 6061-T6 aluminum wheels are fully machined, perfectly balanced, and feature zero runout. Wheels listed include a 3 x 2.50" bolt pattern and 1.75" register.



Part No.	Description	Price
<b>Black Anodized Wheels</b>		
VAN325.6600.25	6" Dia. x 6" Wide, 2-1/2" Back Spacing	
VAN325.6650.25	6" Dia. x 6-1/2" Wide, 2-1/2" Back Spacing	
<b>Machined Finish Wheels</b>		
VAN326.6600.25	6" Dia. x 6" Wide, 2-1/2" Back Spacing	
VAN326.6650.25	6" Dia. x 6-1/2" Wide, 2-1/2" Back Spacing	



## Chevrolet HEI V8 Crossfire Distributor Cap and Rotor

DUICF12000BK

Special distributor cap and rotor re-arranges the terminals, eliminating the mess of spark plug wires. Right side plug wires exit to the right side and left bank wires exit to the left, preventing arcing between plug wires. USA-made cap includes corrosion-resistant brass terminals. Fits Chevy HEI V8 only.



## DTC-60 High Performance Brake Pads

**STOCKING MORE APPLICATIONS!**

Pads offer superior release and torque control, and are ideal for cars with high deceleration rates. Sold in axle sets.



Part No.	Description	Price
<b>Front Brake Pads</b>		
HAWHB136G690	1998 BMW 318i 1.9L; 1998-99 BMW Z3 1.9/2.5/2.8L; 2000 BMW 328Ci	
HAWHB393G.665*	2020 Honda Civic LX 1.5/2.0L; 2020 Honda Civic Sport/Touring/Sport Touring 1.5/2.0L	

\*Includes shims and pad springs.



**Performance Products**

## Low Drag Hub Components

**NOW STOCKING MORE APPLICATIONS!**

Innovative, low-drag hub components eliminate bearing drag, reducing friction and temperatures, while ultimately delivering more horsepower to the track.



Part No.	Description	Price
<b>Adjustable Wheel Bearing Spacers (Includes (1) Bearing Spacer)</b>		
DRP007-10510	2-7/8" Wide 5 Rear Hub (Bert/Winters/Bicknell)	
DRP007-10512	2-7/8" Wide 5 Front Hub	
<b>Premium Finished Bearing and Race Kit</b>		
DRP007-10598	2-7/8" Wide 5 Hub, Includes (2) 8658 Bearing & Race (Winters)	
<b>Installation Tools</b>		
DRP007-20503	Wide 5 Bearing Spacer Installation Kit, Fits DRP007-10503	
DRP007-20521S	GM Metric #2 Bearing Spacer Installation Kit, Fits DRP007-10521S	
DRP007-20531	Mustang/Pinto Bearing Spacer Bearing Spacer Installation Kit, Fits DRP007-10531	
<b>Grease Seal Removal Tool</b>		
DRP007-80515	Wide 5 & 5 x 5	
<b>Bearing Packer Accessories</b>		
DRP007-80586	Bearing Packer Seat Only, Impala/GM Intermed. Outer M12649, 3-Pc. Set	
DRP007-80587	Bearing Packer Seat Only, 1980-Up GM Intermed. Inner; Legends, LM67048, 6-Pc. Set	



## Ultimate 15" Vented Wheel Covers for Real Style Wheels **NEW COLORS!**

High-impact, vented wheel covers include domed centers to increase aerodynamics and reduce mud packing. Designed for use with Real style wheels, covers are retained with quick fasteners.

Part No.	Description	Price
DOM1007-D-FLO-OR	Fluorescent Orange, Quick Fastener Style	
DOM1007-D-FLO-YE	Fluorescent Yellow, Quick Fastener Style	



## Ultimate 15" Vented Wheel Covers **NEW COLORS!**

Designed for use with wheels manufactured by Aero, Bart, Bassett, Weld Racing, etc., high-impact vented wheel covers feature domed centers to increase aerodynamics and reduce mud packing. Retained with quick fasteners.

Part No.	Description	Price
DOM1013-D-FLO-OR	Fluorescent Orange, Quick Fastener Style	
DOM1013-D-FLO-YE	Fluorescent Yellow, Quick Fastener Style	



## Micro Sprint 13" Wheel Cover DOM1016-B-BLK

Manufactured from high impact plastic, 13" wheel cover helps increase aerodynamics and reduce mud packing. Bolt-on style cover is offered in black only. Sold each.



## Dirt Rocker Panels/Gray **NOW OFFERED IN GRAY!** DOM1100-GRY

Ideal for late models, modifieds, or street stocks, rocker panels add a finishing touch to the lower body. Three-piece, high-impact plastic kit is 86" long x 7" wide. One section is cut in half for use on the rear quarter panel.



## Asphalt Super Late Model Nose and Fender Flares DOM2000-RD

High-impact plastic nose and fender flares feature the same winning aerodynamic characteristics commonly associated with Dominator Race Products. Sold as a kit with a complete nose and fender flares. Red only.



## Dirt Late Model Nose and Fender Flares DOM2300-RD

High-impact plastic nose and fenders are engineered to endure the rigors of dirt late model racing, while offering superior aerodynamics. Left fender features a unique, two-piece design. Sold as a kit with a complete nose and fender flares. Red only.



## Body Bolt Kits Your Choice -

Engineered specifically for race car body assembly, each kit includes (10) 1-1/8" dia. injection molded plastic (colored) washers, (10) 1" dia. steel washers, (10) 1/4" nylon nuts, and (10) 1/4" dia. x 1-1/4" long allen or hex head bolts. Offered in a wide variety of colors.

Color	Part No.
<b>Allen Head Kit</b>	
Black	DOM1200-A-BK
Blue	DOM1200-A-BL
Fluorescent Orange	DOM1200-A-FLO-OR
Fluorescent Yellow	DOM1200-A-FLO-YE
Gray	DOM1200-A-GRY
Orange	DOM1200-A-OR
Pink	DOM1200-A-PK
Purple	DOM1200-A-PU
Red	DOM1200-A-RD
White	DOM1200-A-WH
Xtreme Green	DOM1200-A-XG
Yellow	DOM1200-A-YE
<b>Hex Head Kit</b>	
Black	DOM1200-B-BK
Blue	DOM1200-B-BL
Fluorescent Orange	DOM1200-B-FLO-OR
Fluorescent Yellow	DOM1200-B-FLO-YE
Gray	DOM1200-B-GRY
Orange	DOM1200-B-OR
Pink	DOM1200-B-PK
Purple	DOM1200-B-PU
Red	DOM1200-B-RD
White	DOM1200-B-WH
Xtreme Green	DOM1200-B-XG
Yellow	DOM1200-B-YE



## Adjustable IMCA-Legal Modified Valance Kit **NOW OFFERED IN FLUORESCENT YELLOW!** DOM409-FLO-YE

Three-piece kit delivers a finishing touch to modifieds. Easy to install and made from durable, high-impact plastic, valance kit is 45" wide x 6" deep with 30" long sides. Front tip is parallel to meet IMCA rules.



# NEW PRODUCTS



## Precision Replacement Ball Joint Studs

**NOW STOCKING!**

Part No.	Description	Price
HOW2233101	-.100" Shorter Ball Stud for HOW22300 Upper Ball Joint	
HOW22460SB	Small Ball Stud for HOW22419 Lower Ball Joint	



## Precision Max Upper A-Frame Key/3/16"

**NOW STOCKING!**

HOW22607

Engineered exclusively for use with Precision Max slot and key style upper control arms. Size is 3/16".



## Rubber Bushing Joint/3/4" RH

HOW38120R

Often used in place of a rod end when it's desired to cushion suspension forces or induce rear steer. Also for racing applications where rod ends are not allowed. Bushing joint includes 3/4" RH threads.



## Charger and Super Charger

An oversized, wraparound eyepoint provides a wide angle view. Helmets include Gray Matter liner for maximum comfort and safety, while an adjustable chin bar, forehead, crown, and rear vents add comfort. Meets SA2020 specifications. Offered in standard Charger or top air mount Super Charger versions.



Part No.	Description	Price
<b>Charger</b>		
IMP14020509	Large, White	
IMP14020510	Large, Black	
IMP14020609	X-Large, White	
IMP14020610	X-Large, Black	
<b>Super Charger</b>		
IMP17020509	Large, White	
IMP17020512	Large, Flat Black	
IMP17020608	X-Large, Silver	
IMP17020609	X-Large, White	
IMP17020612	X-Large, Flat Black	

## 3-Bar/2" Belt Adjuster

IMP50000010

Often required when securing 2" wrap around or sub belts.



## Vision Replacement Helmet Shields

Designed to fit the Vision helmet, shields are constructed from 3mm polycarbonate.

Part No.	Description	Price
HPT2010482	Smoke	
HPT2010483	Dark Smoke	
HPT2010484	Amber	
HPT2010486	Silver Mirror	



## 8611 Series Double Adjustable Road Race Strut Inserts

Your Choice -

An affordable, double-adjustable option for club racers and auto crossers, strut inserts utilize a 1.713" diameter twin-tube design, and are independently adjustable for rebound and compression. Sold each.



Part No.	Stroke	Extended Length	Compressed Length
<b>5/8" Stud Upper Mount</b>			
KON8611-1257RACE*	5.63"	19.69"	14.06"
KON8611-1259RACE*	6.02"	21.26"	15.24"

\* A 1/2" hole must be drilled in the strut housing bracket to accommodate the compression adjuster.

Outerwears



## Oval Pre-Filter with Top

OUT10-3263-01

Polyester material pre-filter contains uniform, micro-sized openings to allow air in while filtering out the grime that will eventually clog an air filter. Oval-shaped pre-filter is 8" x 14" x 7" tall with top.



## Vararam Air Grabber

Water-repellent, rectangular-shaped pre-filter is 15-1/2" W. x 19-1/2" L. x 3" H. and provides an over the edge fit. Offered in black or red.



Part No.	Description	Price
OUT20-3211-01	Black	
OUT20-3211-03	Red	



## Engine Mount Spacers

Lightweight, billet aluminum spacers eliminate the need to use stacks of heavy steel washers. Black anodized. Sold per pair.



Part No.	Description	Price
JOE10966-B	1/2" Thick Spacers	
JOE10978-B	2" Thick Spacers	

## 17" Wide-Angle Mirror Head

JOE11289

Mirror head only; mounting brackets sold separately.



## Radio Box

JOE11314-B

Secures radio, protecting it from damage and vibration. Constructed from lightweight aluminum, box is 5" x 3-3/4" x 2-1/2" and attaches directly to 1-3/4" tubing.



## Trailing Arm Mount

JOE11402-B

Aluminum trailing arm mount secures to 3" axle tube and includes a keyway to ease installation and prevent the mount from rotating on the axle tube. Axle centerline to the shock mount measures 6-5/8" vertically. Keyways for both steel and aluminum axle tubes are included. Black anodized.



## Double-Shear Trailing Arm Mount

JOE11403-V2

Rigid, billet aluminum mount features a double-shear design for improved strength and retention. Designed for use with up to 5" springs, mount is machined for a keyway to eliminate rotation. Axle centerline to shock mount is 7-1/8". Keyways, available to weld to steel or aluminum axle tubes, must be purchased separately.



## Fuel Filler

Fuel filler is machined from billet, 6061-T6 aluminum. Includes a gasketed, thread-in cap and rigid filler neck for safe, easy refueling. Choose from two different designs.

Part No.	Description	Price
JOE13200-B	Star Pattern Fuel Filler	
JOE13201-B	Skull and Bones Fuel Filler	



## Weld-On Pro Steering Wheel

### Quick Release Couplers

Lightweight steel splined coupler is designed for use with Joes SFI-approved Pro Steering Wheel Quick Releases. Weighs just 5.6 ozs.

Part No.	Description	Price
JOE13419-625	Welds to 5/8" Steering Shaft	
JOE13419-750	Welds to 3/4" Steering Shaft	



## Pro Steering Wheel Quick Release

Lightweight, billet aluminum quick release pushes over the steel coupling, locking in place, while eliminating the need to pull the large diameter disconnect ring. Meets SFI 42.1 specifications. Offered for a variety of popular steering wheel bolt patterns and steering shaft sizes.



Part No.	Description	Price
JOE13421	3-Bolt Pattern to 5/8" Steering Shaft	
JOE13421-G	Grant Steering Wheel to 5/8" Steering Shaft	
JOE13421-M	Momo Steering Wheel to 5/8" Steering Shaft	
JOE13422	3-Bolt Pattern to 3/4" Steering Shaft	
JOE13422-G	Grant Steering Wheel to 3/4" Steering Shaft	
JOE13422-M	Momo Steering Wheel to 3/4" Steering Shaft	

## 15" Rubber Coated Steering Wheel

JOE13535-CB

Flat, 15" dia. steering wheel includes a tacky rubber surface that provides the driver with maximum grip. Includes both 3 x 5/16" on a 1-3/4" and 3 x 1/4" on 1-9/16" bolt patterns.



## Drip Cup Washer

JOE19301

Used in conjunction with a drip cup by shock rebuilders to catch oil before it runs down the side of the shock.



## Jr. Sprint Belt Drives

Black anodized, lightweight aluminum belt drives are flanged, include a 3/4" keyed bore, and are designed for use with 20mm wide belts. Choose from 20- or 30-tooth versions.



Part No.	Description	Price
JOE24920	20-Tooth Belt Drive with Washers	
JOE24930	30-Tooth Belt Drive	

## Micro Sprint Throttle Return Spring Kit

JOE25840-V2

Compatible with carbureted or injected applications, kit allows setting the cable length to achieve the desired amount of return spring tension.



## Wide 5 Tire Machine Adapter

JOE29520

Designed to ease changing tires on Wide 5 wheels when using a standard tire machine, adapter includes smooth pins that slip into the lug holes along with multiple holes in the plate to catch the tire machine pin.



## High Pressure Portable Nitrogen Tank Kit

JOE32351-V2

Lightweight and compact, tank allows easily topping off tires whenever and wherever needed. Billet handle and roll bar brackets protect the 1800 PSI tank and industrial grade 200 PSI regulator from damage. May be refilled from a larger nitrogen bottle with the included transfer hose. Tank is 18" high x 5" diameter.



# NEW PRODUCTS



## Serpentine Drive Kit for LS CT525 Crate Engine

### JRP1020-LS-EMP

Ideal for GM LS CT525 crate motors, serpentine kit includes EMP Stewart Pro Series water pump with replaceable cartridge, black anodized billet aluminum water pump and crankshaft pulleys, and drive belts.



## Serpentine Drive Kit for SB Chevy

### JRP1441-AL-72

Complete, small block Chevy serpentine drive kit includes aluminum short style water pump, aluminum power steering pump, lightweight mini 70-amp alternator, billet aluminum pulleys and brackets, drive belts, and necessary hardware. Includes pulleys for engine speeds up to 7200 RPM. **NOTE: Kit is designed for use with a power steering remote style reservoir, purchased separately.**



## Square Tooth Gilmer Belt/ 30.0" Long x 10mm Wide

### JRP300-L-010

**NOW STOCKING!**



## Serpentine Belt/36.024" Long x 6-Groove

### JRP6PK-915HD

**NOW STOCKING!**



## Alternator Pulley/2.5" O.D. x 6-Groove

### JRPAL-5105-A-A-2.5

Designed for use with 6-groove serpentine belts, billet aluminum, 2.5" dia. pulley has a .590" (15mm) I.D.



## Radius Tooth HTD Alternator Pulley Belt Guide

### JRPBG-6108-22-CAP

Billet aluminum belt guide for 22-tooth alternator pulley.

## Radius Tooth HTD Crankshaft Pulley

### JRPCS-6102-B-18

Made from rigid billet aluminum, 18-tooth HTD pulley is 1" (25mm) wide with a 1" I.D. and 1/8" keyway. Extra wide design allows for ease of belt alignment.



## SB Chevy Billet Aluminum Drive Hub

### JRPDH-8101-NE-B-2.5

Drive hub base registers inside of a small block Chevy balancer and includes a built-in nut to allow turning the engine over. Hub measures 2.5" from the hex to the end. **NOTE: Requires JRPBEC-2109-C bolt and end cap kit.**



## Radius Tooth HTD Power Steering Pulley

### JRPSP-6103-D-A-3/4

**NOW STOCKING!**

Billet aluminum, 40-tooth power steering pulley is 15mm wide and is designed for a press-fit installation.



## Drive Mandrel Pulley Spacer

### JRPSP-6103-D-A-3/4

**NOW STOCKING!**

Aluminum spacer has a 1-1/8" I.D. and is 3/4" thick.



## SB Chevy Short Style Water Pump

### JRPWP-9104-SBC-AL2

**NOW STOCKING!**

Aluminum water pump includes a built-in cam stop and (2) 3/8" NPT auxiliary cooling ports.



## SB Chevy Universal Mid-Mount Alternator Bracket

### JRPWPM-9101-C

**NOW STOCKING!**

Billet aluminum, universal design bracket mounts from short water pump to 35-65 amp mini alternator.



## Nomex Socks

### Your Choice -



Light and comfortable, fire-resistant Nomex socks keep feet clean and dry. Meets SFI 3.3 standards. White or black.

Description	Part No.
<b>Black</b>	
Youth	K1R26-NS0-N-Y
Small/Medium	K1R26-NS0-N-SM
<b>White</b>	
Youth	K1R26-NS0-W-Y
Small/Medium	K1R26-NS0-W-SM
Large/X-Large	K1R26-NS0-W-LXL

# NEW PRODUCTS



## Conventional 5.0" O.D. Rear Coil Springs

**NOW STOCKING MORE RATES!**

Ends are ground flat, assuring true contact with the spring perches.

Rate	Part No.	Price
<b>15" Length</b>		
75	LANK15-075	
100	LANK15-100	
125	LANK15-125	
150	LANK15-150	
175	LANK15-175	
200	LANK15-200	



## Elite 5.0" O.D. x 20" Length Rear Coil Spring/75 Lb. Rate

**NOW STOCKING!**

LANK20-075-E

Engineered for circle track racing, chrome silicone Elite series springs are lightweight and offer the most travel without loss of spring rate. Bengal silver finish. Sold each.



## 3" I.D. x 10" Length Coil-Over Spring/400 Lb. Rate

**NOW STOCKING!**

LANR10-400

Cold-wound, designed with the correct pitch and height ratio, engraved and serial numbered for quality control. Sold each.



## TR2 Transponder Systems

The newest, most innovative transponder designed exclusively for auto racing. Accurate and reliable, unit utilizes reliable hardware and easy subscription management via Bluetooth and the Speedhive app. Subscription allows free online access to driver's practice and race results via the Speedhive platform. Choose from direct power units that are powered by the vehicle's battery, or traditional rechargeable systems.



Part No.	Description	Price
<b>Rechargeable Systems</b>		
MYL10R810CC	Go Lifetime Subscription	
MYL10R911CC	1-Year Subscription	
MYL10R912CC	2-Year Subscription	
MYL10R915CC	5-Year Subscription	
<b>Direct Power Systems</b>		
MYL10R931CC	1-Year Subscription	
MYL10R932CC	2-Year Subscription	
MYL10R935CC	5-Year Subscription	



## WB Series Shock Absorbers

Popular on Modifieds, Super Stocks, or Street Stocks, redesigned black steel-bodied shock absorbers accept coil-over kits. Has bearing welded on both ends. May be run upside down.

Part No.	Collapsed Length	Extended Length	Damping Comp./Rebound	Price
<b>7" Stroke</b>				
PROWB738BK	12.50"	19.50"	3/8	
<b>9" Stroke</b>				
PROWB972BK	14.50"	23.50"	7/2	



## Pinion Mount for Rocket Chassis PPM0460

Engineered for Rocket chassis fitted with Quick Change rears, bolt-on pinion mount is manufactured from rigid, billet aluminum and includes a double adjustable design.



## Adjustable Mid-Plate for Rocket Chassis PPM1318N

Motor plate, which fits Chevy or Ford engines, is offset 2-5/8" and adjustable to allow multiple mounting options. Black powder coat finished.



## 5/8"-18 x 12" Long Suspension Tube

**NOW STOCKING!**

PPM5812BB

Black anodized, 5/8"-18 aluminum suspension tube is 12" long and less rod ends. Tube is RH and LH threaded ends with machined flats for eased adjustments.



## 8" Long/13° Upper A-Frame

**NOW STOCKING!**

PPM6080S

Custom fabricated, tubular steel A-frame is 8" long and has a 13° angle. Includes billet aluminum cross shaft.



# NEW PRODUCTS



## Champions of Safety Semi-Rigid Alloy Tubing

Well suited to all types of motorsports fire extinguisher systems, tubing is offered in 6mm, 8mm or 10mm O.D.



Part No.	Description	Price
LIF951-101-006-5M	6mm x 5m Length	
LIF951-101-008-5M	8mm x 5m Length	
LIF951-101-010-5M	10mm x 5m Length	



## SB Chevy Gear Drive PQX0135021

Small block Chevy gear drive features an attention-grabbing, noisy design. Gear drive includes a dual gear, dual idler design.



## R4 Series Wet Sump Oil Pump PTR04-1006

Twisted, four-lobe aluminum rotors provide reduced weight, while delivering increased performance. Shallow, screw-in fittings help provide a reduced profile. Rear drive, high-volume pump has a 1.400" pressure section and mounts to the left side of small block Chevys.



## Radio Helmet Kit STIAE0320

Radio helmet kit works with Stilo model GT & FN helmets, features gextex boom mic and earmuff speakers.



## Clear ST5 Replacement Shield STIYA0851

Stilo ST5 replacement shield is clear with anti-fog and anti-scratch protection.



## Jack Adapter Cable STIYB0104

Stilo adapter cable converts 3.5 mm to 6.35 mm.



## Square Motorsports Containers

All new, motorsports containers combine a square, space-saving design with built-in, ergonomically designed handles on both the side and bottom to ease pouring. Equipped with modified caps for an improved seal, containers meet strict California regulations. Offered in 3- or 5.5-gallon sizes, containers are offered separately, or complete with deluxe hose to ease pouring.



Part No.	Description	Price
VPF3512-CA	5.5 Gallon, Red	
VPF35221-CA	5.5 Gallon, Patriotic	
VPF3522-CA	5.5 Gallon, White	
VPF3532-CA	5.5 Gallon, Blue	
VPF3552-CA	5.5 Gallon, Yellow	
VPF3556-CA	5.5 Gallon, Yellow w/ Filler Hose	
VPF3562-CA	5.5 Gallon, Green	
VPF3572-CA	5.5 Gallon, Orange	
VPF3582-CA	5.5 Gallon, Black	
VPF3812-CA	5.5 Gallon, Pink	
VPF3842-CA	5.5 Gallon, Camo	

Part No.	Description	Price
VPF3852-CA	5.5 Gallon, V-Twin	
VPF4042-CA	5.5 Gallon, Tan	
VPF4162-CA	3 Gallon, Red	
VPF4163-CA	3 Gallon, Red w/ Filler Hose	
VPF4172-CA	3 Gallon, White	
VPF4182-CA	3 Gallon, Blue	

## QA1

### Front Sway Bar Kit for 1963-87 Chevy/GMC C10 QA152883

Designed for 1963-87 C10 trucks fitted with the QA1 tubular crossmember, 1-3/8" dia. x .188" wall chrome moly steel front sway bar increases stability and eliminates body roll. Includes greasable polyurethane bushings and hardware. **NOTE: Only for use on trucks with QA1 tubular crossmember as sway bar is not compatible with OEM control arms.**



### 5Q Series Steel Replaceable Bearing 9" Stroke Shock **NOW STOCKING!** QA15Q99-2

Shocks feature a zero gas pressure design and provide superior grip on slick tracks, while including the ability to excel on average to dry/slick dirt or asphalt tracks where traction is limited.

Collapsed Length	Extended Length	Damping Comp./Rebound
9" Stroke		
15.38"	24.30"	9-2



### Level 2 Handling Kit for 1967-69 GM "F"-Body QA1HK22-GMF1

Dramatically improve the handling and ride characteristics of first generation GM "F"-body, while allowing precise ride height adjustments. Suited to cars with small block Chevy or LS power, kit includes double adjustable Pro Coil system, tubular steel street upper and lower control arms, front sway bar, tie rod adjuster sleeves, coil-over bearing kit, spanner wrench, and necessary hardware.



### Shock Absorber Rebuilding Components

#### **NOW STOCKING!**

Part No.	Description	Price
<b>Shock Absorber Bleed Disc, 5-Packs</b>		
QA17855-185	1.300" O.D. x .006" Thick	
QA17855-186	1.300" O.D. x .006" Thick, Single Notch	
QA17855-187	1.300" O.D. x .006" Thick, Two Notches	
QA17855-188	1.300" O.D. x .006" Thick, Three Notches	
QA17855-189	1.300" O.D. x .006" Thick, Two Notches	
QA17855-190	1.300" O.D. x .006" Thick, Three Notches	
<b>Shock Absorber Valve Disc Kit, 8-Packs</b>		
QA17855-191	.542" O.D. x .004" Thick	
QA17855-192	.542" O.D. x .006" Thick	
QA17855-193	.542" O.D. x .008" Thick	
QA17855-194	.542" O.D. x .012" Thick	
QA17855-195	.542" O.D. x .015" Thick	
QA17855-196	.542" O.D. x .020" Thick	
QA17855-197	1.300" O.D. x .020" Thick	
QA17855-198	1.300" O.D. x .010" Thick	

### Alloy Steel PTFE-Lined Spherical Bearing

#### **NOW STOCKING!**

#### QA1MCOM18T

Bearing, which includes an 18mm bore size, combines a chrome moly steel race with a bearing steel heat treated and hard chrome plated ball and self-lubricating PTFE liner. Sold each.



### Relay Modules

These relay modules are perfect for use with high-amperage electric fuel pumps and high CFM electric cooling fans. MSD offers these relay modules with different channel outputs; select the model that's designed to meet your application needs.



MSD7566-2



MSD7566-4

Part No.	Description	Price
MSD7566-1	1-Channel Mechanical Relay Module, 40 Amps 7-20V	
MSD7566-2	2-Channel Mechanical Relay Module, 40 Amps 7-20V	
MSD7566-4	4-Channel Mechanical Relay Module, 40 Amps 7-20V	



### Gen 3 Yellow 5-Gallon Utility Jug SRJR7500YL

Utility jug has a 5-gallon fluid capacity and features a screw on cap with O-ring seal. Square polyethylene jugs measure 9" x 9" x 22.5".



### Hose Bender 25-Pack SRJHB2025

Sunoco hose benders make filling the tank easier by eliminating the chance for a kink.



### Utility Jug Mounting Bracket 10-Pack SRJJB6010

Black powder-coated steel mounting bracket holds Sunoco utility jug in place with a locking tab system.





## Sport Light Two-Piece Racing Suit

Similar to the popular Pro suit yet upgraded utilizing lightweight and breathable Nomex. Meeting SFI 3.2A/5 specifications, the double-layer Sport Light offers a classic look and fit. Jackets includes fully floating sleeves for ease of movement, while the pants include internal cuffs and an expandable waist. Jackets are offered in black or black/gray, while pants are available in black only.



Size	Part No.	Price
<b>Jacket - Black/Gray</b>		
Large	SC0001042XJLNRGR	
X-Large	SC0001042XJLNRGR	
<b>Pants - Black</b>		
X-Small	SC0001042XPXSNR	
Large	SC0001042XPLNR	
X-Large	SC0001042XPXLNR	
XXX-Large	SC0001042XP3XLNR	
XXXX-Large	SC0001042XP4XLNR	

## Competition 2022 Driving Suit

Your Choice -

All-new, lightweight triple-layer suit is manufactured using the latest generation of fabrics, combining a soft lightweight outer fabric with breathable inserts at the sides and underarms, and large stretch panels. One-piece suit features pre-curved, full floating arm sleeves, hidden pockets, boot-cut pant legs, epaulettes, and a lightweight zipper. Offered in white/red, black/gray, or black/red, suits meet SFI 3.2A/5 and FIA 8856-2018 specifications.

Description	Part No.
<b>White/Red</b>	
Medium	SC0001144B52BRNR
Large	SC0001144B56BRNR
X-Large	SC0001144B60BRNR
XX-Large	SC0001144B64BRNR
XX-Large/XXX-Large	SC0001144B66BRNR
Large/X-Large	SC0001144B58BRNR
Medium/Large	SC0001144B54BRNR
<b>Black/Gray</b>	
Medium	SC0001144B52NBGR
Medium/Large	SC0001144B54NBGR
Large	SC0001144B56NBGR
Large/X-Large	SC0001144B58NBGR
X-Large	SC0001144B60NBGR
X-Large/XX-Large	SC0001144B62NBGR
XX-Large	SC0001144B64NBGR
XX-Large/XXX-Large	SC0001144B66NBGR
<b>Black/Red</b>	
Medium	SC0001144B52NRRB
Medium/Large	SC0001144B54NRRB
Large	SC0001144B56NRRB
Large/X-Large	SC0001144B58NRRB
X-Large	SC0001144B60NRRB
X-Large/XX-Large	SC0001144B62NRRB
XX-Large	SC0001144B64NRRB
XX-Large/XXX-Large	SC0001144B66NRRB



## Seat Mounting Hardware Kit SCO50001ZN

All the hardware needed to install one seat, replace missing hardware or keep extra on hand. Kit includes 4 25mm bolts, 8 20mm bolts, 8 locking washers, and 8 spacers.



## Land 2022 Gloves

Your Choice -

Entry-level competition gloves feature an ergonomic palm design with reinforced stitching that conforms to the hand's position. Suede anti-slip fingertip and palm grips are incorporated to provide improved feel. Meets SFI and FIA specifications. Offered in blue, yellow, black, or red.

Description	Part No.
<b>Black</b>	
Small	SC000136309NR
Medium	SC000136310NR
Large	SC000136311NR
X-Large	SC000136312NR
<b>Blue</b>	
X-Small	SC000136308EB
Small	SC000136309EB
Medium	SC000136310EB
Large	SC000136311EB
X-Large	SC000136312EB
XX-Large	SC000136313EB
XX-Large	SC000136313RS
<b>Red</b>	
X-Small	SC000136308RS
Small	SC000136309RS
Medium	SC000136310RS
Large	SC000136311RS
X-Large	SC000136312RS
XX-Large	SC000136313NR
<b>Yellow</b>	
X-Small	SC000136308GF
Small	SC000136309GF
Medium	SC000136310GF
Large	SC000136311GF
X-Large	SC000136312GF
XX-Large	SC000136313GF



## Steering Wheel Champion SCO015R330CHAMPION

Sparco steering wheels are designed to improve grip and comfort for driving precision. Aluminum body with red stitched perforated leather grip, red leather centering stripe, and champion horn button. Sparcos Champion wheel has a 330mm diameter and a 66mm dish depth.



## Gaming Sim Rig 1 SCOG02302B

Sparco Sim Rig 1 is the perfect choice for a starter racing simulator. Kit includes evolve cockpit, gaming seat, and Thrustmaster TS-XW Racer wheel/pedal set. PC and Xbox compatible.



## Pro Gaming Bracket Kit SCOG02400NRRS

Steel seat bracket is designed to work with Sparco Evolve 3.0 chassis to allow for any fixed back Sparco seat to be used. Side mounts offer seat adjustability for tilt and height.



# NEW PRODUCTS



## SBC Stage 3 Water Pumps STE33143-CCW

Stage 3 pumps have precisely machined 1/2" steel billet fan hubs for perfect pulley alignment, and exclusive features like 356-T6 heat-treated cast aluminum housings with added ribs in snout for maximum strength. Water pumps have one -8AN with two -4AN auxiliary inlets and two -12AN auxiliary outlets.



## Ackerman Setup System SWE901-82030

Ackerman setup system has an aluminum body, includes tape measures and Wide 5 adapter.



## Orange 5-Gallon Utility Jug 6-Pack SCR20000-CASE

Scribner square utility jugs feature a gasket seal cap, flip-up vent, and measure 9-1/2" x 9-1/2" x 21-3/4" tall.



## SHR Helmet Hardware SRBSR00057-0

Helmet hardware works with Schroth SHR devices, including SHR XLT, EVO, Supersport XLT, and FLEX.



## 2" Seat Belt Grips SRBSR00092

Plastic dowels fit into the loops on Schroth street legal harness to provide something firm to grab when adjusting fitment of belts.



## TrackStar HD Rear Hub Kit WIN12242HD

Winters TrackStar HD hub kits deliver next-level performance for the rear of your vehicle. Forged aluminum 10-spoke wheel hubs feature a 5-bolt 7075 T-6 aluminum drive flange, gun drilled studs, rotor mount, bearings, and seal kit with trick style aluminum lock nut.



## Floating Rotor Mounting Plate WIN3708

Rotor mounting plate fits hubs with 8 x 7.00" bolt pattern. Rotor stands must be shortened .250" to place rotor in original position.



## Pro Eliminator 2-7/8" Hub Assembly WIN3935C

Winters pro eliminator hub assembly features a free spinning 2-7/8" roller bearings, 5x5 coarse stud wheel bolt pattern, drive flange, and are black thermal coated.



## Black Aluminum Torque Tube WIN6661-02B

Torque tube is 28" long from mount face to tube end and features aluminum collar and 3" diameter. Tube can be cut to desired length.



## Coil-Over Conversion Kits

Kits include everything needed to fully convert to coilover shocks and tubular control arms to upgrade stock suspension. Bolt-on kits are vehicle-specific.



Part No.	Description	Price
<b>1963-71 C10 Chevrolet, GMC, with Small Block</b>		
ALD300140	Front, Tubular Control Arms, Adjustable Shocks, and Hardware Kit	
<b>1988-98 C1500 Chevrolet, GMC, with Small Block</b>		
ALD300172	Front and Rear Adjustable Shocks, Springs, and Hardware Kit	



## Mickey Thompson Tires

The Baja Boss and Baja Legend are premium mud terrain tires featuring asymmetrical tread patterns for reduced noise and improved off-road traction and on-road handling.

Part No.	Description	Size	Tire Diameter	Tread Width	Sidewall	Price
MIC247538	Baja Legend EXP	LT265/70R18	32.90"	8.90"	RWL	
MIC249356	Baja Legend MTZ	33X12.50R20LT	32.76"	10.31"	Blackwall	
MIC250092	Baja Boss A/T	34X15.50R24LT	34.70"	12.70"	Blackwall	



## Pro Bracket Radial Tires

Provide an affordable, tubeless radial design that offers low rolling resistance, no rollout contrast, and zero growth for consistent down track times—while compounded for various track conditions and long service life.

Part No.	Size	Tire Diameter	Tread Width	Circumference	Price
MIC250800	29.00X11.50-20	28.70"	10.40"	90.2"	
MIC250802	29.50X10.50-17	29.50"	10.60"	92.8"	



## EZ-900 Helper Springs for 2014-21 Ram Promaster 1500, 2500, and 3500 HEL1915

Heavy-duty silver powder-coated springs are perfect for vehicles that need additional assistance in carrying a load without changing the stock height. Kit includes Add-a-Leaf rear springs, component box, hardware, and installation instructions.



## Traction Control Springs with 2.5" Wide Leaf Springs HEL2002

Silver powder-coated traction control springs for Chevy, GMC, Dodge, Mazda, and Toyota trucks. Stock height springs are 2-1/2" wide and feature simple, bolt-on installation.



## Silent Support Helper System for 2017-22 Mercedes Sprinters 2500/3500 HEL61614

Silent Support System supports level loads up to 2500 lbs. Over-axle mounting design makes for quick and easy installation. For use with multi-leaf applications only.



## Silent Support Helper System for 2019-22 GM 1500 HEL61917

Silent Support System Series supports level loads up to 2500 lbs. Over-axle mounting design makes for quick and easy installation.



## Dual Friction Clutch Kits

Centerforce clutch systems are designed specifically for high-horsepower and high-torque engines, providing smooth engagement with light pedal pressure while providing a substantial holding capacity over stock clutches.



Part No.	Description	Price
<b>2018-2023 Jeep Wrangler/Gladiator w/3.6L V6</b>		
CTFKDF157077	Dual Friction Clutch Kit, including Billet Steel Flywheel	
<b>2018-2023 Jeep Wrangler/Gladiator w/3.6L V6</b>		
CTFKDF015270	Replacement Clutch Kit for KCFT157077/KDF157077	
<b>Dodge Gen III Hemi w/Low Deck Height &amp; RH OE Starter</b>		
CTF412613098	SST 10.4 Clutch & Flywheel Kit	
<b>Dodge Gen III Hemi w/Low Deck Height &amp; LH Aftermarket Starter</b>		
CTF412613099	SST 10.4 Clutch & Flywheel Kit	



## Powerstep Smart Series Power-Deploying Running Boards

Feature black anodized aluminum step rails and include all mounting brackets. Use the AMP Research app to override the step controls and raise or lower them as well as control LED lighting.

Part No.	Description	Price
AMP86135-01A	2020-23 Jeep Gladiator	
AMP86252-01A	2021-23 Ford F-150/2022-23 Lightning	
AMP86255-01A	2022-23 GM 1500	



## Electric Water Pumps

Flow more at a lower amperage and are suitable for any street or track vehicle where the stock water pump is inadequate.



Part No.	Description	Price
AFS24302	35 GPM at 13.5 V, 16 amps, Aluminum, Black, 3/4 in. NPT Inlet/ Outlet	
AFS24303	35 GPM At 13.5 V, 16 amps, Aluminum, Black, -12 AN O-Ring Inlet/Outlet	



## FTI Transmission Bellhousing FTIF1042

Aluminum bellhousing for TH340/TH400 automatic transmissions pairs to Small/Big Block Chevy engines and is SFI 30.1 certified. Natural finish.



## Exhaust Manifold for 2009-22 Dodge Ram Full-Size Truck with 5.7L Hemi

Upgraded manifolds feature extended fasteners and spacers to counter bolt failures and independent heat shield mounting locations to separate them from the mounting bolts. Constructed from high-silicone ductile iron with black ceramic coating to ensure the highest quality without worrying about warping.




Part No.	Description	Price
BDD1041463	Complete Kit with L & R Manifolds, Gaskets, and Hardware	
BDD1041464	Passenger Side Manifold with Gaskets and Hardware	
BDD1041465	Drive Side Manifold with Gaskets and Hardware	



## Magnum Flow Air Filters

Factory replacement panel air filter. Available as a dry (Pro DRY S) or oiled reusable (Pro 5R) cotton gauze filter element.



Part No.	Description	Price
AFE30-10406D	2021-23 Ford Bronco 2.0L, Pro Dry S, White	
AFE30-10406R	2021-23 Ford Bronco 2.0L, Pro 5R, Blue	
AFE30-10409D	2021-23 Jeep Wrangler JL 6.4L, Pro Dry S, White	
AFE30-10409R	2021-23 Jeep Wrangler JL 6.4L, Pro 5R, Blue	

## Power Carbon Cabin Air Filters

OE-style replacement cabin air filters offer superior filtration compared to factory filters.



Part No.	Description	Price
AFE35-10029C	2013-23 Various GM	
AFE35-10036C	2022-23 Toyota Land Cruiser 3.4L	



## Pocket Style Fender Flares for 2019-23 Chevy Silverado 1500 BUS40992-02

Pocket style flares are a Bushwacker original, featuring recessed stainless-steel bolts for a rugged bolt-on look and constructed of 2-1/2" wide Duraflex 2000 ABS plastic. 100% UV matte black finish ensures a long life. Hardware kit included.



## Extend-A-Fender Style Fender Flares for 2022-23 Toyota Tundra BUS30926-02

Fender flares feature a smooth finish with premium-grade protection for the vehicle's body. Constructed of 2-1/2" wide Duraflex 2000 ABS plastic. 100% UV matte black finish ensures a long life. Hardware kit included.



## Raising Hell Red Momentum GT Cold Air Intake System for 2022-23 Toyota Land Cruiser 3.4L AFE50-70091DR

The same bold performance and dependability that has come to be expected of Momentum GT air induction systems gets taken up a notch with the aggressive new Raising Hell Red housing. Built with the same dry Pro series filters that come in every Momentum GT system, this show-stopping new design will make the engine bay stand out from the rest.



## 2020-23 Ford Explorer 2.3L Momentum GT Intake Kit

The Momentum GT air induction system features a closed box design that increases air flow by 8%, with an innovative filter-to-housing interface for quick install and a clear sight window for easy inspection.



Part No.	Description	Price
AFE50-70108D	Air induction System with Dry Filter	
AFE50-70108R	Air induction System with Oiled Filter	



## Universal 2-Gauge Battery Wire Cables



Part No.	Description	Price
MOR74007	25-ft. Length, Blue	
MOR74008	50-ft. Length, Blue	

## Dry Sump Tank MOR22623

6" dia., 24" Tall for Sprint Car applications.



## Elite Series Universal Air Inlet Kit CAI101-0102-B

Elite series kit is designed to maximize the air flow of any engine with a slot-style MAF sensor and a 4" outer diameter throttle body.



## 1967-69 Camaro/Firebird Front Coil-Over Suspension System ART11160202

Complete front suspension kit includes all necessary parts to upgrade stock Camaro/Firebird suspensions to a more aggressive lowered stance. Kit includes HQ-series single-adjustable coil-over shocks, brackets, control arms, spindles, sway bar, and all installation hardware. Black powder-coated finish.



## 1967-1969 Camaro/Firebird Bolt-On 4-Link System ART11167197

Bolt-in adjustable 4-link system replaces OEM leaf springs for a lowered stance and improved ride comfort, traction, and handling. Black powder-coated finish. Shocks not included.



## C5/C6 Corvette Front Caliper Brackets ART11009546

Caliper brackets are required when converting stock 1997-13 C5/C6 brake systems to Ridetech AFX hub spindles. For use with GM Metric calipers. Black powder-coated steel. Pair.



## GM AFX Hub Spindles ART11009312

AFX hub spindles are 1-3/4" taller than stock hubs for improved roll center and negative chamber gain while retaining stock track width. Black e-coated spindles fit C5/C6 Corvette brake systems.



## Class III Trailer Hitch with 2" Receiver for 2009-23 Ram Full-Size Trucks CUR13374

Rated for up to 6,000 lbs. gross trailer weight and 600 lbs. tongue weight, Curt's class 3 trailer hitch kit makes towing trailers a breeze. Hitch kit is made in the USA and with high-gloss black powder-coated finish for superior protection.



## Activelink Receiver Shanks


Curt's Activelink receivers feature a unique connection system to allow for easy change of accessories, tilt-away ability for ease of access to vehicle cargo, anti-rattle hitch pin/hand wheel for reduced noise, and a sleek dual e-coated and carbide black powder coated for weather resistance.



Part No.	Description	Price
CUR18401	1-1/4" Tube, 3,500lbs. GTW/350lbs. TW	
CUR18402	2" Tube, 5,000 lbs. GTW/500lbs. TW	

## Activelink Hitch-Mount Bike Racks

Activelink bike racks fit a 2" receiver and can carry 2-4 bikes, with a carrying capacity of 90 lbs. for the two bike and 180 lbs for the four bike system. Ultra system has premium cradles for various tube sizes and adjustable 2-4 bike configurations. Bike racks are carbide black powder-coated steel.



Part No.	Description	Price
CUR18410	SE 2-Bike System	
CUR18411	SE 4-Bike System	
CUR18412	Ultra 4-Bike System	

## Activelink 49" x 22" Aluminum Hitch-Mounted Cargo Carrier CUR18415

Aluminum cargo carrier weighs only 25 lbs. with a 500 lb. carry capacity. One-piece welded aluminum basket measures 49" x 22", assembles with just 4 bolts, features Activelink mounting for easy installation.





## FlowFX Muffler FLO72469

Flowmasters FX series muffler offers a mid-level performance tone compared to standard "chambered" mufflers. Muffler is made from 409 stainless steel with X-pipe style perforated core, and is surrounded by high-temp sound absorption materials. Measures 18" x 8" x 5", with a 24" overall length, 3" inlet and dual 2-1/2" outlets.




## Delta Force Performance Air Intake for 2018-23 Mustang FLO615187

Delta Force air intake boosts output by up to 21 hp and 23 lb-ft at the rear wheels compared to the stock intake. Kit includes cross-link intake tube, black anodized aluminum fittings, silicone couplers, 8-layer cotton filter, black powder-coated air dam, and installation hardware. Fits 2018-23 Ford Mustang 5.0L.




## FlowFX Cat-Back Exhaust System for 2021-23 Bronco FLO718146

FlowFX cat-back exhaust system fits 2-door 2021-23 Ford Bronco 2.3/2.7L and offers a deep exhaust sound and dyno-proven gains of up to 12 horsepower and 13 lb-ft at the rear wheel. Kit includes 3" mandrel bent 409 steel tubing, dual 4" ceramic-coated tips, and FlowFx performance muffler.



## Force II Cat-Back Performance Exhaust Systems

Feature mandrel-bent aluminized 3" steel tubing that provides superior exhaust gas flow and resists corrosion. The gases flow through a performance muffler and into 3" split rear tailpipes with polished 3-1/2" stainless steel exhaust tips for an outstanding performance rumble while improving acceleration and fuel economy.



Part No.	Application	Price
<b>2015-2020 Ford F150</b>		
FL0818147	2.7/3.5/5.0L Cat-Back Exhaust	
<b>2021-2023 Ford F150</b>		
FL0818148	2.7/3.5/5.0L Cat-Back Exhaust	



## RS5000X Performance Struts Your Choice -

The Rancho RS5000X line of performance shocks from feature a unique rebound valving system, a next level compression phase of the shock absorber, and an upgraded 2-1/4" dia twintube shock body to improve the overall handling and performance of your vehicle on and off the road.



Part No.	Description	Compressed Length	Extended Length
RAN55856	Front Strut 2021-23 Ford Bronco	15.91"	22.09"
RAN55859	Rear Strut 2021-23 Ford Bronco	16.3"	25.39"
RAN55751	Front Strut 2016-22 Nissan Titan	13.76"	17.98"

## Rancho Quicklift Load-Leveling System for 2021-23 Ford F150 Your Choice -

Load leveling assemblies are the perfect solution for providing a more aggressive stance or allowing for increased tire size on late-model trucks and SUVs without having to replace an entire suspension system. Each assembly includes an application-specific strut with installed coil spring and an upper mounting plate. Front strut assemblies have 17.01" compressed/21.89" extended length.



Part No.	Description
RAN999957	2021-23 Ford F150, Right
RAN999958	2021-23 Ford F150, Left

## Ford Bronco Adjustable Rear Lower Control Arm Kit RAN64514

Rancho's lower control arm kits are built for improved ride quality under even extreme conditions. The 2" monotube bodies are filled with all-weather fluid formulated for extreme temperatures. Heavy-duty tubing features Rancho's D2 maintenance-free bushings for reduced noise, vibration, and harshness. Black powder-coated finish. Pair.



## Ford Bronco HD Adjustable Rear Track Bar RAN62515

Designed for lifted Ford Broncos, the adjustable 1.25" dia. track bar with forged ends helps center the rear axle in the correct position. Black powder-coated finish, with with Rancho's D2 maintenance-free self-centering bushings.



## Ram 2500/3500 4WD Front Coil Spring Spacer Kit RAN64453

Durable aluminum spacers are required when using Rancho spring kit RANRS80451B.





## Polished Swivel Ball Floor Mounts

### Your Choice -

Swivel ball-style polished floor mounts fit 1-1/2" hole and features a trim ring for engine compartment side. Floor mount is for use with aftermarket columns and includes installation hardware.

Part No.	Description
ID12401520040	For Use with Chrome/Black Columns
ID12401510040	Standard



Energy Suspension specializes in polyurethane bushings that are designed to outperform and outlast factory rubber components. Hyper-Flex transmission mounts include zinc-plated steel brackets and polyurethane bushings that are durable enough to handle more horsepower yet soft enough to absorb vibrations. Stock mounts from the factory are made of rubber components that are not designed to withstand the extreme torque of high-performance engines and severe conditions of racing suspension applications.



ENE4-1142G

Part No.	Application	Price
<b>Hyper-Flex Transmission Mounts</b>		
ENE4-1142G	Black, Various Ford Applications 1994-2008	
ENE4-1143G	Black, Various Ford Full-Size Truck Applications 1997-2004	
ENE4-1144G	Black, Various Ford Full-Size Truck Applications 1987-1996	
<b>Hyper-Flex Sway Bar Bushings</b>		
ENE20-5101G	23mm, Black, Mercedes-Benz Sprinter 2010-18 - Pair	
ENE20-5102G	17mm, Black, Mercedes-Benz Sprinter 2010-18 - Kit	
ENE20-5103G	31mm, Black, Mercedes-Benz Sprinter 2010-18 - Kit	



## Extreme Series Powersports Batteries

Combine the benefits of enormous cranking power and deep cycle reserve power, possible through the use of flat plates manufactured from 99.99% pure lead, not lead alloy. Batteries additionally use dry cell Absorbed Glass Mat (AGM) technology to contain acid and allow the battery to be installed on its side, if desired. Equipped with both top and side terminals.

Part No.	PHCA	CCA	Weight	Price
<b>5.9"L x 5.7"H x 3.4"W</b>				
ODYODS-AGM14	565	220	10 lbs.	
<b>6.9"L x 6.1"H x 3.4"W</b>				
ODYODS-AGM20L	675	275	13 lbs.	
<b>6.6"L x 6.9"H x 4.9"W</b>				
ODYODS-AGM30L	720	400	20 lbs.	



## Engine Dress-Up Accessories for Mopar Engines

Now available with a shark gray powder-coated finish, Proform offers engine dress-up accessories such as valve covers, air cleaners, breathers, and more to fit Mopar engines.



Part No.	Description	Price
PFM440-880	Small Block Mopar Engine Dress-Up Kit with Mopar Logo. Includes Air Cleaner, Valve Covers, Valve Cover Hold-Downs, and Breather	
PFM440-881	Small Block Mopar Tall Valve Covers with Mopar Logo. Baffled, 3-1/4" Tall, with Breather Hole. Pair.	
PFM440-882	Round Air Cleaner Assembly with Mopar Logo, 14" Diameter with 3" Filter Height and 1" Drop Base. Each.	
PFM440-883	1-Piece Timing Cover with Embossed Mopar M. Includes Seal and Timing Tab. For Mopar B/RB-Series/Hemi. Each.	
PFM440-884	Push-In Round Valve Cover Breather with Mopar Emblem. 3" dia. for 1.22" Breather Hole. Each.	
PFM440-886	Valve Cover Wing Nuts with Recessed Mopar "M" Emblem. Set of 4 (2 sets required for both valve covers)	
PFM440-887	Engine Dress-Up Kit with Mopar Logo. Includes Valve Covers, Valve Cover Wing Nuts, Air Cleaner, Breather, and Timing Cover. Fits Big Block Mopar, B/RB	
PFM440-889	Big Block Mopar Tall Valve Covers with Mopar Logo. 3-5/8" Tall, Baffled, with Breather hole. Fits BB Mopar, B/RB. Pair.	

## Lightning Bolt 100-Amp Mini-Alternators

Lightning bolt alternators are nearly 40% lighter than a standard 10SI but have the same amp delivery. Pushing 80+ amps at idle, and over 100 amps at the top end, these 7-lb. alternators have the power for the streets but are light enough for the drag strip. Alternators are 12-volt with 1-wire hookup, and include a single V-belt pulley.




Part No.	Description	Price
PFM66435	100-amp, Standard	
PFM66437	100-amp w/ 10SI adapter	
PFM66663	10SI Adapter	



## SureFit™ Reduced Barrier Standard Hose Kits

### Your Choice -

Standard hose kit is designed for Gen IV/5 SureFit systems, fitting the stock engine compartment configuration and core support for your vehicle. The kit contains refrigerant hoses with pre-crimped reduced barrier beadlock fittings, along with O-rings and any necessary mounting hardware.




Part No.	Description
VIN521290	1967-68 Camaro/Firebird Hose Kit
VIN521292	1969 Camaro Hose Kit

## SureFit™ Reduced Barrier Modified Hose Kit

### Your Choice -

This modified hose kit is designed for use with a complete Gen IV SureFit™ system in vehicles without a stock engine compartment configuration and core support. The kit contains refrigerant hoses with pre-crimped beadlock fittings on one end, with the other end open to accommodate a custom installation. All necessary fittings, O-rings, and mounting hardware included.



Part No.	Description
VIN521291	1967-68 Camaro/Firebird Hose Kit
VIN521293	1969 Camaro Hose Kit

## Gen 5 SureFit™ Evaporator Kit

### Your Choice -

The Gen 5 system uses a fully electronic microprocessor control system that eliminates cables or vacuum connections. Separate high-capacity copper parallel-flow heat coil and aluminum plate-and-fin-cooling coils provide outstanding performance and instant temperature adjustments. Includes the evaporator unit and mounting brackets, louvers (where required), duct hose wiring harness, hardware, and installation instructions.



Part No.	Description
VIN561244	1967-68 Camaro/Firebird w/o factory Air Gen 5 SureFit
VIN564244	1967-68 Camaro/Firebird w/ factory Air Gen 5 SureFit
VIN561245	1969 Camaro w/o factory Air Gen 5 SureFit
VIN564245	1969 Camaro w/ factory Air Gen 5 SureFit

## Gen 5 SureFit™ Complete Air Conditioning Kits

### Your Choice -

The Gen 5 system uses an exclusive fully electronic microprocessor control system that eliminates cables or vacuum connections. Separate high-capacity copper parallel-flow heat coil and aluminum plate and fin cooling coils provide outstanding performance and instant temperature adjustments. Kits include everything in the evaporator kit plus all under-hood components such as compressor, engine brackets, condenser with brackets, preformed refrigerant lines, drier fittings, hardware, and installation instructions. Additional features include variable blower speed with dash/floor/defrost blend.



Part No.	Description
VIN961244	1967-68 Camaro/Firebird w/o factory Air Gen 5 SureFit
VIN964244	1967-68 Camaro/Firebird w/ factory Air Gen 5 SureFit
VIN961245	1969 Camaro w/o factory Air Gen 5 SureFit
VIN964245	1969 Camaro w/ factory Air Gen 5 SureFit



UMI6434-R

## 1973-87 GM C10 Race A-Arms

UMI's racing upper A-arms feature adjustable rod ends allowing easy camber and caster adjustments without the need for shims. Lower A-arms feature double-shear coil-over lower mounts that hold all popular coil-over assemblies.



UMI6435-R

Part No.	Description	Price
UMI6434-R	Upper	
UMI6435-R	Lower	

## 1973-87 GM C10 Street Performance A-Arms

Street Performance tubular upper A-arms add caster to improve stability and steering feel, and include hardware. Lower A-arms feature heavy-duty cross shafts, Delrin bushings, and accept UMI, factory, and aftermarket springs.



Part No.	Description	Price
UMI6432-R	Lower	
UMI6433-R	Upper	

## 1973-87 GM C10 Front Coil-Over Mounts UMI6436

Mounts are black powder-coated steel, featuring 1/2"-20 studs and a double-shear shock mount. A bolt-in upper A-arm mount is a key component of the Cornermax suspension system.



# Haltech

# NEW VENDOR

## Flex Fuel Composition Sensor

HTHHT-011000

Flex fuel composition sensor is used to measure ethanol content and features standard 3/8" GM spring-lock fuel-line fittings. Sensor includes matching plug and 3 pins.



## GPS Speed Input Module

HTHHT-011310

Haltech module converts GPS speed signals to a 0V to 12V pulsed digital output. Kit includes module, GPS antenna, and matching male DTM-3 connector and pins.



## Boost Control 3-Port Solenoid

HTHHT-020400

Haltech 33Hz 3-way control solenoid can be used with internal or external wastegate and is compatible with most boost controllers and ECUs. Kit includes 1/8" hose fittings, rubber isolated mount, and set of Deutsch DTM-2 connectors.



## IC-7 Mounting Brackets

IC-7 black anodized aluminum mounts measure 1 x 2.5mm. Choose between standard style or hooded bracket with integrated visor.



Part No.	Description	Price
HTHHT-060070	IC-7 Standard Dash Mount	
HTHHT-060071	IC-7 Mounting Bracket with Integrated Visor	

## IC-7 Color Dash Display

IC-7 digital color dash gauge display brings the best of Australian engineering to the auto sports market. Easy to install with user configurable channels, units, and alarms. Kits are offered in versions to fit everything from mechanically injected, carbureted classic hot rods with no ECU to more modern systems with OBD-II/ECU hook ups.



Part No.	Description	Price
HTHHT-067014	IC-7 "Classic" Kit for Non-ECU Applications	
HTHHT-060300	Wiring Harness for "Classic" IC-7	
HTHHT-067010	IC-7 with ECU Connection Include Cable	
HTHHT-067012	IC-7 with OBD-II Connection	
HTHHT-135003	Wiring Harness for OBD-II to CAN	

## Elite 2500 & 2500 T

### Universal Wire-in Harnesses

Ideal for dedicated race cars, engine swaps, and custom wiring jobs, the Universal Wire-in Harness has a set of ECU connectors at one end and unterminated wires at the other. All the wires at the unterminated end are color coded and clearly labelled. Premium harness includes firewall grommets, fuse box, and 4 relays.



Part No.	Description	Price
HTHHT-141302	Basic Harness	
HTHHT-141304	Premium Harness	

## Elite 2000/2500 GM Gen III LS1 & LS6

### Non-DBW Terminated Harnesses

#### Your Choice -

Plug-and-play wiring system makes wiring race cars or engine conversions simple. Harness has factory EV1 injector connectors and common style Delco/Bosch GM alternator connectors. Pre-wired to connect directly to OEM 7-pin coil harness connector. Kit includes fuse block and firewall grommets.



Part No.	Description
HTHHT-141360	Non-DBW Terminated
HTHHT-141362	DBW Terminated, Manual Trans. Only

## Elite 2000/2500 GM Gen IV LSX

### with Manual Transmission

#### Harnesses



Part No.	Description	Price
HTHHT-141364	Elite 2000/2500 EV1 Injector Connectors, Non-DBW Terminated	
HTHHT-141365	Elite 2000/2500 EV6 Injector Connectors, Non-DBW Terminated	
HTHHT-141366	Elite 2500 EV1 Injector Connectors, DBW Terminated	
HTHHT-141367	Elite 2500 EV6 Injector Connectors, DBW Terminated	
HTHHT-141376	Elite 2500 EV1 Injector Connectors, SB/BC GM, Ford, & Chrysler, DBW Terminated	

## WB1 Bosch O2 Controller Kits

New Haltech O2 controllers are smaller, lighter, waterproof, and can now be fitted inside the engine bay. Used to accurately monitor the AFR of an engine. Dual or single kits include O2 sensors, CAN wideband controller, 4-ft. CAN cable, power supply cable, weld-on bung, and quick start guide.



Part No.	Description	Price
HTHHT-159976	Single Channel Kit	
HTHHT-159986	Dual Channel Kit	



## SALE PRODUCTS FOR 2023!

### Deluxe Tire Tape

ALL10112

Ten foot long tapes are ideal for measuring tire diameters and checking stagger.



### White Quick Change Plastic Gear Tote

Durable plastic quick change gear tote organizes extra gear sets and keeps them clean. Lid snaps shut to hold gears in place. 8"L x 5"W x 2"H.



Part No.	Description	Price
ALL14350	Each	
ALL14350-10	Set of 10	
ALL14350-50	Set of 50	

### Tubing Notcher

ALL10411

Notcher works with most standard hole saws to create a notch on end of round tubing for properly attaching round tubing to round tubing. Notcher features an adjustable holding fixture which automatically centers tubing to create a notch from 90-45 degrees in tubing up to 2". Notcher is commonly clamped into a bench vise or bench mounted and used with a hand drill.



### Surface Guard Tape

ALL14275

Clear protective polyurethane tape Tape is 8 mil thick and provides excellent resistance to ultraviolet light.



### Cleaning Wipes, 30 pack

ALL12016

Disposable wipes are great for cleaning hands when washing is not an option.



### 2 Cylinder Air Jack Kit with Dirt Foot

ALL11303


Complete two-cylinder kit will lift the rear for kit of your car for easy gear changes and adjustments. Offers a maximum lift capacity of 1500 lbs. yet weighs just 10 lbs..



### Funnel with Flex Extension

ALL40107

Funnel with 18" flexible extension works great for filling fluids in hard-to-reach areas, ideal for differentials and manual transmissions.



### Aluminum Adjustable Wrench 0-20AN

ALL11153

Eliminate the guesswork of which wrench is needed to tighten, remove or check Steel braided hose fittings. Aluminum wrenches prevent damage to fitting.



### Aluminum Toe Plates

ALL10119

Aluminum plates simplify setting of toe-in and toe-out. Deluxe plates have radiused edges, slots for narrow and wide tape measures and are 9" tall x 23" wide to work with vehicles with smaller wheel openings. Set of two plates.



### Black Nitrile Gloves, 100 pack

ALL12025

Nitrile gloves protect against dirt and grime and help prevent oil and harsh chemicals from contacting the skin. Chemical resistant gloves work well for general purpose.



**To see more great new products from Allstar Performance as well as our complete selection of sale items and specials, visit [www.allstarperformance.com](http://www.allstarperformance.com)**