



2023

BIG DEALS
MARCH/APRIL
















UNBELIEVABLE DEALS

Vendor	Page	Vendor	Page	Vendor	Page	Vendor	Page
Aeromotive	3	Dee Zee.....	6	Jet Performance.....	9	Reese.....	12
AFe Power	3	Defender Race Bodies.....	6	Longacre.....	9	Richmond	12
Air Lift.....	3	Detroit Speed Engineering ..	6	Lund.....	9	Ridetech	12
Allstar Performance	3,4	Dupli-Color/Krylon.....	6	Magnaflow Performance		Rugged Ridge	12
Amp Research	5	Dynamat	7	Exhaust.....	9	Safecraft.....	13
ARP	5	Edelbrock	7	M And H Racemaster.....	10	Samco Sport.....	13
ATL Fuel Cells	5	Energy Suspension.....	7	Macs Custom Tie-Downs ..	10	Scat Enterprises	13
Autometer	5	Extang	7	March Performance	10	Slp Performance.....	13
B And M Automotive.....	5	Fivestar	7	Mcleod.....	10	Sportsman Racing Products ..	13
Baer Brakes	5	Flaming River	7	Momo Automotive	10	Superwinch	13
Bassett	5	Flowmaster.....	7,8	Moroso	10	TCI	13
BBK Performance	5	Flowtech.....	8	MPD Racing	10	Triple X Race Components	13
Bedrug	5	Ford	8	Mr. Gasket	10	Turbosmart Usa	13
Bell Helmets	5	Gibson Exhaust.....	8	Pac Racing Springs	10,11	Truxedo.....	13
Bestop	5	Grypmat.....	8	Pertronix Ignition.....	11	Volant.....	13,14
Billet Specialties.....	5	Hedman	8	Precision Shaft Tech.	11	Weld Racing.....	14
Borla	6	Hellwig.....	8	Proform.....	11	Wilwood.....	14
Brisk Racing Spark Plugs....	6	Hooker	9	Prothane	11	Yukon Gear And Axle	14
Comp Cams	6	Holley.....	9	Quick Fuel Technology	12		
Corsa Performance	6	Icon Pistons.....	9	Quick Time.....	12		
Curt Manufacturing	6	Impact Racing	9	Racequip.....	12		
Daystar Products.....	6	Jaz	9	Rancho	12		

NEW PRODUCTS INDEX

Vendor	Page	Vendor	Page	Vendor	Page	Vendor	Page
Aeromotive	35	Engine Quest	38	PEM Racing	16	Tera Pumps	34
aFe POWER.....	26	Firebottle	23	Pit Pal	17	The Right Stuff.....	32
Allstar Performance	40	Five Star Race Car Bodies. 18,19		Pro/Cam	19	TI22 Performance	15
AMP Research	21	Flaming River	27	Proforged.....	29	Tiger Rear Ends	23
Auto Meter.....	36	Green Filter.....	27	Prosport Performance	20	Tilton	19
Auto-Rod Controls.....	35	Hawk Brake	19	Prothane.....	31	Tuff Stuff	34
B&M	36	Holley	37	QA1	19	Vibrant Performance	38
BD Diesel.....	26	Hooker Headers	38	Quickcar Racing Products	20	Volant Performance	34
Beyea Headers	16	Hypercoils.....	19	Racing Electronics	20	Waterman Racing Products....	35
Billet Specialties	23	Ididit	29	Rancho	30	Wehrs Machine.....	23
Borla.....	28	Intellitronix.....	36	RCi	22	Wilwood.....	22
Brinn	16	Intercomp	17	Retrobright	30	Winters Performance	20
Bubba Gear.....	28	Joes Racing Products	16	Ridetech	26	Zamp Racing	24
Comp Cams	35	Jones Racing Products	17	Rimac	29	Zamp Racing	25
Corsa Performance	28	KC Hilites	28	RJS.....	21	Zycoat	34
Deatschwerks.....	39	King Racing Products.....	15	Rough Country	31		
Derafe Performance	23	Mile Marker	27	Setrab.....	37		
Detroit Locker	27	Mobil 1	27	Skyjacker.....	30		
Draco Racing	16	Morel.....	36	Specialty Products	33,34		
Driven Racing Oil	29	Moroso	36	Stroud Safety.....	21		
DRP Performance Products	17	MPD Racing	15	Sunoco	20		
Eibach	17	Northern Radiator	29	Sweet Manufacturing.....	22		
Energy Suspension	28	Oracle Lighting	30	Ten Factory.....	34		

CALL NOW! DON'T MISS OUT ON THESE UNBELIEVABLE DEALS!
LIMITED QUANTITIES AVAILABLE AT SPECIAL SALE PRICES

Description	Photo	Part No.	Price
AEROMOTIVE			
In-Line Spur Gear Fuel Pump with Variable Speed Control 3.5 GPM Pro Series 3.5 GPM in-line variable speed electric fuel pump delivers up to 1350 lb/hr at 9 psi. -12AN female O-ring inlet, -10AN female O-ring outlet. Black. E85/gas compatible. Each.		AFS11195	
15-Gallon Aluminum Fuel Cell with 3.5 GPM Spur Gear Pump 15-gallon fuel cell includes a 3.5 GPM Stealth brushless fuel pump and measures 20" x 18" x 10"H. With -10AN O-ring outlet and -8AN return and vents. Natural finish. For use with E85/gas. Each.		AFS18370	
6-Gallon Aluminum Fuel Cell with 5 GPM Spur Gear Pump 6-gallon fuel cell includes a 5 GPM Stealth brushless fuel pump and measures 12" x 12" x 10"H. With -10AN O-ring outlet and -8AN return and vents. Natural finish. For use with E85/gas/methanol. Each.		AFS18377	
AFE POWER			
Air Intake System for 2003-09 Dodge 6.7L Diesel Magnum FORCE Stage 2 air induction system with Pro DRY S reusable dry filter. Black plastic. For 2003-09 Dodge Ram trucks w/ 6.7L diesel.		AFE51-11342-1	
Air Intake System for 2017-Up Ford 6.7L Diesel Magnum HD Stage 2 air induction system with Pro DRY S reusable dry filter. Black plastic. For 2017-up Ford full-size trucks w/ Powerstroke diesel.		AFE51-73006	
Air Intake System for 2003-09 Dodge 5.9/6.7L Diesel Magnum FORCE Stage 2 air induction system with Pro 5R reusable filter. Black plastic. For 2003-09 Dodge Ram trucks w/ 5.9/6.7L diesel.		AFE54-11342-1	
Air Intake System for 2012-20 GM Full-Size Trucks/SUVs w/ 5.3/6.2L Magnum FORCE Stage 2 air induction system with Pro 5R reusable cotton filter. Black powder-coated aluminum. For 2015-20 GM full-size trucks/SUVs w 5.3/6.2L V8.		AFE54-12332	
Air Intake System for 2014-19 Corvette 6.2L Momentum Stage 2 air induction system with Pro 5R reusable filter. Black plastic. For 2014-19 Chevy Corvette w/ 6.2L.		AFE54-74201	
AIR LIFT			
Load Controller II On-Board Compressor Load Controller II 12V air compressor system for Airlift air spring kits generates 100 psi max. Single-gauge system also includes controls and pressure sensor. Kit.		AIR25592	
LC I Single Gauge Load Controller I 12V air compressor system for Airlift air spring kits generates 100 psi max. Single-gauge system also includes controls and pressure sensor. Kit.		AIR25655	
LoadLifter 5000 Ultimate Plus Air Spring Kit LoadLifter 5000 Ultimate Plus air spring kit includes bags, lines, and black powder-coated brackets. 5000-lb. capacity. For rear of 2007-19 GM full-size trucks. Kit.		AIR89204	
ALLSTAR PERFORMANCE			
Tire Tool Tire perforator tool is 2" wide with 1/4" long pins. Steel head with wood handle. Sold each.		ALL10550	
Shrinker Stretcher Combo with 2 Bases and 2 Jaws Metal shrinker and stretcher combo kit includes 2 bases (vice and bench mount) and 2 jaws. Black and red.		ALL11024	
Chrome Moly Round Tubing 1-1/2" x .065" x 4 ft. Long Round chromoly steel tubing is 1-1/2" O.D. - 0.065" wall thickness x 4 ft. long. Natural finish. Each.		ALL22082-4	
Chrome Moly Round Tubing 1-5/8" x .083" x 4 ft. Long Round chromoly steel tubing, 1-5/8" O.D. - 0.083" wall thickness x 4 ft long. Natural finish. Each.		ALL22090-4	












**CALL NOW! DON'T MISS OUT ON THESE
UNBELIEVABLE DEALS!**
LIMITED QUANTITIES AVAILABLE AT SPECIAL SALE PRICES

Description	Photo	Part No.	Price
ALLSTAR PERFORMANCE			
Round Mild Steel Tubing 1-1/2" O.D. x 0.083" x 4 ft. Long Round steel tubing, 1-1/2" O.D. - 0.083" wall thickness x 4 ft long. Natural mild steel. Each.		ALL22130-4	
Round Steel D.O.M. Tubing 1-1/2" O.D. x .083" x 4 ft. Long Round drawn-over-mandrel steel tubing, 1-1/2" O.D. - 0.065" wall thickness x 4 ft long. Each.		ALL22133-4	
Round Mild Steel Tubing 1-1/2" O.D. x 0.095" x 4 ft. Long Round steel tubing, 1-1/2" O.D. - 0.095" wall thickness x 4 ft long. Natural mild steel. Each.		ALL22138-4	
Round Steel D.O.M. Tubing 1-5/8" O.D. x .120" x 4 ft. Long Round drawn-over-mandrel steel tubing, 1-5/8" O.D. - 0.120" wall thickness x 4 ft long. Each.		ALL22140-4	
Steel Flat Stock 1-1/2" x 1/8" x 4 ft. Long Flat stock is 1-1/2" wide x 1/8" thick x 4 ft. long. Natural steel. Each.		ALL22152-4	
Steel Angle Stock 2" x 1/8" x 4 ft. Long Steel 90° angle stock is 2" wide x 2" tall x 1/8" thick x 4 ft. long. Natural steel. Each.		ALL22158-4	
Aluminum Panel 0.125 24in x 48in Sheet aluminum panel measures 2 x 4 ft. x 0.125" thick. Natural aluminum. Each.		ALL22238	
1:1 Crank Pulley V-belt 2-groove crankshaft pulley is 6.625" diameter with 1:1 ratio. Natural aluminum. For Small Block Chevy with short water pump. Each.		ALL31084	
1:1 Water Pump Pulley V-belt 2-groove water pump pulley is 6.625" diameter with 1:1 ratio. Polished aluminum. For Small Block Chevy with short water pump. Each.		ALL31085	
Steel Plate 24" x 24" Sheet steel 24" x 24" x 10 gauge. Natural finish. Each.		ALL54071	
Full-View 5-Panel Race Mirror Rear view race mirror has 5 mirrors and measures 34-3/4"W x 2-1/2"H. Black plastic. Each.		ALL76405	
Body Bolt Kit 1/4"-20 x 3/4"—10-Pack Body bolt kit includes 1/4"-20 x 3/4" long hex-head bolts, nuts, and washers. Clear anodized steel. Set of 10.		ALL18654	
Body Bolt Kit 1/4"-20 x 3/4"—50-Pack Body bolt kit includes 1/4"-20 x 3/4" long hex-head bolts, nuts, and washers. Clear anodized steel. Set of 50.		ALL18654-50	
Swivel 90° Water Neck w/ O-ring Swivel 90° water neck for 1-1/2" I.D. hose includes O-ring and hardware. Polished billet aluminum. For Chevy V8. Each.		ALL30170	
Grime Boss Cleaning Wipes—60-Count Resealable Pack Pre-moistened citrus-scented cleaning wipes in a resealable pack of 60.		ALL12017	
AMP RESEARCH			
PowerStep for 2007-13 GM 1500 Series Trucks w/ Crew/Extended Cab PowerSteps power-deploying running boards are aluminum with a black anodized finish. For 2007-13 GM full-size trucks with Extended or Crew cab. Pair.		AMP75126-01A	








CALL NOW! DON'T MISS OUT ON THESE UNBELIEVABLE DEALS!
LIMITED QUANTITIES AVAILABLE AT SPECIAL SALE PRICES

Description	Photo	Part No.	Price
ARP			
3/8" x 1.555" Stud with Guide Nose Hex-head screw-in stud has 3/8"-24 threads x 1.555" long. Black oxide-finished chromoly. Each.		ARP15AJ1.555-5G	
Stainless Steel Rear End Cover Bolt Kit - 10-Bolt Chevy Differential cover bolt kit with 12-point heads, 5/16"-18 threads x 0.750" long. Polished stainless steel. For GM 10-bolt rear end.		ARP437-3001	
AUTOMETER			
2-1/16" Mini Sport Comp Fuel Pressure Gauge Sport Comp series fuel pressure gauge. Mechanical analog full-sweep gauge is 2-1/16" in diameter with a black face.		ATM3311	
B AND M AUTOMOTIVE			
Pro Ratchet Shifter for PowerGlide Pro Ratchet automatic shifter for Powerglide transmissions is floor mounted, with forward/reverse pattern. Includes 5-ft. cable and installation hardware. Kit.		BMM80840	
BAER BRAKES			
Deep Stage SS4+ Front Brake System 2015-18 Mustang SS4 Plus front brake system includes 4-piston aluminum calipers and 11.62" drilled/slotted 2-piece rotors. Black/red finish. For 2015-18 Ford Mustang. Kit.		BAE4261428FR	
BASSETT			
Wheel 14" x 7" D-Hole 4x100mm 3in Black 14" x 7" 8-spoke D-hole lightweight wheel with 3.000" backspace and 4 x 100 mm bolt pattern. Black powder-coated steel. Each.		BAS47SH3	
BBK PERFORMANCE			
1-5/8" Shorty Headers for 1986-93 Mustang 5.0L Tuned-length shorty headers with 1-5/8" primary and stock collector flange. Titanium ceramic-coated steel. For 1986-93 Ford Mustang with Small Block Ford. Pair.		BBK1515	
BEDRUG			
Bedrug Bed Mat for 2002-up Dodge Ram w/6'4" - 6'6" Bed Bedrug Classic Bed Mat padded bedliner features hook-and-loop fasteners. Gray composite material. For 2002-2013 and select 2013-up Dodge full-size trucks with 6'4" - 6'6" bed. Each.		BEDBMT02SBS	
BELL HELMETS			
Helmet RS7C 61 LTWT SA2020 FIA8859 ES7C full-face helmet is Snell SA2020 and FIA approved. Head and neck support ready. Made with lightweight carbon fiber shell. Size 7-5/8. Each.		BEL1237A11	
BESTOP			
Sunrider Black Twill Top for 2007-18 Jeep Wrangler Hardtop Sunrider partial soft top with black twill fabric provides easy open air fun to 2007-18 Jeep Wrangler JK with hardtop. Kit.		BES52453-17	
BILLET SPECIALTIES			
15" x 10" Street Lite Wheel w/ 4.5" Backspace 15" x10" Street Lite Wheel with 4.500" backspace and 5 x 4.75" bolt pattern. Black anodized/polished billet aluminum. Each.		BSPBRDB35106145N	
Street Lite Black Wheel 15x10 3.5in BS Street Lite 15" x 10" billet aluminum wheel has a 3.500" backspace and 5 x 4.75" bolt pattern. Black anodized/polished finish. Each.		BSPBRS035106135N	
BORLA			
Cat-Back Exhaust System for 2009-13 GM Trucks w/ 4.8/5.3/6.1L S-type cat-back exhaust system has 2-3/4" diameter pipe with dual rear exit 4: polished tips. Natural stainless. For 2009-13 GM full-size trucks.		BOR140429	













**CALL NOW! DON'T MISS OUT ON THESE
UNBELIEVABLE DEALS!**
LIMITED QUANTITIES AVAILABLE AT SPECIAL SALE PRICES

Description	Photo	Part No.	Price
COMP CAMS			
Cam Set for Ford 5.0L Coyote NSR-BL3H-128 Hydraulic roller camshaft set for use with XFI NSR blower. Lift 0.492"/0.453", duration 276°/287°, 128° LSA. 2000/7300 RPM. For Ford Coyote. Set of 4.		COM191460	
GM LS Thumpr Cam - 291THR Big Mutha' Thumpr hydraulic roller camshaft. Lift 0.573"/0.558", duration 291°/311°, 109° LSA. 2600/6800 RPM. For GM LS-series. Each.		COM54-602-11	
Chevy V8 Hi-Energy Hydraulic Lifters High-energy hydraulic flat-tappet lifters. 0.842" O.D. Chevy V8. Set of 16.		COM812-16	
CORSA PERFORMANCE			
Cat-Back Exhaust System w/ 3" Pipe and Single Side Exit Sport cat-back exhaust system with 3" dia. pipe and 4" tip. Side exit. Polished stainless. For 2011-21 Toyota Tundra.		COR24916	
CURT MANUFACTURING			
Adjustable Channel-Mount Hitch with 2.5" Shank 6" Drop Hitch shank bar with 2-1/2" hitch. 16-5/8" long. Adjustable from 6" drop to 5-1/4" rise. Up to 20,000 lbs. tongue weight. Includes 2" and 2-5/16" balls. Black powder-coated steel. Each.		CUR45902	
Echo Trailer Brake Controller Echo trailer brake controller for 1- or 2-axle trailers is plug-and-play with Bluetooth connectivity. Kit.		CUR51180	
DAYSTAR PRODUCTS INTERNATIONAL			
99-07 Ford F250 Body Mounts Replacement body mount bushing kit includes polyurethane bushings, sleeves, bolts, and washers. Matches stock mounting hardware. - Ford Fullsize Truck 1999-2007 - Kit		DASKF04058BK	
DEE ZEE			
4" Oval Step Bars for 1999-19 GM Trucks with Extended Cab Polished stainless step bars are 4" wide with plastic step pads. Mounting kit included. For 1999-2019 GM full-size trucks with extended cab. Pair.		DZZ372527	
Truck Bed Mat—Universal Trim-to-fit universal floor/utility mat measures 48"W x 96"L. Black rubber. Each.		DZZ85005	
DUPLI-COLOR/KRYLON			
Grabber Green Engine Paint 12-oz. Aerosol Can Dupli-Color high-temperature engine paint. Gloss Grabber Green enamel. 12-oz. aerosol can. Sold each.		SHEDE1641	
DYNAMAT			
1/2" Thick Dynaliner Heat and Sound Barrier—32" x 54" Dynaliner heat and sound barrier is 0.50" thick x 32" x 54" sheet. Black foam with self-adhesive backing. Each.		DMT11103	

CALL NOW! DON'T MISS OUT ON THESE UNBELIEVABLE DEALS!
LIMITED QUANTITIES AVAILABLE AT SPECIAL SALE PRICES

Description	Photo	Part No.	Price
EDELBROCK			
Olds Performer Intake Manifold Performer dual-plane intake manifold with spread/square bore. Natural aluminum. For Olds 350 V8. Each.		EDE2711	
Performer RPM Assembled Cylinder Head for SBC Performer RPM assembled aluminum cylinder head with 2.020"/1.600" valves, 195 cc intake, 64 cc chamber, and 1.460" springs. Straight plugs. For Small Block Chevy. Each.		EDE60895	
ENERGY SUSPENSION			
Hyper-Flex Transmission Mount for GM 2WD—Red Hyper-Flex interlocking transmission mount kit fits a 3.75" to 4.25" transmission bolt span. Red polyurethane and cadmium-plated steel. For GM truck/car.		ENE3-1108R	
Rear Axle Bump Stop Set for 2000-04 Ford Excursion 4WD Hyper-Flex bushing kit includes 2 black polyurethane bushings with molded metal centers and mounting hardware. 1-1/4" O.D., 9/16" I.D.		ENE9-9155G	
EXTANG			
Xceed Truck Bed Cover for 2019-Up GM 1500 Truck w/5.8-ft Bed Xceed folding tonneau cover has a permanent attachment. Black vinyl top. For 2019-up GM full-size truck with 5'8" bed. Kit.		EXT85456	
Trifecta 2.0 Tonneau for 2015-20 Ford F150 w/ 6.5-ft Bed Trifecta 2.0 folding tonneau cover. Bed rail attachment with black vinyl top. Fits 2015-20 Ford full-size truck with 6 ft 7" bed. Kit.		EXT92480	
FIVESTAR			
ABC Traditional Roof—Advanced Lightweight Composite ABC traditional roof is made from an advanced lightweight composite. Black. Each.		FIV661-5102L-B	
FLAMING RIVER			
Power Rack & Pinion Cradle System Rack and Pinion Steering Kit - Cradle - Power - Brackets / Hardware / Joints / Pump - Ford Mustang 1965-70 - Kit		FLAFR300NP1	
FLEX-A-LITE			
Variable Speed Control Module with Probe Variable speed fan controller has an adjustable 155-240°F activation range. Includes push-in temperature sensor and harness. Kit.		FLE123195	
FLOWMASTER			
Cat-Back Exhaust System for 1999-07 GM Trucks with 4.3/4.8/5.3L Force II cat-back exhaust system has 3" diameter aluminized steel pipe and single side exit with 3-1/2" polished tip. For 1999-2007 GM full-size truck with regular cab.		FL017360	
Catalytic Converter for 2007-08 GM Full-Size Trucks/SUVs Direct-fit catalytic converter is 49-state legal. Natural stainless. For 2007-08 GM full-size trucks/SUVs with LS-Series engine.		FL02010020	
Outlaw Axle-Back Exhaust System for 2011-12 Mustang 5.0L Outlaw axle-back exhaust system with 2-3/4" tailpipe and 4" tips. Black with polished stainless tips. For 2011-12 Ford Mustang with 5.0L.		FL0817516	
Cat-Back Exhaust System for 2009-14 Ford F150 w/ 4.6/5.4L American Thunder cat-back exhaust system with 2-1/2" tailpipe and 3" tips. Natural stainless. For 2009-14 Ford F150 with 4.6L/5.4L.		FL0817522	
Cat-Back Exhaust System for 2014-17 GM 1500 Truck w/ 5.3L Force II cat-back exhaust system with 2-1/2" tailpipe and 3-1/2" tips. Natural stainless. For 2014-17 GM 1500 series truck w/ 5.3L.		FL0817666	















**CALL NOW! DON'T MISS OUT ON THESE
UNBELIEVABLE DEALS!**
LIMITED QUANTITIES AVAILABLE AT SPECIAL SALE PRICES

Description	Photo	Part No.	Price
FLOWMASTER			
Cat-Back Exhaust System for 2007-18 Jeep Wrangler w/ 3.6L Force II cat-back exhaust system with 2-1/2" tailpipe and 3" tip. Natural stainless. For 2007-18 Jeep Wrangler JK.		FL0817674	
FLOWTECH			
Ceramic-Coated Headers for SBC Mid-length headers have 1-1/2" primary and 2-1/2" collector pipes. Metallic ceramic-coated steel. For 1967-91 GM A-body/B-body/F-body/G-body/X-body w/ Small Block Chevy. Pair.		FLT31108	
FORD			
460 BBF Crate Engine w/ Rear Sump Base crate engine with 460 cubic inch displacement and 575 hp. Big Block Ford. Each.		FRDM6007-Z460FRT	
Assembled Cylinder Head for 5.0/5.8L Windsor Z Z-Head assembled aluminum cylinder head with 2.020"/1.600" valves, 204 cc intake, 63 cc chamber, and beehive springs. For Small Block Ford. Each.		FRDM6049-Z304DA7	
GIBSON EXHAUST			
Cat-Back Exhaust System for 2015-20 GM Tahoe/Yukon 5.3L Split rear cat-back exhaust system for 2-1/4" tailpipe with 3" tips. Stainless steel. For 2015-20 GM full-size SUV with 5.3L V8.		GIB65669	
Exhaust Headers for 2003-08 Dodge Ram w/ Gen III Hemi Headers have 1-1/2" primaries and stock flange. Silver ceramic-coated steel. For 2003-08 Dodge Ram full-size trucks w/ Mopar Gen III Hemi engine. Pair.		GIBGP311S-C	
GRYPMAT			
Grypmat Plus Duo Pack w/ Small & Medium (1) Each Grypmat rectangular tool trays. Two-pack includes (1) each of 9" x 4.25" and 9.5" x 7.5" x 1" high. Made of green chemical-resistant silicone.		GRYGMP2P	
HEDMAN			
Elite Ultra-Duty Headers for 1967-81 Camaro w/ SBC Elite Ultra-Duty headers have 1-5/8" primary and 3" collector pipes. Metallic ceramic-coated steel. For 1967-81 Chevy F-body/X-body w/ Small Block Chevy. Pair.		HED68278	
Long-Tube Street Headers for 1967-91 GM Trucks/SUVs Street headers have 1-5/8" primary and 3" collector pipes. Natural steel. For 1967-91 GM full-size trucks/SUVs with Small Block Chevy. Pair. Hardware included.		HED69090	
Street Headers for 1988-95 GM Full-Size Truck w/ SBC Street headers have 1-5/8" primaries and 3" collectors. Natural steel. For 1988-95 GM full-size truck with Small Block Chevy. Pair. Hardware included.		HED69440	
Street Headers for 1971-91 Dodge Trucks w/ SBM Street headers have 1-5/8" primaries and 3" collectors. Natural steel. For 1971-91 Dodge full-size trucks/SUVs with Small Block Mopar. Pair.		HED79080	
HELLWIG			
Rear Sway Bar for 1983-2006 Ford Compact Trucks/SUVs—7/8" Dia. Rear sway bar kit includes 7/8" dia. chromoly sway bar and mounting hardware. Gray painted finish. For 1983-2006 Ford compact trucks/SUVs.		HEL7511	
















CALL NOW! DON'T MISS OUT ON THESE UNBELIEVABLE DEALS!
LIMITED QUANTITIES AVAILABLE AT SPECIAL SALE PRICES

Description	Photo	Part No.	Price
HOOKEER			
Super Competition Headers for GM F-body/X-body w/ LS Swap Super Competition headers have 1-7/8" primary and 3" collector pipes. Metallic ceramic-coated steel. For GM F-body/X-body w/ LS-series. Pair.		HKR70101508-1HKR	
HOLLEY			
Carburetor—750CFM Ultra Double Pumper Model 4150 4-barrel dual-inlet carburetor flows 750 CFM and features a square bore, electric choke, and mechanical secondary. Gray/black anodized. Each.		HLYO-76750HB	
Super Sniper 4150 EFI Kit w/ 8 Injectors Super Sniper EFI fuel injection system includes square-bore throttle body and 8 injectors. Silver anodized aluminum. Kit.		HLY550-512	
ICON PISTONS			
Pontiac 400 Forged Flat-Top Piston Set 4.150" -4.5cc Premium forged flat-top piston set with 4.150" bore and 1/16" x 1/16" x 3/16" ring grooves. Minus 4.50 cc. For Pontiac V8. Set of 8.		ICNIC890.030	
IMPACT RACING			
FHR Stand 21 Club Series III Head and Neck Support FHR Stand 21 Club Series III head and neck support is SFI 38.1 / FIA approved. Black plastic. Standard. Size large. Kit.		IMP65000006	
JAZ			
12-Gallon Pro Sport Fuel Cell Pro Sport 12-gallon fuel cell and can is 18"W x 16-1/2"D x 10-1/2"H with -8AN outlet/vent. Red powder-coated steel with foam. Each.		JAZ270-012-06	
JET PERFORMANCE			
Power-Flo Throttle Body for Dodge V8 Power-Flo throttle body uses the stock size. Natural aluminum finish. For Mopar V8. Each.		JET76114	
LONGACRE			
Waterproof SMI 2-Gauge Panel—Oil Pressure + Water Temp SMI Elite waterproof gauge panel assembly includes analog oil pressure and water temperature gauges. Black anodized aluminum panel, black face gauges with LED lighting. Kit.		LON52-44560	
Shock Inflator with Digital Gauge Shock inflator with digital gauge. Mechanical with red face and digital readout. Controlled flow inlet. Includes 24" hose and silver carrying case. Kit.		LON52-50473	
AccuSet II Computer Scales w/ 1100-lb. Capacity 12" Pads Accuset II electronic vehicle scale includes (4) 1,100-lb. capacity 12" square pads, case, controller, and wiring harnesses. Silver powder-coated aluminum. Kit.		LON52-72582	
DX2 Hybrid Computer Scales w/ 1500-lb. 15" Pads DX2 Hybrid electronic vehicle includes (4) 1,500-lb. capacity 15" square pads, controller with 7" screen, case, and wiring harnesses. Natural aluminum. Kit.		LON52-72613	
LUND			
Genesis Tri-Fold Tonneau Cover for 2007-21 Toyota Tundra w/ 6.5' Bed Genesis tri-fold tonneau cover with black vinyl top. Fits 2007-21 Toyota Tundra with 6'6" bed. Kit.		LUN950121	
MAGNAFLOW PERFORMANCE EXHAUST			
Axle-Back Exhaust System for 2015-22 Challenger w/ Gen III Hemi Race Series axle-back exhaust system with 3" dia. pipe and 3-1/2" tips. Polished stainless. For 2015-22 Mopar LC body w/ Gen III Hemi.		MAG19206	

CALL NOW! DON'T MISS OUT ON THESE UNBELIEVABLE DEALS!
LIMITED QUANTITIES AVAILABLE AT SPECIAL SALE PRICES

Description	Photo	Part No.	Price
M AND H RACEMASTER			
P235/60-14 M&H Tire—Muscle Car/Drag Tire DOT-rated 235/60-14 bias ply tire. 703 compound with black sidewall. Muscle car/drag applications. Each.		MHTMSS-002	
MACS CUSTOM TIE-DOWNS			
Engine Pivot Plate PIVOT engine lift plate with 35° pivot fits spread and square bore carburetor flanges. Blue powder-coated steel. Each.		MTD701001	
MARCH PERFORMANCE			
70-up Firebird Style-Track System w/ Alt A/C P/S W/P Style-track 6-rib serpentine pulley kit includes alternator, A/C compressor, power steering pump, and water pump. Clear powder-coated aluminum For Pontiac V8.		MPP13135	
Serpentine Conversion Kit for BBC Ultra-Performance 6-rib serpentine pulley kit includes long water pump. Clear powder-coated aluminum. For Big Block Chevy.		MPP23010	
Style Track Pulley Kit for Ford 351C Style Track 6-rib serpentine pulley kit with alternator, A/C compressor, and power steering pump. Clear powder-coated aluminum For Ford Cleveland/Modified.		MPP30440	
MCLEOD			
RXT Street Twin-Disc Clutch Kit for Shelby GT500 RXT Street twin-disc clutch kit with 9-11/16" diameter, 1-1/8" x 26 spline, rigid hub. Ceramic/steel. For 2007-09 Ford Mustang w/ Ford Modular.		MCL6918-07	
MOMO AUTOMOTIVE ACCESSORIES			
Super Cup Racing Seat, Regular Size—Black Super Cup seat with side bolsters and harness openings. Fiberglass composite with black fabric cover. Each.		MOM1071BLK	
Prototipo Heritage Steering Wheel with Black Leather Grip Prototipo Heritage 3-spoke steering wheel is 350mm in diameter with a 39mm dish. Black anodized aluminum with a black leather grip. Each.		MOMPRH35BK2B	
Tuner Leather Grip Steering Wheel Leather Tuner series 3-spoke steering wheel is 350 mm in diameter with a 37 mm dish. Black anodized aluminum with a black leather grip. Each.		MOMTUN35BK0B	
MR. GASKET			
Overhaul Gasket Set—Oval Port for 1970-76 BBC Full standard engine gasket set for 1970-76 Big Block Chevy w/ oval port heads.		MRG7106	
PAC RACING SPRINGS			
1.061" Ovale Beehive Valve Springs—Set of 16 1200 series ovate beehive valve spring with 275 lb/in spring rate, 1.040" coil bind, and 1.061" O.D. For Ford Modular. Set of 16.		PACPAC-1214	
1.500" Dual Valve Springs—Set of 16 1300 Series dual spring valve springs with 780 lb/in spring rate and 1.130" coil bind. 1.500" O.D. Set of 16.		PACPAC-1355	
1.536" Dual Valve Springs, Drag Race—Set of 16 1300 Series dual spring valve springs with 964 lb/in spring rate and 1.215" coil bind. 1.536" O.D. Set of 16.		PACPAC-1361H	
PERTRONIX IGNITION			
Ignitor Ignition Conversion Kit for Ford Industrial 4-Cylinder Ignitor ignition conversion kit converts points to electronic. With magnetic trigger and 6V positive ground. For Ford industrial 4-cylinder.		PRT1244AP6	













CALL NOW! DON'T MISS OUT ON THESE UNBELIEVABLE DEALS!
LIMITED QUANTITIES AVAILABLE AT SPECIAL SALE PRICES

Description	Photo	Part No.	Price
PERTRONIX IGNITION			
Ignitor Ignition Conversion Kit for Ford 4-Cylinder Ignitor ignition conversion kit converts points to electronic. With magnetic trigger. For Ford 4-cylinder.		PRT1247	
Ignitor Conversion Kit Ignitor ignition conversion kit converts points to electronic. With magnetic trigger. For Autolite/Prestolite 3-cylinder distributors.		PRT1531	
Ignitor Conversion Kit Ignitor ignition conversion kit converts points to electronic. With magnetic trigger. For Jeep/Aer-oceanic 4-cylinder. Kit.		PRT1548	
Ignitor Ignition Conversion Kit for Mallory 8-Cylinder Distributors Ignitor ignition conversion kit converts points to electronic. With magnetic trigger. For Mallory 8-cylinder distributors.		PRTML-141C	
Flame-Thrower III Coil— Oil-Filled Flame-Thrower III oil-filled canister-style ignition coil generates 45,000V with 0.32 ohm resistance. Female socket. Black. Each.		PRT44011	
PRECISION SHAFT TECHNOLOGIES			
Steel Driveshaft—52" Long x 3" Diameter Steel drive shaft is 51" long x 3" O.D. and includes 1310 U-joints. White painted finish. Universal. Each.		PST310510	
Steel Driveshaft—52" Long x 3" Diameter Steel drive shaft is 51" long x 3" O.D. and includes 1310 U-joints. White painted finish. Universal. Each.		PST310520	
Steel Driveshaft—55" Long x 3" Diameter Steel drive shaft is 55" long x 3" O.D. and includes 1310 U-joints. White painted finish. Universal. Each.		PST310550	
PROFORM			
Universal Oil Filter Cutter Adjustable oil filter cutter with red anodized aluminum body. Each.		PFM66490	
Harmonic Balancer Installation Tool Harmonic balancer installation tool for Chevy V8. Each.		PFM66515	
Adjustable Rear End Cover for GM 7.5" 10-Bolt Perfect Launch adjustable differential cover for GM 7.5" 10-bolt rear end. Black painted aluminum. Each.		PFM66667	
"Head On" Type Valve Spring Compressor "Head on" style valve spring compressor is stud mounted and will fit 3/8" and 7/16" rocker studs. Chrome-plated steel. Each.		PFM66784	
Slim Fit Radiator 1967-69 Camaro Manual Transmission Slim-fit direct-fit series single-pass radiator w/electric fan. 28.109"W x 18.500"H x 4"D with driver's side inlet and passenger side outlet. Natural aluminum. For 1967-69-92 GM F-body w/ manual transmission. Each.		PFM69600.1	
PROTHANE			
Body Mount Bushing Kit for 2001-05 Explorer SportTrac Polyurethane body mount bushing kit for 2001-05 Ford Explorer SportTrac SUV. Red.		PTN6-116	
GM Engine Mount PR Type A Short Bolt-on motor mount kit with polyurethane bushings. Zinc oxide-treated steel. Short/wide style for Chevy V8.		PTN7-504BL	















**CALL NOW! DON'T MISS OUT ON THESE
UNBELIEVABLE DEALS!**
LIMITED QUANTITIES AVAILABLE AT SPECIAL SALE PRICES

Description	Photo	Part No.	Price
QUICK FUEL TECHNOLOGY			
750CFM Carburetor Brawler SSR-Series—Black Brawler Street 4-barrel carburetor flows 750 CFM. Features include square bore, electric choke, mechanical secondary, and dual inlets. Black/purple anodized finish.		QFTBR-67313	
680CFM Carburetor - Street- E/C SS series 4-barrel carburetor flows 680 CFM. Features square bore, electric choke, vacuum secondary, and dual inlets. Red anodized/polished finish. Each.		QFTSS-680-VS	
QUICK TIME			
Bellhousing BBF to Early Toploader/Borg Warner T-10 Bellhousing includes block plate and hardware. Black painted steel. Adapts FE Big Block Ford to early Top Loader and Borg Warner T-10 transmissions. Kit.		QTMRM-6057	
RACEQUIP			
5-Point Latch-and-Link Harness Set L&L Green SFI 5-point latch-and-link harness kit with pull-down adjustment and bolt-on/wrap-around installation. SFI 16.1 rated. Green.		RQP711071	
Racing Seat 15" Medium FIA-Approved Non-reclining racing seat is 15" wide and features side bolsters and harness openings. FIA approved. Fiberglass composite with black fabric cover. Each.		RQP96663369	
Racing Seat 15" Medium Containment FIA-Approved Non-reclining containment racing seat is 15" wide and features side bolsters and harness openings. FIA approved. Fiberglass composite w/ black fabric cover. Each.		RQP96993399	
RANCHO			
RS9000XL Series Adjustable Tritube Shock RS9000XL Series adjustable tritube shock has an 18.610" compressed/30.470" extended length and 2.75" O.D. Silver painted steel. Each.		RAN999287	
REESE			
T-One Connector Assembly w/Upgraded Converter Trailer light wiring harness, with T-One connector. Brake/tail light/turn signal. For 1993-2015 Toyota compact/full-size truck. Kit.		REE118496	
Boat Transom Retractable Ratchet Tie-Downs 2" x 43" Boat transom ratchet tie-down have an 1800 -lb. capacity, black polyester webbing, and vinyl-coated J-hooks. Hardware included. 2"W x - 43"L. Sold in pairs.		REE2060266	
Reese Outboard Fifth Wheel Custom Quick Install Kit Reese outboard fifth wheel install kit includes 5th wheel rails, brackets, and hardware. Black powder-coated steel.		REE56001-53	
4-Flat Trailer End Connector 4-wire flat trailer light wiring harness with brake/tail light harness. Universal. Kit.		REE787264	
RICHMOND			
Super T10 Plus 4-Speed Transmission Super T10 Plus manual 4-speed transmission features a 26-spline input and 32-spline output. Aluminum housing. GM applications. Kit.		RIC7021520	
RIDETECH			
Wishbone System fo 1988-98 GM C1500 Trucks Rear suspension kit includes bushings, crossmember, lower bars, shock mounts and wishbone. Black powder-coated steel. For 1988-99 GM full-size trucks. Kit.		ART11377199	
RUGGED RIDGE			
Low-Mount Snorkel for 2018-up Jeep Wrangler JL Snorkel type air induction system with low mount. Fits 2018-up Jeep Wrangler JL. Kit.		RUG17756.35	

CALL NOW! DON'T MISS OUT ON THESE UNBELIEVABLE DEALS!
LIMITED QUANTITIES AVAILABLE AT SPECIAL SALE PRICES

Description	Photo	Part No.	Price
SAFECRAFT			
Fire System 10-lb. Novec Automatic Only Fire Suppression System - AT Series - Automatic - Novec 1230 - 10.0 lb Bottle - 21 in / 85 in Long Hoses - Fittings / Sensor Included - Kit		SFCLM10JGG-21-85-B	
SAMCO SPORT			
Sprint Car Lower Radiator Hose, 1-3/4" I.D., Black Lower radiator hose, 1-3/4" I.D. Black silicone. For Sprint Car applications. Each.		SAMTB-5330BLACK	
SCAT ENTERPRISES			
SBC S/L 4340 Forged Crank - 3.750 Stroke Superlight forged steel crankshaft has a 3.750" stroke, internal balance, and 2-piece seal. For Small Block Chevy. Each.		SCA4-350-3750-6000-3	
SLP PERFORMANCE			
Loud Mouth Cat-Back Exhaust System for 2011-14 Charger w/5.7L Loud Mouth cat-back exhaust system with 2-1/2" pipe and 3" tips. Stainless steel. For 2011-14 Mopar LD-body/LX-body.		SLPD31040	
SUPERWINCH			
ATV Winch w/Roller Fairlead Terra 3,500-lb. capacity winch with roller fairlead, 10-ft. remote, handlebar switch, and 13/64" steel rope. 12V. Kit.		SUP1135220	
S7500-7500-lb. Winch w/ Roller Fairlead S7500 winch features a 7,500-lb. capacity and includes a roller fairlead, 30-ft. wired remote, and 55 ft. of 5/16" steel rope. 12V. Kit.		SUP1475200	
TCI			
Fast Gate Universal Auto Shifter—3- or 4-Speed Fast Gate floor mounted automatic shifter can be used with various 3- or 4-speed applications. Kit.		TCI616541	
TRIPLE X RACE COMPONENTS			
Complete Rear Axle Assembly for Mini Sprint Complete rear axle assembly is 1-7/8" dia. x 53" long. Fits Triple X Micro/Mini Sprint chassis. Kit.		TXR600-SU-K9000	
TURBOSMART USA			
CompGate 40mm External Wastegate 7 PSI Comp-Gate 40 wastegate is 40mm in diameter with a 7 psi spring. Includes clamps, flanges, gaskets, and hardware. Black. Universal. Kit.		TBSTS-0505-1006	
TRUXEDO			
Truxseal Universal Tailgate Seal Universal tailgate seal is 8-1/2 ft long and made from black rubber. Each.		TRX1703206	
Pro-Tex Vinyl Protectant—20-oz. Spray Bottle Pro-Tex vinyl cleaner and protectant helps keep tonneau covers and other vinyl items looking like new. 20-oz. spray bottle. Each.		TRX1704511	
Expedition Truck Luggage for Full-Size Trucks Bed storage bag system with 8 cubic feet of storage. Frame/rail system for easy no-drill installation in truck beds over 57-3/8" wide. Fits under most tonneau covers. Black fabric with metal frame. Kit.		TRX1705211	

**CALL NOW! DON'T MISS OUT ON THESE
UNBELIEVABLE DEALS!**
LIMITED QUANTITIES AVAILABLE AT SPECIAL SALE PRICES

Description	Photo	Part No.	Price
VOLANT			
Air Intake w/ Non-Oiled Filter for 2007-08 GM Truck w/ 4.8/5.3/6.0L Air induction system with reusable maintenance-free filter. Black plastic. For 2007-08 GM full-size trucks/SUVs w/ LS-series engine.		VOL152536	
Air Intake 12- Jeep Wrangler 3.6L Non Oiled Air induction system with reusable maintenance-free filter. Black plastic. For 2012-14 Jeep Wrangler JK with 3.6L V6.		VOL17636	
WELD RACING			
17" x 10" S71 RT-S Wheel with 7.2" Backspace S71 RT-S 17" x 10" wheel with 5 x 120mm bolt pattern and 7.2" backspace. High pad. Black anodized/polished aluminum. Each.		WEL71HB7100N72A	
17" x 11" RT-S Wheel with 7.7" Backspace S71 17" x 11" high pad aluminum wheel with 7.7" backspace and 5 x 4.75" bolt pattern. Black anodized/polished aluminum. Each.		WEL71HB7110B77A	
15" x 17" Magnum Bead-Loc Wheel with 7" Backspace 42-spline Magnum 15" x 17" beadlock wheel with 7" backspace and 42-spline mounting. Includes cover. Gold anodized/polished aluminum. Each.		WEL735-51757-6	
15" x 15" Alpha-1 Double Beadlock Wheel with 4" Backspace Alpha-1 15" x 12" double beadlock wheel with 5 x 4.75" bolt pattern and 4.00" backspace. Black anodized aluminum. Each.		WEL83B-515278MB	
V-Series 15" x 3.5" Front Drag Wheel with 1.750" Backspace V-Series 2.0 15" x 3.5" one-piece wheel with 1.750" backspace and Anglia spindle mount. Black anodized aluminum. Each.		WEL84B-15000	
17" x 4.5" Magnum 2.0 P.R.O. Wheel with 2.25" Backspace Magnum 2.0 P.R.O. 17" x 4.5" 1-piece wheel with 5 x 4.50" bolt pattern and 2.25" backspace. Black anodized aluminum. Each.		WEL86B-1704204	
15" x 14" Draglite Wheel with 7.5" Backspace Draglite 15" x 14" wheel with 7.500" backspace and 5 x 4.50/5 x 4.75 in bolt patterns. Polished aluminum. Each.		WEL90-514354	
15" x 15" Pro Star Wheel with 4.500" Backspace Pro Star 15" x 15" wheel with 4.500" backspace and 5 x 4.75" bolt pattern. Polished aluminum. Each.		WEL96-515278	
WILWOOD			
Rear Brake Kit for 1965-82 Corvette D8-4 rear disc brake kit includes 4-piston calipers, lines, and pads. Clear anodized aluminum. For 1965-82 Chevy Corvette. Kit.		WIL140-10790	
YUKON GEAR AND AXLE			
Spin-Free Locking Hub Conversion Kit for Dana 60 Spin-free manual locking hub kit includes hubs, spindles, outer axles, bearings, seals, and hardware. For 2000-08 Dodge Ram Dually with Dana 60 axle.		YKNYAWU-05	
Dura Grip Differential for Dana 70 w/ 32-Spline Dura Grip positraction differential with 32-spline connection for 4.10 and down gear ratio. ABS compatible. Iron. Fits Dana 70. Each.		YKNYDGD70-3-32	
Trac Loc Differential Ford 9" w/ 31-Spline Trac Loc Dura Grip positraction differential with 31-spline. For Ford 9" rear end. - Steel. Each.		YKNYDGF9-31-SM	



Dirt Pro Series Sprint Car Birdcages

For use in win and non-wing cars, these cages have an adjustable lower flag for additional traction. Made from lightweight billet 7075 aluminum.



Part No.	Description	Price
MPD81107	Right Side	
MPD81207	Left Side	

Dirt Pro Series Sprint Car Bird Cage Components



Part No.	Description	Price
MPD81101	Birdcage Flag	
MPD81102	Birdcage Spud	
MPD81103	Lower Arm Bolt	
MPD81104	Radius Rod Bolt	

Aluminum Radius Rods

Black anodized aluminum radius rods with 5/8"-18 female thread at each end.



Part No. No.	Description	Price
1" Diameter		
MPD41390	39" Long	
MPD41410	41" Long	
1-1/8" Diameter		
MPD42390	39" Long	
MPD42410	41" Long	



Sprint Car Carbon Fiber Air Box Base KRP1489

Carbon fiber air box base plate designed for Walker or Green Filter air filters. 19-1/4" x 14."



Sprint Car Fire Suppression System KRP5050

Specifically designed for Sprint Cars. The 360° discharge system uses Novec 1230. The kit comes with everything needed, including a fitted manual nozzle, a fitted automatic detection nozzle, a 6-foot-long pull cable, and a billet mounting clamp. The easy-to-install system weighs only 7 pounds. World of Outlaws approved.



Birdcage Spacer

These left rear bird cage spacers move the bird cage out and feature internal splines to protect the axle where the rotor slides over.



Part No.	Description	Price
TIP2130	Right Rear Steel Spacer	
TIP2132	Left Rear Splined Spacer	

Sprint Car Inboard Hub

This inboard brake clamp is super lightweight and made from tough 7075 aluminum. The 3 pinch-clamp design ensures a tight and even hold on the rear axle. The 3 (clamping) Allen-head bolts face outwards, and are aligned in the perfect direction to make tightening/loosening easy. This makes all the bolts accessible from the outside of the car, allow bolts to be checked quickly and easily. No more reaching around the rotor and fumbling with wrenches on bolt heads that you can't see! Designed for 8-bolt floating rotors. Comes complete with the eight 5/16"-18 bolts and the floating T-Nuts.



Part No.	Description	Price
TIP4025	Hub	
TIP4026	Replacement Bolt & Lock	

Master Cylinder Return Spring Set TIP4220

This spring kit helps prevent the driver from dragging the brakes and building heat. Steel return spring with black anodized aluminum cap.



Brake Line Clamp


These billet aluminum clamps help secure the brake lines to the chassis and keep the lines from getting ripped off. Stronger than zip ties or electrical tape. Black.



Part No.	Description	Price
Billet Aluminum		
TIP4530	1.25" Dia.	
TIP4532	1.38" Dia.	
TIP4534	1.50" Dia.	

Wheel Wrench 12-point TIP8510

It comes with axle adapters to fit all weight axles. Black anodized aluminum Sprint Car wheel wrench.



Front Dust Cover Wrench TIP8537

This tool removes the front dust cap with ease and doesn't scratch up the cap. Single-end carbon fiber wrench with 2-7/8" hex.





9" Ford Differential Center Section

Assembled 3.70 gear ratio differential center section for Ford 9" applications.

PEMCSTT35-370



Part No.	Description	Price
PEMCSTT31-370	31-spline	
PEMCSTT35-370	35-spline	

GM Rear Disc Brake Kits

This complete kit designed for 9" Ford housing ends includes GM-Metric calipers, bolt-on caliper brackets for 3" O.D. round tubing, 11-1/4" diameter vented rotors with dual bolt circles (5 x 4-1/2" and 5 x 4-3/4"), and all new hardware.



Part No.	Description	Price
PEMB-ONDBKDS	With Dimpled and Slotted Rotors	
PEMB-ONDBKSMALLFORD	Small Ford	
PEMB-ONDBKW/E	With Emergency Brake	
PEMB-ONDBKW/EDS	With Emergency Brake, Drilled & Slotted Rotors	



"604" Crate Motor/Dirt Modified Headers BEYIDM-604-S1-B2

Engineered for use on IMCA/UMP Modifieds using GM "604" crate motors for power, headers include 5/16" laser-cut flanges, "stepped" 1-5/8" to 1-3/4" primary tubes, and 2-3/4" collectors. "B2" model headers fit Kryptonite, Lethal, Longhorn, 2017-up Shaw, and Victory Circle modified chassis. Black painted finish.



Original "Short" Late Model Transmission BRI70002

Identical to a conventional Brinn two-speed Late Model Transmission but in a shorter, 19" length that eliminates the need to change driveshafts when swapping from a Bert unit. All transmission components are identical to those of the original unit with the exception of a shorter output shaft and tailhousing. Uses any two-speed shifter.



NOW STOCKING!

3-1/2" I.D. x 16" Tall x 125 lbs. Coil-Over Spring DRSDRAC16.3.5.125

Coil-over spring is 3-1/2" I.D. x 16" tall and has a rate of 125 lbs. Purple powder-coated finish. Sold each.



2-1/2" I.D. x 10" Tall x 300 lbs. Coil-Over Spring DRSDRA.C10.2.5.300

Coil-over spring is 2-1/2" I.D. x 10" tall and has a rate of 300 lbs. Purple powder-coated finish. Sold each.



2-1/2" I.D. to 5" O.D. Coil-Over Spring Adapter DRSDRA-ADP2.5.5.0.3.970

Special aluminum adapter allows mating a 2-1/2" coil-over to a conventional 5" coil spring. Sold each



Aluminum 1-1/2" I.D. to 1-1/8" I.D. Clamp Reducer JOE13005

Often required when mounting a mirror, radio box, etc. to 1-1/8" chassis tubing, mount reduces the clamp size from 1-1/2" to 1-1/8".



Switch Panel Labels JOE17501

Made from high-quality vinyl, labels allow customizing and identifying switch panels. Includes (40) different labels.



1" Panhard Mount JOE24649

Strong and lightweight, rigid aluminum mount allows quick adjustment of roll center. Clamps to 1" tubing and accepts 3/8" heim ends.



-12AN Yamaha Thermostat Housing JOE36006

Billet aluminum thermostat housing fits all 1999-up Yamaha R6 engines, and includes a -12AN fitting that allows converting the rubber radiator hose to a braided stainless steel hose with fitting.





NOW STOCKING!

GM Spindle Axle Alignment Fixture DRP97165

Designed specifically for use with DRP's Laser Alignment System, fixture threads directly onto GM 3/4"-20 spindles.



Adjustable Bearing Spacer for GM F-, A-, & X-Body DRP007-10523S

Bearing spacer installs between the inner and outer wheel bearing to allow precise setting of the wheel bearing pre-load to virtually eliminate wheel bearing drag, reducing friction and operating temperatures. Spacer fits front hubs using LM67048/LM11949 bearings including 1967-78 GM "F" body; 1964-73 GM "A" body; 1969-78 GM "X" body, and others. Sold each.



NOW STOCKING!

Battery Holder for Wireless Scales Indicator INT3301779

Holds (4) AA batteries.



Battery Holder for Wireless Scale Pad INT502543

Holds (2) AA batteries.



Tire Groover Holder PIT480

Specially fabricated aluminum shelf provides handy storage for a tire groover. Ideal for mounting to a trailer or shop wall.




1" Hex-Head Self-Tapping Screws PITSCR

Self-tapping screws ease the installation of Pit Pal Products to trailer walls. Pack of 20.



Pro-Lift Kits for 2021-23 Ford F-150 Raptor/35"

Engineered for the 2021-23 Ford F-150 Raptor with 35" tall tires, each Pro-Lift kit is designed to deliver increased clearance for larger wheels and tires while providing superior on-road stability and handling.



Part No.	Application	Price
Front Spring Only Kits		
EIBE30-35-060-01-20*	Raises Front 1.0"	
EIBE30-35-060-02-20*	Raises Front 2.2"	
Rear Spring Only Kit		
EIBE30-35-060-02-02*	Raises Rear 1.5"	
Front and Rear Spring Kit		
EIBE30-35-060-02-22*	Raises Front 2.2"/Rear 1.5"	

* Designed for use with the OEM Fox electronic shocks.



NOW STOCKING!

26.25" Long x 1" Wide, 3/8" Pitch Square Tooth Gilmer Belt JRP263-L100



Drive Mandrel Pulley Spacer JRPSP-6103-C-A-1/2

Billet aluminum spacer is 1/2" thick with a 1-1/8" I.D.




Radius Tooth HTD Water Pump Pulley JRPWP-6104-35S

Rigid billet aluminum HTD style pulley has 35 teeth, from .150"-2.05" deep. 2-1/4" dia. pulley fits 5/8" or 3/4" shaft.



GM LS Drive Mandrel JRDPH-8101-09-LS

Low-profile drive mandrel bolts to the face of an ATI Performance Products LS 3-bolt balancer, independent of the balancer bolt. Flange is just .900" thick and mandrel is 3.500" long.





Outlaw Dirt Late Model Nose, Upper and Lower Fenders

Engineered to maximize downforce, the Outlaw Nose features aggressive aero styling. The one-piece center may be cut for nose width, while the height-adjustable lower fenders allow for maximum tire clearance. Nose and upper fenders fit flat to hood and rear fender area. Nose includes a 3-1/2" wide built-in valance and nose screen recess. May be purchased as a complete, five-piece kit, or components may be purchased separately when mixing and matching colors is desired.



Part No.	Description	Price
Complete Five-Piece Kits (Includes Nose, Upper & Lower Fenders)		
FIV22001-41051-B-KIT	Nose and Fender Kit, Black	
FIV22001-41051-CB-KIT	Nose and Fender Kit, Chevron Blue	
FIV22001-41051-R-KIT	Nose and Fender Kit, Red	
FIV22001-41051-W-KIT	Nose and Fender Kit, White	
Replacement Components		
FIV22001-23251-BL	Left Upper Fender, Black	
FIV22001-23251-CBL	Left Upper Fender, Chevron Blue	
FIV22001-23251-RL	Left Upper Fender, Red	
FIV22001-23251-WL	Left Upper Fender, White	
FIV22001-23251-BR	Right Upper Fender, Black	
FIV22001-23251-CBR	Right Upper Fender, Chevron Blue	
FIV22001-23251-RR	Right Upper Fender, Red	
FIV22001-23251-WR	Right Upper Fender, White	
FIV22001-23351-BL	Left Lower Fender, Black	
FIV22001-23351-CBL	Left Lower Fender, Chevron Blue	
FIV22001-23351-RL	Left Lower Fender, Red	
FIV22001-23351-WL	Left Lower Fender, White	
FIV22001-23351-BR	Right Lower Fender, Black	
FIV22001-23351-CBR	Right Lower Fender, Chevron Blue	
FIV22001-23351-RR	Right Lower Fender, Red	
FIV22001-23351-WR	Right Lower Fender, White	
FIV22001-41051-B	Nose, Black	
FIV22001-41051-CB	Nose, Chevron Blue	
FIV22001-41051-R	Nose, Red	
FIV22001-41051-W	Nose, White	

MD3 Rocker Panel **NOW OFFERED IN GRAY!**

FIV007-5500-G

Rocker panels fit either side. Three rockers needed per car: one rocker between the front and rear wheel flares, and 1/2 piece behind the rear wheel flare.



Modified Lower Aero Valance **NOW OFFERED IN GRAY!**

FIV3022-417-G

Three-piece lower aero valance features a universal design for use with modified noses.



MD3 Evolution 2 Nose/Fenders/Valance for Dirt Late Models **NOW OFFERED IN GRAY!**

Evolution 2 Nose/Fenders/Valance assemblies feature two-piece upper and lower fenders, allowing for critical ground clearance adjustment. The right fender includes more clearance built-in for tire travel and a lower mounting height, while the lower fenders are thicker and separate to provide an improved fit.



Part No.	Description	Price
FIV32004-43554-G	Combo Kit (Includes Nose, Fenders, & Valance)	
FIV32004-23351-GL	Left Lower Fender	
FIV32004-23351-GR	Right Lower Fender	
FIV32004-23251-GL	Left Upper Fender	
FIV32004-23251-GR	Right Upper Fender	
FIV32004-41051-G	Complete Nose	
FIV32004-41751-G	Lower Valance	

MD3 Modified Plastic Nose Filler Panel Your Choice -

Significantly more durable than aluminum, plastic nose filler panel resists chipping, denting, and bending, while offering the same weight per foot as .040" aluminum. Sold each.

Part No.	Color
FIV34000-35851-B	Black
FIV34000-35851-W	White
FIV34000-35851-CB	Chevron Blue
FIV34000-35851-R	Red
FIV34000-35851-G	Gray



MD3 Plastic Dirt Late Model Doors Your Choice -

Plastic right side doors outperform aluminum, resisting chipping, denting, and bending. Built-in flanges add rigidity and ease installation. Approved for competition by all major national sanctioning bodies. Sold each.

Part No.	Color
FIV32001-21051-BR	Black
FIV32001-21051-WR	White
FIV32001-21051-CBR	Chevron Blue
FIV32001-21051-RR	Red



Hood Scoop Extension FIV040-4117-TNT

Tinted plastic extension installs directly onto an existing Five Star FIV040-4113, FIV040-4114, or FIV040-4115 series hood scoop. Provides additional air cleaner protection.





MD3 1988 Monte Carlo Street Stock Body Components

NOW OFFERED IN GRAY!

High-impact plastic MD3 nose features a tipped-back, V-shaped design for improved aerodynamics. Nose is extended 2-1/2" along lower valance and includes an overlapped center flange for added durability. Larger upper air opening accepts nose screen (FIV021-4132), while the lower opening accepts nose screen (FIV660-4111).



Part No.	Description	Price
FIV021-410-G	Complete Nose, Gray	
FIV021-450-G	Complete Bumper Cover, Gray	



Fuel Pressure Regulator

PRC9250

Designed for carbureted applications, bypass-style regulator offers pressure adjustment from 4-11 PSI. CNC-machined from billet aluminum, regulator includes -8AN inlet and outlet ports.



Front Coil-Over Suspension for 1967-86 C20 and 1987-91 R20 Chevy Trucks

Similar to the popular coil-over system for the C10, new C20/R20 kit delivers improved suspension geometry and adjustable shock valving, while the adjustable 1"-3" drop height provides exceptional handling and ride quality. Each kit includes tubular steel upper and lower control arms, choice of single or double adjustable coil-over shock absorbers, and required hardware. Direct bolt-on kits may be installed with basic hand tools and no welding is required.



Part No.	Description	Price
Suspension Kits with Double Adjustable Shocks		
QA152619-D650	650-lb. Spring Rate	
QA152619-D750	750-lb. Spring Rate	
QA152619-D850	850-lb. Spring Rate	
Suspension Kits with Single Adjustable Shocks		
QA152619-S650	650-lb. Spring Rate	
QA152619-S750	750-lb. Spring Rate	
QA152619-S850	850-lb. Spring Rate	



DTC-30 Front Brake Pads for Volvo 240

HAWHB204W.615

Designed for street use, DTC-30 brake pads offer smooth, consistent braking, even when cold. Fit 1990-93 Volvo 240 Base/GL/SE models. Sold as an axle set.



2-1/4" I.D. x 6" Tall x 400 lbs. Coil-Over Spring

NOW STOCKING!

HYP186A0400

Featuring a blue powder-coated finish, 2-1/4" I.D. coil-over spring is 6" and has a rate of 400 lbs. Sold each.



Composite Leaf Spring for C3 Corvette

HYP12413HPS

Lightweight, composite High Performance Street series mono-leaf spring is 70% lighter than steel. Designed to retain the specific arch, preventing sagging and chassis inconsistency while improving side bite off the corners. Fits all 1968-82 Corvette C3 models. Sold each.



7.25" Button Clutch

Full-Circle Metallic Clutch Disc Pack

NOW STOCKING!

TIL64185-2-ACCC-36

Replacement clutch pack consists of a four-discs with 1-5/32" x 26-spline and a rigid, 6-riev hub.



GM LS 5.5" Button Flywheel

TIL19044

Designed for GM LS engines with a 6-bolt crankshaft, button flywheel is engineered for use with a 5.5", 8-leg clutch. Weighs just 2.9 lbs.



ST-246 TwiniDisc Clutch Kit

for Chevy LT1/LT4 with Tremec T-56

TIL55-1008

A true performance twin-disc clutch, the ST-246 combines an aluminum clutch cover with sprung-hub organic discs and a billet, chromoly steel flywheel. Heavy-duty straps attach the pressure plate and floater plate to minimize noise. Fits all Chevy LT1/LT4 with Tremec T56 Magnum 6-speed. Includes hardware and clutch alignment tool.



NEW PRODUCTS



NOW OFFERED IN 10' LENGTH!

Shielded Distributor Wire, 10' Length QRP57-200-10

Designed to eliminate electronic noise from interfering with the distributor lead that runs from the ignition box to the distributor, lead consists of Mil Spec green and purple wires braided along with a drain wire.



Platinum Plus Spotter Edition Two-Way Headset RCEPT006-2-SP

The ideal choice for the professional spotter or crew chief, two-way headset includes dual transmit ports, dual scanner ports, and an RT731 remote push-to-talk button pre-installed on the left ear cup. The deep ear cup design combined with super-soft gel ear cushions offer extended wear comfort and unsurpassed acoustics.



Deluxe Aluminum Spotter Push-to-Talk Switch RCERT803

Designed for use with the RT731 headset push-to-talk option.



NOW STOCKING!

Bosch Wideband LSU 4.9 5-Wire Oxygen Sensor PSGBOSCH17025

Designed for use with a variety of high performance wideband kits including Innovate and AEM, heated five-wire oxygen sensor accurately measures mixtures as rich as 9.0:1, and as lean as pure air. Sensor has a 32" long cable and includes standard 18 x 1.5mm threads. Sold each.



Utility Jug Mount SRJJB6000

Designed specifically for securing a single Sunoco 3- or 5-gallon utility jug to the floor of trailers, low-profile steel bracket utilizes a special locking tab system to secure jug during transport. Black powder-coated finish.




Hose Bender SRJHB2000

Formed plastic hose bender simply slips over utility jug filler hose, forming a bend to ease the dispensing of liquids. Sold in a two-pack.



Aluminum Rear/5-Bolt Wide 5 Hubs

Complete rear hub combines a polished, permanent mold aluminum hub, 5-bolt 7075-T6 billet aluminum drive flange, bearings, seal kit, and aluminum lock nut. Hub is also offered with a special thermal-dispersant coating.



Part No.	Description	Price
WIN3755	5-Bolt Rear Wide 5 Hub	
WIN3755-8208H	5-Bolt Rear Wide 5 Hub, Thermal-Dispersant Coating	

Aluminum Front Wide 5 Hubs

Complete front hub includes a polished, permanent mold aluminum hub, push-in aluminum dust cap, bearings, seal kit, and aluminum lock nut. Hub is also offered with a special, thermal-dispersant coating.



Part No.	Description	Price
WIN3755F	Front Wide 5 Hub	
WIN3755F-8208H	Front Wide 5 Hub, Thermal-Dispersant Coating	

Oil Seal for Pro Eliminator 2-7/8" Hub

NOW STOCKING!

WIN7284V-01

Sold each.



Aluminum Spindle Lock Kit for Pro Eliminator 2-7/8" and 2-7/8" Wide 5 Hubs

NOW STOCKING!

WIN4301

Sold each.



Bearing Kit for Pro Eliminator 2-7/8" Hub

NOW STOCKING!

WIN8682-1

Includes (1) inner and (1) outer wheel bearing.





NOW STOCKING!

Sportsman Engine Diapers

Engineered for drag racing applications where a non-SFI approved engine diaper is accepted, Sportsman diaper wraps around the oil pan, secures to header bolts, and is designed to contain engine oil and fragments in the event of an engine failure. Diaper with quick releases eases removal.



Part No.	Description	Price
STR1030	Sportsman Engine Diaper	
STR1031	Sportsman Engine Diaper with Quick Release	

SFI-Approved Transmission Blankets


Hand-sewn, ballistic nylon blankets, designed specifically to contain an internal transmission failure, incorporate heavy duty webbed straps that secure to transmission. Offered in Powerglide or universal fit versions. Meets SFI 4.1 specifications.



Part No.	Application	Price
STR515	Powerglide, 16" x 52"	
STR516	Universal Fit, 18" x 52"	

SFI-Approved Angled Window Net STR501-01

Designed to help contain the driver in the event of an on-track mishap, angled nylon 24" x 18" window net is manufactured to strict SFI 27.1 specifications. Black only.



Window Net Mount Kit STR503

Do-it-yourself kit is used to secure the window net to the roll cage. Includes (2) round steel tubes, (2) weld-on brackets, and (2) GM-style seat belt buckles for single-handed, quick-release operation. Welding required.



STR4104801-01

Drag Race Parachutes

Engineered to pull straight, stop sooner, and open reliably, Stroud Safety parachutes are made in the USA from a proprietary fabric that is UV, heat, wear, and water resistant. May be packed by a single person. **IMPORTANT NOTE: Please refer to the parachute reference chart on the Stroud Safety website for proper selection.**



Part No.	Description	Price
STR4104801-01	410 Parachute Kit with Small Spring Launcher, Black	
STR420-02	420 Parachute Kit with Spring Pilot, Red	
STR4204803-01	420 Parachute Kit with Large Spring Launcher, Black	
STR430-01-04	430 Parachute Kit with Spring Pilot, Size 30, Black	
STR4304804-01-02	430 Parachute Kit with Large Spring Launcher, Size 26, Black	

Replacement Components

STR430R-01-02-01	430 Launcher Bag, Size 24, Black	
STR430R-01-02-02	430 Launcher Bag, Size 26, Black	
STR430R-01-02-03	430 Launcher Bag, Size 28, Black	
STR430R-01-02-05	430 Launcher Bag, Size 32, Black	
STR473-03-01	420/430/450/470 Chute Pack, Large Spring Launcher, Black	
STR473-03-03	420/430/450/470 Chute Pack, Large Air Launcher, Black	
STR472-ORANGE	Deployment Chute, Orange	

Drag Boots STR820-11

Certified to meet SFI 20 specifications, size 11 racing boots combine slip- and heat-resistant Vibram soles with Kevlar stitching and leather inserts in high wear areas. Includes drawstring travel bag. Sold as a pair.



Pro Series Communications System RJS600080142

Rugged communications system is engineered to deliver a crisp, clear, high-quality sound. Powered by a high-capacity Li-ion battery pack, system features a backlit LCD display screen, FM radio receiver, and 200 programmable channels. Includes (2) Sportsman radios, crew chief headset, headset quick disconnect cable, IMSA harness, 4" in-car radio 2.5 jumper, steering wheel push button, pair of helmet/mic speakers, and radio pouch.



2021-23 Ford Bronco Powerstep Smart Series AMP86140-01A


The Powerstep Smart Series is the latest innovation to bring more control for the electric-powered running board right to your fingertips. Enjoy the in-app flexibility to override the steps to stay up or down, as well as power on/off the integrated or an auxiliary LED light system. Black powder-coated steel construction.





Aluminum 10-Gallon Fuel Cell RCI2100A

Tig-welded from lightweight, premium quality 5052 aluminum, 10-gallon cell includes a 12-bolt aircraft-style flush-mount lid, integrated sump with (2) -8AN fuel pickups, -8AN fuel return, and -8AN rollover vent. Natural finish cell, which includes safety foam, is 17"L x 17"W x 9"H.



NOW STOCKING!

Lightweight Power Steering Servos

Offered with "light", .200" or .210" valving.
NOTE: Mount not included.



Part No.	Description	Price
SWE303-33200	Light .200" Valve	
SWE303-33210	Light .210" Valve	



Forged Narrow Superlite 6R Big Brake Front Brake Kit for Honda WIL140-16848

Road race-specific kit for 2013-23 Honda Civics with 17" or larger wheels features FNSL 6-piston calipers and slotted 12.88" rotors, which are over an 1" larger than OEM. Includes forged aluminum calipers, caliper brackets, GT 48 curved vane rotors, aluminum rotor hats, BP-30 racing brake pads, and necessary hardware. **NOTE: Road race kit includes high-temperature brake pads. Extended low temperature use will cause premature pad and rotor wear.**



Forged Narrow Superlite 6R Big Brake Front Brake Kits for Honda Your Choice -

Kit substantially improves the braking of 2013-23 Honda Civic with 17" or larger wheels. Fully compatible with OE master cylinder and ABS, kit includes FNSL forged aluminum 6-piston calipers, caliper brackets, SRP drilled and slotted 12.88" rotors, aluminum rotor hats, BP-10 performance brake pads, and necessary hardware. Offered with black or red powder-coated calipers.



Part No.	Description
WIL140-16847-D	Kit for 2013-23 Honda Civic, Black Calipers
WIL140-16847-DR	Kit for 2013-23 Honda Civic, Red Calipers

Forged Narrow Superlite 6R Big Brake Front Brake Kits for C10/C15

Designed for popular 1963-87 Chevy/GMC C10/C15 pickups using Wilwood, Ridetech, or CPP drop spindles and 17" or larger wheels, FNSL6R brake kits deliver significantly improved braking and appearance. Each kit includes FNSL6R forged aluminum 6-piston calipers, caliper brackets, choice of SRP drilled and slotted 13.06" or 14.00" rotors, aluminum rotor hats, BP-10 performance brake pads, and necessary hardware.



Part No.	Description	Price
WIL140-16457-D	Kit for 1963-87 C10, 13.06" Rotors, Black Calipers	
WIL140-16458-D	Kit for 1963-87 C10, 14.00" Rotors, Black Calipers	

AERO6 Big Brake Front Brake Kit for C10/C15 WIL140-16459-D

Intended for trucks that have extreme braking requirements, AERO6 Big Brake kit is engineered for 1963-87 Chevy/GMC C10/C15 pickups with Wilwood, Ridetech, or CPP drop spindles and 18" or larger wheels. Kit includes forged aluminum and black powder-coated 6-piston calipers, caliper brackets, SRP drilled and slotted 14.00" rotors, aluminum rotor hats, BP-10 performance brake pads, and necessary hardware.



Compact Tandem Master Cylinder for Mopar 4-Bolt

Aluminum-bodied performance master cylinder offers a direct bolt-on to 1960's and 1970's Mopar A-, B-, and E-bodies, matching the OEM rectangular 4-bolt flange. Master cylinders listed include a 1.00" bore and are sold complete with pushrod in chrome powder-coated or black e-coated finish. May also be purchased complete with adjustable proportioning valve and bracket.



Part No.	Description	Price
WIL260-16854-BK	Black E-Coat	
WIL260-16854-P	Chrome	
WIL261-16797-BK	With Proportioning Valve and Bracket, Black E-Coat	
WIL261-16797-P	With Proportioning Valve & Bracket, Chrome	

No-Bleed Quick Disconnect Fittings

Ideal for use on applications where brake components are frequently serviced, special fittings utilize an internal high-tension spring-loaded seal that prevents air from entering and fluid from escaping. A quarter turn disconnects the line without the need for tools.



Part No.	Description	Price
WIL260-16769	Male Side, -3AN Male Inlet	
WIL260-16770	Female Side, -3AN Male Inlet	
WIL260-16771	-3AN Male Inlet/-3AN Male Outlet	

M10 x 1.50 Bleeder Screw

NOW STOCKING!

WIL220-8932

Metric, M10 x 1.50 bleeder screw has a 1.09" O.A.L. sold each.





NOW STOCKING!

Side Unloader for Ultra Force Machine WEHWM430UA

Engineered as an accessory for the Manual or Automatic Ultra Force Machine, Side Unloader allows the loading of springs that are too tall to fit inside the main frame.



High Misalignment Spacer WEHWM625200HM

Billet aluminum, 2" long spacer is designed for use with a 5/8" heim and 1/2" bolt. **NOTE: Length is measured from end of spacer to the heim.**



Steering Mount WEHWM23634175

Designed to secure to 1-3/4" round tube, mount is 6-3/4" long and accepts a standard 3/4" steering shaft with .757" I.D. flange bearing. The hinge includes built-in steering alignment so that the driver knows the wheels are straight after setting toe or putting the steering wheel back on.



Steel 3/4" Heim Mount WEHWM3861500

Steel, clamp-on 3/4" heim mount attaches to 1-1/2" round tube and accepts a 5/8" bolt.



GM LS-Series Rear Oil Galley Bypass Plug

Black anodized aluminum plug with triple O-ring replaces factory plastic barbell plug. Each.

Part No.	Description	Price
DER35603	Gen III/IV	
DER35605	Gen V	



Universal Inline Fuel Pump

Compact rotary vane designed red and black anodized inline aluminum fuel pump. 1/8" NPT female inlet and 3/8" barb outlet. Hardware and inline filters included where applicable.



Part No.	Flow	Price
Gasoline		
DER72000	34 GPH @ 7 PSI	
DER72001	26 GPH @ 3.5 PSI	
DER72003	34 GPH @ 7 PSI	
E/85/E100/M100/Race Fuel		
DER72004	34 GPH @ 7 PSI	



5-lb. Sprint Fire Suppression System SAFAMSC-500H

Sprint fire suppression system features truly independent automatic/manual activation. Thermal nozzles automatically activate at 200°F, while manual nozzles are manually activated. Includes 5-lb. filled aluminum bottle, activating head, pull cable, discharge V-adapter, nozzles and nozzle adapters, tubing tee, discharge tubing roll, and roll bar mounting clamps.



NOW STOCKING!

Ring Gear Bolt Kit TIG2055D

Kit is designed for use with threaded ring gears, and includes (12) premium ARP ring gear bolts. Drilled for safety wire.



AN Wrench Set

Red anodized billet aluminum.



Part No.	Description	Price
BSP67005	-6AN to -16AN, 5-Piece, Single End	
BSP67007	-3AN to -16AN, 7-Piece, Single End	
BSP77903	-6AN to -10AN, 3-Piece, Double End	
BSP77904	PTFE Hose Spreader, -6AN to -10AN	

Aluminum Vise Jaw Inserts BSP77906

Designed to fit a standard 4" vise, these billet aluminum jaw inserts feature special V-cuts to help grip aluminum fittings during assembly to prevent scratches and damage. Powerful magnets hold the inserts in place. Black anodized finish.



Backspace/Offset Measuring Tool BSP999510

Measure backspace in 1/8" increments or offset in 2 mm increments on wheels with or without a tire. Works with 14" through 32" diameter wheels up to 15" width.



zamp

ZR-30 Racing Suit

NOW STOCKED IN GRAY!

Your Choice -

High-quality, multi-layer racing suit is lightweight, comfortable, and stylish, yet affordable. Suit features box-quilt stitching, shoulder flex panels, adjustable belt, leg pockets, and Aramid ankle and wrist cuffs. Meets SFI 3.2A/5 specifications.



Size	Part No.
Large	ZAMR030015L
X-Large	ZAMR030015XL

RZ-18H

Your Choice -

Zamp's latest open-face helmet, the RZ-18H is constructed using a composite fiberglass shell fitted with a plush, fire-retardant interior, 7-top air system, and Z-20 visor with sunstrip. Meets Snell SA2020 specifications. White or gloss black.



Size	Part No.
White	
Medium	ZAMH774001M
Large	ZAMH774001L
X-Large	ZAMH774001XL
Gloss Black	
Large	ZAMH774003L

RZ-59

NOW STOCKED IN MATTE GRAY!

Your Choice -

Affordable, full-face RZ-59 combines a lightweight composite fiberglass shell with a plush, fire-retardant interior. Includes the 7-Top air system in addition to chin, scalp, and exhaust vents. Sold complete with clear 3mm shield. Meets Snell SA2020 standards.



Size	Part No.
Medium	ZAMH77215FM
Large	ZAMH77215FL
X-Large	ZAMH77215FXL

RZ-60

ZAMH766003L

The RZ-60 features a classic design with a lightweight Aramid mix shell and plush, fire-retardant interior. Includes clear 3mm shield. Meets Snell SA2020 standards. Gloss black, large size only.



RZ-62 Graphic

NOW STOCKING GRAPHIC MODELS!

Your Choice -

Helmet combines an Aramid mix shell with a plush, fire-retardant interior that features removable/washable cheek pads and crown liner. TRI-Tech air system allows utilizing natural air, forced air, or air plugs. Meets Snell SA2020 specifications. Includes 3mm clear shield.



Size	Part No.
Red/Orange Graphic	
Medium	ZAMH764C35M
Large	ZAMH764C35L
Blue/Green Graphic	
Medium	ZAMH764C36M
Large	ZAMH764C36L

RZ-65D Graphic

NOW STOCKING NEW GRAPHIC MODELS!

Your Choice -

Featuring a super lightweight, large-weave carbon mix shell, helmet is designed to meet the needs of dirt oval track racers with dual chin curtains and a top air system that allows using natural air, forced air, or air plugs. Hydration hole/plug eases system set up. Includes clear 3mm shield. Meets Snell SA2020 standards.



Size	Part No.
Fluorescent Blue/Gray Graphic	
Large	ZAMH775C04L
Fluorescent Orange/Yellow Graphic	
Large	ZAMH775C30L

RZ-70E Switch

Your Choice -

Versatile full-face helmet allows easily adding communication or hydration when desired while the dual-density, air integration relief system allows cool air to enter the helmet and warm air to exit. Meets Snell SA2020 and FIA 8859-2015 specifications. White only.



Size	Part No.
Medium	ZAMH760001M
Large	ZAMH760001L

RZ-70E Switch Graphic

Your Choice -

Identical to the traditional RZ-70E Switch but with eye-catching graphics. Sold complete with 3mm clear shield, helmet meets Snell SA2020 and FIA 8859-2015 specifications.

Size	Part No.
Matte Red/Black Graphic	
Medium	ZAMH760C42M
Large	ZAMH760C42L
X-Large	ZAMH760C42XL
Matte Green/Black Graphic	
Medium	ZAMH760C49M
Large	ZAMH760C49L
X-Large	ZAMH760C49XL
Gray/Light Gray Graphic	
Large	ZAMH760C01L
Orange/Yellow Graphic	
Medium	ZAMH760C30M
X-Large	ZAMH760C30XL
Green/Purple Graphic	
Medium	ZAMH760C39M
Large	ZAMH760C39L
X-Large	ZAMH760C39XL



Balaclava

ZAMRA005003

Ideal for karting, balaclava is not fire retardant. Black.



zamp

Z-20 FIA Series Prism Shields

NOW STOCKING!

Your Choice -

Replacement shields are compatible with the RZ-44CE, RZ-70E Switch, and RZ-70E Switch Graphic.



Part No.	Description
ZAMHASZF20GP	Gold Prism Chrome Shield
ZAMHASZF20RP	Red Prism Chrome Shield

Helmet Bag Fan

Innovative helmet bag has a built-in, USB-powered fan to remove perspiration and prevent the growth of bacteria. Fan may also be purchased separately.



Part No.	Description	Price
ZAMHB004003	Helmet Bag with Fan, Black	
ZAMHBAFAN	Helmet Bag Fan Only, Black	

Z-Tech Series 3A Head and Neck Restraint ZAMNT003003

Among the most versatile head and neck restraints currently available, the Series 3A fits different body shapes and sizes, while including the ability to adjust to different race seats. Comfortable and lightweight, fiberglass reinforced nylon restraint weighs just 750 grams. Single-point tether connects helmet to restraint, allowing side-to-side motion. Meets SFI 38.1 specifications.



5- & 6-Point Latch & Link Racing Harnesses

Racing harnesses combine tough polyester belts with latch lock system and durable steel hardware. Meets SFI 16.1 specifications. Black only.



Part No.	Description	Price
ZAMHARN01S003	3"/2" 5-Point Racing Harness, Pull-Down Adjust, Bolt-In	
ZAMHARN02S003	2" 6-Point Racing Harness, Pull-Down Adjust, Bolt-In	

6-Point Quick-Release Camlock Racing Harnesses

Utilizing the Quick-Release Camlock mechanism, durable polyester belts include steel hardware with snap-in ends. Meets FIA 8853-2016 specifications. Black only.



Part No.	Description	Price
ZAMHARN03F003	3"/2" 6-Point Racing Harness, Pull Down Adjust, Snap-In	
ZAMHARN04F003	2" 6-Point Racing Harness, Pull Down Adjust, Bolt-In	

Racing Harness Accessories



Part No.	Description	Price
ZAMHARNZTR18003	Black 2" Slide Bar	
ZAMHARNZTR20003	Black 3" Slide Bar	
ZAMHARNZTR22003	Black 2" Snap Hook	
ZAMHARNZTR23003	Black 2" Bolt End	
ZAMHARNZTR26ZINC	Zinc-Plated Eye Bolt	

Neck Collars

Offered in black or gray, adult or youth sizing. Neck collars meet SFI 3.3 specifications.



Part No.	Color	Price
Adult Neck Collars		
ZAMNC002003A	Black	
ZAMNC002015A	Gray	
Youth Neck Collars		
ZAMNC002003Y	Black	
ZAMNC002015Y	Gray	

ZR-Drag Shoes

Featuring lightweight Aramid construction with a leather outer shell, ZR-Drag shoes are comfortable and affordable. Shoes meet SFI 3.3/20 specifications. Black only.



Size	Part No.	Price
8	ZAMRS006C0108	
9	ZAMRS006C0109	
9 Wide	ZAMRS006C0109W	
10	ZAMRS006C0110	
10 Wide	ZAMRS006C0110W	
11	ZAMRS006C0111	
11 Wide	ZAMRS006C0111W	
12	ZAMRS006C0112	
12 Wide	ZAMRS006C0112W	
13	ZAMRS006C0113	
13 Wide	ZAMRS006C0113W	



Magnum Flow Universal Filters

These universal filters are available in three filter media designs. Each offers unique capabilities and a high level of filtration efficiency. All are cleanable and reusable.

Pro 5R® Oiled Air Filter - Maximum Performance - The most performance-oriented media available, resulting in the highest horsepower and torque gains out of all filter media available from aFe. Blue colored media. 98.6% filtration efficiency.

ProDry S®/Takeda Oil-Free Air Filter - Maximum Convenience - This multi-layer white synthetic media is ideal for street and light off-road driving conditions. No oiling required. 99.2% filtration efficiency.

Pro GUARD 7 - Seven layers of hybrid media for max protection. A combination of oiled cotton gauze and synthetic fibers offers protection in the dustiest and dirtiest environments. Easily cleaned and recharged with AFE Power gold air filter oil.



Part No.	Description	Price
2021-22 Ford Bronco 2.3L Turbo		
Air Induction System		
AFE50-70082D	Pro Dry S®	
AFE50-70082G	Pro GUARD 7	
AFE50-70082R	Pro 5R®	
2021-22 Ford Bronco 2.7L Twin Turbo		
Air Induction System		
AFE50-70081D	Pro Dry S®	
AFE50-70081G	Pro GUARD 7	
AFE50-70081R	Pro 5R®	
2021-22 Ford F150 3.5L Twin Turbo		
Air Induction System		
AFE50-70099D	Pro Dry S®	
AFE50-70099R	Pro 5R®	
Replacement Filters		
AFE10-10401D	Pro Dry S®	
AFE10-10401G	Pro GUARD 7	
AFE10-10401R	Pro 5R®	

2021-22 Ford Bronco 2.3L Turbo/2.7L Twin Turbo Vulcan Cat-Back Exhaust AFE49-33138-B

This 3" to 2-1/2" diameter mandrel-bent 304 stainless steel exhaust system features high-flow mufflers and a dual rear exit with 4" black tips. The mild sound improves horsepower and torque. Fits both 2-door and 4-door models.



1970-81 GM Camaro/Firebird Complete Coil-Over Package ART11170203

This second-generation GM F-Body coil-over package will improve stance as well achieve a modern ride. The black powder-coated steel kit contains front upper and lower StrongArms control arms, the front sway bar, a rear 4-Link, and 4 HQ Series coil-overs.



Part No.	Description	Price
Related Components		
ART11177187	Bolt-on Rear 4-Link Only	
ART11179122	3/4" Diameter Rear Sway Bar Only	



2007.5-17 RAM 2500/3500 6.7L Cummins Electronic Exhaust Brake

Designed to improve braking and increase towing confidence by creating up to 150 retarding horsepower. The electronic inline brake with Variable Orifice Technology is easy to install and requires minimal maintenance compared to conventional air brake systems. The pneumatically actuated stainless steel butterfly valve resides in a cast iron housing.



Part No.	Description	Price
BDD1027346	4" Diameter	
BDD1027347	5" Diameter	

2017-22 GM Duramax Turbocharger Intake Tube BDD1045630

Replaces restrictive factory plastic tube with a free flowing 3-1/2" diameter TIG-welded black powder-coated 409 stainless steel tube.



Cummins 5.9L 24-V Injector Fuel Line Set

Replace rusty factory injector feed lines with this direct replacement zinc-plated set.

Part No.	Description	Price
BDD1050150	2003-07	
BDD1050151	2008-18	



2008-10 Powerstroke 6.4L Venom Lift Pump BDD1050319

Featuring quiet ball-bearing technology, this pump is rated at 165gpm and will support a single K16 or dual fuel kits with stock High Pressure Fuel Pumps (HPFP). Designed for stock applications up to 900 horsepower. Works with factory wiring harness to maintain OE diagnostic systems. Kit includes everything needed for installation.





Jeep Wrangler/Ford Bronco Detroit Trutrak Differential Carrier DET917A736

Improve traction and improve handling with this smooth automatic engaging differential. Dana 44 with 32-spline axles. Direct-fit applications include 2018-22 Jeep Wrangler JL (Non-Rubicon), 2020-22 Jeep Gladiator JT (Non-Rubicon), and 2021-22 Ford Bronco G6 without factory locker.



Sprint Car Air Box GRE4069

Black powder-coated steel Sprint Car filter assembly with red reusable filter element. 19-1/4" long x 13-7/8" wide x 5-1/8" tall.



Part No.	Description	Price
Replacement Component		
GRE4039	Replacement Sprint Car Filter Element, Red	



Rhino Pull 1000 Portable Electric Winch MMM71-1000

This portable electric winch offers a 1000-pound lift capacity and is equipped with 39 feet of synthetic rope and a remote control. Weighing less than 17 pounds, this rechargeable battery-powered winch is always ready to work.



Synthetic Supercar Oil

A full synthetic 0W-40 motor oil design for total high-performance supercars. Ideal for day-to-day driving as well as demanding track day events.



Part No.	Description	Price
MOB126870	Case, 6 x 1-Quart	
MOB126870-1	1-Quart	



1979-93 Ford Mustang Manual Steering Rack FLAFR1890LP

This low-profile chrome aluminum housing manual steering rack comes complete with bushings, shaft joints, tie rod ends, and hardware. 44" long. 5.75" travel.



1967-72 Chevy C10 Shift Tilt Steering Column FLAFR20030BK

This black powder-coated shift tilt column includes the neutral safety switch. 3/4"-36 spline shaft.



1953-56 Ford F100 Truck Cancelling Cam FLAFR20120F100

This turn signal canceling cam for Ford F100 trucks is made of plastic and brass. For use with Flaming River columns only.



Great Lakes Steering Wheel

Very stylish 14" diameter three-spoke polished aluminum steering wheel features a stitched leather wrap, an aluminum center cap, and three-bolt mounting.



Part No.	Description	Price
FLAFR20175BK	Black Leather	
FLAFR20175LT	Light Tan Leather	

Horn Buttons

These aluminum horn buttons are available in a variety of finishes for 3-, 5-, and 6-bolt Flaming River steering wheels.

Part No.	Description	Price
5-/6-Bolt		
FLAFR20119HN	Mill Finish	
FLAFR20119HNBK	Black Finish	
FLAFR20119HNPL	Polished Finish	
3-Bolt		
FLAFR20175HN	Mill Finish	
FLAFR20175HNBK	Black Finish	
FLAFR20175HNPL	Polished Finish	



1966-77 Ford Bronco Steering Column Bracket FLAFR20305MB

This black powder-coated steel steering column bracket bolts directly to the under dash of any early Ford Bronco. Aluminum mounting dash plates sold separately.



1966-77 Ford Bronco Dash Plate

Aluminum dash mounting plate for steering column. Mounts directly to the face of the dash. Available in three finishes.

Part No.	Description	Price
FLAFR20306	Mill Finish	
FLAFR20306BK	Black Finish	
FLAFR20306PL	Polished Finish	



ENERGY SUSPENSION

2007-13 GM Full-Size Truck 1500 Rack & Pinion Bushing Set ENE3-10103G

Hyper-Flex black polyurethane bushing set with hardware.



2007-2013 GM Full-Size Truck 1500 Master Set

This Hyper-Flex black polyurethane master set includes body mounts, suspension bushings, links, and boots that will enhance handling and improve the ride.



Part	Description	Price
ENE3-18136G	4WD	
ENE3-18137G	2WD	

2005-15 Toyota Tacoma Rear Differential Bushing Set ENE8-1108G

Hyper-Flex black polyurethane bushing set with hardware.



2005-15 Toyota Tacoma Front Sway Bar Bushing Set ENE8-5152G

Four-piece Hyper-Flex black polyurethane bushing set.



KC Hilites



Flex Era 3 LED Light Assembly

Built for adventure and crafted from groundbreaking impact-resistant material, the Flex Era 3 was built to race Baja and for everything in between. The Flex Era 3 is a high-performance LED light that measures 3.6" wide by 3.4" tall in a triangle shaped housing boasting 3,672 lumens. These lights are ideal for ditch lights, a-pillar lights, bumper light, or any other application on small or mid-sized trucks. Black anodized aluminum housings. Kits white LED light kits listed offer 70 watts of power.

Part No.	Application	Mounting	Price
Fog			
KCH284	Universal	Bumper/Pillar/Ditch	
KCH97146	2018-22 Jeep JL/JT	Plastic Bumper Mount	
Combo - Fog/Driving			
KCH97148	2018-22 Jeep JL/JT	Sport Bumper Mount	
KCH97149	2018-22 Jeep JL/JT	Steel Bumper Mount	
KCH97154	2012-23 Toyota Tacoma, 2015-21 Tundra, 2014-22 4Runner	Bumper Mount	

Borla EXHAUST

2022-23 Chevy Silverado 1500ZR2 S-Type Cat-Back Exhaust BOR140916

This Cat-Back™ exhaust system is engineered for performance with the Borla "S-Type" sound which creates an aggressive, balanced sound with a deep tone and no drone. Turn-down tailpipes. Application fitment: 6.2L V8 automatic transmission, 2/4WD Crew Cab with short bed (5' 9"), and 147.4" wheelbase.



Off-Road Recovery Gear Set

BUB176855BKG

Includes Renegade Power Stretch® Recovery Rope, matching NexGen Gator-Jaw® synthetic soft shackles, and a heavy-duty mesh duffle gear bag. Everything to get a vehicle unstuck. Made in the USA.

Part No.	Dia.	Length	Capacity	Eye Color	Price
UTV					
BUB176842BL	5/8"	20'	14,000 lbs.	Blue	
BUB176842GR	5/8"	20"	14,000 lbs.	Green	
Jeep					
BUB176855BKG	3/4"	20'	19,000 lbs.	Tan	
BUB176855DRG	3/4"	30"	19,000 lbs.	Orange	
BUB176860BLG	7/8"	20'	28,600 lbs.	Blue	
BUB176880RDG	7/8"	30'	28,600 lbs.	Red	

CORSA PERFORMANCE

2021-22 Ford Bronco Closed Box Air Intake Systems

These closed-box cold air intake systems optimize vehicle horsepower, torque, mileage, and more. Three unique filtration elements, DryTech, MaxFlow 5, and PowerCore, are available and the system bolts on in minutes. Available for a variety of applications. Made in USA. Limited lifetime warranty. *CARB EO not available.



Part No.	Description	Price
COR47002	EcoBoost 4-Cylinder, MaxFlow 5	
COR470026	EcoBoost 4-Cylinder, PowerCore	
COR47002D	EcoBoost 4-Cylinder, DryTech	
COR47003	EcoBoost 6-Cylinder, MaxFlow 5	
COR470036	EcoBoost 6-Cylinder, PowerCore	
COR47003D	EcoBoost 6-Cylinder, DryTech	



Push To Connect Steering Quick Release

This new style center and spline pattern allows for smooth engagement while maintaining a tight fit. The keyed spline ensures proper steering wheel mounting every time. The release is made from aircraft grade aluminum and features an anodized black pull ring. Available in 3/4" smooth diameter. Made in USA. SFI 42.1.

Part No.	Description	Price
IDI5010000046	3-Bolt	
IDI5010000047	5-Bolt	
IDI5010000048	6-Bolt	



DBR Diesel Break-In Oil 15W-40

JGP05317

DBR promotes proper surface mating during the critical break-in process and chemically assists with piston ring sealing. The low detergent level of this conventional oil allows the "fast burn" ZDDP additive to adhere directly to all ferrous metal wear surfaces for maximum scuffing. Can be used in naturally aspirated and turbo diesel engines and is also safe for engines fitted with exhaust after-treatment devices. 5-gallon pail.



Synthetic GM LS-Series Crate Engine Oil 10W-30

JGP10006

Designed for GM LS-series crate engine applications to reduce oil consumption due to its vaporization and foaming limiting properties. This synthetic oil also works well with supercharged LS performance engines as well as any performance engine that calls for a 10W-30 viscosity. 1-quart bottle.



GP-1 Conventional Break-In Oil 20W50

JGP19557

Specialty motor oil combines Pennsylvania Grade base oil with high-zinc (ZDDP), low-detergent package for superior break-in protection. Formula helps protect flat tappet, overhead, and roller cam engines during the break-in process, while additionally aiding piston ring seating. 20W50. 5-gallon pail.



FR20 Oil Change Kit

These oil change kits take the guesswork out of deciding which Driven Racing oil and filter combination is best for the application. All kits match Driven Racing oil with Wix XP Oil filters.



Part No.	Description
JGP20621K	2011-15 Ford F150, 3.5L, 5W30, 6 Quarts
JGP20752K	2007-12 Ford Mustang GT500, 5.4L, 5W50, 6 Quarts
JGP20821K	2011-15 Ford Mustang GT Coyote, FR20, 5W20, 8 Quarts
JGP20951K	2012-13 Mustang Boss 5.0L, 5W50, 8 Quarts
JGP20952K	2013-14 Mustang GT500 5.8L, 5W50, 8 Quarts
JGP21021K	2018-22 Mustang GT 5.0L, 5W30, 10 Quarts
JGP21051K	2015 Mustang GT350, 5.2L, 5W50, 10 Quarts



GM Race Pro Dual Pass Radiators

Cost-effective, lightweight GM application aluminum radiators utilize stamped tanks, maximum efficiency cores with two rows of 1" diameter tubes, and precision-machined billet aluminum filler necks. Passenger side inlet and outlet.



Part No.	Description	Price
NRA204129	28"W x 19"H x 3.125"D	
NRA204130	31"W x 19"H x 3.125"D, Automatic	
NRA204131	35"W x 19.625"H x 3.125"D	
NRA204134	28"W x 19"H x 3.125"D	
NRA204135	31"W x 19"H x 3.125"D	
NRA204138	28"W x 19"H x 3.125"D	



Tesla Chassis Components

OE replacement steel components. Black oxide coated. Each.



Part No.	Description	Price
Inner Tie Rod End		
PFG104-11111	2016-22 Model 3 Model S	
Front End Links		
PFG113-10631	Driver Side, 2017-22 Model 3	
PFG113-10632	Passenger Side, 2017-22 Tesla Model 3	
Rear End Links		
PFG113-10633	Driver Side, 2017-22 Model 3 / 2020-22 Model Y	
PFG113-10634	Passenger Side, 2017-22 Model 3 / 2020-22 Model Y	



Valve Spring Tester

PFMBB0500

Rimac Big Blue valve springer tester offers lever actuated compression, a 0-500 lbs./in. capacity with a 4-1/4" dial gauge and 4-1/8" spring travel.



Valve Spring Tester Dial Indicator Bracket

PFMBB1920

For use with Rimac spring testers. Accommodates up to a 3/8" dial indicator base. Black anodized aluminum.





2021-22 Ford Bronco Colorshift® Fiber Optic LED Interior Dashboard Kit ORA4237-333

Accent the vehicle's interior with this Bronco Colorshift® fiber optic LED interior dashboard kit. Everything for installation is included even the Bluetooth controller. Installation is easy and can be completed in about 30 minutes.



2019-22 Jeep JL/JT Off-Road Side Mirror LED Lighting ORA5855-001

This high-powered LED light bar integrates into OE-style side mirrors of the Wrangler JL and Gladiator JT. The LEDs are custom designed, featuring a total of 24 LEDs producing approximately 2250 lumens. Each unit has a 45° beam angle to optimize peripheral vision.



2021-23 Ford Bronco Integrated Windshield Roof LED Light Bar System

Designed to give a factory look and offering improved aerodynamics for both hard and soft-top Broncos, this LED light bar features optimized light output from the 30 individual 8W LED emitters creating a total of 18,000 raw lumens and a projection distance of over 600 meters. The polycarbonate housing is available in black or gray.



Part No.	Description
ORA5888-023	Black
ORA5888-023-MF	Gray

Flush Style LED Taillights

These low-profile flush-style taillight assemblies offer 1,400 lumens of high-output rear facing illumination.



Part No.	Description
ORA5891-504	2007-17 Jeep Wrangler JK
ORA5892-504	2021-23 Ford Bronco

Colorshift® RGB+W Underbody Wheel Well Rock Light Kit ORA5895-339

This all-new design has 22 LED emitters which are positioned to cover a massive 230° angle, providing improved wheel well coverage. Change colors, control brightness, access strobing patterns, and sync with music. Control lighting functions via Bluetooth with the Colorshift smartphone app or via wireless remote. Plug-n-play connectors offer easy installation.



2021-22 Ford Bronco 3" Lift Kit RAN66510R6K

This 3" lift kit creates an aggressive stance while allowing customized damping control. The kit includes upper control arms with preinstalled ball joints providing additional caster to aid in alignment with added wheel travel. Rancho RS9000 XL struts are provided for all four corners along with spring isolators, strut bump stops, and a rear track bar. Will allow use of up to 37" diameter tires.



H4 LED Bulb

Modern white.

Part No.	Description	Price
RTBLFRB06	High Beam	
RTBLFRB07	High/Low Beam	



2021-22 Ford F150 4WD Lift Kits

Featuring Nitro 8000 high-pressure rear shocks, this 4-1/2" lift kit includes front steering knuckles, strut spacers, front and rear crossmembers, sway bar bracket, differential brackets, differential skid plate, driveshaft spacer, lift blocks, and U-bolts. Aftermarket 18" or larger wheels are required. (Single cab models, diesel models, Raptor models, Tremor models, and models equipped with CCD system not applicable.)



Part No.	Description
SKYF2145BKN	4-1/2" Lift, Up to 35" Tires
SKYF2160BKN	6" Lift, Up to 37" Tires

2021-23 Toyota Tundra 4WD 2-1/2" Leveling Kits

Offers and improved and level stance. The kit includes metal strut spacers and hardware. Available as front only or front and rear as a kit. (TRD Off-Road models, TRD Pro models, XSP-X models, AVS models, and load leveling rear height control air models not applicable.)



Part No.	Description
SKYTU2225MS	Front 2-1/2"
SKYTU2225MSP	Front 2-1/2", Rear 1"



Total Kits

Complete black urethane vehicle bushing kits. Includes ball joint and tie rod boots, body mounts, control arm bushings, leaf/coil spring isolators, strut rod bushings, sway bar end links and bushings, and transmission mount where applicable.

Part No.	Description	Price
PTN6-2020-BL	1985-93 Ford Mustang, without Trans Mount	
PTN7-2002-BL	1967-69 GM F-Body, Mono-Leaf	
PTN7-2005-BL	1975-79 GM F-Body	
PTN7-2016-BL	1973-80 GM Truck 2WD	
PTN7-2024-BL	1967-72 GM Truck 2WD	
PTN7-2040-BL	1967-69 GM F-Body, Multi-Leaf	



2005-17 Ford Mustang Motor Mount

PTN6-505-BL

This billet aluminum and black urethane bullet motor mount kit for the 4.0L/4.6L Mustang. Includes mounting hardware. Sold in pairs.



Rear Spring Shackle Bushings

Black urethane bushings with cadmium plated hardware. Sold as a kit with both sides.

Part No.	Description	PTN7-1001-BL	Price
Bushings & Sleeves Only			
PTN7-1001-BL	1967-87 GM Fullsize Truck		
PTN7-1010-BL	1967-69 GM F-Body, Mono-Leaf		
PTN7-1011-BL	1967-69 GM F-Body, Multi-Leaf		
PTN7-1012-BL	1970-81 GM F-Body		
Bushings, Sleeves, Shackles, & Hardware			
PTN7-1050-BL	1967-81 GM F-Body, Multi-Leaf		
PTN7-1051-BL	1967-81 GM F-Body, Multi-Leaf, Heavy-Duty		
PTN7-1052-BL	1967-69 GM F-Body/1968-74 X-Body, Mono-Leaf, Heavy-Duty		
Shackles & Hardware Only			
PTN7-1053-BL	1967-69 GM F-Body/1968-74 X-Body, Mono-Leaf, Heavy Duty		



Sway Bar Bushings

Black urethane bushings. Non-greaseable. Set of 4.

Part No.	Description	Price
PTN7-1101-BL	1967-94 GM Full-Size Truck, 1-1/16" Diameter Sway Bar	
PTN7-1102-BL	1973-91 GM Full-Size Truck, 1-1/4" Diameter Sway Bar	
PTN7-1109-BL	1973-91 GM Full-Size Truck, 1-1/8" Diameter Sway Bar	



1970-81 GM F-Body

Lower Control Arm Bump Stops

PTN7-1302-BL

A pair of black urethane bump stops with cadmium-plated studs. Includes nylon lock nuts.



Transmission Mount

Black urethane mount with cadmium-plated mounting and hardware. Sold each.


Part No.	Description	Price
PTN7-1604-BL	1967-02 GM Camaro, 6/8-Cylinder/1993-00 Pontiac Firebird, 6-Cylinder/1963-82 Corvette	
PTN7-1612-BL	2010-15 GM Camaro, Billet Aluminum	



Rear Leaf Spring Pad Kit

Black urethane pads with cadmium plated steel sleeve. Both sides.

Part No.	Description	Price
Lower		
PTN7-1702-BL	1970-81 GM F-Body, Multi-Leaf	
PTN7-1704-BL	1967-69 GM F-Body, Multi-Leaf	
Upper		
PTN7-1703-BL	1970-81 GM F-Body, Multi-Leaf	
PTN7-1705-BL	1967-69 GM F-Body, Multi-Leaf	
Lower & Upper Kit		
PTN7-1707-BL	1967-69 GM F-Body, Mono-Leaf	
PTN7-1709-BL	1970-81 GM F-Body, Multi-Leaf	



1968-87 GM Radiator Bushings

PTN7-1712-BL

Fits various GM applications. Set of 4 black urethane bushings.



1965-72 GM Full-Size Truck

Motor and Transmission Mount Kit

PTN7-1907-BL

This three-mount kit features black urethane and cadmium-plated mount plates and hardware. Fits 8-cylinder with automatic transmission applications.



ROUGH COUNTRY®

2022-23 Toyota Tundra 4WD

3-1/2" Lift Kit

RCS70330

This 3-1/2" lift will not only level out the vehicle's stance but will increase ground clearance and allow the use of larger tires up to 35". This bolt-on kit includes forged aluminum front control arms with new ball joints and Clevite rubber bushings, a new rear track arm, new front shocks, skid plates, and all necessary brackets and hardware.



2022-23 Toyota Tundra 4WD 1-3/4" Leveling Kit

RCS88000-A

This leveling kit is designed to raise the front the vehicle to eliminate the nose down factory look. The bolt-on kit includes two upper strut spacers with the necessary hardware. Installation is quick and easy.





1967-74 GM A/F/X-Body Street Series Disc Brake Conversion Kit

Everything needed to convert from drum brakes to disc brakes. The kits include single-piston calipers, 11" diameter rotors, spindles, bearings, brake lines and hoses, dust shields, master cylinder, brake booster, proportioning valve, brackets, hardware, and on-line instructions.



Part No.	Description	Price
1969-74 GM A/F/X-Body		
RSDAFXDC45CSY	With Cross-Drilled & Slotted Rotors	
RSDAFXDC45CY	With Standard Rotors	
RSDAFXDC45CZY	With Cross-Drilled & Slotted Rotors, Red Powder-Coated Calipers	
1967-72 GM A-Body		
RSDAFXDC46CSY	With Cross-Drilled & Slotted Rotors	

Black Power Booster Master Cylinder Combo Kit

New black aluminum master cylinder with dual reservoir and 8-inch dual diaphragm brake booster. Includes proportioning valve, bracket, brake line, pedal extension, and mounting hardware when applicable.



Part No.	Description	Price
1" Diameter Master Cylinder		
RSDB81315672	1964-74 GM A/F/X-Body	
RSDB82315672	1955-58 Chevy Bel Air/Impala	
1-1/8" Diameter Master Cylinder		
RSDB81315171	1964-74 GM A/F/X-Body	
RSDB82315171	1955-58 Chevy Bel Air/Impala	
RSDB85315171	Disc/Drum Universal - Kit	
RSDB85315672	Disc/Disc Universal - Kit	

Hydro Boost & Aluminum Master Cylinder Combination

Includes aluminum dual master cylinder, booster, proportioning valve, bracket, brake line, pedal extension, and applicable mounting hardware.



Part No.	Description	Price
1" Diameter Master Cylinder		
RSDBHB015672	1967-74 GM F-Body, Black	
RSDBHB635672	1963-66 GM Full-Size Truck, Black	
RSDBHB675672	1967-72 GM Full-Size Truck, Black	
RSDBHB735672	1973-87 GM Full-Size Truck, Black	
RSDJHB015672	1967-74 GM F-Body, Chrome	
1-1/8" Diameter Master Cylinder		
RSDJHB605171	1960-62 GM Full-Size Truck, Chrome	

Aluminum Master Cylinder with Dual Reservoir

Black dual aluminum master cylinder with dual reservoir and deep pockets.



Part No.	Description	Price
RSDDBMC51B	1958-74 Various Applications, 1-1/8" Diameter	
RSDDBMC56B	1967-72 Various Applications, 1" Diameter	

Hydro Boost & Cast Iron Master Cylinder Combination

Includes cast iron dual master cylinder with dual reservoir, booster, proportioning valve, bracket, brake line, pedal extension, and applicable mounting hardware.



Part No.	Description	Price
1" Diameter Master Cylinder		
RSDGHB010572	1967-74 GM F-Body	
RSDGHB630572	1963-66 GM Full-Size Truck	
RSDGHB730572	1973-87 GM Full-Size Truck	
1-1/8" Diameter Master Cylinder		
RSDGHB010971	1967-74 GM F-Body	
RSDGHB600971	1960-62 GM Full-Size Truck	
RSDGHB630971	1963-66 GM Full-Size Truck	
RSDGHB730971	1973-87 GM Full-Size Truck	

Universal Power Brake Booster RSDPB8531B

8" diameter black dual diaphragm brake booster.



Chevy C10 Truck Hydro Boost Disc Brake Conversion

This complete kit updates classic drum brakes to modern day disc brakes. Components include hydro booster, dual master cylinder, proportioning valve, rotors, calipers, brackets, brake hoses, dust shields, and hardware.



Part No.	Description	Price
1963-66		
RSDTHB6325	Front, Standard Rotors, Natural Spindles, Natural Calipers	
RSDTHB6325DB	Front, Drilled & Slotted Rotors, Black Spindles, Black Calipers	
RSDTHB6356D	Front/Rear, Standard Rotors, Black Spindles, Natural Calipers	
1967-70		
RSDTHB6725	Front, Standard Rotors, Natural Spindles, Natural Calipers	
RSDTHB6725B	Front, Drilled & Slotted Rotors, Natural Spindles, Black Calipers	
RSDTHB6725DZ	Front/Rear, Drill & Slotted Rotors, Black Spindles, Red Calipers	

Specialty Products COMPANY

GM Transmission Mount

SPC3302

Zinc-plated urethane GM transmission mount. Each



Chrome Differential Covers

Chrome-plated steel.



SPC4915

SPC4921

SPC4923

SPC4927

Part No.	Description	Price
GM		
SPC4915	8.2", 10-Bolt	
SPC4916	8.5", 10-Bolt	
SPC4918	8.5", Truck, Front, 10-Bolt	
SPC7127	8.875", Truck, 12-Bolt	
Dodge		
SPC4921	9.5", R.G., 12-Bolt	
SPC4924	8.25", R.G., 10-Bolt	
Ford		
SPC4923	10.5", R.G., 12-Bolt	
SPC7129	7.5", 10-Bolt	
Jeep		
SPC4927	Dana 30, 10-Bolt	
SPC4928	Dana 35, 10-Bolt	

Cables

Braided stainless steel.

Part No.	Description	Price
SPC6048	Throttle Cable, 72" Long	
SPC6049	GM TH350 Kickdown Cable	
SPC6050	GM 700R4 Kickdown Cable	



Ford Coil Bracket

Steel.

Part No.	Description	Price
SPC6055	Chrome	
SPC6055BK	Black	



Timing Covers

Steel.

Part No.	Description	Price
Small Block Chevy		
SPC7120BK	OE-Style, Black	
SPC7122Z	Reinforced Cam with Seal, Zinc Plated	
Big Block Chevy		
SPC7221BK	Black	



Oldsmobile V8 Dipstick

SPC7178

Chromed steel.



Alternator Brackets

Steel.

SPC6069BK



SPC6082

Part No.	Description	Price
Small Block Chevy		
SPC6069BK	Alternator/Header Bracket, Black	
SPC6071BK	OEM Short Water Pump, Black	
SPC6079	Low Mount, Chrome	
Big Block Chevy		
SPC6074BK	OEM Long Water Pump, Black	
SPC6078	OEM Short Water Pump, Chrome	
SPC6087	Lower, Long Water Pump, Chrome	
SPC6089	Short Water Pump, Chrome	
Small Block Ford		
SPC6082	1965-73, Chrome	
Big Block Chrysler		
SPC6097	Passenger Side, Head Mount, Chrome	

Breather Caps



SPC7177

SPC7180

SPC7182

Part No.	Description	Price
SPC7177	Push-In, Cotton Gauze Filter, Chrome	
SPC7180	Clamp-On with Shield, Washable Filter, Chrome	
SPC7181	Clamp-On, Washable Filter, Chrome	
SPC7182	Twist-On with Tube, Chrome	
SPC7186	Clamp-On with Shield, Washable Filter, Chrome	
SPC7187	Push-In, 2" Tall without Lip, Chrome	
SPC7188	Clamp-On, Washable Filter, Chrome	
SPC7191	Push-In with Shield, Washable Filter, Chrome	
SPC7199-2	PCV Push-In, Chrome	
SPC7199S	Push-In with 1/2" PCV Tube, Chrome	

Universal Oil Cap

SPC7184

Chrome steel.



Universal Crankcase Evacuation System SPC7317

Includes pipe and check valves.



Heat Sink Fluid Cooler

Anodized aluminum heat sink with two same end 1/8" barb fittings. Built-in mounting brackets.



Part No.	Description	Price
SPC7365	12" Long	
SPC7366	15" Long	
SPC7367	18" Long	
SPC7368	24" Long	

Specialty Products COMPANY

Radiator Overflow Tank

Polished stainless steel tank with built-in mounts. Includes hardware.



Part No.	Description	Price
SPC9963	3" x 10"	
SPC9964	3" x 16"	
SPC9966	3" x 8", with Shut-Off Valve	
SPC9974	2" x 15"	
SPC9975	2" x 17"	

Power Steering and Brake Fluid Reservoir

SPC9965

Aluminum constructed 3" x 9" cylinder with external fill level gauge and large red anodized aluminum cap. One 1/4" barb fitting inlet and one female threaded outlet with aluminum plug.



Vacuum Tank Reservoir

SPC9970

Steel tank with hardware. Crinkle black finish.



Zyclear

A high-temperature glossy clear coat formulated with the automotive industry in mind. This single component thin liquid coating protects engine and exhaust components from rust corrosion while offering improved underhood aesthetics. The layer is only 4-6 microns thick. Application methods include spray-on or wiped on with a clean cloth.



Part No.	Description
ZYC15002	2-Ounce Bottle
ZYC15004	4-Ounce Bottle
ZYC15008	8-Ounce Bottle



2018-22 Jeep Wrangler JL Performance Front Axle Shaft Kit TENMG22190

This set of black oxide-coated 4340 chromoly Dana 44 performance front axles includes left and right assemblies and the FAD block off plate.



2021-22 Ford Bronco Cold Air Induction System

This closed box cold air induction system unlocks added performance while protecting the engine from harsh environments, on or off-road. The system is available with a reusable MaxFlow5 oiled filter or a maintenance-free PowerCore® element.



Part No.	Description	Price
2.3L Turbo		
VOL17002	MaxFlow5 Filter	
VOL170026	PowerCore® Filter	
2.7L Turbo		
VOL17003	MaxFlow5 Filter	
VOL170036	PowerCore® Filter	




2018-22 Jeep Wrangler JL/Gladiator JT High-Output Alternator

This 240-amp high-output alternator features premium quality bearings, diodes, and copper windings. Includes 6-groove serpentine pulley. Made in the USA.



Part No.	Description	Price
TFS7517B	Black Wrinkle Finish	
TFS7517C	Chrome Finish	
TFS7517G	Army Green Finish	



Electric Transfer Telescopic Pump TER20099

This transfer pump has 15"-20" telescoping intake tube ideal for racing/utility jugs and small drum. Also includes a 10-foot long discharge hose. Powered by two "D" batteries. Works well with gasoline, diesel, DEF, agricultural chemicals, kerosene, antifreeze, windshield washer fluid, and mild detergents.



Pump and Jug Kit

A convenient and portable transfer fluid system that mounts to the supplied jug. Features include a 51-inch long discharge hose and an auto-stop switch. Four "AA" batteries power the pump. Transfers fluids at 2.3 gallons per minute.

Part No.	Description	Price
TER20157	3-Gallon Jug, 9.8" x 9.8" x 15.8" Tall	
TER20158	5-Gallon Jug, 9.8" x 9.8" x 23" Tall	



WATERMAN RACING COMPONENTS

Sprint Pump Fitting Kit WAT45201

Includes a 3-bolt swivel pump mount along with the necessary fittings to aid the installation of a standard sprint pump. Includes pump mount, (4) -6AN ORB port plugs, (1) -8AN to -10AN flare fitting, and (1) -8AN to -8AN flare fitting.



Sprint Pump Manifold/Fitting Kit WAT45202

Designed to simplify the installation and plumbing of a standard sprint pump, kit includes 3-bolt swivel pump mount and manifold, complete with the necessary AN fittings, O-ring, and related hardware.



Inline Canister Filter

Engineered for use with high-flow mechanical fuel pumps, compact billet aluminum filter may be mounted in engine bay or to chassis tubing. Filter includes (2) -12AN inlet ports for driver's or passenger's side mounting, and a center outlet for simplified plumbing. Screw-on canister allows easy inspection and replacement. Choose from filters with 10-, 40-, or 100-micron elements.



Part No.	Description	Price
WAT42335	10-Micron Element	
WAT42336	40-Micron Element	
WAT42337	100-Micron Element	
Replacement Filter Components		
WAT42635	10-Micron Element	
WAT42636	40-Micron Element	
WAT42637	100-Micron Element	

AEROMOTIVE SERIOUS FUEL SYSTEMS

Fuel Filter Bracket

Affordable, spring steel bracket attaches to chassis and accepts Aeromotive in-line fuel filters. Bracket, which includes a durable, rubber coating, simplifies filter installation and eases maintenance. Offered for use with 2-3/8" or 2-5/8" dia. filters.



Part No.	Description	Price
AFS12704	2-3/8" Filter Bracket, Accepts Aeromotive -12AN Filters	
AFS12705	2-5/8" Filter Bracket, Accepts Aeromotive -16AN Filters	

Regulator/Filter Combo

Combo package combines a CNC-machined billet aluminum fuel pressure regulator and fuel filter into a single unit, simplifying installation, while reducing return line length. Offered for carbureted or EFI applications, regulator includes -10AN inlet and outlet ports, -6AN return port, and 1/8" NPT gauge port, while filter is fitted with a 10-micron cellulose element.



Part No.	Description	Price
AFS13146*	EFI Regulator/Filter Combo, Regulator Adjusts 40-75 PSI	
AFS13226†	Carbureted Regulator/Filter Combo, Regulator Adjusts 3-20 PSI	

* For use with A1000 and smaller pumps.

† For use with 250 GPH and smaller pumps.

COMP CAMS

HV NSR Hydraulic Roller Camshaft for GM LS Gen. III/IV COM54-271-11

Drop-in HV NSR (No Springs Required) hydraulic roller cam for GM LS 4.8/5.3/6.0L cathedral port engines provides increased throttle response, torque, and performance. Compatible with the stock torque converter.



RPM Range	Duration @ .050"	Valve Lift	Lobe Separation
Camshaft Specifications			
2500-6200	218°/226°	.541"	112°

HV Hydraulic Roller Camshafts for GM LS Gen. III/IV

HV series hydraulic roller camshafts deliver substantially improved throttle response, horsepower, and torque to GM LS 4.8/5.3/6.0L cathedral port engines. Compatible with the stock converter. **NOTE: Camshafts listed require COM26906 valve springs.**



Part No.	RPM Range	Duration @ .050"	Valve Lift	Lobe Separation	Price
COM54-273-11	2500-6300	218°/226°	.575"/.570"	111°	
COM54-275-11	2700-6500	226°/234°	.575"/.570"	112.5°	

High Energy DLC-Coated Hydraulic Lifters for Chevy COM812D-16

An affordable alternative to conventional lifters. Hydraulic lifters .842" in diameter. A special DLC (Diamond-Like Carbon) coating provides an extremely hard and slick face that reduces friction, effectively extending camshaft and lifter life, while reducing the chances of a flattened cam lobe. Fits all small and big block Chevy. Sold in set of 16



ARC AUTO ROD CORPORATION

ARC-6001Z Flat Touch Control Panels

Virtually identical to the 8000 series panel but with the addition of a "Kill" switch. Dual function switches allow a single switch to control the water pump and fan. Simply hit the switch to activate the water pump; hit it again to turn on the fan. Tail light and interior light switch includes dual functions as well. All circuits include individual relays and fuses for protection. Switch panel is 8-3/4"L x 3-1/4"W x 1"H; relay board is 7-3/4"L x 4-1/8"W x 2-1/4"H. Sold complete with wiring harness and connector kit.



ARC6001ZD-BL



ARC6001ZR-WH

Part No.	Description	Price
Dash Mounts		
ARC6001ZD-BL	Blue Interior Lights	
Roll Bar Mounts		
ARC6001ZR-BL	Blue Interior Lights	
ARC6001ZR-WH	White Interior Lights	



Invision LCD Dash Kit for 1967-68 Mustang ATM7011

Direct-fit digital dash, designed specifically for 1967-68 Mustangs, features a high-resolution 12.3" LCD digital display with four user-selectable screens. Dash allows monitoring speedometer, tachometer, water temperature, oil pressure, fuel level, and volts. Integrated functions for high beams, turn signals, warning lights, and check engine light. Requires no cutting, drilling, or modifications to OEM dash. Sold complete with universal wiring harness and sending units.



MOREL

Ford Pro Sportsman Mechanical Roller Lifters

USA-made, Sportsman Pro lifters utilize full-time pressurized oiling to feed the bearing and pushrod for maximum durability. Lifters are very lightweight, feature Pro series tie bar buttons, and are REM finished. Sold in set of 16.



Part No.	Description	Price
MRL7699	Ford 289-351W; 351C, .875" Dia.	
MRL7703	Big Block Ford 429-460; 390-428 "FE", .875" Dia.	



High Temperature Spark Plug Boot Protectors

Compatible with straight, 135° or 90° boots, dual-wall construction spark plug boot protectors are capable of withstanding up to 1,200° F. of radiant heat, protecting ignition wires from heat damage. Boot protectors are 3/4" I.D. x 7-1/2" long, and are offered in red, blue, black, or natural. Sold in packs of four or eight.

Part No.	Color	Price
4-Pack		
MOR71971	Red	
MOR71974	Blue	
MOR71977	Black	
MOR71980	Natural	
8-Pack		
MOR71972	Red	
MOR71975	Blue	
MOR71978	Black	
MOR71981	Natural	



Oil Pan Stud Kit for BB Chevy Gen. V/VI Aluminum Oil Pans MOR38783

Specifically designed for use with Moroso MOR20382 or MOR20383 oil pans, kit includes (10) bullet nose studs, (4) 12-pt. nuts, and (6) serrated-face flange nuts.



Pro Gate Automatic Shifter

Compact and lightweight, external-gate shifter offers unsurpassed reliability. Pro Gate combines a black oxide-coated stainless steel base with a heavy-duty 303 stainless steel shift pin and round shift knob or pistol grip handle. Offered in forward pattern only with a rear exit cable. Sold complete with 5' Super Duty Race cable and required hardware.



Part No.	Description	Price
BMM80901	GM 3-Speed Automatics, Pistol Grip Handle	
BMM80905	Chrysler/Ford 3 & 4-Speed Automatics, Round Shift Knob	

Cable Bracket and Shift Lever Kits

Specialized kits allow using a B&M Pro Gate, Pro Bandit or Street Bandit 3-speed rear-exit cable shifter with a Ford AOD, AODE, E4OD, 4R100, or 4R70W automatic transmission. Each kit includes shift lever, selector shaft, cable bracket, and necessary hardware. **NOTE: Although the AOD, AODE, E4OD, 4R100, and 4R70W are 4-speed transmissions, they only have three forward shifter positions requiring the use of a 3-speed shifter.**



Part No.	Description	Price
BMM40507	Ford AODE & 4R70W	
BMM40508	Ford 4R100 & E4OD	
BMM40509	Ford AOD	



LED Bargraph 3-Gauge Panels

Your Choice -

Bright and attractive, 3-gauge Bargraph panels incorporate LED-lit 2-1/16" dia. oil pressure, water temperature, and voltmeter gauges fitted to a black panel. Gauges include automatic night-dimming feature to improve readability. Each gauge panel is sold complete with required sending units and mounting hardware.



Part No.	Description
ITLB9333B	Blue LED Lighting
ITLB9333G	Green LED Lighting
ITLB9333R	Red LED Lighting
ITLB9333W	White LED Lighting

1967-72 Chevy Truck Analog Gauge Package

Your Choice -

Direct-fit, LED-lit analog gauges feature a show-stopping white polycarbonate sub-surface with brush stroke finish. Package includes 0-160 MPH speedometer, 8,000 MPH tachometer, and clock along with oil pressure, water temperature, voltmeter, and fuel level gauges. Turn signal indicators, high beam, brake, and check engine indicators are also incorporated. Includes clear plexiglass, required sending units, and mounting hardware. **NOTE: OEM Bezel not included.**



Part No.	Description
ITLWL6003B	Blue LED Lighting
ITLWL6003G	Green LED Lighting
ITLWL6003O	Orange LED Lighting
ITLWL6003R	Red LED Lighting
ITLWL6003W	White LED Lighting



Hyperflow Billet Sandwich Adapters

Adapters provide easy access when adding an oil cooler, installing between the oil filter landing and oil filter. Manufactured from CNC-machined billet aluminum, each adapter listed includes a built-in thermostatic oil valve that provides quicker engine warm-up along with a quad-seal O-ring for positive sealing. **NOTE: Adapters require Setrab ProLine M22 port fittings, sold separately.**



Part No.	Description	Price
SET19-SPTB76-20-180-22	M20 x 1.5 Oil Filter Thread	
SET19-SPTB76-22-180-22	M22 x 1.5 Oil Filter Thread	
SET19-SPTB76-34-180-22	3/4"-16 Oil Filter Thread	

Threaded Backing Plate Kit SET23-BPSTD

Kit fits perfectly under the mounting tabs of ProLine STD oil coolers and fanpacks, resulting in secure, vibration-reducing holding force. May also be used on any project where durable and dampened fastening is required. Includes (4) threaded steel backing plates, (4) rubber damping pads, and (8) screws.



SUPER ProLine Series 3 Oil Coolers

Re-engineered from the inside out with new oil turbulators, Super ProLine Series 3 delivers an 18% increase in cooling performance per inch compared to traditional Setrab oil coolers. Integrates into any oil cooling system using the fewest possible connections. **NOTE: Requires Setrab ProLine M22 port fittings, sold separately.**



Part No.	Description	Price
SET516-332-7612	32-Row, 9.8"H x 10"W x 2"D	
SET516-360-7612	60-Row, 18.5"H x 10"W x 2"D	

SUPER ProLine Series 3 Fanpacks

Virtually identical to the SUPER ProLine Series 3 oil coolers with the addition of a built-in single or dual 12-volt Spal electric fan assembly for maximized cooling effectiveness, ideal in installations where air flow is limited or restricted. **NOTE: Requires Setrab ProLine M22 port fittings, sold separately.**



Part No.	Description	Price
SETFP332S-M22I	32-Row, Single Fan, 9.8"H x 10"W x 4.4"D	
SETFP360S-M22I	60-Row, Dual Fans, 18.5"H x 10"W x 4.4"D	

ProLine SLM 420 Oil Cooler SET53-15560-01

Engineered to provide exceptional heat exchange characteristics while offering a 20% thinner profile, ProLine SLM oil cooler is ideal for applications with limited mounting space. Two-pass, 14-row cooler is 19-1/4" long x 5-7/16" high x 1-1/2" deep overall. **NOTE: Oil cooler requires Setrab ProLine M22 port fittings, sold separately.**



GM Gen. V LT Swap Oil Pan HLY302-21

Required when installing a GM LT engine into early GM muscle cars or trucks, cast aluminum oil pan offers maximum ground and chassis clearance along with OEM-style fitment. Pan fits all 1967-92 F-body, 1968-74 X-body, 1978-87 G-body, 1964-72 A-body, and 1973-87 Chevy/GMC trucks, accepts the OEM oil filter and bellhousing attachments, while allowing for up to 4.000" stroke. Sold complete with windage tray, pick-up tube, and necessary hardware. Natural finish.



Drive-By-Wire Pedal Bracket for GM LS/LT Swap HLY145-130

Often required when swapping a GM LS or LT engine with Holley EFI into a 1969 GM F-body or 1968-74 X-body. Precision cut bracket is a direct bolt-in and is designed for use with HLY145-160 or GM C6 accelerator pedal.



Gen. III Hemi Swap Oil Pan

Necessary when installing a Gen. III Hemi into an 1963-74 Mopar A-body, B-body, C-body or E-body, cast aluminum mid-sump pan offers the necessary ground and chassis clearance. Pan, which has a 6 qt. capacity, includes an integrated windage tray and accepts up to 4.060" stroke. Sold complete with pick-up and required hardware. Offered for early, non-VVT or late VVT applications. **NOTE: Non-VVT Gen. III Hemi engines include 2003-08 5.7L, 2005-10 6.1L and 2007-10 392 crate engine; VVT engines include 2009-up 5.7L and 2009-up 6.4L.**

HLY302-60BK



Part No.	Description	Price
HLY302-60BK	Black Finish, Non-VVT	
HLY302-61BK	Black Finish, VVT	

Power Steering Kit for Gen. III Hemi Swaps

Special Saginaw type II power steering pump not only produces the required pressure and uses a properly sized pulley that provides compatibility with early model steering boxes but is also compatible with the Gen. III Hemi drive system. Fits all 2003-08 5.7L, 2005-10 6.1L with "car style" accessory drive, and some 2009-13 5.7L and 2011-13 6.4L with 4.34" belt spacing. Includes pump, pulley, mounting bracket, hardline, and required hardware. Also offered separately, power steering hardline relocates the -6AN hose connection to a more accessible location.



HLY97-378

Part No.	Description	Price
HLY97-378	Power Steering Kit	
HLY198-208	Power Steering Hardline for HLY97-378	



Blackheart LS Engine Swap Headers for 1973-74 Chevy K10 4WD Truck

Full-length LS swap headers increase engine performance while offering the necessary chassis and ground clearance for 1973-74 K10 4WD trucks. Designed for use with HKRBHS555 or White Box WB130055 engine swap brackets, headers are compatible with most GM automatic transmissions and right side drop NP transfer cases. Constructed from durable 18-gauge 304 stainless steel, headers feature 3/8" flanges and formed merge collectors with an O2 bung in each. Includes necessary fasteners.



Part No.	Description	Price
HKRBH13325	1-3/4" Primary Tubes, 3" Collectors	
HKRBH13326	1-7/8" Primary Tubes, 3" Collectors	



GM 6.0/6.2L LS3/L92/LQ4 Aluminum Cylinder Head

Featuring a true hybrid design to provide improved air flow, all-new cylinder head is a base LS3 head with LS7 style rectangular intake ports and an LS7 intake bolt pattern. Offered as bare or fully assembled, heads have .500" thick decks, and require 4.000" or larger cylinder bores. Assembled versions include 2.165" intake and 1.590" exhaust valves, springs, retainers, valve locks, and seals. Sold per pair. **NOTE: Requires LS3 rocker arms, LS7 rocker arm fasteners, and LS7 intake manifold.**



Part No.	Description	Price
ENQCH364X	Bare Cylinder Heads, Each	
ENQCH364XA	Assembled Cylinder Heads, Each	

GM Timing Covers

Replacement cast aluminum timing covers are offered for GM LS and big block Chevy Gen. VI engines. Choose from covers with or without sensor hole.



Part No.	Description	Price
ENQTCC294A	GM LS 4.8/5.3/6.0L, without Sensor Hole	
ENQTCC294B	GM LS 4.8/5.3/6.0L, with Sensor Hole	
ENQTCC454A	BB Chevy Gen. VI 1996-99, with Sensor Hole	
ENQTCC454B	BB Chevy Gen. VI 1996-99, without Sensor Hole	

GM LS Chrome Moly Cylinder Head Stud Kits

Each kit includes premium quality, chrome moly studs, 12-pt. nuts and hardened washers. Includes hardware for two cylinder heads.



Part No.	Description	Price
ENQHS294NA	LS Cylinder Head Stud Kit, 1997-03	
ENQHS294NB	LS Cylinder Head Stud Kit, 2004-Up	



Gen3 Catch Can

These black anodized baffled aluminum catch cans feature a closed loop design, -10AN male ports, and a mounting bracket.



Part	Description	Price
2-Port Vented		
VIB12760	4.93" Tall, 0.75L Capacity	
VIB12761	8.25" Tall, 1.5L Capacity	
VIB12762	10.47" Tall, 2.0L Capacity	
4-Port Closed Loop		
VIB12765	4.93" Tall, 0.75L Capacity	
VIB12766	8.25" Tall, 1.5L Capacity	
VIB12767	10.47" Tall, 2.0L Capacity	

Gen3 Catch Can Mounting Bracket

Laser-cut and TIG-welded aluminum bracket features a brushed finish.

Part	Description	Price
VIB12778	Single Catch Can	
VIB12779	Dual Catch Can	



Gen 3 Catch Can Reservoir

Black anodized aluminum reservoir offers a thread-on bottom end cap, a -8 ORB drain plug, and a dipstick. Available in three sizes.



Part	Description	Price
VIB12780	0.75L	
VIB12781	1.5L	
VIB12782	2.0 L	

Gen 3 Recovery Tank Dipstick Stick

Black anodized aluminum catch can reservoir dipstick. Available for the corresponding reservoir sizes.



Part	Description	Price
VIB12783	0.75L	
VIB12784	1.5L	
VIB12785	2.0L	



Deatschwerks

2.0L Staged Fuel Cell Surge Tanks

Competition proven to deliver maximum fuel flow reliably and consistently, even under high G-forces or at low tank levels, surge tanks are designed for high-horsepower applications where drop-in fitment is inadequate. Units are engineered to fit fuel cells with 6" x 10", 24-bolt fill plates, and are offered with four staged DW200, DW300, or DW400 fuel pumps. Sold complete with fittings, hose, wiring, gasket, and required hardware.



Part No.	Description	Price
DWK6-201-20FST	Includes (4) DW200 Fuel Pumps	
DWK6-301-20FST	Includes (4) DW300 Fuel Pumps	
DWK6-401-20FST	Includes (4) DW400 Fuel Pumps	

X2 Pump Module for 2012-21 Subaru/Toyota

X2 series fuel pump module retains all the functions of the OEM unit, yet delivers an astounding 260% more fuel flow. Module includes an anodized aluminum top hat with -8AN feed and -6AN return ports, center section, and OE lower bucket. Fits all 2012-21 Toyota GT86, Subaru BRZ, and Scion FRS. Pump module may be purchased separately (less pumps), or complete with (2) high-performance DW300 pumps.



Part No.	Description	Price
DWK9-000-7051	X2 Pump Module Less Fuel Pump	
DWK9-301-7051	X2 Pump Module with (2) DW300 340LPH Pumps	

In-Tank Pump Adapters for 2.5L Surge Tanks

Engineered for use with 2.5L surge tanks, each kit includes fuel pump, support rod, -6AN to 5/16" barbed fitting, adapter puck, wiring, and related hardware. Choose from kits with DW200, DW300, or DW400 pumps.



Part No.	Description	Price
DWK9-201-5002	With DW200 255LPH Pump	
DWK9-301-5002	With DW300 340LPH Pump	
DWK9-401-5003	With DW400 415LPH Pump	

Universal In-Tank Pump Mounts

Do-it-yourself universal kits are the affordable method to substantially increase fuel flow. Kits allow installing a high-performance DW200, DW300, or DW400 fuel pump into an existing fuel tank. Includes pump, black anodized mounting ring, retaining rings, pump support rod, fuel hose, and necessary hardware.



Part No.	Description	Price
DWK9-201-5005	With DW200 255LPH Pump	
DWK9-301-5006	With DW300 340LPH Pump	
DWK9-401-5007	With DW400 415LPH Pump	

In-Tank Pump Adapter with DW440 Pump and Controller for 3.5L Surge Tank

Designed exclusively to maximize the effectiveness of 3.5L surge tanks, providing unsurpassed fuel flow, regardless of G-forces or low fuel level. Kit includes high-performance DW440 brushless fuel pump, fuel pump controller, support rod, -6AN to 5/16" barbed fitting, adapter puck, wiring, and related hardware.



In-Tank Pump Adapter with DW650iL Pump and Controller for 3.5L Surge Tank

Designed specifically for use with a 3.5L surge tank, kit utilizes a high-performance DW650iL 650LPH fuel pump and controller to deliver reliable, consistent and unsurpassed fuel flow, regardless of G-forces or low fuel level. Includes adapter assembly, pump, two-speed controller, -8AN ORB pre-filter, and related hardware.



Universal In-Tank Pump Mount with DW440 Pump and Controller

A universal, do-it-yourself kit that features a brushless DW440 415 LPH fuel pump for reliable and consistent high-output fuel flow. Engineered to install into an existing fuel tank, kit includes pump, two-speed controller, black anodized mounting ring, retaining rings, pump support rod, fuel hose, and necessary hardware.



VB40a Fuel Pump Voltage Booster

The first fuel pump voltage booster that incorporates digital programming, password protection, and a brushless pump mode that allows up to 26 volts. Housed in an anodized aluminum case, voltage booster may be programmed via roller wheel or the digital OLED screen. Compatible with all fuel pumps, unit is offered in single or dual pump models.



Part No.	Description	Price
DWKVBA40AX1	Single Pump Model	
DWKVBA40AX2	Dual Pump Model	





NEW PRODUCTS FOR 2023!

Gauge Kits

Kits include all the components of our popular gauge panels while offering the flexibility of installing gauges and warning lights into a custom dash or prefabricated dash panel. Kits feature 2-5/8" 270° sweeping mechanical gauges which are pre-wired with warning indicator lights and senders to alert you of problems.



Part No.	Description	Price
ALL80080	2 Gauge Kit OP/WT	
ALL80081	3 Gauge Kit OP/WT/OT	
ALL80082	3 Gauge Kit Op/WT/FP	
ALL80083	4 Gauge Kit OP/WT/OT/FP	

Coil Wires

Pre-terminated versions of the 8mm sleeved coil wires found in our kits and sets feature ends for HEI tower-style terminals. Often overlooked when performing maintenance or diagnosing a problem, coil wires are susceptible to damage or weakening over time.



Part No.	Description	Price
ALL81382-12	12"	
ALL81382-18	18"	
ALL81382-24	24"	
ALL81382-36	36"	
ALL81382-42	42"	

Flush Head Self-Ejecting Fasteners

Part No.	Body Size	Length	Qty.	Price
Steel				
ALL19098	7/16"	.500"	10-Pack	
ALL19099	7/16"	.500"	50-Pack	



-8AN In-Line Temperature Tee

ALL90039

Install in the oil return line (pump-to-tank) to adapt a probe for an oil temperature gauge. Has 1/2" NPT threads for probe fittings and 1/4" holes for mounting.



Quick Change Drain Pan - Plastic

ALL14356

Tapered top drain pan, combined with an open flow corner allow quick change gear changes to happen even faster. Plastic, low profile, 2-piece pan includes a stainless steel filter screen molded into the top tray. 4qt capacity.



Hydraulic Throwout Bearing

Remote Bleed Line Kit

ALL46102

Bleed line kit connects to most popular hydraulic bearings to allow easier bleeding of system by placing the bleeder screw outside of the bellhousing. Kit includes a 10' long line with adapter fittings for bearings with 3AN, 4AN or 1/8" NPT bleed ports.



Inline Aluminum Fuel Filter with Shut-Off Valve

Our popular inline filter assembly combined with our shut-off valve in one package. The shut-off valve is assembled on the inlet side of the filter assembly which allows shutting the fuel off to the filter and the remaining portion of the fuel system for maintenance and safety during transportation. Filter assembly is sold without element.



Part No.	Description	Price
ALL40196	-6AN Ends	
ALL40197	-8AN Ends	
ALL40198	.-10AN Ends	
ALL40199	-12AN Ends	

Breather Elements

Breather elements work well for venting components including transmissions and differentials and feature a fitting for attaching hose. Breathers are 2" in diameter and feature a pre-oiled cotton inner material that may be washed and re-oiled. Size listed is O.D. of hose fitting.



ALL36212

Part No.	Description	Price
ALL36212	3/8"	
ALL36213	1/2"	
ALL36216	3/8" with Mounting Stud	
ALL36217	1/2" with Mounting Stud	

Bump Steer Spacers

Steel spacers have a 5/8" I.D. and are commonly used to space a steering rod end when correcting bump steer.



ALL18608

Size	10-Pack	Price	Size	10-Pack	Price
.030"	ALL18602-10		.200"	ALL18605-10	
.060"	ALL18603-10		.400"	ALL18607-10	
.100"	ALL18604-10		.500"	ALL18608-10	

Corrected Metric Centerlink

ALL56316

Camaro centerlink (1982-92) DS1049 is commonly used on intermediate GM metric chassis to help correct bump steer.



Coil-Over Eliminators

Steel body coil-over eliminator is designed for use with 5" springs and features a removable spring cup for easy spring changes, a large fine thread adjustment nut with a built-in detent and two 1/2" rod ends for mounting. Length listed is full extended length with 10" of travel.

Part No.	Description	Price
ALL64112	26" Extended Length	
ALL64113	28" Extended Length	



8" Shock Bump Cover

ALL64215

This neoprene cover is perfect for protecting shock shafts and covering bump set-ups. Fits 2" O.D. shocks. Not for use with coil-over springs.



To see more great new products from Allstar Performance as well as our complete selection of sale items and specials, visit www.allstarperformance.com