



BIG DEALS SEPTEMBER OCTOBER 2022

TABLE OF CONTENTS

UNBELIEVABLE DEALS

NEW PRODUCTS AND VENDORS

3-15

16-41

UNBELIEVABLE DEALS

Vendor	Page	Vendor	Page	Vendor	Page	Vendor	Page
AEM Electronics	3	Energy Suspension	7	Meziere	10	Ready Lift	13
Aeroquip	3	Enginequest	7	MGP Caliper Cover	10	Redline Oil	13
AFE Power	3	Extang	7	Mile Marker	10	Reese	13
Air Lift	3	Fast Electronics	7	MOMO Automotive Accessories	10	Richmond	13
Allstar Performance	3-4	Fivestar	7	Moroso	10	Saldana	13
ARP	4	Flaming River	7	Motul USA	10	SLP Performance	13-14
Autometer	4	Fluidampr	10	MSD Ignition	10	Stoptech	14
Bell Tech	5	Ford	7	New Vintage USA	10	Stroud Safety	14
Bestop	5	Fram	8	NGK	11	Sunoco Race Jugs	14
Billet Specialties	5	Gibson Exhaust	8	Nitrous Express	11	Superwinch	14
Bilstein	5	Hedman	8	OMP Racing, Inc.	11	Ti22 Performance	14
Borla	5	Hellwig	8	Oracle Lighting	11	Tru-Cool	14
Callies	5	Holley	8	Pacer Performance	11	Turbo Start	14
Canton	5	Hooker	8	Painless Wiring	11	Valvoline	14
Centerforce	6	Hughes Performance	8	PEM	11	Vibrant Performance	14
Chassis R And D	5	JAZ	8-9	Permatex	11	Volant	15
Covercraft	5	JMS	9	Pertronix Ignition	12	Warn	15
Cyclo	5	KYB Shocks	9	PIAA	12	Weld Racing	15
Dart	6	Lucas Oil	9	Powertrax	12	Willys Carb	15
Daystar Products International	6	Magnaflow Perf Exhaust	9	Pro Shock	12	Winters	15
Demon Carburetion	6	Mahle Original/Clevite	9	Proform	12		
Drake Automotive Group	6	March Performance	9	Pypes Performance Exhaust	12		
Eneos	6	McLeod	10	Quick Time	13		

NEW PRODUCTS INDEX

Please Note: Some items not legal for sale or use on pollution-controlled vehicles • Not responsible for typographical errors • All prices are listed in U.S. dollars.

Vendor	Page	Vendor	Page	Vendor	Page	Vendor	Page
AFCO Racing Products	16	Eibach	17	Oracle Lighting	34	Sparco	20
AFE Power	28	Forgestar	26	Peterson Fluid	19	Specialty Products Company	37
AIM Sports	21	Fragola	26	Proforged	40	Supersprings	38
Air Lift	29	G-Force	24	Proform	40	Superwinch	38
Allstar Performance	41	Gorilla	31	QA1	19	Swift Springs	22
American Racing Wheels	29	Hawk Brake	17	Racequip	21	Ti22 Performance	23
AMP Research	29	Heatshield Products	31	Ready Lift	40	Triple X Race Components	20
ARC Lighting	27	Holley	25	Rekudo	35-36	Ultra-Lite Brakes	30
AVS	38	Husky Liners	32	Retro Bright	36	VHT	38
Bestop	29	ICT Billet	33-34	Ridetech	30	Vibrant Performance	40
Billet Specialties	30	JBA Performance Exhaust	25	Rough Country	34	Walker Performance Filtration	22
Bilstein	16	Joes Racing Products	17	Rugged Radios	20	Weathertech	36
Borla	30	Jones Racing Products	18	Rugged Ridge	37	Wehrs Machine	22
Bushwacker	23	K1 Racegear	18	S-A Design Books	32	Whiteline Performance	36
Curt	31	KRC Power Steering	18	Schoenfeld	20	Willy's Carb	38
Deezee	31	Lifeline USA	19	Schroth Racing	17	Wilwood	22
Design Engineering	23	Magnaflow Perf Exhaust	39	Simpson Safety	23	WIX Racing Filters	39
Detroit Speed Engineering	27	NOCO	18	Skyjacker	34		
DRP Performance	16	Oberg Filters	32				

NEW VENDORS

forgestar

Page 26

REKUDO

Page 35-36

RETROBRIGHT

Page 36















CALL NOW! UNBELIEVABLE DEALS!

DON'T MISS OUT ON THESE LIMITED QUANTITIES AVAILABLE AT SPECIAL SALE PRICES

Description	Photo	Part No.	Price
AEM ELECTRONICS			
Universal High-Volume In-Line Fuel Filter In-line fuel filter with 7-micron paper element and a -10AN female O-ring and -10AN female O-ring outlet. Black anodized aluminum. Each.		AEM25-201BK	
AEROQUIP			
45° Forged Stainless Steel Swivel -3AN Hose End Fitting 45° Hose end fitting for use with PTFE racing hose. -3AN hose to -3AN female. Natural stainless steel. Each.		AERFCM1140	
APE POWER			
MACH Force-XP Cat-Back Stainless Exhaust System for Mini Cooper MACH Force-XP cat-back exhaust system with 2-1/2" pipe and 3-1/2 stainless tips. 304 stainless steel. For 2007-15 Mini Cooper.		AFE49-36318	
AIR LIFT			
LoadLifter 5000 Ride Control Air Spring Kit LoadLifter 5000 air spring kit includes air bags, black powder-coated brackets, and lines. 5000 lb. capacity. For rear of 2011-14 Dodge Ram trucks.		AIR57297	
LoadLifter 5000 Ultimate Plus Air Spring Kit Loadlifter 5000 Ultimate Plus air spring kit includes air bags, stainless steel roll plates, black powder-coated brackets, and lines. 5000 lb. capacity. For rear of 2015-19 Ford F-150 trucks.		AIR89385	
ALLSTAR PERFORMANCE			
Tire Siper Holder Black painted steel hanger attaches to the Allstar Electric Tire Prep Stand to keep the Allstar heated tire siper readily at hand. Each.		ALL10571	
Grime Boss Cleaning Wipes—60-Count Resealable Pack Pre-moistened citrus-scented cleaning wipes in a resealable pack of 60.		ALL12017	
Black Nitrile Gloves—Medium Black nitrile gloves are great for the shop. Size medium. Box of 100.		ALL12024	
Titanium Short-Shoulder 2-1/2" Shock Pin Short-shouldered titanium shock mounting pin is 2-1/2" long and includes hairpins. Natural titanium. Each.		ALL17121	
Silver Multi-Grip Medium Head Aluminum Rivets—Box of 250 Multi-grip rivets feature a 1/2" head and 3/16" aluminum mandrel, with a 1/16" to 3/8" grip range. Natural aluminum. Box of 250.		ALL18070	
Orange Multi-Grip Small Head Aluminum Rivets—Box of 250 Multi-grip rivets feature a 3/8" head and 3/16" aluminum mandrel, with a 1/4" to 3/8" grip range. Orange paint. Box of 250.		ALL18137	
Yellow Multi-Grip Small Head Aluminum Rivets—Box of 250 Multi-grip rivets feature a 3/8" head and 3/16" aluminum mandrel, with a 1/4" to 3/8" grip range. Yellow paint. Box of 250.		ALL18139	
Rivet Gun for Cordless Drill Rivet gun accessory fits any standard cordless drill and can be used with rivets with 3/32" to 3/16" mandrels. Black plastic. Each.		ALL18205	
1-1/4" Flush-Mount Body Stud with Slot—Pack of 10 Flush-mount bolt is 1-1/4" long with 1/4"-20 thread and a slotted head. Natural aluminum. Pack of 10.		ALL18651	
Universal Steering Shaft—5' long x 3/4" O.D. Universal steel steering shaft measures 5' long x 3/4" O.D. with a 0.120" wall thickness. Each.		ALL22190	














CALL NOW! UNBELIEVABLE DEALS!

DON'T MISS OUT ON THESE LIMITED QUANTITIES AVAILABLE AT SPECIAL SALE PRICES

Description	Photo	Part No.	Price
ALLSTAR PERFORMANCE			
Fuel Cell Fill Line Kit Fuel cell filler hose kit includes 36" of -10AN flexible braided fabric hose, a -10AN straight fitting and a 90° -10AN to 1/2" NPT fitting.		ALL36148	
White Wheel Mud Cover - No Hardware White plastic mud cover fits 15" beadlock wheels. Attaches with quick-turn fasteners (not included). Each.		ALL44281	
Blue Wheel Mud Cover - No Hardware Blue plastic mud cover fits 15" beadlock wheels. Attaches with quick-turn fasteners (not included). Each.		ALL44283	
Fluorescent Yellow Wheel Mud Cover - No Hardware Fluorescent yellow plastic mud cover fits 15" beadlock wheels. Attaches with quick-turn fasteners (not included). Each.		ALL44288	
Heat Sink-Style Aluminum Power Steering Cooler Heat sink-style fluid cooler measures 12" x 1.750" with 3/4" NPT female inlets/outlets. Includes -6AN adapter. Black anodized aluminum. Each.		ALL52102	
10-Gauge Sheet Steel—24" x 24" 10-gauge steel sheet measures 24" x 24". Natural finish. Each.		ALL54071	
Clamp-On Slotted Bracket for 3" O.D. Axle Tubes Clamp-on lower trailing arm bracket/shock mount fits O.D. axle tubes and features a 3/4" slot for adjustment. Black powder-coated steel. Each.		ALL60135	
Axle Tube-Mounted Quick-Change Panhard Bracket Clamp-on quick-change panhard bar bracket attaches to axle tube. Black powder-coated steel. Each.		ALL60181	
Steel Drive Shaft 2-1/2" O.D. x 32" Long with TH350 Yoke Universal drive shaft measures 2-1/2" O.D. x 32" long and includes slip yoke and U-joints. White painted steel. Kit.		ALL69023	
Steel Drive Shaft 2-1/2" O.D. x 32-1/2" Long with TH350 Yoke Universal drive shaft measures 2-1/2" O.D. x 32-1/2" long and includes slip yoke and U-joints. White painted steel. Kit.		ALL69024	
Four-Panel Full View Race Mirror Rear view race mirror features 4 mirror panels and measures 27-3/4" wide x 3-1/2" tall. Black plastic. Each.		ALL76404	
Mud Release Agent Dirt Solution mud release agent helps mud and dirt rinse off easily. 2-qt jug. Each.		ALL78234	
AutoMeter Sport-Comp 3-Gauge Panel Gauge panel assembly includes Auto Meter Sport-Comp gauges for fuel pressure, oil pressure, and water temperature. Black face w/ warning lights.		ALL80113	
ARP			
3/8" x 1.555" Stud with Guide Nose Hex-head screw-in stud has 3/8"-24 threads x 1.555" long. Black oxide-finished chromoly. Each.		ARP15AJ1.555-5G	
AUTOMETER			
Digital 5-Gauge Kit - Sport Comp Sport Comp digital gauge kit includes oil pressure, fuel level, speedometer, voltmeter, and water temperature. Black face. Kit.		ATM6300	

CALL NOW! UNBELIEVABLE DEALS!

DON'T MISS OUT ON THESE LIMITED QUANTITIES AVAILABLE AT SPECIAL SALE PRICES

Description	Photo	Part No.	Price
BELL TECH			
Performance Handling Kit Plus for 2015-20 Ford F150 Performance Handling Kit Plus includes coil-over system, shocks, brackets, bushings, and sway bar. For 2015-20 Ford F-150.		BLL1001HKP	
BESTOP			
Trektop NX Plus Complete Soft Top Black Diamond Trektop NX Plus soft top with tinted windows. Includes brackets, hardware, frame, top, and windows. Black diamond. For 2007-17 Jeep Wrangler JK 4-door. Kit.		BES56853-35	
BILLET SPECIALTIES			
SBC to LS-Series Valve Cover Conversion Kit Valve cover adapter converts allows use of Chevy small block valve covers on LS-series engines. Natural aluminum. Includes hardware.		BSP95037	
15" x 10" Street Lite Wheel w/ 4.5" Backspace 15" x10" Street Lite Wheel with 4.500" backspace and 5 x 4.75" bolt pattern. Black anodized/polished billet aluminum. Each.		BSPBRDB35106145N	
BILSTEIN			
Shock - 5100 Series 5100 Series monotube rear shock. Zinc-plated steel. For front of 2009-12 Dodge Ram full-size truck. Each.		BIL24-187367	
BORLA			
Cat-Back Exhaust System 2008-10 Challenger 6.1L S-Type cat-back exhaust system with 2-3/4' pipe and dual rear exit with dual 4" x 2-1/2" square polished tips. Natural stainless. For 2008-10 Mopar LC-body w/ Mopar Gen III Hemi.		BOR140286	
Cat Back Exhaust System for 1997-04 Corvette 5.7L S-Type II cat-back exhaust system with 2-1/2" pipe and quad center exit 4-1/4" polished tips. Natural stainless. For 1997-2004 Corvette w/ LS Series.		BOR140427	
Cat-Back Exhaust System for 2014-19 GM Truck w/ 5.3L ATAK cat-back exhaust system with 2-3/4" pipe and dual side exit with 4-1/4" polished tips. Natural stainless. For 2014-19 GM full-size truck w/ 5.3L LS-series.		BOR140546	
CALLIES			
Magnum Forged Steel Crank for SBC—3.875" Stroke Magnum forged steel crankshaft with 3.875" stroke. Internal balance, 2-piece seal. For Small Block Chevy. Each.		CALSAJ21A-MG	
CANTON			
Ford 5.0L Coyote Drag Oil Pan - Rear Sump Rear sump engine oil pan suitable for street/strip/road race applications. 7-qt. capacity, 6-5/8" deep. Cadmium-plated steel. Fits Ford Coyote. Each.		CAN15-730	
COVERCRAFT			
Carhartt Seat Saver—Front, for 2013-16 Dodge Ram Carhartt Seat Saver seat cover for front row seat. Hook-and-loop attachment, polyester/cotton blend. Gray. For 2016-16 Dodge Ram Truck.		COVSSC3435CAGY	
CYCLO			
Break Away Penetrating Oil—13-oz. Can Break Away spray lubricant/penetrating oil. 13.0-oz. aerosol. Each.		CCLC10	
CHASSIS R AND D			
The Advanced Dirt Car Set-Up Advanced Dirt Car set-up software on CD-ROM.		CRD2002	


CALL NOW! UNBELIEVABLE DEALS!

DON'T MISS OUT ON THESE LIMITED QUANTITIES AVAILABLE AT SPECIAL SALE PRICES

Description	Photo	Part No.	Price
CENTERFORCE			
Dual-Friction Clutch Kit for Nissan Single-disc dual-friction clutch kit with 225 mm diameter disc, 1" x 24-spline , sprung hub, organic/ carbon. For Nissan/Datsun.		CTFDF583402	
DART			
Race Series Bare Aluminum Block for SBF with 4.125" Bore Race Series bare engine block features a 4.125" bore, 9.500" deck, and 2.749" 351C main. 4-bolt main and 1-piece seal. For Small Block Ford. Each.		DRT31345235	
DAYSTAR PRODUCTS INTERNATIONAL			
Hands-Free Phone Grip Fits in Cup Holder Cup-holder mounted cell phone holder with swivel has a universal design to fit almost any phone and vehicle. Black. Each.		DASKU81001BK	
DEMON CARBURETION			
750CFM Street Demon Carburetor Street Demon 4-barrel carburetor, flows 750 CFM. Spread/square bore, electric choke, vacuum secondary, single inlet. Black/burnished. Each.		DMN1904	
DRAKE AUTOMOTIVE GROUP			
Hood Vents for 2015-17 Mustang Heat extractor hood vents bolt on to the hood. Satin black finished steel. For 2015-17 Ford Mustang. Pair.		DRAFR3Z-16C630-M	
Black Fuel Door with 5.0 Logo for 15- Mustang Black plastic fuel door with surround features the 5.0 logo. For 2015-17 Ford Mustang. Each.		DRAFR3Z-6640526-5A	
ENEOS			
Import CVT Model N Case 12 x 1 Qt Model N synthetic CVT transmission fluid for Nissan Continuously Variable Transmissions. Case of 12x 1-quart bottles.		EN03057-301	
Import CVT Model H Case 12 x 1 Qt Model H synthetic CVT transmission fluid for Honda Continuously Variable Transmissions. Case of 12x 1-quart bottles.		EN03072-301	
ECO ATF Case 12 x 1 Qt ECO ATF synthetic automatic transmission fluid. Case of 12x 1-quart bottles.		EN03103-301	
Import ATF Model H Case 12 x 1 Qt Import Model H ATF synthetic automatic transmission fluid for Honda. Case of 12x 1-quart bottles.		EN03105-301	
Import ATF Model N Case 12 x 1 Qt Import Model N ATF synthetic automatic transmission fluid for Nissan. Case of 12x 1-quart bottles.		EN03106-301	
Import ATF Model SP Case 12 x 1 Qt Import Model SP ATF synthetic automatic transmission fluid for Hyundai/Kia. Case of 12x 1-quart bottles.		EN03108-301	
Full Synthetic Oil 0W16 Case 12 x 1 Qt Synthetic 0W16 motor oil. Case of 12x 1-quart bottles.		EN03251-301	
Racing Pro 10W50 Case 6 x 1 Qt Racing Pro synthetic 10W50 motor oil with ZDDP and Mo-DTC. Case of 6x 1-quart bottles.		EN03802-302	














CALL NOW! UNBELIEVABLE DEALS!

DON'T MISS OUT ON THESE LIMITED QUANTITIES AVAILABLE AT SPECIAL SALE PRICES

Description	Photo	Part No.	Price
ENERGY SUSPENSION			
Body Mount Bushings for 1997-06 Jeep Wrangler TJ - Red Hyper-Flex polyurethane body mount bushing kit with red bushings and cadmium-plated steel hardware. For 1997-06 Jeep Wrangler TJ.		ENE2-4107R	
RR Leaf Spring Bushing Kit for 1999-06 GM Full-Size Trucks 2WD/4WD Hyper-Flex leaf spring bushing kit with black polyurethane bushings and cadmium-plated steel hardware. For 1999-06 GM full-size trucks.		ENE3-2141G	
Universal Mount Set with 70A Soft Isolator Bushings Hyper-Flex soft isolator bushings with 1/2" I.D. x 2-1/2" O.D. to fit 1-1/4" hole. Black polyurethane with cadmium-plated steel hardware. Pair.		ENE9-4102G	
ENGINEQUEST			
Assembled Aluminum Cylinder Head for GM LS1/LS2 Assembled aluminum cylinder head with 2.000"/1.570" valves, 211cc intake, 65cc chamber, and 69cc cathedral port. Each.		ENQE0-CH364BA	
EXTANG			
Trifecta 2.0 Tonneau for 2015-20 Ford F150 w/ 6.5-ft Bed Trifecta 2.0 folding tonneau cover. Bed rail attachment with black vinyl top. Fits 2015-20 Ford full-size truck with 6 ft 7" bed. Kit.		EXT92480	
FAST ELECTRONICS			
Ignition Controller Kit GM EZ-LS EZ-LS ignition controller for coil-on-plug. Includes wiring harness. 24/58-tooth reluctor. For GM LS series. Kit.		FST301312E	
EFI Sportsman Throttle Body Engine Control System XFI Sportsman fuel injection system with square-bore throttle body and 74 lb/hr injectors. Flows 1150 CFM. Universal.		FST303001	
FIVESTAR			
MD3 Rocker Panel—Fluorescent Red MD3 molded plastic rocker panel in fluorescent red. 3 pieces required per car. Each.		FIV007-5500-FR	
FLAMING RIVER			
Universal 32" Stainless Steel Tilt Steering Column Tilt steering column with 2" O.D. tube and 32" length. Includes billet hazard knob/turn signal lever kit. Natural milled stainless finish. Each.		FLAFR20006	
FLUIDAMPR			
8-3/8" Harmonic Damper for GM Duramax 6.6L—SFI Rated External balance harmonic balancer with 8.375" O.D. -Black zinc-coated steel. For GM Duramax 6.6L. Each.		FLU890101	
9-3/4" Harmonic Damper for Dodge 5.9L Cummins—SFI Rated Internal balance harmonic balancer with 9.750" O.D. -Black zinc-coated steel. For Dodge Cummins 5.9L. Each.		FLU960311	
FORD			
Control Pack for 2015-17 Coyote 5.0L with Manual Transmission Engine control module includes harness, modules, and sensors. For Ford Coyote engine with manual transmission. Kit.		FRDM6017-504V	
Oil Pan Kit for Installing 351W into Mustang Rear sump engine oil pan kit with 5-qt. capacity. Includes dipstick, gasket, and pickup. Black painted steel. For 1979-95 Ford Mustang with small block Ford.		FRDM6675-A58	

CALL NOW! UNBELIEVABLE DEALS!

DON'T MISS OUT ON THESE LIMITED QUANTITIES AVAILABLE AT SPECIAL SALE PRICES

Description	Photo	Part No.	Price
FRAM			
Ultra Oil Filter Ultra canister-style screw-on oil filter measures 3.469"H x 2.688" O.D. w/ 20 mm x 1.50 thread. Black/gold painted steel. Various applications. Each.		FRAXG7317	
GIBSON EXHAUST			
Cat-Back Single Exhaust System for 2016-20 Toyota Tacoma Cat-back single exhaust system with 2-1/2" tailpipe and 4" tips. Polished stainless. For 2016-20 Toyota Tacoma.		GIB618814	
Cat-Back Dual Split Exhaust System for 2004-19 Nissan Titan Cat-back dual split exhaust system with 2-1/2" tailpipe and 3-1/2" tips. Polished stainless steel. For 2004-19 Nissan Titan.		GIB68200	
Polaris UTV Dual Exhaust—Stainless Dual exhaust system. Polished stainless. For 2011-14 Polaris UTV.		GIB98013	
1996-2000 5.7L Stainless Header Shorty headers with 1-1/2" primary and stock collector flange. Natural stainless. For 1996-2000 GM full-size trucks with 5.7L. Kit.		GIBGP102S	
Ceramic-Coated Performance Headers for 2002-14 GM Full-Size SUVs Shorty headers w/ 1-1/2" primary and stock collector flange. Metallic ceramic-coated stainless. For 2002-14 GM/Cadillac/Hummer Full-Size SUVs/ trucks 2002-14. Pair.		GIBGP129S-C	
Ceramic-Coated Performance Header Short headers with 1-3/4" primary and stock collector flange. Metallic ceramic-coated stainless steel. For 2001-03 GM full-size truck/SUV. Pair.		GIBGP131S-C	
HEDMAN			
Ceramic-Coated Street Rod Headers for Small Block Chevy Block Hugger headers with 1-1/2" primary and 2-1/2" collector. Metallic ceramic-coated steel. For 1923-49 street rods with small block Chevy. Pair.		HED68366	
HELLWIG			
Rear Sway Bar for 2011-16 Ford F250 Rear sway bar is 1-1/8" in diameter and includes mounting hardware. Gray painted chromoly. For Ford full-size truck. Kit.		HEL7714	
HOLLEY			
Billet Bypass Fuel Pressure Regulator—4-65 psi HP billet in-line fuel pressure regulator for 4 to 65 psi with bypass. Has -6AN female O-ring inlet, outlet, and return, and a 1/8" NPT gauge port. Black/clear anodized aluminum. For use with diesel/ E85/gas. Each.		HL12-880	
HOOKER			
Pontiac Headers Super Competition headers with 2" primary and 3-1/2" collector. Black painted steel. For 1970-81 GM F-Body with Pontiac V8. Pair.		HKR4202	
HUGHES PERFORMANCE			
Torque Converter 2500 Stall Series for Ford C4 2500 Stall Series torque converter with 2,500 RPM stall and 10.5" bolt circle. For Ford C4 transmission. Each.		HUG41-25	
JAZ			
12-Gallon Circle Track Fuel Cell Circle Track fuel cell measures 17-1/2"W x 16"D x 10"H in with a 12-gallon capacity. Includes -8AN outlet and vent. Black plastic, with foam. Each.		JAZ200-012-01	

CALL NOW! UNBELIEVABLE DON'T MISS OUT ON THESE DEALS! LIMITED QUANTITIES AVAILABLE AT SPECIAL SALE PRICES

Description	Photo	Part No.	Price
JAZ			
22-Gallon Pro Sport Fuel Cell Pro Sport fuel cell and can measures 25-3/4"W x 17-3/8"D x 14-1/2"H with a 22-gallon capacity. -8AN outlet and vent. Red powder-coated steel with foam. Each.		JAZ270-222-06	
Engine Stand Lower Tray - Black Black plastic drip tray for 3- and 4-leg engine stand. Each.		JAZ720-000-01	
16-Gallon Fuel Cell Can Fuel cell can measures 26"W x 18"D x 10"H with a 16-gallon capacity. Red powder-coated steel. Kit.		JAZ897-016-06	
JMS			
PedalMAX Drive-by-Wire Throttle Device PedalMAX throttle booster for 2011-16 Ford applications. Each.		JMSPX1114F	
KYB SHOCKS			
Front Shocks for 1968-87 GM Full-Size Cars Gas-a-Just monotube shocks. Silver painted steel. For front on select 1968-87 GM full-size cars and 1987-91 Avanti II. Each.		KYBKG4513	
LUCAS OIL			
Gun Metal Polish, Case of 12 Gun metal polish. Case of 12x 16-oz. bottles.		LUC10880-12	
Extreme-Duty CLP Aerosol Cans, Case of 12 Extreme-Duty CLP gun cleaner. Cleaner/Lubricant/Protectant. Case of 12x 11-oz. aerosol cans.		LUC10916-12	
MAGNAFLOW PERF EXHAUST			
2.5" to 3" Y-Pipe—Stainless Steel Exhaust Y-Pipe with 2-1/2" inlets to 3" outlet. Natural stainless steel. Universal. Each.		MAG10778	
Stainless Muffler with 3" Inlet/Dual 2.5" Out Muffler with 3" center inlet and dual 2-1/2" outlets. With 14" x 8" x 5" oval body and 20" overall length. Natural stainless. Universal. Each.		MAG12198	
Axle-Back Exhaust System for 2007-16 Wrangler 3.6L—Black Performance axle-back exhaust system with 2-1/2" pipe and 3-1/2" tips. Black ceramic-coated stainless. For 2007-16 Jeep Wrangler JK w/ 3.6L V6.		MAG15160	
MAHLE ORIGINAL/CLEVITE			
Moly Piston Ring Set 3.780" Bore Drop-in piston rings, 3.780", 1.5 x 1.5 x 3.0mm. Standard tension, moly steel. 8-cylinder set.		M7741859CP	
MARCH PERFORMANCE			
LS Engine Pro Track Pulley System with A/C Pulley Kit - Sport Track - 6 Rib Serpentine - Aluminum - Clear Powder Coat - GM LS-Series - Kit		MPP20035	
Track Pulley Set for Chrysler 383/440/426 Revolver series pulley kit for 6-rib serpentine belt. Clear powder-coated aluminum. For Mopar B-/RB-Series / 426 Hemi.		MPP40725	
Hydraulic Throwout Bearing Kit w/Master Cylinder for Muncie Trans. 1300-Series hydraulic throwout bearing kit w/ braided stainless steel lines and 3/4" master cylinder. Bolt-on installation. For GM Muncie.		MCL13005	

CALL NOW! UNBELIEVABLE DEALS!














DON'T MISS OUT ON THESE LIMITED QUANTITIES AVAILABLE AT SPECIAL SALE PRICES

Description	Photo	Part No.	Price
MCLEOD			
RXT Street Twin-Disc Clutch Kit for Shelby GT500 RXT Street twin-disc clutch kit with 9-11/16" diameter, 1-1/8" x 26 spline, rigid hub. Ceramic/steel. For 2007-09 Ford Mustang w/ Ford Modular.		MCL6918-07	
RXT Street Twin Disc Clutch Kit for GM 1-1/8" x 26-Spline RXT ceramic twin-disc clutch kit with rigid hub. 9-11/16" diameter, with 1-1/8" x 26-spline. For Ford/GM applications.		MCL6921-07	
MEZIERE			
Billet 168-Tooth Flexplate for GM LS1—SFI Rated True billet 168-tooth flexplate. Internal balance, for GM LS-Series. SFI 29.2 rated. Each.		MEZFP319	
HD Billet Flexplate with 8-Bolt Hemi Pattern—SFI True billet 136-tooth flexplate is SFI 29.2 certified. Internal balance, for Mopar 426 Hemi with 8-bolt crank. Each.		MEZFPS096	
MGP CALIPER COVER			
Caliper Covers 2014-18 Silverado 1500 Caliper Covers Red Brake caliper covers. Red powder-coated aluminum with Bowtie logo. For 2014-18 GM Silverado 1500. Set of 4.		MGP14005SBOWRD	
MILE MARKER			
1-Ton Ford Hub Conversion Kit Spindle nut conversion for Mile Marker hubs. Various applications. Kit.		MMM95-32721	
MOMO AUTOMOTIVE ACCESSORIES			
Monte Carlo 320mm Steering Black Leather w/ Red Stitching Monte Carlo 3-spoke steering wheel is 320mm diameter with a 40mm dish. Black anodized aluminum with black leather grip and red stitching. Each.		MOMMCL32BK3B	
MOTUL USA			
8100 X-Cess 5W40 Oil—1-Liter Bottle X-Cess 5W40 synthetic motor oil.-Sold in 1-liter bottles. Each.		MTL109774	
8100 X-Cess 5W40 Oil Case 12 x 1 Liter X-Cess 5W40 synthetic motor oil. Case of 12x 1-liter bottles.		MTL109774-12	
MOROSO			
Four-Stage Dry Sump Oil Pump—Drag Race Four-stage dry sump type oil pump has 1.100-in pressure/scavenge stages. Black anodized aluminum. Each.		MOR22244	
4-Vane Vacuum Pump with Enhanced Design Mechanical 4-vane vacuum pump with -12AN inlet and outlet. Features sealed roller bearings. Fittings included. Natural aluminum. Each.		MOR22644	
MSD IGNITION			
Ford 351W Street Pro Billet Distributor Distributor - Pro-Billet - Magnetic Pickup - Vacuum Advance - HEI Style Terminal - Red - Small Block Ford - Each		MSD8478	
NEW VINTAGE USA			
F/S Performance Gauge Kit for 1988-94 GM Trucks—White F/S Performance gauge kit includes fuel level, oil pressure, speedometer, tachometer . voltmeter, and water temperature. White faces. Includes panel. For 1988-94 GM full-size truck.		NVG89101-03	

CALL NOW! UNBELIEVABLE DEALS!














DON'T MISS OUT ON THESE

LIMITED QUANTITIES AVAILABLE AT SPECIAL SALE PRICES

Description	Photo	Part No.	Price
NGK			
NGK Spark Plug Stock #1716—Box of 100 NGK Standard resistor spark plug with 14mm thread and 0.749" reach. Gasket seat. Stock Number 1716. Box of 100.		NGKCS6-S100	
NGK Spark Plug Stock #2923 (ATV) NGK Standard resistor spark plug with 12mm thread and 0.749" reach. Gasket seat. Stock Number 2923. Each.		NGKDR8ES-L	
NITROUS EXPRESS			
H.D. Fully Automatic Nitrous Bottle Heater Pressure-controlled automatic nitrous oxide bottle heater includes gauge/sensor and works with 10- or 15-lb. bottles. 12V, with -4AN connection.		NXS15940	
Ford EFI Single-Nozzle Nitrous System EFI single nozzle wet single-stage nitrous oxide system is rated for 35-150 HP. Includes white 10-lb. bottle. For Ford applications.		NXS20922-10	
EFI Plate Nitrous Kit - GM LS 3-Bolt Plate 78mm Wet single-stage nitrous system is rated for 50-400 HP. Uses LS 78mm plate. Includes white 10-lb. bottle. For GM LS-Series.		NXS20935-10	
OMP RACING, INC.			
Treccento 300mm Steering Wheel with Black Leather Grip Treccento Liscio 3-spoke steering wheel is 300mm in diameter with no dish. Black anodized aluminum with black leather grip. Each.		OMPOD1976N	
ORACLE LIGHTING			
LED Illuminated Wheel Rings—White LED lighted wheel ring kit is 16.5" in diameter. Includes bracket and mounting hardware. Aluminum with white LEDs. Set of 4. Kit.		ORA4215-001	
PACER PERFORMANCE			
Heavy-Duty Flexy Flares with No Lip—Universal Fit Flexy Flares universal fender flare are 2-1/4" wide x 50" long. Black rubber. Each.		PCP52-169	
Heavy-Duty Reinforced Flexy Flares—Universal Fit Flexy Flares universal fender flares are 3-1/2" wide x 58" long and extend the fender 2-1/2". Steel-reinforced black rubber. Set of 4. Kit.		PCP52-189	
PAINLESS WIRING			
Ford 3G Alternator Wiring Kit Alternator wiring harness kit includes 8 ft of wire, fuse, and terminals. For Ford 3G alternator.		PWI30831	
PEM			
Quick-Change Rear Axle Assembly with 4.86 Ratio, 5x5 Hubs, and Axles Quick-change 60" wide rear axle assembly with centered pinion, 10" ring gear. 4.86 ratio standard. Kit.		PEMQCKSTGN-486-60CP	
Max Quick-Change Assembly with 4.86 Ratio, 5x5 Hubs, and Axles Max quick-change 60" wide rear axle assembly with 2" offset pinion, 10" ring gear, 4.86 ratio standard. Black thermal coating. Kit.		PEMQCKSTGN5-486MAX-20FF	
PERMATEX			
Anti-Seize Compound 1-oz. Tube Anti-seize compound/lubricant in 1-oz. tube. Each.		PEX81343	















CALL NOW! UNBELIEVABLE DEALS!

DON'T MISS OUT ON THESE LIMITED QUANTITIES AVAILABLE AT SPECIAL SALE PRICES

Description	Photo	Part No.	Price
PERTRONIX IGNITION			
Ignitor Ignition Conversion Kit for International Harvester 4-Cylinder Ignitor ignition conversion kit converts points to electronic ignition. With magnetic trigger. For International Harvester 4-cylinder. Kit.		PRT1442	
Ignitor II Ignition Conversion Kit for Malory V8 Distributors Ignitor II ignition conversion kit converts points to electronic ignition. With magnetic trigger. For Malory V8 distributors.		PRT9ML-141C	
PIAA			
LP560 LED Light Kit with Driving Light Pattern LP560 LED driving light assembly includes 2 white LEDs in 6" round housings. Draws 7 watts. Surface-mounted black powder-coated steel housing.		PIA5672	
POWERTRAX			
GRIP PRO Posi Differential for Ford 9"—35 Spline Grip Pro 35-spline posi differential. Steel. For Ford 9" rear end. Each.		PTXGT109035	
PROFORM			
Manual Piston Ring Filer Manually cranked piston ring filer/grinding tool. Aluminum/steel construction. Each.		PFM66785	
10" Deluxe Air Cleaner Assembly Deluxe 10" round air cleaner assembly features a 2" element, 5-1/8" and 4-7/32" carb flange, and a drop base. Steel/chrome. Kit.		PFM66802	
Slim Fit Radiator 1982-92 Camaro Auto Transmission Slim-fit direct-fit series single-pass radiator w/electric fan. 30-1/2"W x 16-13/32"H x 4"D with driver's side inlet and passenger side outlet. Natural aluminum. For 1982-92 GM F-body w/ manual transmission. Each.		PFM69610.2	
Slim-Fit Radiator for 1968-77 Chevelle w/Automatic Transmission Slim-Fit universal series single-pass radiator measures 31-13/64"W x 16-51/64"H x 4"D, with driver side inlet and passenger side outlet. For 1968-77 GM A-body w/ automatic transmission. Each		PFM69625.2	
Slim Fit Radiator 1979-93 Mustang Manual Slim-fit direct-fit series single-pass radiator w/electric fan. 29-7/64"W x 18-7/64"H x 4"D with passenger side inlet and driver's side outlet. Natural aluminum. For 1979-93 Ford Mustang w/ manual transmission. Each.		PFM69680.1	
PRO SHOCK			
WB-Series Pro Shock Coil-Over Kit 2.5" WB-Series Pro Shock coil-over kit with 2.500" I.D. spring and 5.5" sleeve. Black anodized aluminum.		PROC300WB	
PYPES PERFORMANCE EXHAUST			
H-Pipe with Cats for 2005-10 Mustang w/ Long Tube Headers Catted exhaust H-pipe features 2-1/2" stainless steel pipe. Use with HDR555 long tube headers. Natural finish. For 2005-10 Ford Mustang with Ford Modular engine. Each.		PYPHFM55E	
Header-Back Exhaust Kit for 1967-69 Camaro Header-back exhaust system with 2-1/2" pipe and 2-1/2" tips. Natural stainless steel. For 1967-69 GM F-Body.		PYPSGF60V	
X-Pipe with Catalytic Converters for 1979-95 Mustang Catted exhaust X-Pipe is 2-1/2" diameter. Natural stainless steel. For 1979-95 Mustang with 5.0L. Each.		PYPXFM30E	













CALL NOW! UNBELIEVABLE DEALS!

DON'T MISS OUT ON THESE LIMITED QUANTITIES AVAILABLE AT SPECIAL SALE PRICES

Description	Photo	Part No.	Price
QUICK TIME			
Bellhousing SBF 5.0/5.8L to Toploader/Borg T10 Bellhousing with block plate and hardware for small block Ford to Borg Warner T10/Top Loader/Short Shaft TKO. Black painted steel. SFI 6.1.		QTMRM-6063	
READY LIFT			
2-1/2" Suspension Lift Kit for 2018-22 Jeep JL Rubicon SST suspension lift kit provides 2-1/2" front lift and 2" rear lift. Includes brackets, bushings, hardware. For 2018-22 Jeep Wrangler Rubicon.		RDY69-6825	
REDLINE OIL			
5W50 Synthetic Motor Oil, Case of 12 x 1 Qt. High-performance, high-zinc 5W50 synthetic motor oil. Case of 12x 1-qt bottles.		RED11624	
MT-90 75W90 GL-4 Manual Transmission Lube, Case of 12 Qt. MT90 75W90 synthetic manual transmission fluid. Case of 12x 1-qt. bottles.		RED50324	
MT-LV GL-4 70W/75W Gear Oil, Case of 12 x 1 Qt. MT-LV 70W/75W synthetic gear oil/transmission lube. Case of 12x 1-qt. bottles.		RED50624	
75W90NS Gear Oil, Case of 12x 1 Qt. 75W90NS synthetic gear oil. Case of 12x 1 qt. bottles.		RED58324	
REESE			
T-One Connector Assembly w/Circuit Protection, 2005-08 Jeep Trailer light wiring harness with T-One Connector. Vehicle side 4 flat with brake, tail lights, and turn signals. For 2005-06 Jeep Grand Cherokee. Kit.		REE118394	
T-One Connector Assembly w/Circuit Protection, 2011-19 Toyota Sienna Trailer light wiring harness with T-One Connector. Vehicle side 4 flat with brake, tail lights, and turn signals. For 2011-19 Toyota Sienna. Kit.		REE118498	
4-Flat Trailer End Connector with 11-ft Coiled Harness Trailer light wiring harness with trailer-side 4-flat end and 11-ft long coiled lead with brake/tail lights. Universal trailer. Each.		REE54000-026	
Class III Ball Mount for GTW up to 6000 lbs. Ball mount hitch for 1" shank ball. 16" long with 2" drop. 6,000 lbs GTW capacity. Black powder-coated steel. Ball not included. Each.		REE80232	
Outboard Motor Lock Outboard motor lock with foam padding. Includes 2 keys. Black steel. Each.		REE0ML0127	
RICHMOND			
Super Street Manual 5-Speed Transmission with Overdrive Super Street manual 5-speed transmission with overdrive has 26-spline input and 32-spline output. Aluminum. For GM applications. Kit.		RIC7020526B	
SALDANA			
Engine Mount Radiator for Sprint Car Complete Cross-flow radiator measures 20.625"W x 16"H x 1.750"D with quad -10AN driver side inlets and center outlet. Includes brackets, hardware, overflow can, and WP housing. Natural aluminum. For Sprint Cars.		PLASRS15CFDM-SP-KIT	
SLP PERFORMANCE			
Front Lower Splitter for 2010-13 V8 Camaro Bolt-on front fascia splitter includes hardware. Black plastic. Kit.		SLP100039A	















CALL NOW! UNBELIEVABLE DEALS!

DON'T MISS OUT ON THESE LIMITED QUANTITIES AVAILABLE AT SPECIAL SALE PRICES

Description	Photo	Part No.	Price
SLP PERFORMANCE			
Loudmouth Bullet-Style Resonator with 2-1/2" Inlet/outlet Loudmouth resonator is 4-1/2" diameter x 18-3/16 long with 2-1/2" center inlet/outlet. Polished stainless steel. Each.		SLP310013919	
STOPTECH			
Stainless Steel Brake Line Kit Premium sport stainless steel brake line kit is a direct-fit OE replacement . For 2007-16 GM full-size SUVs.		STP950.66002	
STROUD SAFETY			
Fire Suppression System with Novec 1230 Pull-cable activated fire suppression system with Novec 1230 fire suppressant includes a 5.0-lb bottle, fittings, hose, mount, and pull-cable.		STR9302	
SUNOCO RACE JUGS			
Utility Jug Lid w/ Hose Adapter Boss Utility jug cap with 3/4" NPT port with plug. Black plastic. Fits Sunoco utility jugs. Each.		SRJR1110BKSQ	
Filler Hose 14" long filler hose for Sunoco utility jugs. 3/4" NPT fitting. Clear vinyl with gray plastic screw-on cap. Fits Sunoco utility jug caps. Each.		SRJR3044	
Self-Venting Hose 14" long self-venting filler hose for Sunoco Gen II utility jugs. 3/4" NPT fitting. Clear vinyl with gray plastic screw-on cap. Each.		SRJR3044SV	
Filler Hose with Aluminum Shut-Off Valve 13" long filler hose with aluminum shut-off valve for Sunoco utility jugs. 3/4" NPT fitting. Clear vinyl and black plastic. Includes screw-on cap.		SRJR4045	
SUPERWINCH			
LT2000-2000# ATV Winch with Roller Fairlead LT2000 series 12V winch has a 2,000 lb capacity and includes a roller fairlead, 8-ft. remote, and 5/32" x 50-ft steel rope. Each.		SUP1120210	
TI22 PERFORMANCE			
Wide-Jaw Bead Breaker for 15" Wheels Wide-jaw bead breaker for 15" wheels. Black powder-coated steel. Each.		TIP8505	
TRU-COOL			
Plate-Type Engine Oil Cooler LPD plate-type fluid cooler measures 2.75" x 11" x 1.5", with 1/2"NPT female inlet and outlet. For automatic transmission. Black painted aluminum. Each.		TRUB7B	
TURBO START			
Restoration Battery for 1965-74 Mopar AGM-type restoration 12V battery has 550 cranking amps. Measures 10.125"L x 9.000"H x 6.625", with standard terminals. For 1965-75 Mopar.		TRBS24MG	
VALVOLINE			
Valvoline Synthetic 75W90 Differential Oil—1-Quart Synthetic 75W90 differential gear oil with limited slip additive. Sold in 1-quart bottles. Each.		VAL975	
VIBRANT PERFORMANCE			
Manual Bead Roller Vise-mounted manual bead roller handles material up to 18-gauge thickness. Includes mandrels. Black painted steel. Kit.		VIB2990	

CALL NOW! UNBELIEVABLE DEALS!

DON'T MISS OUT ON THESE LIMITED QUANTITIES AVAILABLE AT SPECIAL SALE PRICES

Description	Photo	Part No.	Price
VOLANT			
Closed Box Air Intake for 2011-15 Jeep Grand Cherokee/Dodge Durango Closed box air induction system includes a blue reusable filter. Black plastic housing. 2011-15 Dodge Durango/Jeep Grand Cherokee w/ Gen III Hemi.		VOL16157	
WARN			
Epic Winch Hook with 5,000-lb Capacity Epic winch tow hook bolts on and has a 5,000 lb capacity. Features an integrated bottle opener. Black powder-coated steel. Each.		WAR92089	
WELD RACING			
17" x 11" RT-S Wheel with 7.7" Backspace S71 17" x 11" high pad aluminum wheel with 7.7" backspace and 5 x 4.75" bolt pattern. Black anodized/polished aluminum. Each.		WEL71HB7110B77A	
15" x 3.5" Full Throttle Wheel w/ Strange Spindle Mount Full Throttle 15" x 3.5" wheel with 1.750" backspace and Strange spindle mount. Black anodized aluminum. Each.		WEL82B-15001	
15" x 14" V-Series Drag Wheel 5.0" Backspace V-Series 15" x 14" drag wheel with 5.000" backspace and 5 x 4.75" bolt pattern. Black anodized/polished aluminum. Each.		WEL84B-514280CB	
15" x 8" Wheel Direct Mount 5" Backspace No Cover, Polished Direct-mount 15 x 8" aluminum wheel with 5.000" backspace and 5 x 9.75" bolt pattern. No cover. Polished finish. Each.		WEL860-50815	
7" x 2.25" Magnum 1-Piece Wheel w/ Anglia Spindle Mount Magnum Frontrunner 17" x 2.25" 1-piece wheel with 1.13" backspace and Anglia spindle mounting. Black anodized aluminum. Each.		WEL86B-17000	
15" x 3.5" AlumaStar 2.0 1.75" Backspace w/ Strange Spindle Mount AlumaStar 15" x 3.5" 1-piece aluminum wheel with 1.750" backspace and Strange spindle mount. Polished aluminum. Each.		WEL88-15001	
17" x 4.5" AlumaStar 2.0 Wheel 2.250" Backspace AlumaStar 17" x 4.5" 1-piece wheel with 2.250" backspace and 5 x 4.50" bolt pattern. Polished aluminum. Each.		WEL88-1704204	
15" x 8" AlumaStar 2.0 Wheel 4.000" Backspace AlumaStar 15" x 8" wheel with 4.000" backspace and 5 x 4.75" bolt pattern. Polished aluminum. Each.		WEL88-508278	
15" x 10" Pro Star Wheel 4.5" Backspace Pro Star 15" x 10" wheel with 4.500" backspace and 5 x 4.50" bolt pattern. Polished aluminum. Each.		WEL96-510208	
15" x 12" Pro Star 4.5" Backspace Pro Star 15" x 12" wheel with 4.500" backspace and 5 x 4.50" bolt pattern. Polished aluminum. Each.		WEL96-512208	
WILLYS CARB			
Carburetor Gas Equalizer GM CT525 Crate Equalizer 4-barrel carburetor flows 750 CFM. Square bore, no choke, with mechanical secondary and dual inlet. Black powder-coated finish. Gas, for CT525 crate engine. Each.		WCD85252EQ	
WINTERS			
2.5" GN Quick-Change Rear Axle Assembly 2-1/2" GN quick-change 60" wide rear axle assembly with 10" ring gear, 4.86 ratio standard, and magnesium center. Kit.		WINK5063-60C	

NEW PRODUCTS



SNS2 Series Shock Absorbers

Racer rebuildable, SNS2 steel cap shock absorbers are designed to meet various sanctioning body rules. Modular 46mm steel bodied shocks are standard with digressive or linear pistons. Shocks may be converted to coil-overs. Available dry kits are less valve stack, oil, or nitrogen.

Part No.	Overall Length	Compressed Length	Stroke	Comp. Damping	Rebound Damping	Price
Digressive Shock Absorbers						
BIL33-304007	20.00"	13.14"	7"	2	10	
BIL33-304014	20.00"	13.14"	7"	2	12	
BIL33-304052	20.00"	13.14"	7"	3	8	
BIL33-304090	20.00"	13.14"	7"	4	8	
BIL33-304106	20.00"	13.14"	7"	4	1	
BIL33-304113	20.00"	13.14"	7"	4	12	
BIL33-304311	23.44"	14.94"	9"	9	2	
BIL33-304328	23.44"	14.94"	9"	10	2	
BIL33-304335	23.44"	14.94"	9"	12	2	
BIL33-304281	23.44"	14.94"	9"	8	2	
BIL33-304304	23.44"	14.94"	9"	9	1	
Linear Shock Absorbers						
BIL33-304083	20.00"	13.14"	7"	4	6	
BIL33-304175	23.44"	14.94"	9"	3	3	
BIL33-304182	23.44"	14.94"	9"	3	5	
BIL33-304205	23.44"	14.94"	9"	4	4	
Dry Kits						
BIL33-315560*	23.44"	14.94"	9"	—	—	

*Piston and band must be purchased separately.

SNS2-BV Series Shock Absorbers

Modular, SNS2-BV shocks incorporate BV (Base Valve) technology that provides ultra-low rod pressure, eliminating gas preload, while providing fade-free performance. Shocks are manufactured using 46mm steel bodies, 14mm case hardened stainless steel chrome shafts, linear or digressive pistons, and 1/2" graphite heims. Available dry kits are less valve stack, oil, or nitrogen.



Part No.	Overall Length	Compressed Length	Stroke	Comp. Damping	Rebound Damping	Price
Digressive Shock Absorbers						
BIL33-297910	20.00"	13.14"	7"	2	10	
BIL33-297927	20.00"	13.14"	7"	2	12	
BIL33-297965	20.00"	13.14"	7"	3	8	
BIL33-298009	20.00"	13.14"	7"	4	8	
BIL33-298016	20.00"	13.14"	7"	4	10	
BIL33-298023	20.00"	13.14"	7"	4	12	
BIL33-298191	23.44"	14.94"	9"	8	2	
BIL33-298214	23.44"	14.94"	9"	9	1	
BIL33-298221	23.44"	14.94"	9"	9	2	
BIL33-298238	23.44"	14.94"	9"	10	2	
BIL33-298245	23.44"	14.94"	9"	12	2	
Linear Shock Absorbers						
BIL33-297996	20.00"	13.14"	7"	4	6	
BIL33-298085	23.44"	14.94"	9"	3	3	
BIL33-298092	23.44"	14.94"	9"	3	5	
BIL33-298115	23.44"	14.94"	9"	4	4	
Dry Shock Kits						
BIL33-316680*	20.00"	13.14"	7"	—	—	
BIL33-316697*	23.44"	14.94"	9"	—	—	

*Piston and band must be purchased separately.



Digressive Valve Spacer AFC8000061

Ideal to have on hand when rebuilding shock absorbers using Schrader valves, spacer has a 35mm O.D. and a five-hole design.

2-5/8" I.D. Extreme Chrome Coil-Over Spring AFC24080CR New Rate!

Polished inside and out, chrome-plated spring is 2-5/8" I.D. x 14" tall and has an 80 lb. rate.

2" Shock Shaft Extension AFC55000049802

Rigid steel, 2" extension fits AFCO shocks with a 1/2" shaft.

Shock Rod Guide AFC550000039

Fits all AFCO gas-charged shock absorbers.

Piston Guide Ring 5-Pack AFC550060023-5

Piston guide ring fits large body, twin tube, and small body monotube shocks. Sold in 5-pack.



GN Rear 5 x 5 Air Gap Seal DRP007-10568AG

Aluminum-housed seal, engineered for GN rear 5 x 5 applications, reduces seal drag, thereby increasing hub free spin.

Speedway Mod Lite Rear Hub Bearing Spacer DRP007-10519

Precision-machined spacer installs between the inner and outer wheel bearings, and provides reduced wheel bearing friction, lowered bearing temperatures, and increased wheel spin. Designed for use with 18690 bearings.

'79-81 Camaro Low Drag Hub Parts Kit DRP007-10521SK-1

All-in-one kit delivers reduced wheel bearing friction, lowered bearing temperatures, and increased hub free spin. Includes components for a single hub: premium finished inner and outer wheel bearings, low drag seal, and bearing spacer.

Legends Car Premium Finished Front Wheel Bearing and Race Kits

Premium finished wheel bearings and races provide reduced friction and rolling resistance, resulting in lowered bearing temperatures and increased wheel spin. Includes components for a single hub.



Part No.	Description	Price
DRP007-10585	Front Wheel Bearing Kit, Includes (1) Inner & (1) Outer Bearing	
DRP007-10585R	Front Race Kit, Includes (1) Inner & (1) Outer Race	



2-1/2" I.D. XT Barrel Springs New Heights and Rates! Your Choice -

Extreme Travel springs are specially engineered to provide increased travel and reduced weight. Springs deliver maximum travel in combination with the smallest block heights. All springs are imprinted with the part number, and guaranteed to remain within 2% of their rate and height for the life of the spring.

Part No.	Description
EIB0600.2530.0050	6" Tall x 50 lb. Rate
EIB0600.2530.0075	6" Tall x 75 lb. Rate
EIB0600.2530.0100	6" Tall x 100 lb. Rate
EIB0600.2530.0150	6" Tall x 150 lb. Rate
EIB0600.2530.0200	6" Tall x 200 lb. Rate
EIB0600.2530.0250	6" Tall x 250 lb. Rate
EIB0600.2530.0300	6" Tall x 300 lb. Rate
EIB0600.2530.0350	6" Tall x 350 lb. Rate
EIB0600.2530.0400	6" Tall x 400 lb. Rate
EIB0600.2530.0450	6" Tall x 450 lb. Rate
EIB0600.2530.0500	6" Tall x 500 lb. Rate
EIB0800.2530.0100	8" Tall x 100 lb. Rate
EIB1000.2530.0125	10" Tall x 125 lb. Rate
EIB1000.2530.0150	10" Tall x 150 lb. Rate
EIB1000.2530.0175	10" Tall x 175 lb. Rate
EIB1000.2530.0200	10" Tall x 200 lb. Rate
EIB1000.2530.0225	10" Tall x 225 lb. Rate
EIB1000.2530.0250	10" Tall x 250 lb. Rate
EIB1000.2530.0300	10" Tall x 300 lb. Rate
EIB1000.2530.0350	10" Tall x 350 lb. Rate
EIB1000.2530.0375	10" Tall x 375 lb. Rate
EIB1000.2530.0400	10" Tall x 400 lb. Rate
EIB1000.2530.0425	10" Tall x 425 lb. Rate
EIB1000.2530.0450	10" Tall x 450 lb. Rate



2-1/2" I.D. Coil-Over Springs New Rates! Your Choice -

Chrome-silicon steel springs are cold formed on CNC coilers, heat tempered, shot-peened, pre-set, phosphate-treated, and red powder coated with a durable epoxy finish. All springs are imprinted with the part number and are guaranteed to remain within 2% of their rate and height for the life of the spring.

Part No.	Description
EIB0800.250.1000	8" Tall x 1,000 lb. Rate
EIB0800.250.1100	8" Tall x 1,100 lb. Rate
EIB0800.250.1200	8" Tall x 1,200 lb. Rate
EIB0800.250.1300	8" Tall x 1,300 lb. Rate
EIB0800.250.1400	8" Tall x 1,400 lb. Rate
EIB0800.250.1500	8" Tall x 1,500 lb. Rate



DTC-60 Brake Pads for BMW HAWHB136G690 Per Axle Set

High-performance street brake pads offer a higher coefficient of friction and provide 20-40% more stopping power and increased resistance to brake fade compared to OEM pads. Front pads fit 1992-98 318i; 1992-97 318is; 1995-99 318ti; 1992-95 325i/325is; 1996-2000 328i; 1996-99 328is, and 1996-2002 Z3.



Upper Ball Joint JOE14800 Each

Versatile mono-ball bearing style ball joint offers friction-free performance, while allowing roll center and camber gain adjustments right at the track.



Aluminum Nitrogen Tank JOE32352-T

Easy to handle and transport, lightweight aluminum tank eases the topping off of tire pressures. Tank is 5-1/4" O.D. x 18" high, weighs just 6.3 lbs. (empty), and can hold up to 14.5 cubic ft. of nitrogen at a maximum of 1,800 PSI.



Micro Sprint Clutch Cables

Designed to provide smooth operation and an extended life, premium-quality cables combine an inner nylon sleeve with a black vinyl coil-wound housing. Offered for popular Yamaha and Suzuki applications.



Part No.	Application	Price
JOE51562	1999-2005 Yamaha R6; 2006-09 Yamaha R6S	
JOE51564	2008-11 Suzuki GSX-R750/GSX-R600	



Profi II 6-Point Harness SRBSR91156NCPU

Utilizing 2" to 3" individual shoulder belts for compatibility with HANS, harness includes an easy-to-use Camlock mechanism, 2" lap belts with a right-side, pull-up adjuster, and dual 2" submarine belts. Meets SFI 16.5 standards. Black only.



Flexi 2x2 6-Point Harness SRBSR94530-0-27

Camlock-style harness features Frontal Head Restraint-specific 2" shoulder belts, 2" Flexi lap belts, and T-bar adjustable dual 2" submarine belts. Meets FIA 8853-2016 standards. Includes hardware for snap-in installation. Black only.



NEW PRODUCTS



Radius Tooth HTD Water Pump Pulley JRPWP-6104-36A

Rigid billet aluminum HTD pulley includes 36 teeth and a black anodized finish.



Water Pump Pulley Mounting Kit JRPWP-5104-MK

Includes pulley shims, pilot bushing, and fasteners.




Radius Tooth HTD Belt JRP576-10HD

Belt is 22.677" long x 10mm wide with an 8mm pitch.



Pro Series III Power Steering Pump with PTO Fuel Pump Output KRCPS329216821

High-volume Pro Series III 9.6cc aluminum power steering pump mounts to the rear of a dry sump oil pump with the proper adapter, and features a 17-spline input shaft and PTO output for a fuel pump. Oil pump adapter must be purchased separately.



NOCO

Jump Starter Cases

Designed to store and protect NOCO jump starters, portable carrying cases fit into most glove boxes or compartments. Cases are constructed from durable EVA material and include a soft lining for a secure, scratch-free fit.



Part No.	Description	Price
NOCGBC101	Storage Case for GBX45	
NOCGBC102	Storage Case for GBX55	
NOCGBC103	Storage Case for GBX75	
NOCGBC104	Storage Case for GBX155	

Boost X

Utilizing the latest PX lithium technology, Boost X offers maximum jumping power, ultra-quick charging, and unsurpassed versatility. Lightweight and portable, lithium jump starters are suited to 12-volt batteries common to cars, trucks, SUV's, motorcycles, ATV's, boats, etc. UltraSafe feature provides spark-proof technology and reverse polarity protection.



Part No.	Description	Price
NOCGBX45	1250-Amp Jump Starter, Up to 6.5L Gas/4.0L Diesel	
NOCGBX55	1750-Amp Jump Starter, Up to 7.5L Gas/5.0L Diesel	
NOCGBX75	2500-Amp Jump Starter, Up to 8.5L Gas/6.5L Diesel	
NOCGBX155	4250-Amp Jump Starter, Up to 10.0L Gas/8.0L Diesel	



Flight Glove

Per Pair

Ultra-lightweight Nomex gloves utilize a pre-curved and ergonomically designed palm and finger design that is combined with a proprietary anti-slip texture on the inner palm, resulting in unsurpassed comfort and feel. Double-layer gloves meet SFI 3.3/5 standards. Offered in black/fluorescent orange, black/fluorescent yellow, black/red, or white.



Size	Black/ Fluorescent Orange	Black/ Fluorescent Yellow	Black/ Red	White
Small	K1R23-FLT-NFO-S	K1R23-FLT-NFY-S	K1R23-FLT-NR-S	K1R23-FLT-WG-S
Medium	K1R23-FLT-NFO-M	K1R23-FLT-NFY-M	K1R23-FLT-NR-M	K1R23-FLT-WG-M
Large	K1R23-FLT-NFO-L	K1R23-FLT-NFY-L	K1R23-FLT-NR-L	K1R23-FLT-WG-L
X-Large	K1R23-FLT-NFO-XL	K1R23-FLT-NFY-XL	K1R23-FLT-NR-XL	K1R23-FLT-WG-XL
XX-Large	K1R23-FLT-NFO-XXL	K1R23-FLT-NFY-XXL	K1R23-FLT-NR-XXL	K1R23-FLT-WG-XXL

Precision II Youth Driving Suit

Sharing the same design and features of the current Precision II but in youth sizing. Double-layer, one-piece driving suit is constructed from lightweight, premium-quality Aramidic material. Suit includes 360° full floating sleeves and four-way stretch panels across the back, knees, and crotch for a full range of motion. Meets SFI 3.2A/5 specifications. Offered in black/gray, black/blue, or black/red.

Size	Black/Gray	Black/Blue	Black/Red
7 X-Small	K1R20-PRY-NG-7XS	K1R20-PRY-NB-7XS	K1R20-PRY-NR-7XS
6 X-Small	K1R20-PRY-NG-6XS	K1R20-PRY-NB-6XS	K1R20-PRY-NR-6XS
5 X-Small	K1R20-PRY-NG-5XS	K1R20-PRY-NB-5XS	K1R20-PRY-NR-5XS
4 X-Small	K1R20-PRY-NG-4XS	K1R20-PRY-NB-4XS	K1R20-PRY-NR-4XS
3 X-Small	K1R20-PRY-NG-3XS	K1R20-PRY-NB-3XS	K1R20-PRY-NR-3XS
2 X-Small	K1R20-PRY-NG-2XS	K1R20-PRY-NB-2XS	K1R20-PRY-NR-2XS
X-Small	K1R20-PRY-NG-XS	K1R20-PRY-NB-XS	K1R20-PRY-NR-XS

Your Choice





Champions of Safety

Zero 2020 FIA 3.0 Liter Fire Marshall Mechanical Fire Suppression System LIF106-001-011

Fire suppression system offers substantial coverage, while utilizing a smaller, lighter bottle filled with water based ABF foam for the quickest heat absorption and knock-down capability currently available. System includes three misting nozzles for the engine bay and two for the cockpit, pull cables, semi rigid alloy tubing, required fittings, mounting brackets, and hardware. FIA technical list 16 compliant.



Zero 2020 FIA 3.0 Liter Fire Marshall Mechanical Bottle Only LIF106-001-011-B

Compact and lightweight, 3.0 liter bottle is filled with ABF foam for the quickest heat absorption and knock-down capability.



Hand-Held AFFF Fire Extinguishers

Portable fire extinguishers are ideal for commercial or private vehicles, trailers, or work shops. Units are filled with AFFF (Aqueous Film Forming Foam) suppressant, a non-toxic, o-zone friendly suppressant.

Part No.	Description	Price
LIF201-100-002	1.75-Liter Fire Extinguisher	
LIF201-100-003	2.4-Liter Fire Extinguisher	



Semi-Rigid Alloy Tube LIF951-101-008-6

Specifically designed for use with all types of motorsports fire suppression systems, 8mm tubing is sold in 6 meter lengths.



High-Intensity Rear LED Rain Light LIF421-100-011

Mandated by several North American racing series including IMSA and FIA, LED light is intensely bright and includes a 4Hz flash mode that meets FIA standards. Unit is very lightweight, engineered with an aluminum heat sink base, 100% weatherproof connectors, and has an estimated 35,000 hour life.



Dirt Modified Driveshaft QA1JJ-12206 Stocking New Length!



Among the lightest driveshafts currently available for Dirt Modifieds, weighing just 5.7 lbs. Driveshaft is 2.25" dia. x 31.5" long, wound in house with 3M Matrix Resin, and fit with 7075 aluminum tube yokes and Spicer Life Series 1310 U-joints. Sold complete with an 8" long, 27-spline slip yoke.



R4 Series Wet Sump Oil Pumps

A revolutionary twisted lobe design combined with the use of aluminum rotors helps maximize pump efficiency and increase performance, while shallow depth, screw-in fittings make for a low profile. Rear drive mounts to all power steering pumps, eliminating adapter rings.



Part No.	Description	Price
PTR04-1004	Left Side Mount, Std. Volume, 1.2" Pressure	
PTR04-1024	Right Side Mount, Std. Volume, 1.2" Pressure	
PTR04-1026	Right Side Mount, High Volume, 1.4" Pressure	

R4 Series Dry Sump Oil Pumps

The R4 series four-lobe, aluminum rotor design offers superior flow, vacuum, and pressure, even at high temperatures. Weight has been minimized without compromising strength or durability. Rear drive mounts to all power steering pumps, eliminating adapter rings.



Part No.	Description	Price
PTR04-3004	3-Stage, Left Side Mount, Single Return, 1.2" Scavenge/1.2" Pressure	
PTR04-3024	3-Stage, Right Side Mount, Single Return, 1.2" Scavenge/1.2" Pressure	
PTR04-4004	4-Stage, Left Side Mount, Single Return, 1.2" Scavenge/1.2" Pressure	
PTR04-4024	4-Stage, Right Side Mount, Single Return, 1.2" Scavenge/1.2" Pressure	
PTR04-5064	5-Stage, Left Side Mount, Single Return, 1.4" Scavenge/1.2" Pressure	

Remote Filter Mount Bracket PTR08-2207

Specialized strap mount allows securing a remote oil filter directly to a 7" dia. dry sump tank, simplifying plumbing while helping reduce engine bay clutter.



400 Series In-Line Oil Filter PTR09-1433

In-line oil filter has 25% more filter area than similar units. Filter is 2-1/2" dia., and has a 100-micron stainless steel element, built-in bypass, and -16AN male fittings.



Lightweight 1-1/2 Gallon Dry Sump Tank PTR08-0823

Similar to Peterson's traditional dry sump tanks but with a lightweight baffle system, bolt-together flange, single return line, and aluminum cap, resulting in significantly reduced unit weight. Tank is 14" high x 6" dia., and can be easily disassembled for cleaning. Bracket sold separately.





Two-Person 364 Communication Intercom Systems with Helmet Kits

Affordable, simple to use, and expandable. Intercom system with helmet kits allows in-vehicle communication between two people, yet may be easily expanded for four as desired. System additionally allows streaming music and making phone calls via Bluetooth. Choose from systems with or without R1 Handheld 2-way radio that allows for car-to-car communication.



Part No.	Description	Price
RGR364-2P-HK	Two-Person Intercom System with Helmet Kits	
RGR364-2P-HK-R1	Two-Person Intercom System with Helmet Kits and 2-Way Radio	

JP1 Jeep Radio Kit with Waterproof Mobile Radio

Designed exclusively for use in 2018-up Wrangler JL/JU and 2020-up Gladiator JT, waterproof mobile radio allows crystal clear communication for miles, utilizing a low-loss, double-shielded antenna cable that transmits through a five-point antenna. Choose from units with GMR25 (25 watts of GMRS power), or GMR45 (45 watts of GMRS power) mobile radio.



Part No.	Description	Price
RGRJP1-GMR25	Jeep Kit with GMR25 Mobile Radio	
RGRJP1-GMR45	Jeep Kit with GMR45 Mobile Radio	

TK3 Toyota Radio Kit with Waterproof Mobile Radio

System provides crystal clear communication for miles to the owners of popular Toyotas, including 2005-up Tacoma, 2003-22 4Runner, and 2003-09 Lexus GX470. Waterproof mobile radio uses a low-loss, double-shielded antenna cable that transmits through a five-point antenna. Choose from units with GMR25 (25 watts of GMRS power), or GMR45 (45 watts of GMRS power) mobile radio.



Part No.	Description	Price
RGRTK3-GMR25	Toyota Kit with GMR25 Mobile Radio	
RGRTK3-GMR45	Toyota Kit with GMR45 Mobile Radio	

Bar Mounts for Intercoms/Radios/Accessories Your Choice -

Billet aluminum, half-clamp design mounts allow securing intercoms, headset hangers, and other accessories to 1-1/4", 1-1/2", or 1-3/4" tubing. Black anodized finished mounts include stainless hardware.



Part No.	Description
RGRBM-1.25	MAC AIR 1-1/4" Bar Mount
RGRBM-1.5	MAC AIR 1-1/2" Bar Mount
RGRBM-1.75	MAC AIR 1-3/4" Bar Mount

Note: Two bar mounts are required to secure an intercom.



SB Chevy Long Tube Modified Headers SCH1155LB

Standard small block Chevy headers, designed for IMCA/UMP Modifieds using Billsbuilt, Impressive, GRT, 2019-up Larry Shaw, LG2, or Ruhlman chassis, include extended primary tubes for maximum torque and horsepower. Headers have 1-5/8" primary tubes and 3" collectors. Sold complete with gaskets and bolts.



SB Ford Dyno/Sprint Headers SCH3024LVN

Equally suited for dyno or sprint usage, Ford headers are constructed to clear 4" from the head to the inside of the header, and are swept forward for additional muffler clearance. Headers include "stepped" 1-3/4" to 1-7/8" primary tubes and 3-1/2" x 13" long collectors. Sold complete with bolts and gaskets.



Pit Stop Shoes Per Pair

SFI-approved shoe is specifically designed for over-the-wall pit crew personnel, yet equally suited to other activities where a durable, thicker sole is desired. Shoe combines a suede upper and leather toe box panels with a fuel- and oil-resistant rubber sole. Black only.

Part No.	Size
SC00012PS2008NR	8
SC00012PS2085NR	8-1/2
SC00012PS2009NR	9
SC00012PS2095NR	9-1/2
SC00012PS2010NR	10
SC00012PS2105NR	10-1/2
SC00012PS2011NR	11
SC00012PS2115NR	11-1/2
SC00012PS2012NR	12
SC00012PS2013NR	13
SC00012PS2014NR	14
SC00012PS2015NR	15



Triple-X Ball Cap TXRAP-CAP-72

Logoed black cap. One size fits all.



Tall Small Block Chevy Valve Covers TXRSC-EG-0003BLK

Tall black anodized fabricated aluminum valve covers for small block Chevy powerplants.



RaceQuip

Nomex Multi-Layer 3.2A/15 Driving Suit

Comprised of multiple layers of quilted Nomex and Aramid fabric, suit is flexible and comfortable while meeting stringent SFI 3.2A/15 specifications. Both jacket and pants feature a shiny black finish with vertical quilting, while Nomex is employed on the cuffs, epaulets, pockets, and accents. Includes SFI 3.3 arm restraint D-rings and clip-on tethers. Two-piece suit is offered in black only.

Part No.	Size	Price
Jackets		
RQP91919929	Small	
RQP91919939	Medium	
RQP91919959	Large	
RQP91919969	X-Large	
RQP91919979	XX-Large	
Pants		
RQP91929929	Small	
RQP91929939	Medium	
RQP91929959	Large	
RQP91929969	X-Large	
RQP91929979	XX-Large	



Nomex Multi-Layer 3.2A/20 Driving Suit

Multi-layer suit combines the benefits of Nomex and Aramid fabrics, resulting in a suit that is comfortable and flexible while meeting SFI 3.2A/20 specifications. Both jacket and pants feature a shiny black finish with vertical quilting, while Nomex is employed on the cuffs, epaulets, pockets, and accents. Includes SFI 3.3 arm restraint D-rings and clip-on tethers. Two-piece suit is offered in black only.

Part No.	Size	Price
Jackets		
RQP91930029	Small	
RQP91930039	Medium	
RQP91930059	Large	
RQP91930069	X-Large	
RQP91930079	XX-Large	
Pants		
RQP91940029	Small	
RQP91940039	Medium	
RQP91940059	Large	
RQP91940069	X-Large	
RQP91940079	XX-Large	



356 Series Double-Layer Out-Seam Race Gloves Per Pair

Double-layer Nomex gloves have the seam on the outside for improved comfort and better steering wheel feel. Palms are high-grip suede leather, while the extra-long cuffed gauntlet adds fire protection. Meets SFI 3.3/5 specifications. Black only.

Part No.	Size
RQP356902	Small
RQP356903	Medium
RQP356905	Large
RQP356906	X-Large
RQP356907	XX-Large



FR Youth Underwear Your Choice -

Comfortable, fire-retardant underwear is made from a blend of Aramid and FRC fabrics. Meets SFI 3.3 standards. Black only.

Part No.	Size
RQP4910901	Youth X-Small Long Sleeve Top
RQP4910903	Youth Medium Long Sleeve Top
RQP4910906	Youth X-Large Long Sleeve Top
RQP4920901	Youth X-Small Bottom
RQP4920903	Youth Medium Bottom
RQP4920906	Youth X-Large Bottom



Five-Point 2" Cam-Lock Harness RQP841001

HANS-compatible cam-lock harness utilizes 2" wide individual shoulder belts, 2" lap belts with pull-down adjust, 2" crotch strap, and black epoxy-coated, drop-forged steel hardware. Harness utilizes wrap-around or bolt-in mounting. Meets SFI 16.1 specifications. Black only.



Five-Point 2" Latch-and-Link Harness RQP811001

Five-point harness set features HANS friendly, 2" wide individual shoulder belts, 2" lap belts with pull-down adjust, 2" crotch strap, and black epoxy-coated, drop-forged steel hardware. Harness utilizes wrap-around or bolt-in mounting. Meets SFI 16.1 specifications. Black only.




Ribbon Window Nets with 1" Mounting Straps

Constructed using heavy-duty 1" polypropylene webbing, window nets include extra-long adjustable bottom straps that allow mounting the net directly to a door bar, eliminating the need for a bottom net mounting kit.

Meets SFI 27.1 specifications. Offered in three sizes. Black only.

Part No.	Description	Price
RQP825001	15"H x 18"W.	
RQP825003	18"H x 18"W.	
RQP825005	18"H x 24"W.	



LCU-One Lambda Controller AIMX08LCU05CAN0

The LCU-One aids in achieving the perfect air/fuel ratio from carbureted engines for maximum performance. Controller uses a wide-band Bosch LSU 4.9 probe for maximum longevity. May be used in LCU-One CAN or LCU-One Analog configurations.



DISC BRAKES wilwood

Super Alloy Scalloped Rotor WIL160-10717

One of the lightest rotors currently offered for Sprint applications, weighing just 1.4 lbs. Super Alloy solid steel rotor is 10.50" x .160", features a scalloped and drilled design, and offers a significantly improved lifespan when compared to aluminum rotors. Requires WIL300-10720 rotor adapter, purchased separately



Open Wheel Rotor Adapter WIL300-10720

High-strength aluminum rotor adapter is engineered specifically for the left front of Sprint applications and has a 3 x 5.00" bolt circle. Type III hard anodized finished for durability. Use WIL230-10800 rotor bolt and T-nut kit for mounting.



Master Cylinder Reservoir and Cap WIL330-4615

Replacement reservoir and cap for WIL260-5520 and other remote-mount master cylinders.



BP-10 SmartPad 6712 Type Brake Pads WIL150-10006K

Versatile medium-friction pads are suited to light-to-medium braking for Dirt Late Models and Modifieds as well as street, muscle cars, and drag race applications. Compatible with Dynapro six-lug mount and Forged Dynapro 6A lug mount calipers.



Dynapro Dust-Boot Big Brake Kit for Mustang II WIL140-13378-D

Dynapro DB front brake kit offers substantially increased braking capability to applications using 1974-80 Mustang II/Pinto OEM or drop-style spindles. Includes black powder-coated Dynapro four-piston calipers, 12.19" dia. drilled and slotted rotors, high-performance brake pads, aluminum hubs, and required hardware.

NOTE: Requires minimum 15" wheels.



Dynapro Lug Mount Rear Parking Brake Kit for Ford Bronco WIL140-13664


DPL Pro-Series rear disc brake kit offers significantly improved braking to 1976-77 Bronco rears with Big Ford New flange and bearing. Kit includes black powder-coated Dynapro four-piston calipers, 12.19" dia. rotors, hidden internal parking brake system, high-performance brake pads, and required hardware.

NOTE: Requires minimum 15" wheels.



Air Box Clips Your Choice -

Designed with added spring pressure, these lightweight plastic clips ensure a proper airtight seal for the rectangular-style air box. Set of 6 clips.



Part	Description
WLK3001070-4	4" Tall
WLK3001070-6	6" Tall



Conventional 5" Dia. Front Coil Springs Stocking New Height and Rates!

Your Choice-

Each Swift conventional coil spring is engineered to deliver the optimal spring rate "sweet spot" where the spring is to be used.

Part No.	Description
SWI080-500-400F	5" Dia. x 8" Tall, 400 lb. Rate
SWI080-500-425F	5" Dia. x 8" Tall, 425 lb. Rate
SWI080-500-450F	5" Dia. x 8" Tall, 450 lb. Rate
SWI080-500-475F	5" Dia. x 8" Tall, 475 lb. Rate
SWI080-500-500F	5" Dia. x 8" Tall, 500 lb. Rate
SWI080-500-550F	5" Dia. x 8" Tall, 550 lb. Rate



5-1/2" Dia. Spring Swivel Drop Cup WEHWM285D-5.5

Made for use with conventional 5-1/2" coil springs, swivel cup allows spring rotation and angular alignment during travel. Swivel cup has a 2-1/2" drop bearing design to help the car gain side bite.



Short Spring Cup with 8" x 1" Screw Jack WEHWM304S-8

Spring cup is just 2-1/2" tall and includes an 8" long x 1"-8 thread (coarse) screw jack bolt.



Bump Steer/Toe Plate WEHWM316-5X5

Precision CNC-machined, billet aluminum setup plate is 12" x 23-1/2" x 3/4" thick, and allows setting both toe and bump steer with setup sticks at the car's compression travel height while the car is on jack stands. Plate includes centered small 5 pattern and offset small 5 pattern to simulate the ground at the contact patch of the tire.



Plus 1 RF Fabricated Chevelle Lower Control Arm WEHWM331RF-PLUS1

Rigid tubular steel lower control arm includes a helix-style coil spring seat and is designed to accept a large Chrysler screw in ball joint. Engineered for use on the right front, control arm is extended 1" and is sold complete with WEHWM200-8 bolt-on shock mount. Black powder-coated finish.



Clamp-On Hood Pin Mount WEHWM258175065

Aluminum mount clamps directly to 1-3/4" chassis tubing and accepts 1/2"-20 hood pins. Mount is 6-1/2" tall, measured from center of tube to top of mount.





Liberty Gloves Per Pair

Similar in construction and design to the popular Endurance glove, yet with USA pride. Nomex gloves are SFI 3.3/5 approved, and feature a pre-curved design with external seams along with palm and finger grips for improved steering wheel feel.

Part No.	Size
SIMLG5F	Small
SIMLG6F	Medium
SIMLG7F	Large
SIMLG8F	X-Large



Pilot Chute SIM42085S

Fits all Simpson models. Offered in fluorescent orange only.

Drag SFI 15 Racing Suits

Constructed from premium knit Nomex, SFI 3.2A/15-approved multi-layer drag race suits include box quilting, full arm gussets, vertical stitching, contrasting piping, and built-in arm restraints. Offered in one- or two-piece versions. Black only.

Part No.	Size	Price
One-Piece Racing Suits		
SIM4902231	Medium	
SIM4902331	Large	
SIM4902431	X-Large	
SIM4902531	XX-Large	
Two-Piece Racing Suits		
Jackets		
SIM4902234	Medium	
SIM4902334	Large	
SIM4902434	X-Large	
SIM4902534	XX-Large	
Pants		
SIM4902233	Medium	
SIM4902333	Large	
SIM4902433	X-Large	
SIM4902533	XX-Large	



Drag SFI 20 Racing Suits


Multi-layer Nomex construction drag race suits meet stringent SFI 3.2A/20 standards and feature vertical stitching and box quilting, while jackets add full arm gussets and built-in arm restraints. Black only. Choose from one- or two-piece (jacket and pants) versions.

Part No.	Size	Price
One-Piece Racing Suits		
SIM4802231	Medium	
SIM4802331	Large	
SIM4802431	X-Large	
SIM4802531	XX-Large	
Two-Piece Racing Suits		
Jackets		
SIM4802234	Medium	
SIM4802334	Large	
SIM4802434	X-Large	
SIM4802534	XX-Large	
Pants		
SIM4802233	Medium	
SIM4802333	Large	
SIM4802433	X-Large	
SIM4802533	XX-Large	



10" Front Brake Rotor TIP4066

These steel 10-inch diameter Sprint Car front brake rotors make for maximum stopping power. Each.



Fasteners

Oval-head quick-turn fastener. 7/16" x 0.500" body.



Part	Description	Price
Hex Head		
TIP8160	Aluminum, Natural Finish, 10-Count	
TIP8160-50	Aluminum, Natural Finish, 50-Count	
TIP8161	Aluminum, Black Anodized Finish, 10-Count	
TIP8161-50	Aluminum, Black Anodized Finish, 50-Count	
TIP8162	Aluminum, Zinc Oxide Finish, 10-Count	
TIP8162-50	Aluminum, Zinc Oxide Finish, 50-Count	
TIP8163	Steel, Zinc Oxide Finish, 10-Count	
TIP8163-50	Steel, Zinc Oxide Finish, 50-Count	
Oversized Torx Head		
TIP8164	Aluminum, Natural Finish, 10-Count	
TIP8164-50	Aluminum, Natural Finish, 50-Count	
TIP8165	Aluminum, Black Anodized 10-Count	
TIP8165-50	Aluminum, Black Anodized 50-Count	



Trail Armor

Designed to protect a vehicle's body when out on the trail. Made from tough and durable TPO material. No drill required. Install with 3M™ automotive-grade adhesive. OEM black matte finish. Made in the USA.



Part	Description	Price
Front Corner		
BUS14123	2021 Ford Bronco	
Rear Corner		
BUS14124	2021 Ford Bronco	
Hood Edge		
BUS14129	2007-18 Jeep Wrangler JK	
BUS14131	2019-22 Jeep Wrangler JL	



Titanium Knit Exhaust Sleeve DSN10042

This titanium knitted sleeves resist continuous temperatures of up to 1382°F and a maximum of 1800°F. Ideal for larger pipes/tubes as they can expand up to 1.5 times normal diameter, allowing installation over flanges and sensor threads. Includes cutting tool and tie wraps. 4" diameter x 36" long.





G-Limit Driving Suit

The G-Limit combines a 100% Nomex outer with an Aramid knit liner to deliver both comfort and superior thermal protection. Suit has a distinctive gloss finish, matching box quilting lines, and patch black epaulets for a professional appearance. Meets SFI 3.2A/5 specifications. Offered in one- or two-piece (jacket and pants) versions in black, red, or blue.

Size	Black	Blue	Red	Price
One-Piece Suits				
Small	GFR35451SMLBK	GFR35451SMLBU	GFR35451SMLRD	
Medium	GFR35451MEDBK	GFR35451MEDBU	GFR35451MEDRD	
Large	GFR35451LRGBK	GFR35451LRGBU	GFR35451LRGRD	
X-Large	GFR35451XLGBK	GFR35451XLGBU	GFR35451XLGRD	
XX-Large	GFR35451XXLBK	GFR35451XXLBU	GFR35451XXLRD	
XXX-Large	GFR35451XXXBK	GFR35451XXXBU	GFR35451XXXRD	
Two-Piece Suits				
Jackets				
Small	GFR35452SMLBK	GFR35452SMLBU	GFR35452SMLRD	
Medium	GFR35452MEDBK	GFR35452MEDBU	GFR35452MEDRD	
Large	GFR35452LRGBK	GFR35452LRGBU	GFR35452LRGRD	
X-Large	GFR35452XLGBK	GFR35452XLGBU	GFR35452XLGRD	
XX-Large	GFR35452XXLBK	GFR35452XXLBU	GFR35452XXLRD	
XXX-Large	GFR35452XXXBK	GFR35452XXXBU	GFR35452XXXRD	
XXXX-Large	GFR354524XLBK	GFR354524XLBU	GFR354524XLRD	
Pants				
Small	GFR35453SMLBK	GFR35453SMLBU	GFR35453SMLRD	
Medium	GFR35453MEDBK	GFR35453MEDBU	GFR35453MEDRD	
Large	GFR35453LRGBK	GFR35453LRGBU	GFR35453LRGRD	
X-Large	GFR35453XLGBK	GFR35453XLGBU	GFR35453XLGRD	
XX-Large	GFR35453XXLBK	GFR35453XXLBU	GFR35453XXLRD	
XXX-Large	GFR35453XXXBK	GFR35453XXXBU	GFR35453XXXRD	



G-Limit RS Gloves

Per Pair

Double-layer, Nomex knit gloves combine reverse seam palms with premium printed silicon pads for unsurpassed comfort and feel. Offered in black, blue, or red. Meets SFI 3.3A/5 specifications.

Size	Black	Blue	Red
Youth Small	GFR54000CSMBK	GFR54000CSMBU	GFR54000CSMRD
Youth Medium	GFR54000CMBK	GFR54000CMBU	GFR54000CMDRD
XX-Small	GFR54000XXSBK	GFR54000XXSBU	GFR54000XXSRD
X-Small	GFR54000XSMBK	GFR54000XSMBU	GFR54000XSMRD
Small	GFR54000SMLBK	GFR54000SMLBU	GFR54000SMLRD
Medium	GFR54000MEDBK	GFR54000MEDBU	GFR54000MEDRD
Large	GFR54000LRGBK	GFR54000LRGBU	GFR54000LRGRD
X-Large	GFR54000XLGBK	GFR54000XLGBU	GFR54000XLGRD
XX-Large	GFR54000XXLBK	GFR54000XXLBU	GFR54000XXLRD

2 Endurance FIA 6-Point Harness

GFR7624BK

European-style harness combines a cam-lock buckle system with HANS-compatible 2" shoulder, lap, and submarine belts with E-Z aluminum adjusters and Speed Pull tabs. Lap belts include pull-up adjusters. Meets FIA 8853-2016 standards. Includes snap-in ends and hardware. Black only.



Nova Fusion Per Pair

Ultra-lightweight carbon fiber-composite helmet features the largest eye port currently offered. Helmet includes a multi-density EPS liner, replaceable and adjustable liner pads, and shell that utilizes a distinctive camo fiber woven pattern. Offered in titanium black or ruby red, helmet meets SFI SA2020 standards.



Size	Black	Red
X-Small	GFR16005XSMBK	GFR16005XSMRD
Small	GFR16005SMLBK	GFR16005SMLRD
Medium	GFR16005MEDBK	GFR16005MEDRD
Large	GFR16005LRGBK	GFR16005LRGRD
X-Large	GFR16005XLGBK	GFR16005XLGRD
XX-Large	GFR16005XXLBK	GFR16005XXLRD

G-Limit Midtop Shoes

Per Pair

Combining a suede leather outer and fire-retardant cotton liner, G-Limit driving shoes are designed to keep drivers' feet cool and comfortable, while the rounded edge, low-profile sole delivers exceptional pedal feel. Logo printing accents ease cleaning and reduce weight. Shoes meet SFI 3.3 standards. Black only.



Part No.	Size
GFR44000050BK	5
GFR44000060BK	6
GFR44000065BK	6-1/2
GFR44000070BK	7
GFR44000075BK	7-1/2
GFR44000080BK	8
GFR44000085BK	8-1/2
GFR44000090BK	9
GFR44000095BK	9-1/2
GFR44000100BK	10
GFR44000105BK	10-1/2
GFR44000110BK	11
GFR44000115BK	11-1/2
GFR44000120BK	12
GFR44000130BK	13
GFR44000140BK	14



Dash Bezels for Racepak/Holley EFI Dashes New Applications!

Designed to accept a Racepak or Holley EFI dash, replacement dash bezels install directly in place of the OEM bezel. Constructed from durable, 5/32" thick UV-resistant ABS composite material, bezels feature an attractive black matte finish. Available for most popular muscle cars and trucks.

Part No.	Application	Price
HLY553-425	1967 Chevelle, Accepts Racepak Dash	
HLY553-426	1967 Chevelle, Accepts Holley EFI 6.86" Pro Dash	
HLY553-427	1986-93 Chevy S10/GMC S15, Accepts Holley EFI 6.86" Pro Dash	
HLY553-428	1994-97 Chevy S10/GMC S15, Accepts Racepak Dash	
HLY553-429	1994-97 Chevy S10/GMC S15, Accepts Holley EFI 7" Dash	
HLY553-430	1994-97 Chevy S10/GMC S15, Accepts Holley EFI 6.86" Pro Dash	
HLY553-431	1998-04 Chevy S10/GMC S15, Accepts Racepak Dash	
HLY553-432	1998-04 Chevy S10/GMC S15, Accepts Holley EFI 6.86" Pro Dash	
HLY553-433	1962-65 Chevy II/Nova, Accepts Racepak Dash	
HLY553-439	1967-72 Ford Truck, Accepts Racepak Dash	
HLY553-440	1967-72 Ford Truck, Accepts Holley EFI 7" Dash	
HLY553-441	1973-79 Ford Truck, Accepts Holley EFI 6.86" Pro Dash, With A/C Vents	
HLY553-442	1973-79 Ford Truck, Accepts Holley EFI 6.86" Pro Dash, No A/C Vents	
HLY553-443	1973-79 Ford Truck, Accepts Holley EFI 7" Dash, With A/C Vents	
HLY553-444	1973-79 Ford Truck, Accepts Holley EFI 7" Dash, No A/C Vents	
HLY553-445	1967-72 Ford Ranger, Accepts Racepak Dash	
HLY553-446	1967-72 Ford Ranger, Accepts Holley EFI 7" Dash	
HLY553-447	1970-81 Pontiac Firebird, Accepts Racepak Dash	
HLY553-448	1964-65 Ford Mustang, Accepts Racepak Dash	
HLY553-449	1964-65 Ford Mustang, Accepts Holley EFI 6.86" Pro Dash	
HLY553-450	1987-93 Ford Mustang, Accepts Racepak Dash	

NOTE: Racepak or Holley EFI dash must be purchased separately.

Drive-by-Wire Accelerator Pedal Brackets

Engineered for use with Holley 145-160 or C6 Corvette #19417903 pedal assemblies, precision CNC-cut bracket installs in the stock location using OEM hardware for a clean, professional installation.



Part No.	Description	Price
HLY145-112	1973-87 Chevy/GMC C10	
HLY145-121	1994-04 Chevy/GMC S10	
HLY145-131	1970-81 Chevy Camaro/Pontiac Firebird	
HLY145-140	1982-88 GM G-Body (Malibu/Regal/Cutlass/Grand Prix)	
HLY145-160	DBW Accelerator Pedal	

Sniper EFI 5" Digital Dash HLY553-200

A direct, plug-and-play for the Sniper EFI, 5" Digital Dash features improved color depth and twice the resolution. Touchscreen unit is pre-loaded with three easy-to-read layouts that include critical performance data such as throttle position, manifold air pressure, air/fuel ratio, battery voltage, engine coolant temperature, RPM, and speed. Sold complete with GPS antenna, cable, mounting stand-offs, and suction cup.



Replacement Components

Part No.	Description	Price
HLY553-190	Suction Cup Mount	
HLY553-191	Mounting Stand-Off Brackets	
HLY553-192	Straight Cable	
HLY553-193	90° Cable	
HLY553-194	GPS Antenna	

Dual Fuel Pump Modules for 2010-15 Camaro

Required when adding nitrous or boost to 2010-15 Camaros, dual fuel pump modules combine a billet pump flange with dual 340 or 450 LPH fuel pumps for unsurpassed delivery of gasoline or E85. Dual 340 LPH unit is capable of supporting up to 1,400 HP, while the dual 450 LPH pump can support up to 1,750 HP. Installation involves simply replacing the OEM pump assembly with the module and installing a pressure regulator.



Part No.	Description	Price
HLY12-350	Dual 340 LPH Fuel Pump Module	
HLY12-351	Dual 450 LPH Fuel Pump Module	

GM Style EFI Filter/Regulator

Ideal when performing an LS swap or any other application that is designed to run at 58 PSI of static pressure, unit integrates a 5-micron rated filter with a built-in regulator. Bypass design allows one inlet and one outlet to the engine, and a return back to the fuel tank. Choose from units with GM quick connectors or -6AN male fittings.



Part No.	Description	Price
HLY162-590	GM Style Filter/Regulator, GM Quick Connectors	
HLY162-591	GM Style Filter/Regulator, -6AN Male Fittings	

GM LS Retro-Fit Oil Pan HLY302-3BK

New and improved, black finished cast aluminum oil pan includes a revised sump for added chassis and steering rack clearance, while also allowing for a crankshaft with up to 4.00" stroke. Pan provides OE-style fitment, and fits all 1955-87 GM muscle cars and trucks and Ford Fox body factory K-member applications. Includes sump baffle, pick-up tube, and required hardware.



Axle Back Exhaust for 2021-22 Ford Bronco 2.3L JBA30-2546

High performance, axle back exhaust for Ford Bronco with 2.3L Ecoboost offers increased performance, an aggressive appearance, and a great sound. System is constructed from durable, long-lasting 304 stainless steel and offers an easy bolt-on installation using the OEM hangers.





Drag Pack Series D5 Wheels

Equally suited to the street or strip, rotary-formed aluminum wheels feature lightweight monoblock construction and a raised center cap for added axle clearance. Wheels listed are gloss black finished and require conical/tapered seat lug nuts. Offered with or without a forged beadlock ring.

Part No.	Size	Bolt Circle	Back Spacing	Price
D5 Beadlock Gloss Black Wheels				
FSWF00170022P45	17" x 10"	5 x 120mm	7.3"	
FSWF00170067P50	17" x 10"	5 x 4.5"	7.5"	
FSWF00170071P00	17" x 10"	5 x 115mm	5.5"	
FSWF00170071P30	17" x 10"	5 x 115mm	6.6"	
FSWF00171163P43	17" x 11"	5 x 4.75"	7.8"	
FSWF00180563P65	18" x 10.5"	5 x 4.75"	8.3"	
FSWF00182063P56	18" x 12"	5 x 4.75"	8.8"	
FSWF001B0063P50	15" x 10"	5 x 4.75"	7.5"	
FSWF001B0067P25	15" x 10"	5 x 4.5"	6.5"	
FSWF001B0067P50	15" x 10"	5 x 4.5"	7.5"	
FSWF001B0071P22	15" x 10"	5 x 115mm	6.4"	
D5 Gloss Black Wheels				
FSWF09170022P45	17" x 10"	5 x 120mm	7.3"	
FSWF09170067P50	17" x 10"	5 x 4.5"	7.5"	
FSWF09170071P30	17" x 10"	5 x 115mm	6.6"	
FSWF09171163P43	17" x 11"	5 x 4.75"	7.8"	
FSWF09177067P06	17" x 7"	5 x 4.5"	4.25"	
FSWF0917B563N26	17" x 4.5"	5 x 4.75"	1.8"	
FSWF0917C063N26	17" x 5"	5 x 4.75"	2"	
FSWF0917C067N21	17" x 5"	5 x 4.5"	2.125"	
FSWF09180062P25	18" x 10"	5 x 4.75"	6.5"	
FSWF09180067P22	18" x 10"	5 x 4.5"	6.4"	
FSWF09180067P42	18" x 10"	5 x 4.5"	7.1"	
FSWF09181167P56	18" x 11"	5 x 4.5"	8.3"	
FSWF09182062P50	18" x 12"	5 x 4.75"	8.5"	
FSWF09188022P15	18" x 8"	5 x 120mm	5.125"	
FSWF09189067P22	18" x 9"	5 x 4.5"	5.9"	
FSWF09189067P35	18" x 9"	5 x 4.5"	6.4"	
FSWF0918C022N23	18" x 5"	5 x 120mm	2.125"	
FSWF0918C067N23	18" x 5"	5 x 4.5"	2.125"	
FSWF0918C071N37	18" x 5"	5 x 115mm	1.5"	
FSWF091B0063P50	15" x 10"	5 x 4.75"	7.5"	
FSWF091B0067P50	15" x 10"	5 x 4.5"	7.5"	



Drag Pack Series F14 Wheels


Lightweight aluminum, monoblock construction street/strip wheels feature a rotary-formed barrel and semi super deep concave profiles. Wheels are satin black or gloss anthracite finished and require conical/tapered seat lug nuts. Offered with or without forged beadlock ring.

Part No.	Size	Bolt Circle	Back Spacing	Price
F14 Satin Black Wheels				
FSWF17270071P30	17" x 10"	5 x 115mm	6.6"	
FSWF17270563P65	17" x 10"	5 x 4.75"	8.3"	
FSWF17271163P43	17" x 11"	5 x 4.75"	7.75"	
FSWF17277067P06	17" x 7"	5 x 4.5"	4.25"	
FSWF1727B563N26	17" x 4.5"	5 x 4.75"	1.75"	
FSWF1727B567N26	17" x 4.5"	5 x 4.5"	1.7"	
FSWF1727C063N26	17" x 5"	5 x 4.75"	2"	
FSWF17288022P15	18" x 8"	5 x 120mm	5.125"	
FSWF1728C022N23	18" x 5"	5 x 120mm	2.125"	
FSWF1728C067N23	18" x 5"	5 x 4.5"	2.125"	
FSWF1728C071N37	18" x 5"	5 x 115mm	1.5"	
FSWF372B0063P44	15" x 10"	5 x 4.75"	7.25"	
FSWF372B0067P44	15" x 10"	5 x 4.5"	7.25"	
F14 Gloss Anthracite Wheels				
FSWF17370022P44	17" x 10"	5 x 120mm	7.25"	
FSWF17370067P50	17" x 10"	5 x 4.5"	7.5"	
FSWF17370567P57	17" x 10"	5 x 4.5"	8"	
FSWF1737B563N26	17" x 4.5"	5 x 4.75"	1.8"	
FSWF17388022P15	18" x 8"	5 x 120mm	5.125"	
FSWF1738C022N23	18" x 5"	5 x 120mm	2.125"	
FSWF1738C067N23	18" x 5"	5 x 4.5"	2.125"	
FSWF373B0067P44	15" x 10"	5 x 4.5"	7.25"	
F14 Beadlock/Satin Black Wheels				
FSWF28270022P45	17" x 10"	5 x 120mm	7.3"	
FSWF28270067P50	17" x 10"	5 x 4.5"	7.5"	
FSWF28270071P06	17" x 10"	5 x 115mm	5.75"	
FSWF28270071P30	17" x 10"	5 x 115mm	6.7"	
FSWF282B0022725	15" x 10"	5 x 120mm	7.25"	
F14 Beadlock/Gloss Anthracite Wheels				
FSWF28370022P45	17" x 10"	5 x 120mm	7.3"	



EFI Feed Line Kits

Time-saving kits eliminate the need for piecing together a fuel line when installing popular Holley Sniper EFI systems. Each kit features 6000 Series Low Permeation PTFE hose and necessary black anodized aluminum AN fittings. Choose from kits with stainless or black hose.



Part No.	Description	Price
FRG920032-BL	-8AN Holley Terminator Stealth, Stainless Hose	
FRG920035-BL	-8AN Holley Super Sniper Stealth, Stainless Hose	
FRG920036-BL	-6AN Holley Sniper Q-Jet, Stainless Hose	
FRG920038-BL	-8AN Holley EFI Stealth 4500, Stainless Hose	
FRG930032-BL	-8AN Holley Terminator Stealth, Black Hose	
FRG930035-BL	-8AN Holley Super Sniper Stealth, Black Hose	
FRG930036-BL	-6AN Holley Sniper Q-Jet, Black Hose	
FRG930038-BL	-8AN Holley EFI Stealth 4500, Black Hose	



Racepak V-Net Module Mounts

Specialized mounts allow securing popular Racepak V-Net Modules neatly in the car, creating a neat, professional installation. Each mount includes a black powder-coated finish and can secure up to five modules.



Part No.	Description	Price
ARCVM-01	V-Net Module Mount, Mounts to Flat Surface	
ARCVM-125	V-Net Module Tube Mount, Clamps onto 1-1/4" Dia. Tubing	
ARCVM-150	V-Net Module Tube Mount, Clamps onto 1-1/2" Dia. Tubing	
ARCVM-162	V-Net Module Tube Mount, Clamps onto 1-5/8" Dia. Tubing	

Forever Electronics Switch Panels with Carbon Fiber Finish

Now available with attractive, carbon fiber finish, flat touch switch panels use no electronics, eliminating the possibility of EMI or RFI interference. Panels are just 3/4" deep, enabling easy in-dash or overhead roll bar mounting. Switches provide red nightglow backlighting when off and green nightglow backlighting when activated. Choose from in-dash or overhead, roll bar mount panels with white or black faceplate.



Part No.	Description	Price
ARC4003D	4-Switch In-Dash Control Module, White Faceplate	
ARC4003R	4-Switch Overhead Control Module, White Faceplate	
ARC4004D	4-Switch In-Dash Control Module, Black Faceplate	
ARC4004R	4-Switch Overhead Control Module, Black Faceplate	
ARC8003D	8-Switch In-Dash Control Module, White Faceplate	
ARC8003R	8-Switch Overhead Control Module, White Faceplate	
ARC8004D	8-Switch In-Dash Control Module, Black Faceplate	
ARC8004R	8-Switch Overhead Control Module, Black Faceplate	



Frame C-Notch Bracket Kit for 1967-72 Chevy C10 DSE040117DS

Bracket kit increases rear axle-to-frame clearance when lowering the ride height of 1967-72 Chevy C10 trucks, while also increasing chassis rigidity by connecting to the OEM shock mount crossmembers. Bolt-on kit includes brackets, bump stops, and required hardware.




Track Bar and Shock Relocation Kit for 1967-72 Chevy C10 DSE040118DS

Engineered exclusively for lowered 1967-72 Chevy C10's, 100% bolt-on kit improves cornering and ride quality. Adjustable track bar is relocated and uses cross-axis bushings to reduce lateral movement, while the relocated shock mounts improve shock travel and control. Includes drop shocks designed for trucks lowered 4" or more.



Anti-Squat Kit for 1967-72 Chevy C10 DSE040119DS

Kit is 100% bolt-on, and provides instant center and pinion angle adjustment to the rear of 1967-72 Chevy C10 trucks, including those with OEM truck arms and coil springs. Front truck arm relocation brackets provide four pivot point adjustments for improved traction. Included pinion angle/lowering spacers are included to allow ride height and pinion angle adjustment.



Stock Replacement U-Bolts for 1967-72 Chevy C10 DSE040704DS Per Pair

Direct-replacement rear axle U-bolts with nuts and washers for 1967-72 Chevy C10. Yellow zinc plated.



Trailing Arm Bushing Kit for 1967-72 Chevy C10 DSE041405DS Per Pair

High-durometer rubber bushings, which fit the trailing arms of 1960-72 Chevy/GMC C10, improve performance and handling, while reducing noise, vibration, and harshness.




Rear Speed Kit 1 for 1967-72 Chevy C10 DSE041651DS

Speed Kit 1 fits all 1967-72 Chevy C10 with OEM truck arm/coil spring suspension, is 100% bolt-on, and lowers the rear ride height by 5"-6", thereby improving handling and cornering ability. Adjustable track bar provides multiple roll center adjustments. Includes lowering coil springs, drop shocks, frame notch brackets, adjustable track bar, shock relocation brackets, trailing arm bushings, U-bolts, and necessary hardware.



Rear Speed Kit 2 for 1967-72 Chevy C10 DSE041652DS

Speed Kit 2 fits all 1967-72 Chevy C10 with OEM truck arm/coil spring suspension, is 100% bolt-on, and lowers the rear ride height by 5"-7", thereby improving handling and cornering ability. Adjustable track bar provides multiple roll center adjustments, while the anti-squat kit offers multiple trailing arm mounting points. Includes lowering coil springs, drop shocks, frame notch brackets, adjustable track bar, shock relocation brackets, trailing arm bushings, U-bolts, anti-squat kit, angled lowering blocks, and necessary hardware.



Rear 5.5" Drop Coil Springs for 1967-72 Chevy C10 DSE041817PDS Per Pair

Coil spring kit lowers the rear of 1967-72 Chevy C10 by 5.5", improving ride quality and cornering ability without sacrificing load carrying ability. Fits trucks with OEM truck arms and coil spring rear suspension. Sold per pair with hardware.





Magnum Flow Universal Filters

These universal filters are available in three filter media designs. Each offers unique capabilities and a high level of filtration efficiency. All are cleanable and reusable.

Pro 5R® Oiled Air Filter — Maximum Performance

The most performance-oriented media available, resulting in the highest horsepower and torque gains out of all filter media available from aFe. Blue colored media. 98.6% filtration efficiency.

Pro Dry S® Oil-Free Air Filter — Maximum Convenience

This multi-layer white synthetic media is ideal for street and light off-road driving conditions. No oiling required. 99.2% filtration efficiency.

Pro 10R® Oiled Air Filter — Maximum Longevity

The ten layers of progressive media and its large size offers better filtration and more dust holding capacity. This blue colored media is only available for select applications. 99.59% filtration efficiency.



Part	Shape	Base	Top	Flange	Height	Price
Pro 10R®						
AFE20-91061	Oval	9" x 7"	9" x 7"	7" x 4-3/4"	9"	
Pro Dry S						
AFE18-02002D	Round	3-3/4"	3-3/4"	1-1/4" Offset	3"	
AFE21-30018	Conical	6"	4-3/4"	3"	7"	
AFE21-35507	Conical	5"	3-1/2"	3-1/2"	7"	
AFE21-40505	Conical	6"	4"	4"	5"	
AFE21-60507	Conical	7-1/2"	5-1/2"	6"	7"	
AFE21-90008	Conical	8"	7"	4"	6-3/4"	
AFE21-90032	Conical	7" x 10"	5-1/2"	5-1/2"	8"	
AFE21-90041	Conical	7-1/2"	5-1/2"	5"	12"	
AFE21-90044	Conical	7"	5-1/2"	5-1/2"	6"	
AFE21-90045	Conical	7"	5-1/2"	5-1/2"	7"	
AFE21-91004	Conical	6"	4-1/2"	3"	7"	
AFE21-91005	Conical	6"	4-1/2"	3-1/2"	9"	
AFE21-91006	Conical	6"	4-1/2"	4"	9"	
AFE21-91021	Conical	7"	5-1/2"	5-1/2"	6"	
AFE21-91046	Round	9"	9"	4"	7-1/2"	
AFE21-91061	Oval	9" x 7"	9" x 7"	7" x 4-3/4"	9"	
AFE21-91072	Conical	8"	7"	5"	9"	
AFE21-91078	Conical	6"	4-1/2"	3-1/2"	7"	
AFE21-91109	Oval	9" x 7"	9" x 7"	6-1/2" x 4-3/4"	9"	
AFE21-91154	Conical	9"	7"	6"	9"	
Pro 5R®						
AFE24-30003	Conical	5"	3-1/2"	3"	7"	
AFE24-90008	Conical	8"	7"	4"	6-3/4"	
AFE24-90032	Conical	7" x 10"	5-1/2"	5-1/2"	8"	
AFE24-91002	Conical	8-1/2"	7"	4"	12"	
AFE24-91009	Conical	8"	7"	4"	8"	
AFE24-91036	Conical	7-1/2"	5-1/2"	5"	12"	
AFE24-91039	Conical	6-1/2"	5-1/2"	5"	9"	
AFE24-91062	Conical	7"	5-1/2"	5"	8"	
AFE24-91072	Conical	8"	7"	5"	9"	
AFE24-91120	Conical	9 x 7-1/2"	6-3/4" x 5-1/2"	%'	9"	

NEW PRODUCTS



2021-22 Ford F150 Load Lifter 5000 AIR57389

Maximize ride comfort and increase capacity. Kits include: Air springs, inflation valves, lines, fittings, brackets, hardware, and illustrated instructions. Air adjustable from 5 to 100 PSI for up to 5,000 lbs. with leveling capacity.

2021-22 Ford F150 Load Lifter 5000 Ultimate AIR88389

Adjustable system provides up to 5,000 lbs. of load-leveling capacity, and eliminates jarring, squat, sway, and bottoming out, even on rough roads. Maintenance-free system can be run safely with zero air pressure for a comfortable ride, even unloaded. Installs easily with common hand tools.



2022 Toyota Tundra BedStep AMP75329-01A

Gives you a leg up right where you need it most. The high-traction step pad flips down with a simple nudge providing a safer way to get up into the truck bed. Installation is a quick 10-minute, no-drill task. Works with the tailgate open or closed and even when you're towing.



Powerstep

Slip-resistant and fully illuminated running boards for pickups and SUVs. Automatically extend when the doors open and hide away when they close for integrated style and improved aerodynamics. High-strength aluminum construction with a 600-lb. load rating. Black anodized finish ensures all-weather performance. 5-year/60,000-mile limited warranty.



Part	Description	Price
AMP76327-01A	2021-22 GM Suburban/Tahoe, Yukon, Escalade	
AMP77140-01A	2021-22 Ford Bronco 4-Door	



Groove

Flow formed for maximum strength and weight savings for classic muscle cars.



Part	Size	Bolt Pattern	Backspace	Offset	Bore	Weight	Load	Lip Size	Price
Anthraccite with Diamond Cut Lip									
AMRVN514AD18101200	18" x 10"	5X114.3	5.5"	0mm	72.56	27.16 lbs.	1580 lbs.	1.94"	
AMRVN514AD18101212	18" x 10"	5X114.3	5.97"	12mm	72.56	26.24 lbs.	1580 lbs.	1.94"	
AMRVN514AD18103400	18" x 10"	5X120.65	5.5"	0mm	72.56	27.07 lbs.	1580 lbs.	1.94"	
AMRVN514AD18103412	18" x 10"	5X120.65	5.97"	12mm	72.56	26.19 lbs.	1580 lbs.	1.94"	
AMRVN514AD18801200	18" x 8"	5X114.3	4.5"	0mm	72.56	25.13 lbs.	1580 lbs.	1.96"	
AMRVN514AD18803400	18" x 8"	5X120.65	4.5"	0mm	72.56	25.09 lbs.	1580 lbs.	1.96"	
Gloss Black with Diamond Cut Lip									
AMRVN514BE18101200	18" x 10"	5X114.3	5.5"	0mm	72.56	26.87 lbs.	1580 lbs.	1.94"	
AMRVN514BE18101212	18" x 10"	5X114.3	5.97"	12mm	72.56	25.95 lbs.	1580 lbs.	1.94"	
AMRVN514BE18103400	18" x 10"	5X120.65	5.5"	0mm	72.56	26.79 lbs.	1580 lbs.	1.94"	
AMRVN514BE18103412	18" x 10"	5X120.65	5.97"	12mm	72.56	25.90 lbs.	1580 lbs.	1.94"	
AMRVN514BE18801200	18" x 8"	5X114.3	4.5"	0mm	72.56	24.87 lbs.	1580 lbs.	1.96"	
AMRVN514BE18803400	18" x 8"	5X120.65	4.5"	0mm	72.56	24.82 lbs.	1580 lbs.	1.96"	



2021-22 Ford Bronco Mesh Safari Bimini Top Your Choice -

The Mesh Safari Bimini top brings offers an open-air driving experience with the added option for relief from direct sunlight. Uses simple hook-n-loop fastening with a J-hook system for a no-drill install. Designed to work with the Trektop soft top (sold separately).

Part	Description
BES52422-11	2-Door
BES52423-11	4-Door



2007-18 Jeep Wrangler JK Trektop Halftop™ Soft Top BES53900-35

The modular designed Trektop Halftop features the integrated Sunrider feature, a zippered, tinted vinyl rear window, and a rear bug screen—all designed for quick removal, creating a tailored open-air experience. Includes all hardware. Black diamond fabric. No-drill installation.





1965-79 Ford F100/150 Coilover Front Suspension Kit ART12312799

Replaces twin I-beam suspension with complete coil-over suspension. Improves handling and stability characteristics. Allows for ride height and suspension adjustments. The complete bolt-in system features complete control arms with installed ball joints, Delrin bushings, sway bar, adjustable bump stops, spindles, tie rods, and hardware. Allows for motor mount options (see chart below). All components (except spindles) have a satin black powder coat finish. Entire system saves approximately 130 lbs. from the front of the truck.



Part	Description	Price
Motor Mounts		
ART12319501	Small Block Ford	
ART12319502	SB Chevy/BB Chevy/GM LS-Series	
ART12319503	Ford Modular	
ART12319504	Ford FE-Series	

Shockwave Front Air Suspension ART12313001

Replaces factory front coil springs and shocks with a Firestone air spring and a rebound adjustable Fox Shox monotube shock. Application specific. All brackets and hardware included. No cutting, welding, or fabrication



HQ Series Coil-Over Shock Kits Your Choice -

These aluminum-bodied coil-over kits feature 1.834" diameter pistons with .625" diameter shafts, 24-position rebound adjustable Fox Shox, Hyperco coil springs with correct spring rate, and mounting hardware.

Part	Description
ART12313510	Front
ART12316510	Rear



Bolt-In 4-Link Rear Suspension Kit

Replaces factory leaf spring setup with a four-link suspension complete with coil-over shocks. This kit includes Ridetech bolt-in C-notch plates along with R-Joints on all links for smooth, bind-free, quiet operation and extended life. Satin black powder-coated finish. Reduces rear suspension weight by 50 lbs.



Part	Description	Price
ART12327199	1965-72, 2WD	
ART12337199	1973-79, 2WD	



2021-22 Chevy Tahoe 5.3L Premier Cat-Back Exhaust System, Touring BOR140856

Specifically designed to enhance the power of the 5.3L engine. This cat-back system offers no drone sound inside the vehicle thanks to its mellow Touring sound. The mandrel-bent 304-stainless steel system exits the vehicle through dual 4-inch bright chrome stainless tips.



Door Jam Vents

Manufactured from billet aluminum. Sold in pairs.



Part	Description	Price
Polished		
BSP171130	1972-76, GM B-Body	
BSP171135	1977-90, GM B-Body	
BSP171140	1991-96, GM B-Body	
BSP171150	1978-91 GM A-Body/1982-87 GM G-Body	
Anodized Black		
BSPBLK171130	1972-76, GM B-Body	
BSPBLK171135	1977-90, GM B-Body	
BSPBLK171140	1991-96, GM B-Body	
BSPBLK171150	1978-91 GM A-Body/1982-87 GM G-Body	

Grinder BSP34169

15-1/2" diameter steering wheel precision machined from 6061-T6 billet aluminum then covered in top-grain leather. Precision fit and include stainless steel hardware.



GM LS-Series Valley Cover

Billet aluminum with stainless hardware.

Part	Description	Price
BSP95053	Natural	
BSPBLK95053	Anodized Black	



Sprint Inboard Brake Kit RDB140-8400-PXR

Save weight and increase braking with this lightweight rear brake kit. The kit includes a .810"x 12" diameter x .810 thick rotor (titanium or stainless steel), a black anodized FeatherLite 4-piston sprint inboard caliper with three retaining brake pad pins, brake pads, bracket, and hardware.



Sprint Inboard Brake Kit Components

Part	Description	Price
RDB410-8500-PXR	Sprint Inboard Brake Kit with Stainless Steel Rotor	
RDBTS-810-1200-87	12" Titanium Brake Rotor	
RDB140-2878	Black Anodized Radial Mount Aluminum Caliper	
RDB920-1120	Sprint Car Inboard Hub	

NEW PRODUCTS



Tray-Style Bike Rack

CUR18088

Designed to carry two bicycles, this lightweight aluminum constructed rack offers zero frame contact to avoid nicks and scratches. Designed for use with any frame-mounted 2-inch Class 3 or higher trailer hitch receiver. Carbide black powder-coated finish.



Seat Defender Seat Cover

This universal dual-layer waterproof seat covers feature 600-denier terylene fabric that blocks spills, dirt, and other grime. Fast and easy to install, the built-in rubber grips provide comfort and safety. Limited lifetime warranty.



Part	Description	Price
Bucket Seat – 58" x 23"		
CUR18500	Gray	
CUR18501	Black	
CUR18502	Brown	
Bench Seat – 55-1/2" x 58"		
CUR18510	Gray	
CUR18511	Black	
CUR18512	Brown	
Bench Seat – 58" x 63"		
CUR18520	Gray	
CUR18521	Black	
CUR18522	Brown	
Moving Blanket – 60" x 60"		
CUR18530	Black	



Cold Gold Heat Sleeves

This lightweight removable loom heat-reflective sleeve offers increased performance and protection. Capable of reflecting up to 90% of radiant heat, this removable gold heat wrap is great for protection without component disassembly. Capable of withstanding 1100°F of continuous radiant heat, and up to 500°F of direct contact. 36-inch long roll.



Part	Description	Price
HSP244012	1/2" I.D.	
HSP244034	3/4" I.D.	
HSP244100	1" I.D.	
HSP244112	1-1/2" I.D.	
HSP244114	1-1/4" I.D.	
HSP244200	2" I.D.	
HSP244212	2-1/2" I.D.	
HSP244300	3" I.D.	



Programmable TPMS EZ-Sensor GORSEZ-33500G

Combines 314.9, 315 and 433 MHz applications into a single part number. Performs identically to the original OEM-equivalent. A programming tool compatible with EZ-sensor is required.



Tailgate Board

Mounts to the inside of a truck tailgate creating a flat smooth surface that will allow easier movement of heavy cargo as well as a solid work surface. The 1/2" thick HDPE polymer-composite resin material give it the durability to last the life of the truck. UV and weather resistant. Application specific. Black. No drilling required. 3-year warranty. Made in the USA.



Part	Description	Price
DZZ284103	2017-22 Ford F150/250/350	
DZZ284123	2017-19 Chevy Silverado/GMC Sierra 1500/2500/3500	
DZZ284123M	2020-22 Chevy Silverado/GMC Sierra 1500/2500/3500	
DZZ284124	2015-20 Chevy Colorado/GMC Canyon	
DZZ284126	2019-22 Ford Ranger	
DZZ284127	2022 Ford Maverick	
DZZ284140	2015-22 Ford F150 XLT/Lariat	
DZZ284144	2019-22 Ram 1500	
DZZ284151	2021-22 Jeep Gladiator	
DZZ284172	2016-22 Toyota Tacoma	

Spare Tire Accessory Mount DZZ95040TB

This universal spare tire mount features an elevated Molle panel design, with textured black powder-coated finish designed to last the life of the vehicle. No-drill installation. Made in the USA.





Bed Mat Your Choice -

Protects the truck bed and its cargo. The precision-fit Heavy-Duty Bed Mat is made from rubberized DuraGrip HD™ material. Whether hauling old gym lockers or a new credenza for the den, the Heavy-Duty Bed Mat will guard against scratches, scuffs, or shifting around in transit.



Part	Description
HSK16000	2019-22 Ram 1500, 67.4" Bed
HSK16003	2009-2019 Ram 1500, 76.3" Bed
HSK16005	2019-22 Chevy Silverado/GMC Sierra, 79.4" Bed
HSK16006	2014-18 Chevy Silverado/GMC Sierra, 69.3" Bed
HSK16007	2014-18 Chevy Silverado/GMC Sierra, 78.8" Bed
HSK16009	2015-22 Ford F150/250/350, 78.9" Bed
HSK16010	2017-22 Ford F150/250/350, 81.9" Bed

1995- 20 Toyota Tundra Universal Long John Fender Flares HSK17051

These 6" wide black fender flares are designed for trucks with seriously oversized tires. The one-piece thermoplastic flares offer a rugged look and are easy to install with just a couple of screws. Lifetime guarantee. Made in the USA.



1995-20 Toyota Tundra Universal 12" Wide Mud Flaps HSK17150

Made from a durable AntiSpray™ material with 14-gauge laser-cut stainless steel anchor weights. Matte black finish. Made in the USA, they carry a lifetime guarantee.



WeatherBeater Liners

Rugged and sporty with unbeatable carpet protection for whatever nature offers. Black.



Part	Description	Price
Cargo Liner		
HSK25611	2016-21 Mazda CX-9, Behind 2nd Row	
HSK28971	2015-18 Toyota RAV4, Behind 2nd Row	

Workhorse P30 Uni-Fit™ Floor Mats HSK51502

These cut-to-fit universal floor mats are designed to fit a variety of applications including Workhorse P30 commercial chassis vehicles. Ultra-strong construction with high-perimeter sides to contain liquids and debris, allows for quick and easy cleaning.



2010-22 Ford Ranger X-ACT Contour ® Floor Liners HSK54701

Premium floor liners perfectly match vehicle contours while offering virtually indestructible strength and a soft comfortable cushion. This two-piece set is available in black.



Mud Guards Your Choice -

Husky FormFit mud guards provide maximum width coverage for any single or dually truck. Set of 4. Black textured all-weather thermoplastic material.



Part	Description
HSK56896	2014-19 GMC Sierra 3500
HSK58046	2019-22 Ram 3500
HSK58516	2019-22 Ford Ranger
HSK59481	2017-21 Ford F450/Super Duty

2019-20 Ram 1500 Crew Cab Gearbox HSK9421

Made from high-density polyethylene thermoplastic, this storage box fits under the rear seat to create additional storage space. Lifetime guarantee. Made in the USA.



600 Series Filters Your Choice -

Oberg's most popular racing filter. Lightweight, durable filters are CNC-machined from billet 6061-T6 aluminum, anodized black, fitted with a 6" diameter cleanable screen, -12AN female inlet, -12AN female outlet, and sealed with a Viton rubber compression-molded O-ring. Filters are fully compatible with racing fuel, alcohol, methanol, as well as engine fluids.



Part	Description
OBE6060-BLK	60-Micron Screen
OBE6115-BLK	115-Micron Screen



S-A Books Your Choice -

Part	Description
SABCT685	Butch the California Flash Leal, Signed Edition, 160 Pages
SABSA519	How to Install Corvette Interior Kits, 176 Pages





LS Engine Remote Electric Water Pump Hose Kit ICT551050-RMTWP

A must when using a remote electric water pump in an LS-equipped vehicle. Plumbs -12AN hoses from engine block to Y-block with single -16AN outlet. Requires additional fitting and hoses to complete radiator connections. Kit includes billet aluminum remote water pump outlet adapters, 10 feet of -12AN hose, (2) Straight -12AN hose ends, (2) 60° -12AN hose ends, (4) 90° -12AN hose ends, and (2) -12AN to -16AN Y-block adapters. Made in the USA.



LS Engine Swap Oil Pressure Sensor Gauge Adapter ICT551175

This adapter installs most commonly in the top-rear, or front-driver side of the engine block to access pressurized oil of the engine. Seals to the block with a sealing washer. Male M16-1.5 to female 1/4"-18 NPT.



LS Engine Alternator Bracket, Electric/Remote Water Pump Your Choice -

The billet aluminum bracket relocates the alternator to the front lower passenger side of the engine. Made in the USA.



Part	Description
ICT551177LS0-1	Corvette Spacing
ICT551177LS0-2	Camaro Spacing
ICT551177LS0-3	GM Truck Spacing

Torque Plate for Cylinder Bores

Simulates engine block stress when cylinder heads are installed. These billet aluminum plates are necessary to maintain a true round cylinder bore when machining. Made in the USA.



Part	Description	Price
ICT551300-BBF02	Big Block Ford	
ICT551300-MOP02	Small Block Chrysler	
ICT551300-SBF01	Small Block Ford	
ICT551338	GM LS	


LS1/LS6 Fuel Rail to LS3 Injector Adapter ICT551348

Adapts short LS3/LS7/LS9/LSA or Bosch 210 fuel injectors to a taller LS1 intake manifold and fuel rail. Adds approximately 1.05" to the length to the fuel injector. Includes eight spacers and eight O-rings.




Front Sump LS Oil Filter Adapter ICT551350-FS01

Allows a remote oil filter to be plumbed into your front sump LS sheet metal oil pan while ensuring a low profile. Compatible with GM LS engines. Includes a billet aluminum oil pan adapter, O-rings, -10AN fittings, and mounting hardware. Made in the USA.




LS Billet Valve Cover 1/2" Spacer ICT551641-5

Billet aluminum spacers with bolts, sleeve extensions and washings. Made in the USA.



LS Engine Ignition Coil Brackets

Includes two billet aluminum brackets, bolts, and hardware for mounting eight coils. Made in the USA.



Part	Description	Price
ICT551531	Truck LS, Side Bolt, Fits D585 & 19005218 Coils	
ICT551583	Truck LS, Fits D581 Coils	
ICT551588	LSX/LS1/LS3, Fits Holley EFI Smart Coils 556-112, AMP EFI IGN-1A coils, Fueltech CDI 5001100171 coils, MSD 8232 coils	
ICT551642	LS1/LS6, D580 coils only	
ICT551426	Bolt Kit Only, (16) M6-20mm, (12) M6-12mm	

LS Alternator & Power Steering Pump Brackets

Includes billet aluminum brackets; one alternator bracket and one power steering bracket, an idler pulley and mounting hardware. Compatible with all GM LS engines. Made in the USA.



Part	Description	Price
ICT551669-2	LS Camaro, Compatible with 1998-02 LS1 Camaro power steering pump & pulley	
ICT551750-1	LS Corvette/CTS-V/G8/SS	
ICT551799-3	LS Truck, With Turnbuckle Tensioner	

LS Iron Block Accessory Support Bracket ICT551921-LS01

This billet aluminum bracket adds the third interior mounting hole that is missing on iron blocks for mounting accessories low on the driver side. Not compatible with Chevrolet performance LSX iron blocks. Made in the USA.



Engine Mid-Plate Plate ICT551809

Laser cut from 1/8" thick mild steel. Fits SBC/BBC/LS/LT. Universal, cut to fit. Made in the USA.



LS Engine Plates Your Choice -

The 1/4" thick billet aluminum plate is pre-drilled for easy installation. 12" tall x 36" wide. Made in the USA.



Part	Description
Front Plate	
ICT551816-4FBDY	1993-02 F-Body
ICT551816-GBDY	1978-88 G-Body
ICT551817-3FBDY	1982-92 F-Body
Mid Plate	
ICT551817-4FBDY	1993-02 F-Body
ICT551817-GBDY	1978-88 G-Body

Engine Stand Heavy-Duty Adapter Plate ICT551897

This 1/2" thick billet aluminum plate increases the clamping strength of the engine stand by utilizing bellhousing bolts and lowering the engine in the stand. Compatible with most slotted bolt patterned engine stands. Compatible with all years of Duramax, SBC, BBC, LS, and LT series engines.




SBC to GM LS-Engine Motor Mount ICT551928

Black powder-coated steel motor mounts include hardware. Sold in pairs.



NEW PRODUCTS



LS Mechanical Fuel Pump Bracket

Allows belt-driven Aeromotive 6gpm and 12gpm series fuel pumps to be mounted low on the front of the engine. Includes fuel pump bracket and hardware.

Part	Description	Price
ICT551969-LS02	LS Iron Block, Driver Side, Includes Iron Block Drill Template	
ICT551969-LSD1	LS Corvette/Camaro/Truck, Driver Side	
ICT551969-LSP1	LS Corvette/Camaro/Truck, Passenger Side	



Illuminated LED Letter Badge

The ideal way to create a marque-style glowing badge for the new Bronco. When turned on, the letters create a soft-lit glow. Available in matte white or matte black surface finish.



Part	Description
Matte White Finish	
ORA3140-B-001	Letter B, White
ORA3140-B-005	Letter B, Amber
ORA3140-C-001	Letter C, White
ORA3140-C-005	Letter C, Amber
ORA3140-N-001	Letter N, White
ORA3140-N-005	Letter N, Amber
ORA3140-O-001	Letter O, White
ORA3140-O-005	Letter O, Amber
ORA3140-R-001	Letter R, White
ORA3140-R-005	Letter R, Amber
Matte Black Finish	
ORA3141-B-001	Letter B, White
ORA3141-B-005	Letter B, Amber
ORA3141-C-001	Letter C, White
ORA3141-C-005	Letter C, Amber
ORA3141-N-001	Letter N, White
ORA3141-N-005	Letter N, Amber
ORA3141-O-001	Letter O, White
ORA3141-O-005	Letter O, Amber
ORA3141-R-001	Letter R, White
ORA3141-R-005	Letter R, Amber

2021- 22 Ford Bronco Flush Mount LED Taillights

ORA5892-504
Designed to be more flush to the body than the factory Bronco assemblies, these low-profile taillights will stay more out of harm's way while still providing exceptional LED lighting whether on the street or on the trail. Sold in pairs.



ADX2.0 Adventure Series Shocks

Using state-of-the-art technology with an innovative off-road race-inspired full displaced valve system, that provides consistent dampening, high-end performance, cooler running, more control, and improved driving comfort. The aluminum monotube shocks work well on high-speed desert trails, crawling through the rocks, as well as on the street. Thanks to the large 46mm bore size of the shock and remote reservoir, the units react quicker and offers the smoothest ride possible.

Part	Description
SKYA2016	14.11" Compressed / 22.73" Extended
SKYA2017	17.49" Compressed / 28.60" Extended
SKYA2018	14.23" Compressed / 22.60" Extended
SKYA2025	15.13" Compressed / 24.75" Extended
SKYA2028	15.61" Compressed / 25.23" Extended
SKYA2036	17.96" Compressed / 29.83" Extended
SKYA2038	17.96" Compressed / 29.83" Extended
SKYA2049	17.38" Compressed / 28.74" Extended
SKYA2050	17.49" Compressed / 28.60" Extended
SKYA2060	17.96" Compressed / 29.83" Extended
SKYA2063	16.49" Compressed / 26.86" Extended
SKYA2065	15.13" Compressed / 24.75" Extended
SKYA2067	16.49" Compressed / 26.86" Extended
SKYA2068	20.27" Compressed / 33.89" Extended
SKYA2075	16.38" Compressed / 26.74" Extended
SKYA2079	20.27" Compressed / 33.89" Extended
SKYA2087	17.49" Compressed / 28.60" Extended
SKYA2089	21.08" Compressed / 35.46" Extended
SKYA2090	20.27" Compressed / 33.89" Extended
SKYA2091	14.06" Compressed / 22.64" Extended
SKYA2092	15.13" Compressed / 24.75" Extended
SKYA2093	16.38" Compressed / 26.74" Extended
SKYA2094	17.38" Compressed / 28.74" Extended
SKYA2099	21.08" Compressed / 35.46" Extended
SKYA2386	17.13" Compressed / 27.48" Extended
SKYA2387	17.77" Compressed / 28.87" Extended
SKYA2388	18.38" Compressed / 29.98" Extended
SKYA2389	19.55" Compressed / 32.15" Extended
SKYA2396	17.13" Compressed / 27.48" Extended
SKYA2397	17.77" Compressed / 28.87" Extended
SKYA2398	18.38" Compressed / 29.83" Extended



ROUGH COUNTRY®

2021-22 Ford Bronco 5" Lift Kit

RCS41100
This 5" lift kit combines the use of durable steel knuckles, differential brackets, and drop cross members to maintain proper suspension geometry. A set of tall upper strut spacers offer uncompromising strength and rigidity while the rear suspension kit replaces the factory rear track bar and uses brake line relocation brackets to ensure proper handling characteristics. Overall the kit provides enough clearance to run 35" tires without additional modifications.



Rapid Tire Deflator

RCS99016
The brass-housed gauge has a protective rubber surround as well as a braided air hose. Includes carrying case. 0-75psi.



REKUDO NEW VENDOR

1970-81 GM F-Body Control Arms

Stamped steel control arms with press-in lower ball joints, bolt-in upper ball joints, bushings, and hardware.

Part	Description	Price
REKRK100-21	Upper, Lower, Complete Set	
REKRK100-21L	Lower Set	
REKRK100-21U	Upper Set	
REKRK100-20	Delrin Control Arm Bushing Set	



1967-81 GM F-Body 2" Drop Leaf Springs

REKRK200-02

This pair of multi leaf springs is designed to lower the vehicle two inches. The stiffer than stock 175 lb./in. spring rate offers improved handling and less body roll.



1967-81 GM F-Body Rear Spring Shackle Kit

REKRK200-08

Reduce wheel hop and body roll with a complete set of black polyurethane bushings with zinc-plated steel hardware and bolts. Synthetic grease included.



1970-81 GM F-Body Front Lowering Springs Per Pair

Improve handling and stance with a pair of front lowered coil springs. Black powder coat.

Part	Description
REKRK200-11	-1" Lower
REKRK200-12	-2" Lower



GM A/F-Body Adjustable Monotube Shocks

Designed with firmer valving for a more performance-oriented ride, this high-pressure nitrogen-filled monotube shock can be adjusted while on the vehicle to increase or decrease firmness. Bushings and hardware included. Gray corrosion-resistant paint. Made in the Netherlands. 24-month limited warranty. Sold each.

Part	Description	Price
GM F-Body		
REKRK300-01	1967-69, Front	
REKRK300-02	1967-69, Rear	
REKRK300-03	1970-81, Front	
REKRK300-04	1970-81, Rear	
GM A-Body		
REKRK300-05	1968-72, Front	
REKRK300-06	1967-72, Rear	



Brake Rotors

The fully machined hats of these factory replacement brake rotors are treated with a black E-coat that is designed to pass a 400-hour salt spray test without rusting. The friction surface has a non-directional double disc ground finish and are mill balanced to achieve the best possible braking characteristics. Sold in pairs.

Part	Description	Price
REKRK400-06	Front, 1965-82 GM F-Body/Corvette	
REKRK400-07	Rear, 1965-82 GM F-Body/Corvette	



1965-82 Chevy Corvette JL8 Disc Brake Pads

REKRK400-08

Non-asbestos organic brake pads. Fits front and rear for 1965-82 Corvette. One set per axle.



1970-81 GM F-Body Rear JL8 Disc Brake Caliper Upgrade Adapters

REKRK400-09

Upgrade the rear brakes with 4-piston REKUDO JL8 rear disc brakes. This premium rear brake system can be used with the complete REKUDO suspension system for the GM 2nd Gen F-Body. Set of (2) rear cast iron caliper adapters with hardware. Fits applications with staggered rear shocks.



The adapters must be used with the following parts: RK400-16 rear dust shield; RK400-07 rear brake rotors; 1968-1982 Corvette C3 style 4-piston rear calipers, and one of the follow rear axles; GM 10-bolt 8.2", 10-bolt 8.5", or 12-bolt rear axle (all axles with staggered rear shocks).

1970-81 GM F-Body OE Replacement Front Sway Bar

REKRK500-02

1-3/8" diameter carbon steel sway bar with polyurethane greaseable frame bushings and replacement end links.



1970-81 GM F-Body 1" Drop Spindles

REKRK600-02

These Autocross-inspired spindles retain the OE appearance and strength with a taller than stock forging for improved camber gain and lowers the front of the vehicle by one inch. The spindles are forged 4140 chrome-moly steel construction with black EDP coating. Sold in pairs.



1972-93 Dodge Truck 1500 Lower Control Arms

REKRK100-27


Stamped steel lower control arms with press-in lower ball joints. Sold in pairs.



2017-22 Tesla Model 3 Sway Bar Kit

REKRK500-04

Designed to reduce body roll for improved handling and ideal for street driving, autocross, and track days. The kit includes an adjustable front 32mm tubular sway bar, an adjustable rear 22mm tubular rear sway bar, billet aluminum bushing mounts, high-durometer polyurethane bushings, and synthetic bushing lubricant.



2017-22 Tesla Model 3 1" Lowering Kit

REKRK200-10

Improve handling with a complete set of front and rear 1-inch lowering springs. Black powder-coated finish.



2017-22 Tesla Model 3 Steering Wheel

Beautiful, functional, and easy to install, the motorsport inspired design features deep pocketed palm and thumb grooves with cross-stitched silver threading. The flat bottom offers additional legroom. 3-spoke, 14" diameter. Fits all models with standard non-heated steering wheels.



Part	Description	Price
REKRK950-01	Carbon Fiber with Black Leather Wrap	
REKRK950-02	Complete Alcantara Wrap	

NEW PRODUCTS

REKUDO NEW VENDOR

JL8 Disc Brake Caliper Upgrade Components

Part	Description	Price
Brake Dust Shield		
REKRK400-16	Rear	
REKRK400-17	Front	
REKRK400-24	Brake Caliper Bracket O-Ring, 1.82" Bore	
REKRK400-25	Brake Caliper Bracket O-Ring, 1.32" Bore	
REKRK400-26	Bleeder Screws, 5/16"-24 Thread, Set of 4	
REKRK400-27	Brake Bleeder Dust Cap, Rubber, Set of 4	
REKRK400-28	Caliper Hardware, Clips/ Pins, Each	



Part	Description	Price
Brake Dust Shield		
REKRK400-29	Brake Caliper Piston, 1.82" Diameter, Each	
REKRK400-30	Brake Caliper Piston, 1.32" Diameter, Each	
REKRK402-1	Front Brake Hose Kit, Flexible Brake Hose, Washers, Clips, Set of 2	
REKRK402-2	Rear Brake Hose Kit, Flexible Brake Hose, Washers, Clips, Set of 2	
REKRK402-3	Rear Brake Hard Line Kit, Hard Brake Lines, Clamps, Clips	
REKRK402-4	Front & Rear Disc Brake Hoses & Hardline Kit	
REKRK600-01	Front Wheel Hub Assembly with Bearings, Seal, Cap, Nut, Washer, Pin, Each	

RETROBRIGHT NEW VENDOR

H4 Non-Standard Plug – Pin-Out Swap RTBH820



LED Turn Signal Bulbs

Bulbs available in Classic White for a warm classic hue (3000K), Modern White for a cleaner modern look (5700K), amber, and red. Sold in Pairs.



Part	Description	Price
RTBHLED04	Modern White, 1156	
RTBHLED05	Classic White, 1156	
RTBHLED09	Modern White, 1157	
RTBHLED10	Classic White, 1157	
RTBHLED15	Amber, 1156	
RTBHLED20	Amber, 1157	
RTBHLED25	Red, 1156	
RTBHLED30	Red, 1157	
RTBHLED34	Modern White, T10/194	
RTBHLED35	Classic White, T10/194	

LED Sealed Beam Headlight

Sold each.



Part	Description	Price
RTBLFRB100	4" Tall x 6" Wide, Yellow Lens	
RTBLFRB105	5-3/4" O.D., Yellow Lens	
RTBLFRB110	5" Tall x 7" Wide, Yellow Lens	
RTBLFRB115	7" O.D., Yellow Lens	
RTBLFRB120	4" Tall x 6" Wide, Classic White Lens	
RTBLFRB125	5-3/4" O.D., Classic White Lens	
RTBLFRB130	5" Tall x 7" Wide, Classic White Lens	
RTBLFRB135	7" O.D., Classic White Lens	
RTBLFRB140	4" Tall x 6" Wide, Modern White Lens	
RTBLFRB145	5-3/4" O.D., Modern White Lens	
RTBLFRB150	5" Tall x 7" Wide, Modern White Lens	
RTBLFRB155	7" O.D., Modern White Lens	

Aluminum Sealed Beam Headlight Housing

Sold Each.



Part	Description	Price
RTBLFRB160	7" O.D.	
RTBLFRB165	4" Tall x 6" Wide	
RTBLFRB170	5" Tall x 7" Wide	
RTBLFRB175	5-3/4" O.D.	

WeatherTech® \$CALL

2021-22 Ford F-150 Raptor Mud Flaps.

No-drill mud flaps are laser measured for an exact fit. Constructed from thermoplastic resin, the components are designed to withstand the harshest conditions. Excellent protection from dirt, gravel, and snow. Sold in pairs.



Part	Description
WEA110150	Front
WEA120150	Rear

WHITELINE ENGINEERED PERFORMANCE SUSPENSION



2017 Tesla 3 Sway Bars

These diameter adjustable sway bar is engineered to "Activate More Grip". Essentially reducing body roll or sway. Silver powder-coated bar. Includes urethane bushings.

Part	Description	Price
WHIBTF101Z	Front, 30mm Diameter	
WHIBTR101Z	Rear, 20mm Diameter	

NEW PRODUCTS



2018-22 Jeep Wrangler JL Off-Road Jack Tailgate Mount RUG11586.12

Free up precious cargo space with an exterior mount for the Wrangler JL. Mount to factory hinges and works with all stock and most aftermarket rear bumpers without integrated tire carriers. Limited 5-year warranty.



2018-22 Jeep Wrangler JL Body Armor Rocker Panel Guard

Protects rockers from chips, dents, and dings while creating a rugged off-road accent. Made from UV-treated thermoplastic. Matte black finish. Made in the USA. Sold in pairs.



Part	Description	Price
RUG11651.73	2-Door	
RUG11651.74	4-Door	

2020-22 Jeep Gladiator Max Terrain Fender Flares RUG11640.52

These no-drill fender flares are constructed out of durable injection-molded thermoplastic and mount high-to-the-body offering improved tire clearance. The dual-textured black finish complements the factory trim. Set of 4.



2018-22 Jeep Wrangler JL Cowl Body Armor RUG11651.81

Adds protection the cowl area while adding rugged off-road look. Made from UV-treated thermoplastic with a black finish. Installed with automotive-grade double-sided tape. Sold in pairs.



Fuel Filter

Includes mounting brackets and hardware.

Part	Description	Price
SPC2895	5-1/2" Long	
SPC2896	Fuel Filter Service Kit Replacement for SPC2895	
SPC2897	5-1/2" Long	
SPC2898	Fuel Filter Service Kit Replacement for SPC2897	



Ignition Coil Pack

GM LS-Series. Direct replacement ignition coil. Female socket.

Part	Description	Price
SPC3009	LS2/LS3LS7/LS9, Red, Each	
SPC3009BK	LS2/LS3LS7/LS9, Black, Each	
SPC3010BK	LS2/LS3LS7/LS9, Black, Set of 8	
SPC3011BK	LS-Truck, Black, Set of 8	
SPC3012	LS-Truck, Red, Each	
SPC3012BK	LS-Truck, Black, Each	



Small Block Ford Solid Motor Mounts SPC3304

Zinc-plated steel solid motor mount for small block Ford.



Round Air Cleaner Assembly

Black painted steel raised based assembly with a 5-1/8" carb flange and flat top.

Part	Description	Price
SPC4355BK	6-1/2" Round, 2-1/2" Tall Paper Element	
SPC4360BK	10" Round, 2" Tall Paper Element	



Differential Cover

Natural finish aluminum cover. Includes hardware.

Part	Description	Price
SPC4900X	Front, 8.25", GM 10-Bolt	
SPC4901X	Rear, 8.5"/8.6", GM 10-Bolt	
SPC4902X	Rear, 8.875" GM 12-Bolt	
SPC4904X	Rear, 10.5", GM 14-Bolt	
SPC4905X	Rear, 10.25" /10.5", Ford 12-Bolt	
SPC4906X	Rear, Dana 20	
SPC4907X	Dana 25/ 27/30	
SPC4908X	Rear, Dana 35	
SPC4909X	Rear, Dana 44	
SPC4910X	Rear, Dana 60/70	
SPC4911X	Rear, Dana 60	
SPC4912X	Rear, Dana 80	



Filtered Air Cleaner Lid

14" round black lid with built-in paper gauze air filter.

Part	Description	Price
SPC7110A	Red Filter	
SPC7110ABK	Black Filter	
SPC7110ABL	Blue Filter	



Solid Air Cleaner Lid

14" round steel air cleaner lid.


Part	Description	Price
SPC7112ABK	Black	
SPC7112ABL	Blue.	



Air Cleaner Base

14" round steel air cleaner lid with 5-1/8" carb flange and a drop base.

Part	Description	Price
SPC7112BBK	Black	
SPC7112BBL	Blue	



SuperSprings®



2021-22 Ford Bronco SumoSprings

Made from micro-cellular urethane, these maintenance-free suspension enhancements are designed to reduce rear-end sag and increase load carrying ability while decreasing vibration, stabilizing sway, and softening harsh rebounds.

Part	Description	Price
SSISSR-148-40	1000-lb. Capacity, Black	
SSISSR-148-47	1500-lb. Capacity, Blue	



Black Winch Cover

Black double-reinforced neoprene cover.



Part	Description	Price
SUP1572	Talon 9.5 (non-integrated), Talon 12.5, Tiger Shark 13500, 15000, 17500.	
SUP2302297	LT Series, Terra Series, UT3000	

Pulley Block with Hook Zinc oxide-plated steel.

Part	Description	Price
SUP2227A	8,000-lb. Capacity	
SUP2229A	10,000-lb. Capacity	
SUP7750A	20,000-lb. Capacity	
SUP7755	18,000-lb. Capacity	



Battery Quick-Disconnect Plug SUP2236

Allows for fast and easy connecting of switch and wiring harness to the winch between uses. 2-4 gauge wire with end covers.



Winch Hook Snubber Rope

Use with winch rope.



Part	Description	Price
SUP2579	For use with winch ropes 5/32"-1/4" diameter	
SUP2586	For use with winch ropes 5/16"-1/2" diameter	

Clevis Flag

SUPS103138-01

Designed to aid in the smooth operation of the clevis. Includes the Clevis Flag hand-saver strap with logo.



Copper Gasket Cement

VHTSP21A

This high-metallic formulated cement offers tight seals on cork, paper, and metal gaskets. Ideal for high-horsepower, high-compression engines that generate extreme operating temperatures. 12-ounce aerosol can. Each.



2022 Jeep Grand Cherokee In-Channel Ventvisor® VEN194334

A side window air deflector that lets fresh air in and keeping rain in as well as side window sun visor and reducing interior wind noise. Mounts in window channel. Smoke tint. Set of 4.



Original Ventvisor® Your Choice -

A side window air deflector that lets fresh air in and keeping rain in as well as side window sun visor and reducing interior wind noise. Adheres to vehicle with 3M automotive grade two-sided tape. Set of 4.



Part	Description
VEN94334	2022 Jeep Grand Cherokee
VEN94842	2019-22 Chevy Blazer

Aeroskin Hood Protector

A low-profile aerodynamic flush-mounted hood protector. Guards against debris from bugs, dirt, and other road debris. Smoke tint.



Your Choice -

Part	Description
VEN322204	2022 Jeep Grand Cherokee
VEN322209	2022 Jeep Wagoneer

2019-22 Ford Ranger Aerocab Marker Light VEN698166

A roof-mounted light strip featuring five amber LED marker lights. Powered by a connection to the existing parking light circuit. Made from Dura-Flex® 2000 TPO with a textured matte black finish. Adheres to vehicle with 3M automotive-grade two-sided tape.



2021-22 Ford Bronco Aeroskin® LightShield™ VEN753183

A low-profile aerodynamic flush-mount hood protector with five amber LED marker lights. Powered by a connection to the existing parking light circuit. Made from Dura-Flex® 2000 TPO with a textured matte black finish. Adheres to vehicle with 3M automotive grade two-sided tape.



WILLY'S

High-Flow Roll-Over Fuel Cell Vent Your Choice -

Ideal for dirt track cars, specialized fuel cell vent has a high-flow poppet design that prevents the ball from seating when subjected to racing on rough tracks, thereby preventing the associated carburetor flooding. Offered in -6AN or -8AN sizes.

Part No.	Description
WCD4003-8	-8AN Roll-Over Valve
WCD4003-6	-6AN Roll-Over Valve



NEW PRODUCTS



Screw-On Oil Filters

21-micron filter element. Black canister.

Part	Description	Price
WIX51036	1980-05 GM Car/Truck/Marine	
WIX51042	1975-76 GM Car/Truck, 1996-12 GM Truck	
WIX51045	1977-82 GM Car	
WIX51049	1959-67 GM Car	
WIX51068	1983-97 Ford Car, 1995-04 Land Rover	
WIX51069	1964-99 GM Car/Truck	
WIX51225	1987-2021 Various Harley Davidson Motorcycles, Chrome Canister	
WIX51334	1988-05 Acura, 1985-88 Chevy, 1991-96 Dodge, 1988-96 Ford, 1972-09 Honda, 1989-19 Hyundai, 2001-19 Kia, 1989-98 Mitsubishi, 1987-19 Subaru	
WIX51348	1982-11 Chrysler/Dodge/Jeep, 1985-07 Saturn, 1990-10 Lexus, 1967-09 Saab, 1986-02 Suzuki, 2012-18 Land Rover, 2005-18 Mazda, 1989-89 Yugo, 2009-11 Volkswagen	
WIX51356	1992-06 Chrysler, 1992-05 Dodge, 1993-97 Ford Probe, 1971-00 Mazda, 1999-00 Mercury Villager, 1990-18 Mitsubishi, 2004-07 Saturn	
WIX51358	1987-12 Various Honda & Kawasaki Motorcycles	
WIX51359	Arpilia, Arctic Cat, Suzuki, Yamaha	
WIX51365	1992-97 Ford, 2000-06 Honda, 1997-18 Mazda, 1991-96 Mercury, 2005-06 Saab, 2009-12 Suzuki, Subaru 4EAT, R4AX-EL Transmission Filter	
WIX51372	1991-21 Ford/Lincoln/Mercury, 2000-09 Mazda, 2006-09 Cadillac STS-V/XLR-V	
WIX51394	1985-09 GM, 1988-92 Daihatsu, 1991-96 Infiniti, 1991-95 Nissan, 2000-11 Buell Motorcycle, 1980-19 Toyota, 2004-09 Scion, 2003-10 Pontiac Vibe	
WIX51515	1957-70 Dodge Car/Truck, 1957-00 Ford Car/Truck, 1994-00 Mazda Truck, 1971-96 Toyota Landcruiser	
WIX51516	1981-13 Ford, 2002-09 Chrysler/Jeep/ Mitsubishi	
WIX51522	1982-86 AMC, 1980-11 Buick, 1981-11 Cadillac, 1999-12 Chevy, 1993-10 Saturn, 1981-86 Jeep, 2003-09 Isuzu, 2006-09 Saab	
WIX57002	2012-22 Mazda, 2016-20 Toyota Yaris	
WIX57013	Ducati/Harley Davidson Motorcycles, Chrome Canister	
WIX57055	2011-12 Subaru	
WIX57092	2001-05 Chrysler Sebring, 2001-05 Dodge Stratus, 1999-15 Mitsubishi	
WIX57145	1999-04 GM, 1988-16 Toyota/Lexus/Scion, Suzuki Marine Engines	
WIX57356	2001-20 Acura/Honda, 2007-09 Hyundai, 2010-11 Mazda, 1996-20 Infiniti/Nissan	
WIX57502	2009-22 Ford/Lincoln/Mercury/Mazda	
WIX57712	1988-21 Subaru, Saab 9-2X 2005-06	
WIX57899	2002-22 Dodge/Chrysler/Jeep/Ram	
WIX57937	Arctic Cat ATV	
WIXWL10255	2011-22 GM	



Air Filters

Part	Description	Price
WIX49946FR	2003-09 Dodge/Ram Turbo Diesel	
WIXWA10048	2013-22 Ford Edge/Fusion, 2013-22 Lincoln MKZ	
WIXWA10085	2014-21 Toyota Tundra/Sequoia	
WIXWA10171	2014-19 Chevy Corvette	
WIXWA10256	2015-17 Chevy Colorado, 2015-17 GMC Canyon	
WIXWA10268	2013-22 Audi/Volkswagen	
WIXWA10315	2015-17 Ford Mustang	
WIXWA10316	2015-21 Ford Transit	
WIXWA10418	2015-21 Volkswagen Golf	
WIXWA10937	2019-22 Jeep Cherokee	
WIXWP10129	2014-19 Chevy Silverado/GMC Sierra/Cadillac Escalade	
WIXWP10266	2015-22 Ford Full-size Truck	



Cartridge Oil Filters

Paper element.

Part	Description	Price
WIX57082	2001-17 Saturn, 2003-12 Saab, 18 Micron	
WIX57187	2003-21 Audi/Volkswagen, 17 Micron	
WIX57671	2002-18 Honda Motorcycle/ATV, 11 Micron	
WIXWL10090	Aprilia, Bombardier, Can-AM ATV/UTV	



Magnaflow

Rumble Turbo Performance Muffler Universal steel mufflers.



Part	Body Length	Overall Length	Inlet	Outlet	Price
Aluminized					
MAGR27696	14" Oval	18-1/2"	2-1/2" Offset	2-1/2" Offset	
MAGR27715	14" Oval	18-1/2"	2-1/2" Offset	2-1/2" Center	
MAGR27718	20" Oval	26-1/2"	2-1/2" Offset	2-1/2" Center	
Stainless					
MAGR32441	13" Oval	18-1/2"	2-1/4" Offset	2-1/4" Center	
MAGR32443	13" Oval	18-1/2"	2-1/4" Offset	2-1/4" Offset	
MAGR32541	13" Oval	18-1/2"	2-1/2" Offset	2-1/2" Center	
MAGR32543	13" Oval	18-1/2"	2-1/2" Offset	2-1/2" Center	
MAGR33041	13" Oval	18-1/2"	3" Offset	3" Center	
MAGR33043	13" Oval	18-1/2"	3" Offset	3" Offset	
MAGR37426	13" Oval	18-1/2"	2-1/2" Center	2-1/2" Center	
MAGR37428	13" Oval	18-1/2"	3" Center	3" Center	

NEW PRODUCTS

READYLIFT[®] SUSPENSIONS

Ready Lift

2019-22 Dodge Ram 2500/3500 4WD Front Leveling Kit

Your Choice -

Reduces vehicle rake, improves ground clearance, and allows for larger tires. The kit includes new springs, brackets, and 10.9 grade mounting hardware.

Part	Description
RDY46-19120	1-1/2"
RDY66-18180	1-3/4"




PROFORM

Proform

Race Series Carburetors

This 4-barrel square bore carburetors feature a The Next Gen High-Flow main body, durable metering blocks, billet throttle baseplate, Next Gen aluminum fuel bowls, dual inlet, and mechanical secondaries. The Race Series design offers a high-flow main body with dyno-proven performance gains and adjustable air bleeds as well as no air horn, choke tower, or choke control. The Next Gen fuel bowls are lightweight, include sight glass windows for easy float adjustment, internal baffling, and a lower fuel ramp for improved fuel control. Hand assembled in the USA.



PROFORGED

Proforged

1965-70 GM B-Body Pitman Arm PFG103-10065

Factory replacement black EDP coated steel pitman arm. Sold each.



1970-81 GM F-Body Upper Control Arms

Factory style stamped steel upper control arm with heavy-duty bolt-in greaseable ball joint. Sold each.

Your Choice -

Part	Description
PFG108-10263	Driver Side
PFG108-10264	Passenger Side



1960-72 Chrysler A/B/E-Body Upper Ball Joint Removal Tool PFG124-10002

Allows for easier ball joint removal and installation. Made from forged steel for use with 1/2" drive socket.



vibrant performance

VIBRANT PERFORMANCE

Slip-On Exhaust 3-into-1 Merge Collector Your Choice -

Stainless steel construction. Designed to slip together with other exhaust components.

Part	Primary Tube Diameter	Outlet Diameter
VIB10330	1-1/2"	2-1/2"
VIB10332	1-5/8"	2-1/2"
VIB10334	1-3/4"	2-1/2"
VIB10336	1-7/8"	2-1/2"
VIB10338	2"	3"



Tundra Series Oil & Transmission Coolers

Ideal for cooling vehicle fluids including: transmission, engine oil, power steering, or differential. The aluminum stacked plate and fin design offers more efficient cooler than traditional tube and fin coolers. -10AN female threaded ports with o-ring. Black powder coated.



Part	Description	Price
PFM69570-10	10-Row, 20,000 BTU, 11.5" x 4.76" x 2"	
PFM69570-16	16-Row, 32,000 BTU, 11.5" x 6.58" x 2"	
PFM69570-25	25-Row, 47,800 BTU, 11.5" x 9.31" x 2"	
PFM69570-40	40-Row, 72,000 BTU, 11.5" x 13.86" x 2"	



**2022
NEW PRODUCTS**

Two-Piece Fuel Filter Brackets Your Choice -

Brackets are a two-piece design that clamps our 2" O.D. in-line style fuel filter directly to the chassis tubing. Bracket secures filter to the tubing but does not fit completely around chassis tubing for applications when decking or sheet metal is mounted directly against the tubing. Sold each.

Part No.	Tubing Size
ALL40190	1-1/8"
ALL40191	1-1/4"
ALL40192	1-1/2"
ALL40193	1-3/4"



Mini Panhard Bar Clevis

Aluminum clevis clamps to mini sprint and midjet chassis, providing an adjustable mounting point for a panhard bar. Clevis includes 3/8" hardware with a reducer bushing for mounting panhard bars with 1/2" rod ends.

Your Choice -

Part No.	Description
ALL60232	1-1/8" I.D.
ALL60233	1-1/4" I.D.



Bolt-On Spring Cup ALL56117

Aluminum cup for 5" spring features a 1/2" mounting hole for use with internally threaded jack bolts, used as a rear lower cup, or modified to fit shock shafts.



Hub Kits

Fits 2.5" pin GN style axle tubes, are a popular choice for modifieds and street stocks. Spindle nut kit sold separately.



Part No.	Description	Price
ALL68806	5 x 5" Bolt Circle	
ALL68807	5 x 4-3/4" Bolt Circle	
Related Parts:		
ALL72177	Spindle Nut for Tanged Style Washer	
ALL72173	Spindle Nut Kit with Slotted Ring	

Bolt-On Spring Cup

Sold only in pre-cut 7-1/2' lengths. Always check wall thickness tolerance before cutting or welding, especially if the car is to be certified. Tubing wall thickness will vary.

Part No.	Tubing Size (in.)	Price
Chrome Moly		
ALL22000-7	1/4 x .035	
ALL22005-7	3/8 x .058	
ALL22010-7	1/2 x .049	
ALL22012-7	1/2 x .058	
ALL22015-7	5/8 x .049	
ALL22017-7	1-1/2 x .058	
ALL22020-7	3/4 x .049	
ALL22022-7	3/4 x .058	
ALL22024-7	3/4 x .095	
ALL22026-7	3/4 x .120	
ALL22030-7	7/8 x .058	
ALL22032-7	7/8 x .095	
ALL22040-7	1 x .049	
ALL22042-7	1 x .058	
ALL22044-7	1 x .065	
ALL22045-7	1 x .083	
ALL22046-7	1 x .095	
ALL22050-7	1-1/8 x .058	
ALL22054-7	1-1/8 x .083	
ALL22060-7	1-1/4 x .058	

Part No.	Tubing Size (in.)	Price
Chrome Moly (Cont.)		
ALL22061-7	1-1/4 x .083	
ALL22062-7	1-1/4 x .065	
ALL22063-7	1-1/4 x .095	
ALL22064-7	1-1/4 x .120	
ALL22070-7	1-3/8 x .058	
ALL22072-7	1-3/8 x .095	
ALL22079-7	1.500 x .049	
ALL22080-7	1-1/2 x .058	
ALL22082-7	1-1/2 x .065	
ALL22084-7	1-1/2 x .083	
ALL22086-7	1-1/2 x .095	
ALL22090-7	1-5/8 x .083	
ALL22093-7	1-3/8 x .083	
D.O.M. Mild Steel		
ALL22127-7	1 x .120	
ALL22133-7	1-1/2 x .083	
ALL22135-7	1-1/2 x .095	
ALL22140-7	1-5/8 x .120	
ALL22145-7	1-3/4 x .095	
ALL22147-7	1-3/4 x .120	



To see more great new products from Allstar Performance as well as our complete selection of sale items and specials, visit www.allstarperformance.com