

BIG DEALS

NEW PRODUCTS



UNBELIEVABLE DEALS

TABLE OF CONTENTS

UNBELIEVABLE DEALS

3-14

NEW PRODUCTS AND VENDORS

17-38

UNBELIEVABLE DEALS

Vendor	Page	Vendor	Page	Vendor	Page	Vendor	Page
AEM.....	3	Dart.....	7	Impact Racing.....	10	Ram Clutch.....	12
Aeromotive.....	3	Detroit Speed Engineering.....	7	Intercomp.....	10	Redline Oil.....	12
AFCO Racing Products.....	3	Diablosport.....	7	JE Pistons.....	10	Richmond.....	13
AFe Racing.....	3	Diversified Machine Inc.....	7	King Racing Products.....	10	Ridetech.....	13
Air Flow Research.....	3	Dynamat.....	7	Loctite.....	10	Rough Country.....	13
Allstar Performance.....	3-5	Dynatech.....	7	Longacre.....	11	Safecraft.....	13
AMP Research.....	5	Eagle.....	7	Magnaflow Perf Exhaust.....	11	Scat Enterprises.....	13
ATL Fuel Cells.....	5	Edelbrock.....	7,8	Manley.....	11	Simpson Safety.....	13
Autometer.....	5	Fast Electronics.....	8	March Performance.....	11	Superior Fuel Cells.....	13
B&M Automotive.....	5	Fitech Fuel Injection.....	8	Meziere.....	11	Superwinch.....	13
Bestop.....	5	Flaming River.....	8	Mickey Thompson.....	11	Tilton.....	13
Bill Miller Engineering.....	5	Flex-A-Lite.....	8	Mile Marker.....	11	Timbren.....	14
Billet Specialties.....	5,6	Ford.....	8	Moroso.....	11	Ultra Lite Brakes.....	14
The Blower Shop.....	6	Gibson Exhaust.....	8	MPI USA.....	11	Vintage Air.....	14
Blueprint Engines.....	6	Gorilla.....	8	Mr. Gasket.....	11	Warn.....	14
Brodix.....	6	Grant.....	8,9	MSD Ignition.....	11,12	Weld Wheels.....	14
Bully Dog.....	6	H3r Performance.....	9	Oracle Lighting.....	12	Wilwood.....	14
Callies.....	6	Heidts Rod Shop.....	9	Performance Automatic.....	12	Xtreme Racing Products.....	14
Coker Tire.....	6	Holley.....	9,10	PIAA.....	12		
Crower.....	6	Hepfner Racing Products.....	10	Pyrotec.....	12		
Cylinder Head Innovations.....	6	Hypertech.....	10	QA1.....	12		

NEW PRODUCTS INDEX

Please Note: • Some items not legal for sale or use on pollution-controlled vehicles • Not responsible for typographical errors • All prices are listed in U.S. dollars.

BLACK - NEW VENDORS

Vendor	Page	Vendor	Page	Vendor	Page	Vendor	Page
Air Flow Research.....	33	Dynomax.....	22	MBRP Performance.....	29	Ridetech.....	22
Alan Grove Components.....	21	Earl's.....	36	MPI.....	25	Right Stuff Detailing.....	31
Aldan American.....	37	Extang.....	26	MPD Racing.....	27	RJS Racing.....	20
Allstar Performance.....	38	FAST.....	37	MSD.....	33	S-A Design.....	29
American Autowire.....	21	Fast Shafts.....	34	Odyssey Battery.....	31	Saldana.....	21
AMP Research.....	22	Ferrea Racing Components.....	31	OMP.....	21	Schoenfeld.....	18
Bell Helmets.....	18	Flex-A-Lite.....	26	Oracle Lighting.....	27	Triple X Race Components Inc.....	17
Bestop.....	22	Flowmaster.....	26	PEM Racing.....	18	Tuff Stuff.....	31
Bushwacker.....	22	G-Force Racing Gear.....	19	Permatex.....	36	Vintage Air.....	29
Comp Cams.....	34,35	Grypmat.....	27	Proform.....	30	VP Racing Fuels.....	19
Dana Spicer.....	23,25	Husky Liners.....	26	Pypes Performance.....	29	WARN.....	31
Deatschwerks.....	32	Ididit.....	27	Quick Fuel Technology.....	31	Westin.....	31
Design Engineering, INC (DEI).....	22	K&N Filters.....	27	Quickcar.....	15,16	Waterman Racing Components.....	21
Dirt Defender.....	32	Kooks.....	27	RaceQuip.....	17		
Diversified Machine.....	21	Lokar Performance Products.....	28,29	Racing Power Company.....	30		
Driven Racing Oil.....	21	Lucas Oil Products.....	27	RE Suspension.....	18		

NEW VENDORS

SPICER®



Page 23-25




















Page 37

CALL NOW! UNBELIEVABLE DEALS!

DON'T MISS OUT ON THESE LIMITED QUANTITIES AVAILABLE AT SPECIAL SALE PRICES

Description	Photo	Part No.	Price
AEM			
DRYFLOW AIR FILTER 02- DODGE P/U 3.6/5.7/6.4L DryFlow panel-style synthetic air filter element measures 13-13/16" x 9-3/8" - 1-5/8" thick. Fits 2002-16 Dodge full-size trucks. Sold each.		AEM28-20247	
AEROMOTIVE			
BELT DRIVE PUMP BRACKET Clamp-on fuel pump bracket. Black anodized billet aluminum. For Aeromotive pulley/hex-drive fuel pumps. Each.		AFS11705	
AFCO RACING PRODUCTS			
HEAT EXCHANGER 2013-15 ZL1 CAMARO Double-pass heat exchanger/intercooler with included fan provides 350% more cooling area than stock. Natural aluminum finish, fits 2013-15 Chevy Camaro with GM LS-series engine. Sold each.		AFC80283PRO	
AFE POWER			
ENGINE MOUNTS 1997-13 CORVETTE Bolt-on motor mount kit with polyurethane bushings. Aluminum/steel construction with orange anodized and nickel finish. Fits 1997-2013 Chevy Corvette with LS series engine.		AFE450-401007-N	
DIFFERENTIAL COVER 2003-14 DODGE 5.9/6.7 LITER Street Series finned differential cover. Natural finish aluminum with machined fins. For AAM 11.5" 14-bolt. Sold each.		AFE46-70010	
TRANSMISSION PAN DEEP AL DODGE 46RE 46RH 47RH 48R Deep finned transmission pan adds 3.0 to 4.0 quarts capacity. Steel with black powder coat finish and machined fins. 727-DD. Sold each.		AFE46-70052	
TRANSMISSION COVER FORD 6R80 TRANS Deep finned transmission pan adds 7.0 quarts capacity. Steel with black powder coat finish and machined fins. 6R80 2009-15. Sold each.		AFE46-70172	
HEADERS/X-PIPE 2014-15 CORVETTE 6.2L Headers and X-Pipe kit with 1-7/8" primaries, 3" X-pipe, and 3" collector pipes. Converters included. Natural stainless. Fit 2014-15 Chevy Corvette.		AFE48-34112-YC	
CAT BACK SS 2-1/2" DUAL OUT POLISHED TIP Rebel Series cat-back exhaust system with 2-1/2" tailpipe and 4-1/2" in polished tips. Natural stainless. Fits 2018-up Jeep Wrangler 4-door with Mopar V6.		AFE49-38066-P	
AIR INTAKE SYSTEM 2017-Up FORD F250 6.7L Momentum HD Pro Dry Stage 2 air induction system features a reusable dry filter. Fits 2017-up Ford full-size trucks with Powerstroke diesel engine. Sold as a kit.		AFE51-73006	
AIR FLOW RESEARCH			
SBC 190 VORTEC CORONA SERIES CYL. HEADS (PAIR) Mexico National NASCAR Spec assembled cylinder heads with 190cc intake and 3/8" rocker arm studs. Vortec for Small Block Chevy. Pair.		AFR0914W/6400	
SBC 245CC CNC ALUM HEADS ELIMINATOR RACING Competition package assembled cylinder heads. With 2.125"/1.600" valves, 245cc intake, 80 cc chamber, and 1.550" in springs. Aluminum. For Small Block Chevy. Pair.		AFR1140-TI	
BBF 295CC BULLITT CNC CYLINDER HEADS 85CC ASSM Bullitt assembled cylinder head. With 2.250"/1.760" valves, 295cc intake, 85cc chamber, and 1.625" springs. Aluminum. For Big Block Ford. Pair.		AFR3819	

CALL NOW! UNBELIEVABLE
DON'T MISS OUT ON THESE DEALS!
 LIMITED QUANTITIES AVAILABLE AT SPECIAL SALE PRICES

Description	Photo	Part No.	Price
ALLSTAR PERFORMANCE			
SHOCK MOUNT PIN Short shoulder, 2-1/2". Hairpins included. Natural titanium. Each.		ALL17121	
RIVET 3/8" head, 3/16" mandrel, 1/4"-3/8" grip range, red aluminum, pack of 250.		ALL18122	
RIVET GUN FOR CORDLESS DRILL Rivet gun adapter for cordless drills. For use with 3/32" to 3/16" O.D. rivets. Black plastic construction. Each.		ALL18205	
PLASTIC TANK RADIATOR 19X22 SINGLE PASS Single-pass radiator black with plastic tanks and aluminum core. 22"W x 19"H x 1-3/4" Driver-side inlet, passenger-side outlet. Each.		ALL30050	
PLASTIC TANK RADIATOR 19X24 SINGLE PASS Single-pass radiator with black plastic tanks and aluminum core. 24"W x 19"H x 1-3/4" Driver-side inlet, passenger-side outlet. Each.		ALL30051	
PLASTIC TANK RADIATOR 19X26 SINGLE PASS Single-pass radiator with black plastic tanks and aluminum core. 26"W x 19"H x 1-3/4" Driver-side inlet, passenger-side outlet. Each.		ALL30052	
PLASTIC TANK RADIATOR 19X28 SINGLE PASS Single-pass radiator with black plastic tanks and aluminum core. 28"W x 19"H x 1-3/4" Driver-side inlet, passenger-side outlet. Each.		ALL30053	
PLASTIC TANK RADIATOR 19X31 SINGLE PASS Single-pass radiator with black plastic tanks and aluminum core. 31"W x 19"H x 1-3/4" Driver-side inlet, passenger-side outlet. Each.		ALL30054	
STEEL FAN 15" 4-BLADE 4-blade mechanical cooling fan. 15" fan with 5/8" pilot. Universal bolt pattern. Black painted steel. Each.		ALL30104	
PLASTIC TANK RADIATOR FORD 19X22 SINGLE PASS Single-pass radiator with black plastic tanks and aluminum core. 22"W x 19"H x 1-3/4" Passenger-side inlet, driver-side outlet. Each.		ALL30320	
PLASTIC TANK RADIATOR FORD 19X28 SINGLE PASS Single-pass radiator with black plastic tanks and aluminum core. 28"W x 19"H x 1-3/4" Passenger-side inlet, driver-side outlet. Each.		ALL30324	
WHEEL SPACER 1/4" Thick, Aluminum, Black Anodize, Each		ALL44120	
WHEEL MUD PLUG 5" Thick, Foam, Yellow, 15" Wheels, Each		ALL44154	
MUD SCRAPER 32" Long, Foam Grip, Aluminum / Plastic, Black / Gray, Each		ALL44165	
MUD COVER RING Round Style, 6 Quick Release Fasteners, Steel, 15" Wheels, Allstar Mud Cover Kit, Each		ALL44247	
CENTERLINK OEM Style, Steel, GM Fullsize Truck 1977-86, Each		ALL56313	
LOWER CONTROL ARM RH PRESS IN CHEVELLE Tubular lower control arm. Passenger-side. Press-in ball joint. Black powder-coated steel. Fits 1968-72 GM A-Body. Each.		ALL57810	

CALL NOW! UNBELIEVABLE DON'T MISS OUT ON THESE DEALS! LIMITED QUANTITIES AVAILABLE AT SPECIAL SALE PRICES

Description	Photo	Part No.	Price
ALLSTAR PERFORMANCE			
LOWER CONTROL ARM LH PRESS-IN CHEVELLE Tubular lower control arm. Driver-side. Press-in ball joint. Black powder-coated steel. Fits 1968-72 GM A-Body. Each.		ALL57811	
PANHARD BAR BRACKET QC PINION MOUNT Pinion-mount panhard bar bracket. Quick change, bolt-on, double adjustable. Black anodized aluminum. Each.		ALL60280	
AIR FILTER CLEANER 24-oz spray bottle, case of 6.		ALL78222-6	
TIRE CLEANER Dirt Tire Soap, 1 gal Bottle. Each.		ALL78236	
SHOP GLOVES Shop gloves., black nylon. X-Large. Pair.		ALL99942	
AMP RESEARCH			
POWERSTEP XTREME 2008-16 FORD F250/350/450 ALL CABS PowerStep Xtreme running boards. Power-deploying. Black anodized aluminum. For 2008-16 Ford F250/350/450 trucks. Pair.		AMP10-78234-01A	
POWERSTEP 2016-17 DODGE RAM ALL PowerStep running boards. Power-deploying. Black anodized aluminum. For 2016-17 Dodge/RAM full-size trucks. Pair.		AMP76139-01A	
POWERSTEP XTREME 2014-17 GM P/U EXT/CREW CAB PowerStep XL running boards. Power-deploying. Black anodized aluminum. For 2014-17 GM full-size trucks with extended/crew cab. Pair.		AMP78154-01A	
ATL FUEL CELLS			
RACELL 3 GAL. 8 X 8 X 15 Racell 3-gallon fuel cell. 8" x 8" x 15" tall. -8AN Outlet/Return, -6AN vent. Plastic with foam. Blue. Each.		ATLRA103	
AUTOMETER			
5" A/M 2-PIECE QUAD GAUGE KIT American Muscle combination analog gauge kit. Fuel level, oil pressure, speedometer, tachometer, voltmeter, water temperature. Brushed with black face.		ATM1205	
B&M AUTOMOTIVE			
TH350 TRANSMISSION WITH 6IN. TAILSHAFT Street/Strip Series TH350 automatic transmission. Automatic valve body, 6" tailshaft. Each.		BMM113001	
BESTOP			
UNDERSEAT LOCK BOX BLACK Locking underseat storage box, driver's side. 12" x 8-1/2" x 3". Black powder-coated steel. For 1997-2006 Jeep Wrangler TJ. Each.		BES42641-01	
BILL MILLER ENGINEERING			
BBC 6.800" ALUMINUM ROD SET I-Beam connecting rod. Bushed, 6.800" long with 7/16" cap screws. Forged aluminum. Fits Big Block Chevy. Set of 8.		BME396665	

CALL NOW! UNBELIEVABLE DEALS!













DON'T MISS OUT ON THESE LIMITED QUANTITIES AVAILABLE AT SPECIAL SALE PRICES

Description	Photo	Part No.	Price
BILLET SPECIALTIES			
SBF TRU TRACK PULLEY SYSTEM Premium Tru Trac pulley kit. 6-rib serpentine. Polished billet aluminum. For Small Block Ford.		BSP13600PA	
BILLET SPECIALTIES			
LS SMOOTH MODULAR VALVE COVERS POLISHED Smooth modular valve cover. Stock height. Hidden coils, wire harness, filler cap, stainless steel hardware. Polished billet aluminum. For GM LS-Series. Pair.		BSP95471	
THE BLOWER SHOP			
671 BILLET BLOWER 2-LOBE - POLISHED Roots-style supercharger. 6-71, 2-lobe, polished billet aluminum. Each.		BLS2213	
BLUEPRINT ENGINES			
CRATE ENGINE - SBC 355 385HP DRESSED MODEL Crate engine, base engine. 355 cubic inch, 385 HP. Small Block Chevy. Each.		BPEBP3550CT1	
CRATE ENGINE - SBC 355 385HP DRESSED MODEL Crate engine, fully dressed engine. 355 cubic inch, 385 HP. Small Block Chevy. Each.		BPEBP3550CTC1	
CRATE ENGINE - SBC 383 405HP DRESSED MODEL Crate engine, base dressed engine. 383 cubic inch, 405 HP. Small Block Chevy. Each.		BPEBP3830CTC1S	
BRODIX			
BBC 345CC BB3 XTRA HEAD 2.300IN/1.880IN BARE BB-3 Xtra bare cylinder head. 2.300"/1.880" valves. 345cc intake, 119cc chamber. Aluminum. Big Block Chevy. Each.		BRO2030003	
BBC 440CC SR20 HEAD CNC PORTED - ASSEMBLED BP SR 20 assembled cylinder head. 2.400"/1.800" valves, 440cc intake, 95cc chamber, 1.645" springs. Aluminum. Big Block Chevy. Each.		BRO2208100	
SBC CAST IRON BLOCK 4.000 BORE 350 MAINS Bare engine iron block. 4.000" bore, 9.025" deck, with 350 4-bolt main and 2-piece seal. Small Block Chevy. Each.		BROBRS400035842W	
BULLY DOG			
ENGINE TUNER TRIPLE DOG GT FOR GAS ENGINES Triple Dog GT engine programmer. 50-state legal. Color touchscreen. For gas engines. Each.		BUL40410	
CALLIES			
SBC 4340 FORGED MAGNUM CRANK - 4.000 STROKE Magnum forged steel crankshaft. Internal balance, 4.000" stroke, 2-piece seal. Small Block Chevy. Each.		CALSM021A-MG	
CROWER			
SPORTSMAN RODS - SBF 5.155 Sportsman I-beam forged steel connecting rods. Bushed, 5.155" long with 3/8" cap bolts. For Small Block Ford. Set of 8.		CROSP91225B-8	

CALL NOW! UNBELIEVABLE DON'T MISS OUT ON THESE DEALS! LIMITED QUANTITIES AVAILABLE AT SPECIAL SALE PRICES







Description	Photo	Part No.	Price
DART			
BBC BIG CHIEF PRO-1 CYL. HEAD 18-DEGREE BARE Big Chief Pro bare cylinder head. For 2.400"/1.900" valves, with 424cc Intake and 95 or 100cc chamber. Aluminum. For Big Block Chevy. Each.		DRT18475030	
SBF 302 IRON SPORTSMAN BLOCK - 8.200/4.000 Iron Eagle Sportsman bare engine block. 4.00" bore, 8.200" deck, 302 main, 4-bolt/2-bolt main, and 1-piece seal. Iron. Small Block Ford. Each.		DRT31354175	
DETROIT SPEED ENGINEERING			
QUADRA LINK REAR SUSP. - 1967-69 F-BODY Quadralink four-link suspension kit with crossmember, panhard bar, shocks, springs, trailing arms. Black powder-coated steel. For 1967-69 GM F-body 1967-69.		DSE041703	
QUADRA LINK REAR SUSP. - 1970-81 F-BODY Quadralink four-link suspension kit with crossmember, panhard bar, shocks, springs, trailing arms. Black powder-coated steel. For 1967-69 GM F-body 1970-81.		DSE041711	
DIABLOSPORT			
TRINITY 2 ENGINE TUNER FORD VEHICLES Trinity 2 engine programmer for Ford vehicles. With high-definition 5" color touchscreen, 50-state legal. Each.		DBL9100	
DIVERSIFIED MACHINE INC			
Q/C REAREND PRO 4.12 W/ TUBES HOLLOW AXLES Professional quick-change rear axle assembly. 60" wide, with 10" ring gear, 4.12 ratio standard, and magnesium center. Kit.		DMIIMCA4.12PRO-TU-HA	
DYNAMAT			
DYNA-ROLLER PROFESSIONAL Sound barrier installation roller tool. Professional style with wood grip and rubber roller. For use with sound barrier materials. Each.		DMT10007	
DYNATECH			
604 HEADER KIT STAINLESS DIRT LATE MODEL Dirt Late Model headers kit. 1-5/8" to 1-3/4" primary, 3" collector. -Extension, booster. Natural stainless. For Small Block Chevy.		DTH711-65910	
EAGLE			
BBF 4340 FORGED CRANK - 4.300 STROKE Forged steel crankshaft. 4.300" stroke, internal balance, 2-piece seal. For Big Block Ford. Each.		EAG446043002200	
EDELBROCK			
E-FORCE 122 SUPERCHARGER KIT - SBC 1957-86 E-Force supercharger system. TVS, natural finish. Includes supercharger, intake manifold, belt, pulleys, gaskets, and hardware. For Small Block Chevy. Each.		EDE1551	
SBC E-CNC 225CC CYLINDER HEAD ASSEMBLED E-CNC assembled cylinder head. With 2.100"/1.600" valves, 225cc intake, 68cc chamber, and 1.460" springs. Aluminum. For Small Block Chevy. Each.		EDE61205	
CHEVY LS3 E-CNC 230 CYL. HEAD 69CC, BARE E-CNC assembled cylinder head. With 2.135"/1.550" valves, 230cc intake, 69cc chamber, and 1.300" springs. Aluminum. For GM LS series. Each.		EDE61319	
LS3 CROSS RAM INTAKE MANIFOLD - BLACK & GREY LS3 Cross Ram intake manifold. Black/gray powder-coated aluminum. For GM LS-Series. Each.		EDE71413	

CALL NOW! UNBELIEVABLE
DON'T MISS OUT ON THESE DEALS!
 LIMITED QUANTITIES AVAILABLE AT SPECIAL SALE PRICES

Description	Photo	Part No.	Price
FAST ELECTRONICS			
ENGINE CONTROL SYSTEM XFI SPORTSMAN XFI Sportsman engine control module kit. Includes wideband O2 sensor, wiring harness. Universal.		FST303000	
ENGINE CONTROL SYSTEM XFI SPORTSMAN DUAL QUAD XFI Sportsman fuel injection kit. Includes dual square-bore throttle body, 87 lb/hr injectors, 2200 CFM, sensors, and base tune for use with Roots supercharger.		FST303002RB	
FITECH FUEL INJECTION			
GO PORT BBC R/P 500-1050 HP EFI SYSTEM W/BLACK TB Go Port EFI multi-port fuel injection system. 70 lb/hr injectors, flows 900 CFM. Rectangular port. Black anodized aluminum. For Big Block Chevy. Kit.		FIT30258	
FLAMING RIVER			
1979-93 5.0L MUSTANG RACK & PINION INST. KIT Rack and pinion kit. 5.25" travel, 45.0" long. Includes bushings, joints, tie rod ends. Aluminum, chrome. For 1979-93 Ford Mustang with manual transmission.		FLAFR1890	
FLEX-A-LITE			
TRANSMISSION OIL COOLER 30 ROW 3/8" BARB Universal fluid cooler kit. 30-row plate and fin type. 10" x 11" x 3/4", with 3/8" hose barb Inlet and 3/8" hose barb outlet. Natural aluminum.		FLE400130	
FORD			
CRATE ENGINE Z427 W/ REAR SUMP & Z2 HEADS Crate Engine. 427 cubic inch, 535 HP. With rear sump and Z2 heads. Small Block Ford. Each.		FRDM6007-Z2427FRT	
GIBSON EXHAUST			
CAT-BACK DUAL SPLIT EXHAUST SYSTEM - STAINLESS Dual split cat-back exhaust system. 2-1/2" tailpipe, 3-1/2" tips. Polished stainless. For 2004-14 Nissan Titan.		GIB68200	
POLARIS UTV DUAL EXHAUST STAINLESS Dual exhaust system. Polished stainless. For 2015 Polaris UTV.		GIB98021	
POLARIS UTV DUAL EXHAUST BLACK CERAMIC Dual exhaust system. Black ceramic-coated stainless. For 2016 Polaris UTV.		GIB98026	
PERFORMANCE HEADER - STAINLESS Shorty headers kit. 1-1/2" primary, stock collector flange. Natural stainless. For 1997-2004 Ford full-size trucks.		GIBGP214S	
GORILLA			
40 LUGNUTS 14MM X 1.5 13/16 HEX Bulge-type lug nut. 14mm x 1.50 thread, 13/16" hex head, 60° seat, closed end. Chrome-plated heat-treated steel. Set of 40.		GOR61148CX	
GRANT			
QUICK RELEASE HUB GM Steering wheel quick release. Pinless, 360° release for 5-bolt steering wheel and GM 36-spline shaft. Clear anodized aluminum. Kit.		GRT3021	

CALL NOW! UNBELIEVABLE DEALS!

DON'T MISS OUT ON THESE LIMITED QUANTITIES AVAILABLE AT SPECIAL SALE PRICES

Description	Photo	Part No.	Price
GRANT			
QUICK RELEASE HUB FORD Steering wheel quick release. Pinless, 360° release for 5-bolt steering wheel and Ford 40-spline shaft. Clear anodized aluminum. Kit.		GRT3022	
H3R PERFORMANCE			
FIRE EXT 1LB MAX OUT CHROME Maxout dry-chemical fire extinguisher. Class ABC, 2B C rated. 1.0 lb, with mounting bracket. Chrome-finish steel. Each.		H3RMX100C	
HEIDTS ROD SHOP			
FRONT SUB FRAME 1967-69 CAMARO, 1968-72 NOVA Pro-G front suspension kit. Includes brakes, coil-overs, crossmember, control arms, rack, sub-frame, and spindles. For 1967-69 GM F-Body.		HEICF-101-WT	
HOLLEY			
HP BLOWER CARBURETOR 600CFM 4150 SERIES Model 4150 carburetor. Supercharger, 4-barrel, flows 600 CFM, square bore. No choke, mechanical secondary, dual inlet. Silver. Each.		HLY0-80575S	
LOW LS DRIVE SYSTEM KIT W/PS/ALT & AC COMPRESS. 6-rib serpentine pulley kit. Cast aluminum, natural finish. For GM LS-Series.		HLY20-162	
205 LB/HR FUEL INJECTORS 4PK HIGH IMPEDANCE Fuel injector. Bosch/EV14, 205 lb/hr. High-impedance, USCAR connector. Set of 4.		HLY522-205	
TERMINATOR EFI MASTER SYSTEM 950CFM POLISHED Terminator EFI fuel injection system. Throttle body, square bore, with 80 lb/hr injectors. Flows 950 CFM. Cast aluminum, polished finish.		HLY550-405K	
TERMINATOR EFI MASTER SYSTEM 950CFM HC-GRAY Terminator EFI fuel injection system. Throttle body, square bore, with 80 lb/hr injectors. Flows 950 CFM. Cast aluminum, gray anodized finish.		HLY550-406K	
TERMINATOR EFI KIT LSX W/24 TOOTH SENSOR Terminator EFI fuel injection system. Throttle body, square bore, with 80 lb/hr injectors. Flows 950 CFM. Cast aluminum, polished finish. For GM LS-series.		HLY550-409	
TERMINATOR STEALTH EFI MASTER KIT - CLASSIC GOLD Terminator Stealth EFI Master fuel injection system. Throttle body, square bore. Includes fuel pump, filter, fittings, harness, hose, regulator, tuner. Aluminum, gold finish. For V8 applications.		HLY550-444K	
TERMINATOR STEALTH EFI KIT W/GM TRANS CONTROL Terminator Stealth EFI Master fuel injection system with GM transmission control. Throttle body, square bore. Includes fuel pump, filter, fittings, harness, hose, regulator, tuner. Aluminum, gold finish. For V8 applications.		HLY550-445	
TERMINATOR GM LS MP-EFI 07-UP LS3/4.8/5.3/6.0 Terminator multiport fuel injection system. Includes power module, programmer, O2 sensor, fittings, bungs. Drive-by-wire. For 2007-up GM LS2 / LS3 engines.		HLY550-611	
TERMINATOR GM LS MP-EFI 97-07 TRK /4.8/5.3/6.0 Terminator multiport fuel injection system. Includes power module, programmer, O2 sensor, fittings, bungs. Transmission control. For 1997-07 GM LS2 / LS3 engines.		HLY550-622	
TERMINATOR GM LS MP-EFI 97-07 TRK /4.8/5.3/6.0 Terminator multiport fuel injection system. Includes power module, programmer, O2 sensor, fittings, bungs. Transmission control/drive-by-wire. For 1997-07 GM LS2 / LS3 engines.		HLY550-623	
AVENGER EFI SYSTEM - 4-BBL BBC O/P 1000CFM Avenger EFI multiport fuel injection system. Square bore, with 48 lb/hr injectors. Flows 1000 CFM. Cast aluminum, natural finish. For Big Block Chevy.		HLY550-836	















CALL NOW! UNBELIEVABLE DEALS!

DON'T MISS OUT ON THESE LIMITED QUANTITIES AVAILABLE AT SPECIAL SALE PRICES

Description	Photo	Part No.	Price
HOLLEY			
SNIPER 2300 EFI KIT GOLD FINISH Sniper EFI fuel injection system. Throttle body, Holley flange. Programmer included. Aluminum, gold finish.		HLY550-851	
HEPFNER RACING PRODUCTS			
TOP WING SHARK FLAT SUPR SIDE Shark Super Board top wing side board. Flat top. Aluminum, natural finish. Sprint Car. Each.		HRPSHK0510-S1	
IMPACT RACING			
HELMET NITRO MEDIUM BLACK SA2015 Nitro helmet. Meets Snell SA2015, Head and Neck Support-ready. Black. Medium. Each.		IMP18015410	
HELMET AIR DRAFT LARGE FLAT BLACK SA2015 Air Draft helmet. Meets Snell SA2015, Head and Neck Support-ready. Flat black. Large. Each.		IMP19315512	
HELMET AIR DRAFT X-LARGE CARBON FIBER SA2015 Air Draft helmet. Meets Snell SA2015, Head and Neck Support-ready. Carbon fiber. X- Large. Each.		IMP19315620	
INTERCOMP			
SW500 E-Z SCALE SYSTEM SW500 E-Z Weigh vehicle scale kit. Electronic, with 15" square, 1500-lb capacity pads. Includes case, controller, pads, wiring. Natural aluminum.		INT170125	
WIRELESS PRO SCALE SW787 W/ BILLET PADS SW787RFX PC vehicle scale system. Electronic, with 15" square, 1500-lb capacity wireless pads. Includes case, pads, software. Natural aluminum.		INT170154-PC	
JE PISTONS			
SBC DOMED PISTON SET 4.030 BORE +13CC Forged piston. Dome-top. 4.030" bore. 1/16" x 1/16" x 3/16" ring grooves, plus 13.5cc. For Small Block Chevy. Set of 8.		JEP182012	
SBC DOMED PISTON SET 4.125 BORE +3CC Forged piston. Dome-top. 4.125" bore. 1/16" x 1/16" x 3/16" ring grooves, plus 5.6cc. For Small Block Chevy. Set of 8.		JEP182053	
SBC FLAT TOP PISTON SET 4.030 BORE -5CC F.S.R. Tour Series GP forged piston. 4.030" bore. 0.043" x 0.043" x 3mm ring grooves, minus 5.0cc. For Small Block Chevy. Set of 8.		JEP258028	
KING RACING PRODUCTS			
BLACK MAGIC 12LT MAGNETO DUAL PICK-UP W/ SWITCH Pro Mag 12 LT ignition magneto. Dual magnetic pickup, 26° spark duration, 40,000V. With HEI-style terminal. Black. Fits Chevy V8. Each.		KRPING7908-2	
LOCTITE			
GASKET MAKER 515 ANAERBC 50ML/1.69OZ Anaerobic 515 gasket maker/sealant. Silicone. 50 ml tube. Each.		LOC555352	

CALL NOW! UNBELIEVABLE DEALS!

DON'T MISS OUT ON THESE LIMITED QUANTITIES AVAILABLE AT SPECIAL SALE PRICES




Description	Photo	Part No.	Price
LONGACRE			
COMPUTER SCALES XLI WIRELESS W/ TABLET DUAL XLI wireless vehicle scale system. Electronic, with 15" square 1800 lb-capacity pads. Includes case, tablet, pads. Natural aluminum.		LON52-72726	
BILLET DIGITAL COIL SPRING TESTER Electronic coil spring tester. 0-3000 lbs, fits 6"-20" tall springs. Digital readout.		LON52-73505	
MAGNAFLOW PERF EXHAUST			
2014-19 GM P/U 1500 CC&EC CAT BACK EXHAUST KIT Performance cat-back exhaust system. 2-1/2" diameter with 3-1/2" tips Natural stainless. Fits 2014-19 GM full-size trucks with LS-Series engine.		MAG15269	
MANLEY			
1.522 NEXTEK DUAL VALVE SPRINGS NexTek dual-spring valve springs. 948 lb/in spring rate, 1.255" coil bind, - 1.522" O.D. Set of 16.		MAN221460-16	
MARCH PERFORMANCE			
LS ENGINE PRO TRACK PULLEY SYSTEM WITH A/C Sport Track 6-rib serpentine pulley kit. Clear powder-coated aluminum. For GM LS-Series.		MPP20035	
SBC STYLE TRACK PULLEY SET ALT A/C WITH P/S Style Track 6-rib pulley kit. Short water pump. Clear powder-coated aluminum. For Small Block Chevy.		MPP21150	
MEZIERE			
HD BILLET FLEXPLATE - SFI BBC 136 TOOTH P/M Pro Mod Solutions 136-tooth flexplate. Meets SFI 29.2. Internal balance, 6-bolt crank. Steel. For Chevy V8. Each.		MEZFPS091	
MICKEY THOMPSON			
LT305/55R20 121/118Q BAJA ATZP3 TIRE Baja ATZ 305/55R-20 radial tire. 3195 lb. max load. Black sidewall. Each.		MIC90000001946	
MILE MARKER			
8FT HANDHELD CONTROL ASSEMBLY FOR PE2000 Wired winch remote kit. 8-ft long cord. Mile Marker PE2000.		MMM76-50100-20	
MOROSO			
PRO MOD 4-VANE VACUUM PUMP W/BRKTS. & HDWR Mechanical vacuum pump kit. 4-vane, with 1-1/4" hose inlet and 1-1/4" hose outlet. Includes fittings. Black anodized aluminum. For Pro Mod style engines.		MOR22643	
MPI USA			
RACER STEERING WHEEL 17" DISHED Racer steering wheel. 3-spoke, 17" diameter with 2" dish. Black aluminum with foam grip. Each.		MPIMPI-DMR-17	
MR. GASKET			
BBC OVERHAUL GASKET SET OVAL PORT 1970-76 Full engine gasket set. Standard. For 1970-76 Big Block Chevy with oval port.		MRG7106	
MSD IGNITION			
PRO MAG 44 AMP MAGNETO - CW ROTATION W/BIG CAP Pro Mag 44 universal ignition magneto. With magnetic pickup, 26° spark duration, 50,000V. HEI-style terminal. Big cap, band clamp. Red, with clockwise rotation. Each.		MSD81305	
PRO MAG 44 AMP MAGNETO - CCW ROTATION Pro Mag 44 universal ignition magneto. With magnetic pickup, 26° spark duration, 50,000V. HEI-style terminal. Red, with counterclockwise rotation. Each.		MSD81405	

CALL NOW! UNBELIEVABLE DON'T MISS OUT ON THESE DEALS! LIMITED QUANTITIES AVAILABLE AT SPECIAL SALE PRICES

Description	Photo	Part No.	Price
MSD IGNITION			
PRO MAG 44 MAGNETO - CCW ROTATION - BLK W/BIG CAP Pro Mag 44 universal ignition magneto. With magnetic pickup, 26° spark duration, 50,000V. HEI-style terminal. Big cap, band clamp. Black, with counterclockwise rotation. Each.		MSD81407	
CHEVY V8 DISTRIBUTOR PRO-BILLET W/BLACK CAP Pro_Billet Distributor. With magnetic pickup, mechanical advance, rev limiter, and HEI-style terminal. Black. For Chevy V8. Each.		MSD85557	
ORACLE LIGHTING			
2014-15 GMC SIERRA LED HALO HEADLIGHT KIT COLORSHIFT SMD ColorShift LED headlight halo kit. Multi-color, with 2.0 controller. For 2014-15 GMC full-size truck.		ORA2450-333	
2005-11 TACOMA LED HALO HEADLIGHT KIT COLORSHIFT SMD ColorShift LED headlight halo kit. Multi-color, with 2.0 controller. For 2005-11 Toyota Tacoma.		ORA2680-333	
PERFORMANCE AUTOMATIC			
TRANSMISSION 700R4 STAGE 2 Street Smart Stage 2 automatic transmission kit. With automatic valve body, forward pattern, Chevy 700R4.		PAMPA70102	
TRANSMISSION PACKAGE AOD STREET SMART Street Smart automatic transmission kit. With controller, dipstick, torque converter. AOD. Ford.		PAMPASS53103	
PIAA			
SUPER SILICONE WIPER BLADE 26" Super Silicone universal wiper blade. 26" long. Silicone/steel construction. Black. Each.		PIA95065	
PYROTECT			
FUEL CELL 22 GALLON ANGLED BOTTOM ALUM CAN PyroCell Elite fuel cell. 22-gallon capacity. 34" x 17-1/2" x 9-1/2"H, with -8AN outlet and -8AN vent. Aluminum/foam construction. Each.		PYRMSPE122-A	
QA1			
SWAY BAR SET - F & R 2010-11 CAMARO Front and rear sway bar kit. Bolt-on, includes greasable graphite/polyurethane bushings. Black powder-coated steel. For 2010-11 Chevy Camaro.		QA152815	
RAM CLUTCH			
FORCE 10.5 DUAL DISC CLUTCH KIT GM LS 1/8-26 Force 10.5 twin-disc clutch kit. 10-1/2" diameter, 1-1/8" x 26-spline, multi-hub design, with flywheel. Metallic. For GM LS-Series.		RAM80-2100N	
REDLINE OIL			
GEAR OIL 75W85 GL-4/ MT-85 CASE/12 75W85 synthetic gear oil. MT-85. Case of 12 one-quart bottles.		RED50524	
75W140NS GEAR OIL CASE/12 75Ww140 synthetic gear oil. Case of 12 one-quart bottles.		RED57124	
80W250 GEAR OIL GL-5 CASE 4 X 1 GALLON 80W250 high-performance synthetic gear oil. GL-5. Case of 4 one-gallon jugs.		RED58625	














CALL NOW! UNBELIEVABLE DEALS!

DON'T MISS OUT ON THESE LIMITED QUANTITIES AVAILABLE AT SPECIAL SALE PRICES

Description	Photo	Part No.	Price
RICHMOND			
4.56 RATIO 9" FORD Ring and pinion kit. With 4.56 ratio, 28-spline pinion. For Ford 9" rear end.		RIC69-0185-1	
SUPER T10 PLUS 4 SPEED TRANSMISSION Super T10 Plus 4-speed manual transmission. With 26-spline input, 32-spline output. Aluminum case. For GM applications.		RIC7021510	
RIDETECH			
HQ SERIES SHOCKWAVES FRONT COILOVERS HQ Series coil-over shock kit. Monotube, single-adjustable aluminum shock. Fits front of 2003-07 Ford Crown Victoria 2003-07.		ART12263110	
5 GALLON BIGRED AIRPOD W /RIDEPRO X CONTROL Big Red AirPod suspension 12V air compressor kit. 5-gallon tank, 150 psi max. Includes digital 4-corner gauge, control, fittings, wiring harness, lines, tank. For Ridetech air spring kits.		ART30414700	
3 GALLON COMPRESSOR KIT W/RIDEPRO X CONTROL RidePro-X suspension 12V air compressor kit. 3-gallon, 150 psi max. Includes digital 4-corner gauge, fittings, lines, remote, wiring harness. For Ridetech Air Suspensions.		ART30434000	
ROUGH COUNTRY			
7.5" NON-TORSION DRO SUSPENSION LIFT KIT Suspension lift kit with 7-1/2" lift. Includes brackets, bushings, crossmembers, hardware, shocks, and spacers. For 2011-15 GM full-size trucks.		RCS253X	
SAFECRAFT			
10 LB FIRE SYSTEM NOVEC PNEUMATIC DRAG RACE LT Series fire suppression system. With Novec 1230, 10.0 lb bottle, includes fittings, hose, mount. Pneumatic control. For drag race applications.		SFCLT10JDB	
SCAT ENTERPRISES			
SBF 4340 FORGED CRANK - 3.400 STROKE Forged steel crankshaft. Standard weight, with 3.400" stroke, internal balance, and 1- or 2-piece seal. Fits Small Block Ford.		SCA4-302-3400-54-2123-I	
SIMPSON SAFETY			
HELMET AIR INF. SHARK 7-1/8 FLAT BLACK SA2015 Air Inforcer Shark helmet. Meets Snell SA2015, Head and Neck Support-ready. Flat black, size 7-1/8. Each.		SIM6777188	
SUPERIOR FUEL CELLS			
FUEL CELL 22 GAL LOWER MNT FLANGE Fuel cell and can, 22-gallon capacity. 20-3/4" deep x 19-1/2" wide, with -8AN male outlet and return, -6AN rollover valve. Steel/plastic construction with foam. Black. For Dirt Late Model / Modified. Each.		SRCFC22TI-BL	
SUPERWINCH			
8500 LB WINCH W/HAWSE FAIRLEAD & 15FT REMOTE LP8500 winch, with 8500-lb capacity, Hawse fairlead, and 15-ft. remote. With 94 ft. of 5/16" steel rope. 12V. Kit.		SUP1585202	
TILTON			
RACING BRAKE FLUID 250ML Racing brake fluid, DOT 4. Sold in 250 ml bottles. Each.		TILTBR-1	

CALL NOW! UNBELIEVABLE DEALS!

DON'T MISS OUT ON THESE LIMITED QUANTITIES AVAILABLE AT SPECIAL SALE PRICES

Description	Photo	Part No.	Price
TIMBREN			
TIMBREN SES KIT REAR FORD 3/4 TON Rear helper spring kit. SES, stock height. Includes hardware. Black steel mount with progressive rubber spring. Fits 2011-12 Ford F250 Super-Duty.		TIMFR250SDG	
ULTRA LITE BRAKES			
LEFT FRONT BRAKE KIT TI ROTOR BLACK 100-Series front brake system. With black anodized single-piston caliper, 10.0" drilled solid titanium rotor. Fits Sprint Car spindle.		RDB410-7200B	
INBOARD BRAKE KIT ROUND TI ROTOR BLACK Feather Lite rear brake system. Includes 4-piston caliper, 10.4" drilled titanium rotor, and 3 x 46-spline Sprint Car hub. Black anodized finish.		RDB410-8100B	
BRAKE KIT INBOARD NEW TI ROTOR BLACK Feather Lite rear brake system. Includes 4-piston caliper, 10.4" scalloped titanium rotor, and 3 x 46-spline Sprint Car hub. Black anodized finish.		RDB410-8113B	
VINTAGE AIR			
LS ENGINE FRONT RUNNER DRIVE PULLEY SYSTEM Front Runner 6-rib serpentine pulley kit. Polished aluminum. Fits GM LS-Series.		VIN174014	
WARN			
1990-97 FORD RANGER/EXPLORER LOCKING HUB ASSEMBLY Manual locking hub kit. Standard, 27-spline. For 1990-97 Ford Ranger/Explorer.		WAR29071	
ZEON 10 PLATINUM 10000LB WINCH W/WIRE ROPE ROLLER Zeon 10 Platinum winch. With 10,000-lb capacity, roller fairlead, 12-ft. remote, and 80 ft. of 3/8" steel rope. 12V.		WAR92810	
WELD WHEELS			
15X17 42 SPLINE 7IN BS BEAD-LOC W/COVER Magnum 15" x 17" aluminum beadlock wheel. 7.00" backspace, 42-spline. Cover included. Black anodized finish. Each.		WEL735B-517B57-6	
15X8 WHEEL DIRECT MOUNT 5IN BS W/COVER NON-LOC Direct mount 15" x 8" aluminum wheel. 5.00" backspace, 5 x 9.75" bolt pattern. Cover included. Polished finish. Each.		WEL860-50805-6	
15X9 WHEEL DIRECT MOUNT 4IN BS BEAD-LOC W/COVER Direct mount 15" x 9" aluminum beadlock wheel. 4.00" backspace, 5 x 9.75" bolt pattern. Cover included. Black anodized finish. Each.		WEL860B-50954-6	
MAGNUM PRO 15X3.5 1PC WHEEL 5X4.5 1.75 BS Magnum 1-piece 15" x 3.5" aluminum wheel. 1.75" backspace, 5 x 4.50" bolt pattern. Black anodized finish. Each.		WEL86B-15204	
WILWOOD			
FRONT DISC KIT MOPAR A/B/E BODIES Dynalite Pro Series forged front disc brake system. With black anodized aluminum 4-piston calipers and 11.0" drilled/slotted iron rotors. Offset. Fits Mopar A-body/B-body/E-body.		WIL140-11019-D	
XTREME RACING PRODUCTS (SAFETY FIRST USA, INC)			
XTREME 30 IGNITION BOX SHORT BACK PLATE Xtreme 30 ignition box with rev limiter. Includes short mounting plate. Magneto ignition. For Sprint Car applications. Each.		XTRXTREME30	

NEW PRODUCTS



Replacement Long-Handle Single-Pole Switch

QRP50-508

Designed specifically for QuickCar control panels.



Three-Piece Rubber Grommet Set

QRP50-008

Set includes 3 different sized triangle shaped grommets for a 3/4", 1-1/8", and 1-5/8" holes.

Grommets protect wires when routing through sheet metal, while also keeping dirt out of the cockpit.



3-Wheel Brake Panel

QRP50-035

3-wheel brake panel allows dirt racers to isolate their 3-wheel brake switch for ease of use. Panel includes an activation light.



HEI Distributor Lead

QRP50-2009

Four-foot-long lead easily connects your HEI distributor to ignition switched power and to your tachometer signal wire.



Ignition Wiring Harness Kit

QRP50-2033

Universal harness for UMP/IMCA modifieds connects all ignition components. Switch panel and weatherproof switches not included.



Single Ignition Harness With 3-Wheel Brake

QRP50-2035

A universal Weatherpack harness for dirt cars utilizing a single-box ignition system with a 3-wheel brake solenoid. Wiring harness hooks the following items together:

ignition box, coil, distributor, starter solenoid, 3-wheel brake solenoid, tachometer, and switch panel.



HEI Wiring Harness For MSD Soft Touch

QRP50-2039

Wiring harness designed for cars using the MSD 8727CT digital Soft Touch Rev Control Limiter. Wiring harness hooks the rev limiter to a QuickCar switch panel, tachometer, and starter solenoid. For use with any switch panel that fits the QRP50-2031 wiring harness.



Remote Start Button

QRP50-433

A remote-mounted button in the engine compartment allows engine cranking when setting valve lash, without reaching into the cockpit. Starter solenoid wiring is included.



Spec Asphalt Late Model Harness

QRP50-2053

Legal for asphalt racing series such as the SRL Southwest Tour and Northwest Super Late Model Series, the QuickCar spec harness is a plug-n-play option for the FAST 6700-6701 ignition box. Constructed of TXL, Mil-Spec wiring with gold-plated ring terminals for power (+) / ground (-), and WeatherPack connectors; harness comes with serial number and hooks up: ignition box, coil, distributor, tach, solenoid, and directly plugs into several of the QuickCar switch panels. Comes standard with a 3-pin Deutsch connector for the distributor lead.



Weatherproof Magneto Micro-Switch

QRP50-502


Well-suited for replacement purposes or when building custom switch panels.



5-Switch Kit with Decal

QRP50-7739


Includes one momentary start switch, one ignition switch, and three accessory switches. All switches are weatherproof and pre-wired for use with the QRP50-2031 harness.



12-Gauge In-Line ATC Fuse Holder

QRP50-955

Ensure valuable electrical components are protected with a 12-gauge in-line ATC fuse holder. Includes one each: 5, 10, 15, 20, 25, and 30-amp fuses.



Acrylic Clipboard

Easy to hold and built from durable acrylic plastic.

Part	Description	Price
QRP51-044	Yellow	
QRP51-046	White	



Camber/Caster Gauge

Precision-calibrated Caster/Camber gauge is made from fully CNC-machined billet aluminum. Assembled on a 360° level bench, gauge measures up to 8° of camber and a caster range of -4° to +12°.

Part	Description	Price
QRP56-831	Caster/Camber Gauge, No Adapter	
QRP56-833	Caster/Camber Gauge with Wide 5 Adapter	
QRP56-834	Caster/Camber Gauge with Kart Adapter	
QRP56-835	Caster/Camber Gauge with GM Adapter	
QRP56-836	Caster/Camber Gauge with Small Ford Adapter	
QRP56-837	Magnetic Adapter Only	
QRP56-845	Kart Adapter Only, 5/8"-18	



1" Hex, 1/2" Drive Pit Socket

QRP64-076

1" hex nut socket. 1/2" drive. 3-1/4" long. Steel.



NEW PRODUCTS



Universal Alternator Wire Kit

Includes 9 feet of 8-gauge wire, ring terminals, and boot.



Part	Description	Price
QRP57-105	Kit With Quick Disconnect	
QRP57-106	Kit Only	

3/8" Ring Terminal Kit

QRP57-510

3/8" diameter for use with 8-gauge wire. Ideal for custom wiring tasks. Includes heat shrink. Sold in pairs.



Top-Mount Battery Terminals

Made from solid brass and nickel-plated for optimum conductivity, for use on top-mount batteries.



Part	Description	Price
QRP57-627	Battery Terminal Covers	
QRP57-630	Brass/Nickel-Plated Bolt-On Terminals, 2- or 4-Gauge	
QRP57-640	Brass/Nickel-Plated Solder Terminals, 4-Gauge	

110V Accessory Plug-In Socket

3-prong electrical socket. 110 volt.

QRP57-720

Part No.	Description	Price
QRP57-720	Female	
QRP57-721	Male, Flanged	



Pass-Through Posts

Pass-/Feed-through post allows running electrical wires neatly through firewalls and other panels. Posts have nickel-plated 3/8" studs and a 250-amp max rating. Sold each.



Price	Description	Price
QRP57-803	Red Pass-Through	
QRP57-804	Black Pass-Through	

Open Wheel Gauge Panels

Two-gauge panels feature 2-1/16" short sweep gauges with white faces mounted in black aluminum panels. Gauges are lightweight, without back lighting, and are specifically designed for open wheel race cars such as Midgets and Sprint cars.



QRP61-2205

Part	Description	Price
QRP61-2204	6-3/4" W x 3" H	
QRP61-2205	With Switch, 6-3/4" W x 4-1/16" H	

Sending Unit Combinations



Part	Description	Price
QRP61-751	3-Pack, Oil Pressure, Water Temp., Fuel Pressure	
QRP61-752	4-Pack, Oil Pressure, Water Temp., Fuel Pressure, Oil Temp.	

Multi-Recall Digital Tachometer

QRP611-106

Innovative tachometer combines the benefits of a compact, 4" wide x 2-1/2" high size with an easy-to-read, digital backlit display and a programmable RPM warning/shift light. Once the engine is shut off, the tach displays the (10) highest and (10) lowest RPM readings from the previous race, aiding car set-up. An RPM graph allows scrolling, selecting, and replaying all RPM events as desired. Compatible with multiple engine cylinder configurations.



Open Wheel Replacement Gauges

Part	Description	Price
2-1/16" Diameter		
QRP611-6204	Oil Pressure, 0-100PSI, -4AN	
QRP611-6205	Water Temperature, 100-250°F	



Aluminum Suspension Tubes

Manufactured in the USA from rigid 6061 aluminum, QuickCar Suspension Tubes are up to 35% stronger than traditional hex or round units. Suspension tubes include precision-machined ends, corrosion-resistant black anodized finish, and identification on the left-hand threaded end. Unique design allows adjustment by hand or with a wrench.



Part	Description	Price
1-1/8" OD, 5/8"-24 Thread		
QRP62-275	27-1/2" Long	
QRP62-320	32" Long	
QRP62-330	33" Long	
QRP62-475	47-1/2" Long	
QRP62-485	48-1/2" Long	

Two-Terminal Firewall Sensor Junction

QRP63-121

This two-terminal junction block with a single accessory hole connects lines to pressure transducers, a requirement of stepper motor gauges. Typically mounted to the firewall, junction blocks include 1/8"NPT threads to accept pressure transducers on the interior side of firewall, while pressure lines are then connected adjacently on the engine side. Manufactured from black anodized billet aluminum.



17" Steering Wheel

This quality 17" diameter dished steel spoked steering wheel is offered with a choice of smooth red or blue grips.

Part	Description	Price
QRP68-0041	Red	
QRP68-0042	Blue	



Digital Brake Bias Gauge Kit with Senders

QRP67-101

Ultra-lightweight digital 2-1/16" brake bias gauge kit includes (2) 1600 PSI senders for front and rear brake pressure. Gauge will display either PSI or percentage, and features a high-PSI recall function. Perfect for setting brake bias and determining how much brake pressure is being used.



RaceQuip

Chevron-1 Race Suit

This single-layer one-piece driving suit features Pyrovatex construction quilted in a stylish Chevron pattern. The suit also offers 180° floating arm gussets, black accented belt, collar, and epaulets as well as black Nomex wrist and ankle cuffs. Additional features include stretch knit side panels, a heavy-duty two-way brass zipper, internal bag pockets, an adjustable belt, and boot cuff legs. Exceeds SFI 3.2A/1 rating.

Size	Part	Price
Black		
Small	RQP130902	
Medium	RQP130903	
Medium Tall	RQP130904	
Large	RQP130905	
X-Large	RQP130906	
XX-Large	RQP130907	
3X-Large	RQP130908	
Red		
Small	RQP130912	
Medium	RQP130913	
Medium Tall	RQP130914	
Large	RQP130915	
X-Large	RQP130916	
XX-Large	RQP130917	
3X-Large	RQP130918	
Blue		
Small	RQP130922	
Medium	RQP130923	
Medium Tall	RQP130924	
Large	RQP130925	
X-Large	RQP130926	
XX-Large	RQP130927	
3X-Large	RQP130928	
Jacket Only		
Red		
Small	RQP131912	
Medium	RQP131913	
Large	RQP131915	
X-Large	RQP131916	
XX-Large	RQP131917	
3X-Large	RQP131918	
Blue		
Small	RQP131922	
Medium	RQP131923	
Large	RQP131925	
X-Large	RQP131926	
XX-Large	RQP131927	
3X-Large	RQP131928	



Chevron-5 Race Suit

This double-layer one-piece driving suit features a durable Nomex outer layer and a soft lightweight Nomex liner, box quilted in a stylish Chevron pattern. The suit also offers 180° floating arm gussets, black accented belt, collar, and epaulets, as well as black Nomex wrist and ankle cuffs. Additional features include stretch knit side panels, a heavy-duty two-way brass zipper, internal bag pockets, an adjustable belt, and boot cuff legs. Exceeds SFI 3.2A/5 rating.

Description	Part	Price
Black		
Small	RQP91609029	
Medium	RQP91609039	
Medium Tall	RQP91609049	
Large	RQP91609059	
X-Large	RQP91609069	
XX-Large	RQP91609079	
3X-Large	RQP91609089	
Red		
Small	RQP91609129	
Medium	RQP91609139	
Medium Tall	RQP91609149	
Large	RQP91609159	
X-Large	RQP91609169	
XX-Large	RQP91609179	
3X-Large	RQP91609189	
Blue		
Small	RQP91609229	
Medium	RQP91609239	
Medium Tall	RQP91609249	
Large	RQP91609259	
X-Large	RQP91609269	
XX-Large	RQP91609279	
3X-Large	RQP91609289	



Front Axle One-Nut Shock Mount Stud

TXRSC-SU-4367

Chromoly stud measures .875" long. Each.



One-Nut Steering Rod Mount Stud

TXRSC-SU-4385

Chromoly stud measures 1.10" long. Each.



One-Nut Radius Rod & Rear Shock Stud

TXRSC-SU-7015

Chromoly stud is 1.625" long. Each.



One-Nut Front Double Mount Shock Stud

TXRSC-SU-7023

Chromoly stud is 1.625" long. Each.



NEW PRODUCTS



2-1/2" Diameter Spring Rubbers Your Choice -

Offered in four different color-coded durometer ratings, these spring rubbers are designed for circle track racing using 2-1/2" diameter coil-overs or the new barrel-type springs. Designed to engage the coil spacing at 3/4" or 1", they have cross-drilled holes to allow the user to zip tie in place or create a handle for quick removal.



Part	Description
Coilover - 3/4" Coil Space	
RESRE-SR250-0750-60	60A, Purple
RESRE-SR250-0750-70	70A, Green
RESRE-SR250-0750-80	80A, Yellow
RESRE-SR250-0750-90	90A, Blue
Coilover - 1" Coil Space	
RESRE-SR250-1000-60	60A, Purple
RESRE-SR250-1000-70	70A, Green
RESRE-SR250-1000-80	80A, Yellow
RESRE-SR250-1000-90	90A, Blue
Barrel Type - 1" Coil Space	
RESRE-SR250B-0750-60	60A, Purple
RESRE-SR250B-0750-70	70A, Green
RESRE-SR250B-0750-80	80A, Yellow
RESRE-SR250B-0750-90	90A, Blue



Quick-Change Rear End Assemblies

Standard 4.86 quick-change rear end assemblies are built with permanent mold magnesium/aluminum alloy castings, a heat-treated lower shaft, pinion posi nut, roller nose bearing, and a forged steel 1310 yoke. Rear end tubes are 3" O.D. x .188" wall DOM centerless ground tubing. These 60" track width kits have solid Wide 5 axles and 5x5 GN hubs with .810" rotors. Proudly manufactured in the Midwest.

MAX Option kits include: Black thermal-coated center and bells (internal/external), REM ISF micro-finished ring & pinion, along with bearings and races, 6-bolt billet big bearing rear cover, heat-treated drilled lower shaft, drilled aluminum spool, vent kit, and gun-drilled 31-spline axles. Included GN 5x5 hubs have REM ISF micro-finished bearings and races.




Part No.	Description	Cost
PEMQCNT-486	No Tubes, No Axles, Kit	
PEMQCNT-486MAX	No Tubes, No Axles, Kit	
PEMQCKSTGN-486-60CP	GN, Centered Pinion, Kit	
PEMQCKSTGN5-486-20FF	GN, 2" Driver-Side Pinion Offset, Kit	
PEMQCKSTGN5-486MAX-60CP	GN, MAX, Centered Pinion, Kit	
PEMQCKSTGN5-486MAX-20FF	GN MAX, 2" Driver-Side Pinion Offset, Kit	



S-10 Chevy Truck Forward Exit V-8 Conversion Headers

Exits front fender in front of wheels. May have to modify steering shaft. 5/16" Flange, 16 ga. Primaries. Great spark plug access. Front bolt hole to inside of tubes pointing out is 8". Allows wider radiator than 198A header. (30" between headers). More steering shaft clearance than 198A headers.



Part No.	Description	Price
SCH1398A	1-3/4" Diameter, 3-1/2" x 8" Collector	
SCH1399VA	1-3/4"/1-7/8" Diameter, 3-1/2" x 9" Collector	



RS7 Carbon Your Choice -

The sleek aerodynamic, lightweight carbon design is based on the Bell HP7 and offers unmatched acoustic comfort, aerodynamic performance, and energy-absorbing capacity. The advanced ventilation system maximizes airflow with 14 air intake and extraction channels. Additional features include a carbon shell, a molded double-screen anti-fog visor with synthetic rubber gasket seal, an air intake system, and factory-installed HNR anchors. SA2015/FIA8859-2015 approved.

Size	Part No.
57cm, 7-1/8-	BEL1204024
57cm, 7-1/8	BEL1204025
58cm, 7-1/4	BEL1204026
59cm, 7-3/8	BEL1204027
59cm+, 7-3/8+	BEL1204028
60cm, 7-1/2	BEL1204029
61cm, 7-5/8	BEL1204030
61cm+, 7-5/8+	BEL1204031

RS7C LTWT Your Choice -

Penske Racing challenged Bell's engineering team to develop a purpose-built helmet incorporating advanced airflow, enhanced energy management, and able to be used with or without ear cups in an ultra-lightweight Carbon configuration, delivered race-ready under 2.795 pounds. The innovative RS7C LTWT was created and is now available for all racers. SA2015 approved.



Size	Part No.
57cm, 7-1/8-	BEL1204064
57cm, 7-1/8	BEL1204065
58cm, 7-1/4	BEL1204066
59cm, 7-3/8	BEL1204067
59cm+, 7-3/8+	BEL1204068
60cm, 7-1/2	BEL1204069
61cm, 7-5/8	BEL1204070
61cm+, 7-5/8+	BEL1204071

NEW PRODUCTS



Square Utility Jug

These five-gallon square utility jugs are manufactured from the highest quality virgin high-density polyethylene and are designed with an ergonomically contoured handle, a bottom grip for easy pouring, and a non-breakable multipurpose cap with rubber gaskets.



Part	Description	Price
VPF3852	V-Twin Black, Each	
VPF3854	V -Twin Black, 4/Case	
VPF35221	Patriotic White, Each	
VPF35224	Patriotic White, 4/Case	



PRO 5-Point Camlock Harness GFR7030BK

The 5-point camlock safety harness features a 3" lap belt and 3" individual shoulder belts both with pull-down adjustment. Wraparound/bolt-in mounting. Black. SFI 16.1.



GF505 2-Piece Racing Suit - 3XL

The GF505 triple-layer racing suit's Pyrovatex shell and exclusive Coolquilt liner provide breathable comfort. A second, fire-retardant fabric liner wicks moisture away from the body. Suits have white billboards and are trimmed with contrasting piping with white arm and leg stripes. Additional features include large pockets, brass zippers with Nomex tape, cuffs and neck enclosures for extra protection. Two-piece (jacket and pants). Suits meet SFI 3.2A/5 specifications. 3XL size. Black.



Part	Description	Price
GFR4385XXXBK	Jacket Only, 3X-Large	
GFR4386XXXBK	Pants Only, 3X-Large	

GF525 2-Piece Racing Suit - 3XL

Multi-layer racing suit's Pyrovatex fabric provides a TPP (Thermal Protective Performance) rating of 21 to meet SFI 3.2A/5 specifications. The attractive, bright semi-gloss finish with straight black epaulets covers an inner layer that wicks moisture and breathes for added comfort. The SFI tag is on the left arm cuff for easy tech inspection. 3XL size. Black.



Part	Description	Price
GFR4526XXXBK	Jacket Only, 3X-Large	
GFR4527XXXBK	Pants Only, 3X-Large	

G5 Racing Gloves

Lightweight, flexible gloves are sewn from quality Nomex and leather. Gloves include reinforced leather palms and knuckle pads, adjustable Velcro wrist closures, and meet SFI 3.3/5 specifications. Black.



Size	Part	Price
Child Medium	GFR4101CMBK	
X-Small	GFR4101XSMBK	
XX-Large	GFR4101XXLBK	
XX-Small Black	GFR4101XSGBK	

RIFT Full Face Helmet Your Choice -

An wallet-friendly helmet without compromising fit and style. Features include a downforce splitter and multiple ventilation ports, HNR mounting, points and a hypoallergenic padded flame-retardant inner liner with removable cheek pads. SA2015 rated.



Description	Price
Black	
X-Small	GFR3415XSMBK
XX-Small	GFR3415XXLBK
Small	GFR3415SMLBK
Medium	GFR3415MEDBK
Large	GFR3415LRGBK
X-Large	GFR3415XLGBK
Matte Black	
X-Small	GFR3415XSMMB
XX-Small	GFR3415XXLMB
Small	GFR3415SMLMB
Medium	GFR3415MEDMB
Large	GFR3415LRGMB
X-Large	GFR3415XLGMB
White	
X-Small	GFR3415XSMWH
XX-Smal	GFR3415XXLWH
Small	GFR3415SMLWH
Medium	GFR3415MEDWH
Large	GFR3415LRGWH
X-Large	GFR3415XLGWH

REVO Helmet Shields

Fits REVO and REVO Carbon series helmets.



Description	Part No.	Price
Clear	GFR8701	
Dark Smoke	GFR8702	
Light Smoke Mirror	GFR8703	
Amber	GFR8704	
Blue Mirror	GFR8705	
Light Smoke	GFR8706	

NEW PRODUCTS



Elite Series 2-Piece Racing Suit

The latest single-layer and two-layer designs from RJS features 360° full-range arm movement, made with lightweight, fire-retardant cotton and sewn with Nomex thread. Additionally, the wrist and NASCAR-style leg cuffs are made with Nomex.

Description	Part	Price
Single Layer Jacket - SFI 3.2A/1		
Black		
Small	RJS200400103	
Medium	RJS200400104	
Large	RJS200400105	
X-Large	RJS200400106	
XX-Large	RJS200400107	
3X-Large	RJS200400108	
4X-Large	RJS200400109	
Blue		
Small	RJS200400303	
Medium	RJS200400304	
Large	RJS200400305	
X-Large	RJS200400306	
XX-Large	RJS200400307	
3X-Large	RJS200400308	
4X-Large	RJS200400309	
Red		
Small	RJS200400403	
Medium	RJS200400404	
Large	RJS200400405	
X-Large	RJS200400406	
XX-Large	RJS200400407	
3X-Large	RJS200400408	
4X-Large	RJS200400409	
Single Layer Pants- SFI 3.2A/1		
Black		
Small	RJS200410103	
Medium	RJS200410104	
Large	RJS200410105	
X-Large	RJS200410106	
XX-Large	RJS200410107	
3X-Large	RJS200410108	
4X-Large	RJS200410109	
Blue		
Small	RJS200410303	
Medium	RJS200410304	
Large	RJS200410305	
X-Large	RJS200410306	
XX-Large	RJS200410307	
3X-Large	RJS200410308	
4X-Large	RJS200410309	
Red		
Small	RJS200410403	
Medium	RJS200410404	
Large	RJS200410405	
X-Large	RJS200410406	
XX-Large	RJS200410407	
3X-Large	RJS200410408	
4X-Large	RJS200410409	



Description	Part	Price
Two-Layer Jacket - SFI 3.2A/5		
Black		
Small	RJS200430103	
Large	RJS200430105	
X-Large	RJS200430106	
XX-Large	RJS200430107	
3X-Large	RJS200430108	
4X-Large	RJS200430109	
Blue		
Small	RJS200430303	
Medium	RJS200430304	
Large	RJS200430305	
X-Large	RJS200430306	
XX-Large	RJS200430307	
3X-Large	RJS200430308	
4X-Large	RJS200430309	
Red		
Small	RJS200430403	
Medium	RJS200430404	
Large	RJS200430405	
X-Large	RJS200430406	
XX-Large	RJS200430407	
3X-Large	RJS200430408	
4X-Large	RJS200430409	
Two-Layer Pants - SFI 3.2A/5		
Black		
Small	RJS200440103	
Medium	RJS200440104	
Large	RJS200440105	
X-Large	RJS200440106	
XX-Large	RJS200440107	
3X-Large	RJS200440108	
4X-Large	RJS200440109	
Blue		
Small	RJS200440303	
Medium	RJS200440304	
Large	RJS200440305	
X-Large	RJS200440306	
XX-Large	RJS200440307	
3X-Large	RJS200440308	
4X-Large	RJS200440309	
Red		
Small	RJS200440403	
Medium	RJS200440404	
Large	RJS200440405	
X-Large	RJS200440406	
XX-Large	RJS200440407	
3X-Large	RJS200440408	
4X-Large	RJS200440409	



NEW PRODUCTS



Driven Racing Oil

GP-1 Assembly Gel JGP00778

A specialized no-drip formula assembly gel that provides protection during engine assembly and initial start-up. 1-oz. packet



30" Aluminum Tubular Driveshaft DMISRC-2430A

30" long ultralight aluminum tubular driveshaft featuring 10-16 splines.



.350" Mechanical Fuel Pump & Manifold WAT250350M

The forged aluminum housing with anodized finish features machined steel shafts and .350" precision-lapped gears. Flow rated 2.96 gal@100 psi.



LS Engine Low Mount Kit

These plain steel LS engine brackets are designed for use with an aftermarket Sanden 508 air conditioning compressor. The kit includes steel mounting brackets, mounting hardware, an automatic belt tensioner, a Dayco four-rib serpentine belt, and illustrated installation instructions.



KS-3 Kart Driving Shoe

The mid-top shoe designed for kart racers features suede-leather construction with mesh inserts along with an elastic padded rear insert for added comfort. FIA8856/2000 rated. Blue/Black Cyan.



Size	Part	Price
40	OMPIC81324140	
41	OMPIC81324141	
42	OMPIC81324142	
43	OMPIC81324143	
44	OMPIC81324144	
46	OMPIC81324146	
47	OMPIC81324147	



American Autowire

Trunk-Mounted Battery Cable Kit AAW500723

This 1-gauge battery cable kit includes 18 feet of cable with top mount battery terminals, with a 36-inch 10-gauge secondary lead on the negative cable. Terminal lugs, a crimper tool, and shrink wrap are also included.




Double and Single Crimper Tool Set AAW510587

The single crimper tool accommodates 20- to 14-gauge wire. The double crimper tool is ideal for 10- to 18-gauge wires as well as terminals receiving a two-wire connection.



30-Gallon Outlaw Sprint Car Fuel Cell


This 30-gallon fuel cell is 3/4" longer and 1-3/4" wider in front and keeps the additional fuel load in front of the torsion bars. The 1-1/4" fuel box is located in the bottom right, offering additional right-side weight. The tank and bladder assembly are constructed with an ultra-durable calendared rubber bladder, a polyethylene rotomolded shell, a low-profile vent check valve, a -12AN top pick-up, and a 4" x 6" fill plate with a flush cap.



Part	Description	Price
PLAFTAOS230-TA	No Baffle	
PLAFTAOS230B-TA	Baffle	
PLAFTAOS230ST-TA	Smart Trap Baffle	
PLAFTOS30	30-Gallon Tank Only, Saldana	

1969-76 Corvette Classic Update Wiring Kit AAW510717

Harness systems include the original headlight and parking light switch, boot, tube, grommets, and light sockets as required. Completely new 18-fuse, 21-circuit fuse box system is ready to install. All connectors are provided for original lighting, fuel sender, optional back-up lights, license plate lights, and even a third brake light. Harness systems are ready to connect to updated SI alternator and original or aftermarket coil/distributor setups.





2020 Ford F-150/250/350/450 Powerstep Running Boards AMP76236-01A

Slip-resistant and fully illuminated running boards will automatically extend when the doors open and hide away when closed, for integrated style and improved aerodynamics. High-strength aluminum construction with a 5-year/60,000-mile limited warranty. Plug-n-play control plugs into OBD-II port, eliminating the need to tap into factory wires.



2018- 2020 Jeep Wrangler JL 4-Door SuperTop Ultra BES54725-17

The Supertop Ultra soft top one person to easily change the top from fully retracted to the Sunrider position. Designed for year-round use. Additional features include premium twill fabric construction, zipper-less channels, tinted windows, and four-way use (fully-enclosed, Sunrider® open, Safari-style bikini, or fully retracted).



Black Floor & Tunnel Shield II™

Constructed with an embossed 10-mil aluminum face bonded to 1/8" composite glass-fiber core and backed with a high-temperature, pressure-sensitive backing, this unique material withstands up to 1750°F. Ideal for controlling excess heat from entering the vehicle interior. Easy to install: just shape, trim, peel, and stick. 3/16" thick.



Part	Description	Price
DSN050549	42" x 48"	
DSN050552	21" x 48"	



2020 Jeep Gladiator Flat-Style Fender Flare Set BUS10928-07

Made from proprietary Dura-Flex 2000 TPO, these flat-style flares are flexible while absorbing impacts, and maximize tire coverage during wheel articulation. The design uses the factory rocker guards and includes DOT-compliant LED side marker lights. The flares are black and are 100% UV-protected.



2020 Chevy Silverado 2500/3500 Fender Flare Set

Get the look of hard-core bolt-on flares without drilling into the sheet metal. Ideal for oversized tires and high-clearance lifts. These thick, warp-resistant pocket flares are made with Dura-Flex 2000 material with a OEM-style matte black finish. Made in USA.



Part	Description	Price
BUS40982-02	Pocket/Rivet Style	
BUS40986-02	Extend-A-Fender Style	



1963-72 Chevy C-10 HQ-Series Front Coil-Over System ART11336510

HQ (handling quality) front coil-over system features mono-tube gas-pressure shocks with a large 1.834" piston and a 2-1/2" spring for outstanding ride quality with fade-free performance. The impact-forged aluminum body offers superior strength and has corrosion-resistant finish for long, reliable life. A 5/8" chrome shock shaft and double-sealed guide rod with dust cover provide smooth movement and eliminate oil leakage. The 1/2" bore and 1" Kevlar lined bearings offer noise-free operation. RideTech StrongArms required for proper installation.



1988-99 Chevy C-10 Rear Suspension Kit ART11377195

Bolt-on wishbone rear suspension system replaces the stock leaf springs for dramatically improved handling and ride quality. The system lowers the rear end while eliminating binding and noise, and allow for tight wheel and tire fitment. System includes lower bars, R-joint rod ends, wishbone upper link, mounting brackets, and installation hardware. Black powder coated.



2020 Jeep Gladiator Quietcrawler™ Performance Exhaust System DYN39541

Ideal for enthusiasts that take their everyday driver out on the trail. The system features an oval Super Turbo™ stainless steel muffler that minimizes sound without sacrificing performance and drone-reducing Race Bullet muffler. The design offers maximum ground clearance regardless of terrain and uses 2-1/2" mandrel bent stainless steel tubing. Limited lifetime warranty.



NEW PRODUCTS

SPICER®



new vendor

Front Axle Shaft

Designed and engineered to meet or exceed OE requirements, this axle is manufactured with a larger axle shaft and universal joint for improved strength.



Part	Description	Type	Length	Inner Splines	Outer Splines	Price
2005-12 Ford F250/350 Super-Duty						
DAN10013778	Passenger Side	Dana 60	45.960"	35	35	
DAN10013781	Driver Side	Dana 60	45.960"	35	35	
1999-04 Ford 250/350 Super Duty						
DAN2002692	Outer	Dana 50/60	9.310"	—	30	
1977-86 Chevy K30						
DAN3-82-871	Outer	Dana 70	12.000"	—	35	
1980-90 Chevy K10						
DAN41677	Outer	Dana 44	9.940"	19	—	
1995-06 Jeep Wrangler/Grand Cherokee/Cherokee						
DAN43205	Outer	Dana 30	6.110"	—	27	

Spicer Flange Yoke

Steel. OE direct-fit.



Part	Style	Flange Diameter	Bolt Circle Diameter	Face to Centerline	Price
DAN2-2-1379	1310	5.219"	4.250"	1.625"	
DAN2-2-479	1310	4.625"	3.750"	1.375"	
DAN2-2-939	1310	4.500"	3.500"	1.650"	
DAN3-2-119	1350	4.625"	3.750"	1.562"	
DAN3-2-159	1410	4.625"	3.750"	1.688"	
DAN3-2-1839	1410	5.750"	4.750"	2.953"	
DAN3-2-1859	1350	5.750"	4.750"	1.750"	
DAN3-2-1879	1350	5.250"	4.250"	1.618"	

Spicer Slip Yokes

Steel. OE direct-fit.



Part	Style	Splines	Length	Transmission	Price
DAN2-3-10431X	1310	32	5.500"	GM	
DAN2-3-10831X	1330	32	6.760"	GM	
DAN2-3-4871X	1310	28	6.000"	Ford/Tremec	
DAN2-3-6041X	1330	31	6.000"	Ford/Tremec	
DAN2-3-6081X	1310	27	5.469"	Borg Warner/GM	
DAN3-3-01646X	1410	32	8.070"	New Process 205/208/241/243/246/261/263	
DAN3-3-2431X	1350	32	5.550"	Borg Warner/Doug Nash/GM/Jerico/Muncie/Richmond	
DAN3-3-3931X	1350	30	6.630"	Mopar	
DAN3-3-4281X	1350	27	6.940"	GM	

Spicer End Yoke

Steel. OE direct-fit.



Part	Style	Spline	Type	Price
DAN2-4-8091X	1310	26	DANA 30/44	
DAN3-4-5731-1X	1350	29	GM	

Spicer Weld-On Tube Yokes

DAN3-28-427



Part	Style	Driveshaft Diameter	End Diameter	Centerline to Weld	Price
DAN3-28-427	1350	3.500"	3.344"	1.840"	
DAN3-28-57	1350	3.875"	2.845"	2.000"	
DAN3-28-777	1350	2.000"	1.766"	2.125"	

Center Yoke

DAN211355X

Cast steel Spicer 1310 style center yoke.



DAN2-70-18X



Spicer U-Joint Strap Kit

Steel. Sold in pairs.

Part	Style	Bolt To Bolt Length	Cap Outside Diameter	Price
DAN2-70-18X	1310-1330 Combo	—	1.063"	
DAN2-70-28X	1350	1.587"	1.062"	
DAN2-70-48X	GM 3RL, American Axle 1344	1.810"	1.125"	
DAN2-94-28X	1310-1330 Combo	—	1.063"	
DAN3-70-28X	1350-1410 Combo	—	1.188"	
DAN3-70-48X	1350	—	1.188"	

U-Joint U-Bolt Kit

DAN3-94-18X

Fits Spicer 1350 or 1410 U-joint yokes. Front or rear axle housings.



Ball Joints

Part	Description	Contents	Price
DAN2007354	2007-18 Jeep Wrangler JK	1-Upper 1-Lower	
DAN706944X	1990-01 Jeep Grand Cherokee/Cherokee	1-Upper 1-Lower	
DAN2020314	1999-04 Ford F250/350/450 Super Duty	2-Upper 2-Lower	
DAN706116X	1978-86 Jeep CJ5/CJ7 1979-86 Chevy K10 1994-01 RAM 1500/2500 4x4	2-Lower	



DAN2007354

Front Spindle Bearing & Seal Kit

DAN700014



Part	Description	Contents	Price
DAN700014	Dana 50/60/61	Inner Hub Bearing, Seal, Shield, Spacer	
DAN706527X	Dana 35	Axle Bearing, Inner Seal, Outer Seal, Shield, Spacer	

Dana 60 Inner Axle Seal

DAN36487

Fits GM, Ford, and Dodge Dana 60/61 applications. Front left and right front inner axle shaft seal. Sold each.



NEW PRODUCTS

SPICER®



new vendor



DAN5-1310-1X



DAN5-1510X



DAN5006813

Spicer Dana Light-Duty U-Joints

Part	Model	Cap	Cap Diameter: Axis-1	Width: Axis-1	Cap Diameter: Axis-2	Width: Axis-2	Greaseable	Price
DAN5-1310-1X	1310	4-Plain	1.062"	3.219"	1.062"	3.219"	Yes	
DAN5-1310X	1310	4-Plain	1.062"	3.219"	1.062"	3.219"	No	
DAN5-1330-1X	1330	4-Plain	1.062"	3.625"	1.062"	3.625"	Yes	
DAN5-1330X	1330	4-Plain	1.062"	3.625"	1.062"	3.625"	No	
DAN5-134X	1310	4-Plain	1.062"	3.219"	1.062"	3.219"	Yes	
DAN5-1350-1X	1350	4-Plain	1.188"	3.625"	1.188"	3.625"	Yes	
DAN5-1350X	1350	4-Plain	1.188"	3.625"	1.188"	3.625"	No	
DAN5-1410-1X	1410	4-Plain	1.188"	4.188"	1.188"	4.188"	Yes	
DAN5-1410X	1410	4-Plain	1.188"	4.188"	1.188"	4.188"	No	
DAN5-1510X	1510	4-Grooved	1.142"	2.047"	1.142"	2.047"	Yes	
DAN5-153X	1310	4-Plain	1.063"	3.218"	1.063"	3.218"	Yes	
DAN5-160X	1410	4-Plain	1.063"	3.218"	1.063"	3.218"	Yes	
DAN5-170X	1000	4-Grooved	0.938"	1.500"	0.938"	1.500"	Yes	
DAN5-178X	1350	4-Plain	1.188"	3.622"	1.188"	3.622"	Yes	
DAN5-212X	1330	2-Grooved, 2-Plain	1.063"	3.218"	1.125"	2.563"	Yes	
DAN5-213X	1330	4-Plain	1.188"	3.622"	1.188"	3.622"	Yes	
DAN5-260X	1310-WJ	4-Grooved	1.063"	2.188"	1.063"	2.188"	No	
DAN5-3022-1X	1310	2-Grooved, 2-Plain	1.125"	2.556"	1.062"	3.219"	Yes	
DAN5-3147X	GM 3RL/S44/Mechanics 3/American Axle 1344	4-Grooved	1.125"	2.556"	1.125"	2.556"	Yes	
DAN5-3205X	1350 to GM 3RL/S44/Mechanics 3/ American Axle 1344 Combination	4-Plain	1.125"	2.556"	1.188"	3.622"	Yes	
DAN5-3615X	1350	4-Plain	1.188"	3.622"	1.188"	3.622"	No	
DAN5-460X	1310 to 1350 Combo	4-Plain	1.063"	3.218"	1.063"	3.218"	Yes	
DAN5-648X	1310 to 1350 Combo	4-Plain	1.063"	3.622"	1.188"	3.622"	Yes	
DAN5-7166X	1350	4-Grooved	1.188"	3.622"	1.188"	3.622"	No	
DAN5-7438X	1330 Ford	4-Plain	1.063"	3.622"	1.125"	3.622"	No	
DAN5-7439X	1310 Ford	4-Plain	1.062"	3.218"	1.125"	3.218"	No	
DAN5-760X	1310-WJ	4-Grooved	1.188"	2.188"	1.188"	2.188"	No	
DAN5-789X	Detroit 7260	4-Grooved	1.078"	2.125"	1.078"	2.125"	No	
DAN5-793X	Spicer 1330 to GM 3RL/S44/Mechanics 3/ American Axle 1344 Combination	2-Grooved, 2-Plain	1.063"	3.622"	1.125"	2.556"	No	
DAN5-795X	GM 3RL/S44/Mechanics 3/American Axle 1344	4-Grooved	1.125"	2.556"	1.125"	2.556"	No	
DAN5-811X	Detroit 7290	4-Grooved	1.125"	2.625"	1.125"	2.625"	No	
DAN5006813	1485-WJ	4-Grooved	1.375"	2.920"	1.375"	2.920"	No	

Spicer Life Series Universal Joints

Life Series U-joints are designed to provide longer life, increased bearing capacity, and lower maintenance costs.

Part	Model	Cap	Cap Diameter: Axis-1	Width: Axis-1	Cap Diameter: Axis-2	Width: Axis-2	Greaseable	Price
DANSPL55X	1480	4-Plain	1.375"	4.188"	1.375"	4.188"	No	
DANSPL55-3X	1480-WJ/SPL55	4-Grooved	1.375"	3.000"	1.375"	3.000"	No	
DANSPL55-4X	1480-WJ/SPL55	4-Grooved	1.375"	3.000"	1.375"	3.000"	Yes	



Front Axle Seals

Sold each.

Part	Description	Price
DAN2013455	2007-18 Jeep Wrangler JK	
DAN46470	1995-06 Jeep Wrangler/Grand Cherokee/Cherokee	
DAN50381	1987-00 Ford F250/350/450 Dana 50	
DAN50491	2004-15 Ford F250/350/450 Dana 50	
DAN620216	1988-99 Dodge W150/200/250 & RAM1500/2500/3500 1968-79 Ford F100/F150/F250, Inner	



NEW PRODUCTS

SPICER®



new vendor



Dana 44 Rear Differential Carrier

Part	Model	Type	Axle Splines	Price
2007-18 Jeep Wrangler				
DAN2008571	Dana Super 44	Trac-Lok	30	
1984-2010 Dodge/RAM 1500				
DAN80754*	Chrysler 9.25"	Trac-Lok	31	

* Fits gear ratios from 3.21 to 4.56

Dana 30 Differential Carrier Case DAN706008X

This open-style case for use with 27-spline axles along with 3.73 and higher (numerically) gear ratios. Case only.




Dana 35 Limited Slip Differential Inner Gear Kit DAN708184

This gear kit includes the spider gears, side gears, friction plates, the cross shaft pin, and the cross shaft pin bolt.



Dana 44 TrackLok Limited Slip Clutch Kit DAN708203

This replacement clutch kit includes all the necessary clutch discs and plates to renew the performance of the differential.



Dana 44 Cast Differential Cover DAN10023536

Manufactured from nodular iron, the cover features a raised fill plug for added fluid capacity. Includes bolts, drain plug, and gasket.



Dana 44 Steel Differential Cover DAN707014X

This replacement steel cover includes bolts, drain plug, and gasket.



Dana 44 Axle Shaft Oil Slinger DAN36364

Fits Ford, Dodge, and Jeep Dana 30/35/44 applications. Front left and right outer front axle.



Spindle Nut Set DAN28068X

Fits Dana 30/44 and GM 8.5" truck front. One wheel.



Knuckle Spindle Bolt DAN36326-1

Dana 30 and 44. 3/8"-24 thread. 1.312" length. Each.



Dana 60 Upper King Pin Bushing DAN41886

Sold each.




Dana 50 Axle Shaft Locking C-Clip DAN620142

Fits 1999-02 Ford F250/350/450.



Dana 50/60 Front Axle Thrust Washer DAN47766

Fits 2005-15 Ford F250/350/450 Super Duty.



Dana 50/60 Thrust Washer Kit DAN701166X

Includes two thrust washers and one nut.



Dana 60 King Pin Upper Cap Gasket DAN37307

Dana 60/61 applications. Sold each.



Friction Modifiers DAN43161

Designed for clutch-style limited-slip differentials, this gear lube additive will stop chatter and protect components from excessive heat damage. 4-oz. bottle.



Life Series Ultra-Premium Synthetic Grease DANSPL1051

Synthetic driveline component grease. 14-oz. cartridge.



Drag Racing Steering Wheels

Special ergonomic foam gives these lightweight aluminum wheels increased grip, better control, and reduced vibration. The black anodized flat four-spoke center has multiple pre-drilled switch holes and a standard five-bolt mounting pattern. The wheel weighs just over one pound and features a high-quality Italian suede-covered rim with bright orange top center marker.



Part	Description	Price
MPIMPI-DRG-10	10-1/2" Diameter	
MPIMPI-DRG-R513	13"	
MPIMPI-DRG-R513-BLACK	13" Diameter, No Orange Marker	
MPIMPI-QR-56R1-B	Bolt-On Quick Release, 6 x 70mm	

NEW PRODUCTS



Solid Fold 2.0 Tonneau Cover for 2020 Chevy Silverado 2500HD/3500HD with 8' Bed & without Factory Side Storage EXT83658

This next-generation hard-folding tonneau cover has been redesigned from the inside out. Designed to handle the harshest weather conditions, the Solid fold 2.0 features a dent-resistant matte finish, snap-on seals, and a cool-touch surface. Permanent attachment.



Trifecta 2.0 EXT92658

Extang's precision-engineered tri-fold tonneau cover installs quickly and easily without tools. The 45° steel corner brackets, commercial-grade rails, and I-beam style bows provide unparalleled strength. The unbreakable glass-filled nylon safety clamps lock the back panel securely in place, while convenient heavy-duty clips secure it in place at the cab when open. Bedrail attachment.



Extruded Core Radiator with Electric Fan

FLE315360



Direct-fit extruded core aluminum radiator is paired with a fully aluminum shrouded 6,000 cfm dual fan system. Uses factory mounting points, with no cutting or drilling needed for installation.

Part	Description	Price
FLE315360	2003-07 Ford F250/F350, 6.0L Power Stroke	
FLE316560	2003-09 Ram 2500/3500 Cummins Turbodiesel	

Transmission Cooler & Mounting Bracket Kit

FLE31951



The Flex-A-Lite 30-row, patented dimpled-plate transmission cooler and an application-specific mounting kit allow a clean and straightforward installation. The kit also includes the mounting bracket, hose, clamps, and installation hardware.

Part	Description	Price
FLE31951	2003-07 Ford F250/F350, 6.0L Power Stroke	
FLE31962	2003-09 Ram 2500/3500 Cummins Turbodiesel	
FLE31970	2007-18 Jeep Wrangler JK	

Electric Fan Controller with Relay

Part	Description	Price
FLE33094	Push-In Probe	
FLE33095	Screw-In Probe	



American Thunder® Cat-Back Exhaust System for 2020 Chevy Silverado 2500/3500 HD 6.6L

FLO817933

American Thunder uses a 50 Series HD muffler to create an aggressive tone and add performance. The 409 stainless steel construction and large 3" dual tail pipes are designed for long-lasting good looks and improved exhaust flow.



GUARANTEED...FOR LIFE.

X-Act Contour® Floor Liner Your Choice -

HSK53388

Premium protection and style. Perfectly matches the contours of the vehicle with indestructible strength and a soft, comfortable cushion. These applications are offered in black with front and second row coverage.



Part	Description
HSK53388	2017-20 Ford F250/350/450 Super Duty, Factory Storage Box
HSK53498	2017-20 Ford F250/350/450 Super Duty
HSK53608	2009-18 RAM Crew Cab
HSK53628	2002-10 RAM Quad Cab
HSK54208	2019-20 Chevy Silverado/Sierra Crew Cab
HSK54608	2019-20 RAM Crew Cab

FormFit™ Mud Guards Your Choice -

HSK58051

Built to maximum width for full tread coverage of single or dually factory wheels.



Part	Description
HSK58051	2019-20 RAM, Front
HSK59051	2019-20 RAM, Rear

WeatherBeater™ Carpet Protection Your Choice -

HSK94001

Rugged and sporty with unbeatable carpet protection. These black vinyl floor mats cover both the front and second row.



Part	Description
HSK94001	2019-20 RAM Crew Cab
HSK94011	2019-20 RAM Quad Cab
HSK94021	2019-20 Chevy Silverado/Sierra Crew Cab
HSK94031	2019-20 Chevy Silverado/Sierra Double Cab
HSK94041	2015-20 Ford F-Series Super Crew Cab
HSK94051	2015-20 Ford F-Series Super Cab
HSK94061	2017-20 Ford F250/350/450 Super Duty, Factory Storage Box
HSK94071	2017-20 Ford F250/350/450 Super Duty, Super Cab
HSK94081	2019 RAM, Crew Cab

NEW PRODUCTS



MPD Racing

Shift Cable MPD84020

Sprint Car plastic-housed steel shift cable with rod ends. 44" long.



9-Bolt Steering Wheel Adapters

9-bolt pattern adapters with horn button are 2-1/2" deep and fit aftermarket steering wheels from Lecarra, Billet Specialties, Colorado Custom, and others.



Part	Description	Price
IDI2201300030	Brushed Aluminum	
IDI2201310020	Chrome	



2019-20 Ford Transit Connect 1.0L KNE33-3138

This drop-in factory replacement filter offers improved fuel economy and performance. Cleanable and reusable.



Fuel Injection Performance Kits

These systems offer the most horsepower available from a kit, are 50-state legal, include heat shields, and feature specially engineered HDPE tubes designed to speed air flow into the engine.



Part	Description	Price
KNE57-2597	2017-19 Ford F-Series Truck, 6.7L	
KNE57-2601	2017-19 Ford F-Series Truck, 3.5 L	
KNE57-2602	2017-19 Ford F-Series Truck, 2.7 L	

Aircharger® Performance Kits

Aircharger off-road and racing performance kits are less restrictive and provide quicker throttle response for more power. The screen and fabric combination creates a grid-like effect which straightens and smooths incoming air. Not legal for use on pollution-controlled vehicles. Available in all states except California.



Part	Description	Price
KNE63-1579	2018-19 Jeep Grand Cherokee Trackhawk	
KNE63-2604	2018-20 Ford F-Series, 3.3L	
KNE63-2608	2015-20 Ford F-Series, 2.7L	
KNE63-2609	2017-20 Ford F-Series, 3.5L	
KNE63-2610	2015-19 Ford F-Series, 5.0L	
KNE63-3110	2019 Chevy Silverado/GMC Sierra, 5.3L	



2005-20 Dodge SRT8 Stainless Steel Race Connections

3" diameter inlet/outlet T304 stainless steel tubing backed by a limited lifetime warranty. For use with Kooks Headers only.



Part	Description	Price
KOK31023100	Without Catalytic Converters	
KOK31023200*	With Standard Race Catalytic Converters	

*** Not for use with forced induction systems.**



Racing Automatic Transmission Fluid

Semi-Synthetic Type-F Racing automatic transmission racing fluid. 1-quart bottle.



Part	Description	Price
LUC11020	Each	
LUC11020-6	Case of 6	



Grypmat Plus

These high-performance, non-magnetic, anti-static rubber tool mats are manufactured with a unique chemistry that keeps them from slipping or sliding on any surface they are placed, while still allowing for easy removal. Being extremely flexible, the Grypmat can be bent, folded, or rolled, and will always return to its original shape. Manufactured from a polymer-silicone blend, these tool mats resistant to all types of chemicals along with being flame-resistant. Now available in green.



Part	Description	Price
GRYGMPS	Small, 9" x 4-1/4"	
GRYGMPM	Medium, 9-1/2" x 7-1/2"	
GRYGM2P	Duo Pack Contains - One Small and One Medium	



2018-2020 Jeep WranglerJL/Gladiator Oculus 9" Bi-LED Headlights

ORA5839-334

These Bi-LED ColorSHIFT™ RGB+W color-changing headlights offer 3,200 lumens of high-quality bi-LED projection in all weather conditions. The most focused and lowest-glare LED headlights for the JL and JT on the market.



NEW PRODUCTS



Air Cleaner Nut

Aluminum 1/4"-20 threaded nut with O-ring.

Part	Description	Price
LOKACN-001	Lokar Series, Brushed	
LOKACN-001P	Lokar Series, Polished	
LOKXACN-001	Lokar Series, Black Anodize	
LOKACN-002	Lucille Series, Brushed	
LOKACN-002C	Lucille Series, Chrome	
LOKACN-002P	Lucille Series, Polished	
LOKXACN-002	Lucille Series, Black Anodize	
LOKACN-003	Deco Series, Brushed	
LOKACN-003P	Deco Series, Polished	
LOKXACN-003	Deco Series, Black Anodize	

The Goolsby Edition Edge Series Billet Aluminum Throttle Assembly and Pedal Pads

The billet aluminum constructed throttle assembly utilizes the Lokar Competitor Series base. Pedal pads feature removable inserts and the 1/2"-20 mounting stud works with most aftermarket arms.



Part	Description	Price
Throttle Assembly		
LOKBAG-6196	Brushed Aluminum	
LOKBAG-6196	Black Anodize Brushed Aluminum	
Pedal Pads		
LOKBAG-6194	Brake/Clutch Pedal, Brushed Billet Aluminum	
LOKBAG-6195	Throttle Pedal, Brushed Billet Aluminum	
LOKBAG-6197	Automatic Brake Pedal, Brushed Billet Aluminum	
LOKBAG-6194	Brake/Clutch Pedal, Rectangle, Black Anodize Billet Aluminum	
LOKBAG-6195	Throttle Pedal, Black Anodize Billet Aluminum	
LOKBAG-6197	Automatic Brake Pedal, Brake Anodize Billet Aluminum	

The Goolsby Edition Lucille Series Throttle Assembly and Pedal Pads

This steel throttle assembly with billet aluminum pedal pads features a removable splined lower arm for maximum versatility. The 1/2"-20 mounting stud works with most aftermarket arms.



Part	Description	Price
Throttle Assembly		
LOKBAG-6207	Chrome Ribbed Steel	
LOKBAG-6208	Chrome Steel	
Pedal Pads		
LOKBAG-6209	Brake/Clutch, Chrome Billet Aluminum, Ribbed	
LOKBAG-6210	Brake/Clutch, Chrome Billet Aluminum	

Billet Aluminum Dash Knobs & Bezels

Part	Description	Cost
Knob—3/16" Female Thread		
LOKDK-001	Deco Series, Brushed	
LOKDK-001P	Deco Series, Polished	
LOKXDK-001	Deco Series, Black Anodized	
LOKDK-006	Hi-Tech Series, Brushed	
LOKDK-006P	Hi-Tech Series, Polished	
LOKXDK-006	Hi-Tech Series, Black Anodize	
LOKDK-011	Lucille Series, Brushed	
LOKDK-011C	Lucille Series, Chrome	
LOKDK-011P	Lucille Series, Polished	
LOKXDK-011	Lucille Series, Black Anodize	
Bezel—7/16"-20 Male Thread		
LOKDK-002	Deco Series, Brushed	
LOKDK-002P	Deco Series, Polished	
LOKXDK-002	Deco Series, Black Anodize	
LOKDK-007	Hi-Tech Series, Brushed	
LOKDK-007P	Hi-Tech Series, Polished	
LOKXDK-007	Hi-Tech Series, Black Anodize	
LOKDK-012	Lucille Series, Brushed	
LOKDK-012C	Lucille Series, Chrome	
LOKDK-012P	Lucille Series, Polished	
LOKXDK-012	Lucille Series, Black Anodize	
Bezel—7/16"-20 Female Thread		
LOKDK-003	Deco Series, Brushed	
LOKDK-003P	Deco Series, Polished	
LOKXDK-003	Deco Series, Black Anodize	
LOKDK-008	Hi-Tech Series, Brushed	
LOKDK-008P	Hi-Tech Series, Polished	
LOKXDK-008	Hi-Tech Series, Black Anodize	
LOKDK-013	Lucille Series, Brushed	
LOKDK-013C	Lucille Series, Chrome	
LOKDK-013P	Lucille Series, Polished	
LOKXDK-013	Lucille Series, Black Anodize	
Bezel—7/16"-28 Male Thread		
LOKDK-004	Deco Series, Brushed	
LOKDK-004P	Deco Series, Polished	
LOKXDK-004	Deco Series, Black Anodize	
LOKDK-009	Hi-Tech Series, Brushed	
LOKDK-009P	Hi-Tech Series, Polished	
LOKXDK-009	Hi-Tech Series, Black Anodize	
LOKDK-014	Lucille Series, Brushed	
LOKDK-014C	Lucille Series, Chrome	
LOKDK-014P	Lucille Series, Polished	
LOKXDK-014	Lucille Series, Black Anodize	
Bezel—7/16"-28 Female Thread		
LOKDK-005	Deco Series, Brushed	
LOKDK-005P	Deco Series, Polished	
LOKXDK-005	Deco Series, Black Anodize	
LOKDK-010	Hi-Tech Series, Brushed	
LOKDK-010P	Hi-Tech Series, Polished	
LOKXDK-010	Hi-Tech Series, Black Anodize	
LOKDK-015	Lucille Series, Brushed	
LOKDK-015C	Lucille Series, Chrome	
LOKDK-015P	Lucille Series, Polished	
LOKXDK-015	Lucille Series, Black Anodize	

NEW PRODUCTS



Billet Aluminum Lucille Series Interior Door Handles & Window Cranks

Chrome. Sold in pairs.

LOKGSE-2166



Part	Description	Price
1949 & Later GM/Ford		
LOKGSE-2166	Door Handle	
LOKGSE-2167	Window Crank	
LOKGSE-2168	Vent Window Crank	
1949 & Earlier GM		
LOKGSE-2170	Door Handle	
LOKGSE-2171	Window Crank	
LOKGSE-2172	Vent Window Crank	
1949 & Earlier Ford		
LOKGSE-2173	Door Handle	
LOKGSE-2174	Window Crank	
LOKGSE-2175	Vent Window Crank	
Glide Engineering Seats		
LOKGSE-2169	Seat Recliner Leveler	

Duo-Pak Throttle Cable Kits

The black encased throttle cable features a stainless steel carburetor bracket and return spring kit. For Holley, Edelbrock, AFB, Quadrajets, and other inline dual-quad carburetors.

LOKXDP-1000HT36



Part	Description	Price
LOKXDP-1000HT36	Black Stainless Housing, Black Stainless Hardware, 36"	
LOKXDP-1000U	Black Aluminum Housing, Stainless Hardware, 24"	

Kickdown Only Bracket with Stainless Steel Springs

Mount to rear of Holley, Edelbrock, AFB, Quadrajets, Demon (excluding Street Demon), and inline dual-quad carburetors. Stainless bracket and return springs are used to mount the Lokar throttle and kickdown kits.



Part	Description	Price
LOKSRK-4003	Kickdown Only Bracket with Stainless Springs	
LOKXSRK-4003	Kickdown Only Bracket with Black Stainless Springs	



Black Stainless Steel Hex Exhaust Tip

Black powder-coated, 4" hex clamp-on exhaust tip. Each.



Part	Description	Price
MBRT5169BLK	3" Inlet	
MBRT5173BLK	2-1/2" Inlet	




1968-72 GM A-Body Downpipes PYPDOF10S

Constructed from mandrel-bent, 2-1/2" diameter stainless steel. The downpipes complete the installation of a performance exhaust system to the OEM exhaust manifolds.



S-A Design

A full array of technical books pertaining to the performance enthusiasts.



Part	Description	Price
SABCT644	Lost Muscle Car Dealerships	
SABCT650	Carroll Shelby: A Collection of My Favorite Racing Photos	
SABSA371	Muscle Car Brake Upgrades: How to Design, Select, and Install	
SABSA440	Jeep Wrangler YJ 1987-1995 Performance Modifications	
SABSA447	Patina: How to Create & Preserve	
SABSA456	How to Build Killer Chevy Small-Block Engines	
SABSA458	How to Repair Automotive Air-Conditioning & Heating Systems	
SABSA460	How to Restore Your Chevy Truck: 1947-1955	
SABSA462	High-Performance Automotive Cooling Systems	



Gen IV SureFit™ Climate Control

The Gen IV uses a fully electronic microprocessor control system that eliminates cables or vacuum connections. Separate high-capacity copper parallel-flow heat coil and aluminum plate-and-fin-cooling coils provide outstanding performance and instant temperature adjustments. Additional features include variable blower speed, dash/floor/defrost blend, behind dash mounting, and uses factory system controls.



Part	Description	Price
VIN56155-PCZ	1955-56 Chevy, Evaporator Kit	
VIN951157	1968-72 Ford F-100, Complete A/C Kit	

NEW PRODUCTS



Deluxe Mopar Omega Air Cleaner Center Nut Your Choice -

This aluminum air cleaner nut features a floating MOPAR Omega emblem with hand-inlaid paint. Accommodates 1/4"-20 and 5/16"-20 thread.

Part	Description
PFM440-337	Chrome with Blue Inlaid Paint
PFM440-338	Chrome with Black Inlaid Paint
PFM440-339	Black Crinkle Finish



Red Chevy Bowtie Black Crinkle Alternator PFM141-662

This new 100-amp 1-wire alternator features the red Chevy Bowtie logo on the black crinkle finished GM 10 SI housing. Other features include an internal regulator, an external fan, and a machined pulley.



Chrysler 110-AMP Alternator

This new 110-amp 1-wire alternator features the blue MOPAR logo on the housing. Other features include an internal regulator and a machined single groove V-belt pulley.



Part	Description	Price
PFM440-471	Satin	
PFM440-472	Chrome	
PFM440-473	Black	

MOPAR Baffled Valve Covers

These tall baffled steel valve covers feature the blue MOPAR logo and include air breather and PCV grommets.



Part	Description	Price
PFM440-751	Small Block Chrysler, Black Crinkle Finish	
PFM440-811	Big Block Chrysler, Black Crinkle Finish	
PFM440-813	Big Block Chrysler, Chrome	
PFM440-905	Small Block Chrysler, Chrome	

MOPAR Valve Cover Wing Nuts

The set of four wing nuts feature the blue MOPAR logo. Includes 1/4"-20 thread studs.



Part	Description	Price
PFM440-756	Black Crinkle Finish	
PFM440-902	Chrome	

Radiator Overflow Canister Your Choice -

This billet aluminum universal radiator overflow canister features the two brass fittings with an imprinted Proform logo. 6-3/4" tall x 3" diameter.



Part	Description
PFM69527	Black Anodized
PFM69528	Natural Anodized

MOPAR Shaft Mount Roller Rocker Arms

This 1.5 ratio shaft style aluminum roller rocker arms feature bronze bushings and a black anodized finish with the MOPAR emblem. Includes hardened shafts and hardware. Set of 16.



Part	Description	Price
PFM440-868	Big Block Chrysler	
PFM440-869	Small Block Chrysler	



Universal Electric Cooling Fan

12-volt reversible electric fans feature curved or straight blade configurations.

Part	Description	Price
RPCR1202	12", Straight Blade, Black	
RPCR1205	14", Curved Blade, Chrome	

Engine Oil Dipstick

Steel.



Part	Description	Price
RPCR4957BK	Small Block Chevy, OEM Style, Black	
RPCR4958BK	Big Block Chevy, OEM Style, Black	

LS Series 102mm Throttle Body

CNC billet cable driven 102mm throttle body features the standard GM 4-bolt mounting pattern.



Part	Description	Price
RPCR5460	Natural Anodized	
RPCR5460BK	Black Anodized	

LS Series Water Neck

This 1-1/2" polished aluminum water neck comes with O-ring and stainless hardware.



Part	Description	Price
RPCR6212	Straight	
RPCR6213	45° Swivel	

LS Series Short Valve Covers

These one-piece cast aluminum LS Series valve covers feature a 2-1/2" deck height.



Part	Description	Price
RPCR6369BK	Black Anodize	
RPCR6369C	Natural Anodize	

LS Series Valve Cover Gasket Set RPCR6369G

Includes two O-ring valve cover gaskets.



LS Series Valve Cover Bolt Kit RPCR6369B

Includes eight bolts and washers.



LS Series Retro-Fit Oil Pan

Ideal for GM LS engine swap for 1955-87 GM and 1979-04 Ford Mustang chassis. The 5-1/2" quart oil pan includes pickup sump baffle, gasket, and hardware.



Part	Description	Price
RPCR8460	Satin	
RPCR8460BK	Black	
RPCR8460POL	Polished	

NEW PRODUCTS

ODYSSEY BATTERY

Extreme Series Batteries

Combine the benefits of enormous cranking power and deep cycle reserve power, possible through the use of flat plates manufactured from 99.99% pure lead. Pure lead plates can be made thinner, allowing more plates, which are then densely packed, resulting in twice the power of conventional batteries. Batteries additionally use dry cell Absorbed Glass Mat (AGM) technology to contain acid, allowing the battery to be installed in multiple of positions.



ODY49-950

Part No.	CCA	Terminals	Dimensions	Price
ODY49-950	950	Top	13.8 7" L x 7.47" H x 6.85" H	
ODY94R-850	850	Top	12.36" L x 7.47" H x 6.85" H	



Diesel High Torque Starters

Direct-fit bolt-on upgrade. Made from 100% new components in the USA.




TFS6310

Part	Description	Price
TFS6310	1995-00 Ford Powerstroke 7.3L Diesel, Black	
TFS6311	2001-03 Ford Powerstroke 7.3L Diesel, Zinc	
TFS6312	2003-07 Ford Powerstroke 6.0L Diesel, Zinc	
TFS6313	2008-10 Ford Powerstroke 6.4L Diesel, Zinc	
TFS6314	2011-19 Ford Powerstroke 6.7L Diesel, Zinc	
TFS6320	1989-98 Dodge RAM Cummins 5.9L Diesel, Black	
TFS6330	1981-00 Chevy/GMC 6.2L/6.5L Diesel, Black	
TFS6331	2001-16 Chevy/GMC Duramax 6.6L Diesel, Black	

Westin WESTIN

2019-20 Chevy Silverado Double Cab Pro Traxx Oval Tube Step Bars

Pro Traxx step bars feature a bold, saddle pad mounted design with a 4" or 5" textured step area. Step bars include deep waterways to keep step areas dry for sure footing. Offered with polished stainless steel or black powder-coated finish, no-drill installation, and are sold complete with mounting kit.



WES21-24120

Part	Description	Price
Pro Traxx 4"		
WES21-24120	Polished Stainless Steel	
WES21-24125	Black Powder Coat	
Pro Traxx 5"		
WES21-54120	Polished Stainless Steel	
WES21-54125	Black Powder Coat	

Ferrea RACING COMPONENTS

Valve Retainer Degree Tool FERT7000

Enables measurement of each degree on steel or titanium retainers. Aluminum.



QUICK FUEL TECHNOLOGY

600 CFM Brawler Street Carburetor QFTBR-67316

This 600 CFM four-barrel carburetor with mechanical secondaries and an electric choke offers performance right out of the box. Features include a high-flowing, die-cast black coated aluminum main body with red billet aluminum metering blocks and throttle body for exceptional durability and performance, along with changeable idle and high-speed air bleeds, and four-corner idle adjustment for precision tuning. Made in USA.



RIGHT STUFF DETAILING

1967-69 GM F-Body Disc Brake Conversion RSDAFXDC42C

Designed for stock height GM F-Body applications, this four-wheel power disc brake conversion features an 11" power booster, master cylinder, spindles, brake rotors, calipers, and hoses. For use with non-staggered rear shocks.



WARN

PullzAll Drill Winch WAR101570

This lightweight portable drill winch features a 50% increase in pulling capacity and 33% increase in rope capacity. The unit has a 750-pound single-line pulling capacity with 40-feet of 5/32" steel rope. Powered by standard portable drill.



Industrial Winch Remote Control WAR102230

The wireless remote allows for winch control up to 50 feet away. Plug-and-play installation allows for easy integration into most 12-volt/24-volt industrial series winches.



NEW PRODUCTS



Universal Modular Surge Tank

These universal modular surge tanks provide a small fuel reserve to avoid fuel starvation in high-G corners when fuel tank levels are low. Its compact size and improved pump noise insulation allows for the mounting of additional fuel pumps to supplement an inadequate in-tank pump.



Part	Description	Price
DWK6-000-25ST	2.5L	
DWK6-000-35ST	3.5L	
DWK6-000-55ST	5.5L	

DWR1000iL Inline Fuel Regulator

Designed for powerplants producing 250 HP to 1000 HP, the DWR1000iL regulator features an anodized T6061 aluminum housing, a compact inline design allowing for precise 2 PSI/turn adjustments, compatibility with all fuels including methanol and ethanol, and single-side -6AN inlet and outlet ports. Available in black, orange, or titanium finish.



Part	Description	Price
DWK6-1001-FRB	Black	
DWK6-1001-FRO	Orange	
DWK6-1001-FRT	Titanium	

DWR2000 Fuel Regulator

Designed for powerplants producing 750 HP to 2000 HP, the DWR2000iL regulator features an anodized T6061 aluminum housing, a 1/8" NPT gauge port fitting, precision ball bearing pressure adjustment, and inlet/outlet line fitting options. Ethanol compatible.



Part	Description	Price
DWK6-2000-FRB	-10AN Inlet, -8AN Outlet, Black Anodized	
DWK6-2000-FRO	-10AN Inlet, -8AN Outlet, Orange Anodized	
DWK6-2000-FRT	-10AN Inlet, -8AN Outlet, Titanium Anodized	
DWK6-2001-FRB	Carburetor, 3-20 PSI, Black Anodized	
DWK6-2001-FRT	Carburetor, 3-20 PSI, Titanium Anodized	

5.5L Dual-Stage Surge Tank with 3 Fuel Pumps

This dual stage 5.5L black anodized aluminum surge tank kit includes three fuel pumps. 9" W x 6" L x 10" H.



Part	Description	Price
DWK6-201-55ST	Kit with DW200 Fuel Pumps	
DWK6-301-55ST	Kit with DW300 Fuel Pumps	
DWK6-401-55ST	Kit with DW400 Fuel Pumps	

Brushless In-Tank Fuel Pumps

Only 4 inches tall, this high-flow brushless pump can be easily retrofitted into a factory pump module. This type of pump reduces pump heat, allowing for a longer lifespan as well as increased voltage inputs for higher flow.



Part	Description	Price
DWK9-441-C101-900	Single Speed	
DWK9-441-C102-900	Dual Speed	
DWK9-441-C103-900	Dual Speed with PWM Controller	

2011-19 Mustang X2 Series Fuel Pump Module Kit

This kit retains the OE lower bucket and installs onto the provided center section without any modifications. Mounts into OE fuel tank. The kit uses two DW400 fuel pumps. Fuel system return line kit sold separately.



Part	Description	Price
DWK6-603	Fuel System Return Line Kit, -8AN	
DWK6-605	Fuel System Return Line Kit, -10AN	
DWK9-401-7030	Fuel Pump Module Kit	

Honda/Acura DW400 Fuel Pump Module

Replace factory fuel pump with a DW400 high flow rate in-tank fuel pump.



Part	Description	Price
DWK6-607	2001-15 Fuel System Return Line Kit	
DWK9-401-7040	2001-05 Honda Civic, 2002-06 Acura RSX	
DWK9-401-7041	2012-15 Honda Civic SI, 2013-15 Acura ISL	

2011-17 Ford Mustang GT Billet Aluminum Fuel Rail

This black anodized billet aluminum fuel rail features -8 AN inlets and outlets, bottom mount 3/8" NPT ports for fuel pulsation damper integration, as well as 2/8" NPT and 3/8" NPT ports for the addition of gauges and nitrous. Applications include 2011-17 Mustang GT and F-150 8-cylinder.



Part	Description	Price
DWK7-300	Fuel Rail Only	
DWK7-301-OE	Fuel Rail, Crossover Fuel Line	
DWK7-301-OE-1000	Fuel Rail, Crossover Fuel Line, (8)1000cc/min fuel injectors	



Aluminum Body Washers

1-1/4" diameter anodized aluminum countersunk body washers for use with 1/4" diameter bolts. Available in 20 or 50 per pack.



Part	Description	Price
20-Pack		
DDR3001	Black	
DDR3003	Purple	
DDR3005	Silver	
DDR3007	Blue	
DDR3009	Red	
50-Pack		
DDR3002	Black	
DDR3004	Purple	
DDR3006	Silver	
DDR3008	Blue	
DDR3010	Red	

NEW PRODUCTS



Enforcer Cylinder Heads

Featuring Permanent Mold "As Cast" Technology surfaces on the intake and exhaust runners as well as the combustion chambers, these fully assembled cylinder heads are economically priced while using components found in higher end cylinder heads.



AFR1001



AFR1351




AFR1501

Part	Intake Runner	Comb. Chamber	Spark Plug	Intake Valve	Exhaust Valve	Valve Spring	RPM Range	Price
Small Block Chevy								
AFR1001	195cc	64cc	Straight	2.020"	1.600"	1.290" Dual	< 6000 RPM	
AFR1006	195cc	64cc	Angle	2.020"	1.600"	1.290" Dual	< 6000 RPM	
Small Block Ford								
AFR1351	185cc	59cc	Straight	2.020"	1.600"	1.290" Dual	< 6000 RPM	
GM LS1								
AFR1501	210cc	64cc	Straight	2.020"	1.600"	1.290" Dual	< 6300 RPM	
Big Block Chevy								
AFR3001	325cc	122cc	Straight	2.250"	1.880"	1.550" Dual	< 6500 RPM	



Flying Magnet Crank Trigger Kit

The MSD Flying Magnet Crank Trigger employs an aluminum wheel with four magnets that pass by a Hall-Effect sensor, causing the ignition to produce accurate trigger signals. Only the magnets will create the necessary trigger signal, preventing false readings from bolts or bumps on the trigger wheel. Includes rigid mounting that won't flex and cause timing issues.



MSD86101

Part	Description	Price
MSD86101	Small Block Chevy	
MSD86201	Big Block Chevy	
MSD86401	Small Block Ford	

Super Conductor 8.5mm Spark Plug Wire Sets

The helically wrapped, copper alloy conductor surrounds a ferro-magnetic impregnated center core, resulting in extremely low resistance and high RFI suppression. These 8.5mm direct-fit wire sets are built with high temperature boots and exceed OEM specifications.



Part	Description	Price
MSD31633	2010-14 Ford Raptor, 6.2L, Black	
MSD31639	2010-14 Ford Raptor, 6.2L, Red	

0-75 PSI Pressure Sensor

Provides pre-turbo accurate air pressure readings allowing for a more accurate air/fuel ratio reading when combined with MSD7766 Wide Band Sensor or MSD7767 Exhaust Pressure Module. Available with optional harness for use with second pressure sensor.



Part	Description	Price
MSD2269	Sensor	
MSD22691	Sensor with Harness	
MSD7766	Power Grid Wide Band Oxygen Sensor	
MSD7767	Exhaust Press Sensor	

Pro-Billet Distributor

Pro-Billet distributors are machined from 6061-T6 billet aluminum featuring an upper sealed ball bearing to eliminate shaft wobble, a Rynite cap, adjustable mechanical advance, hardened 10,000+ RPM shaft, and high-output magnetic pickup. Most distributors listed require an MSD ignition control, unless specified.



MSD85301

Part	Description	Price
MSD85031	Ford 289/302, E-Curve, Ready to Run	
MSD85771	Ford 351C-460, Small Cap	
MSD85786	Ford 351W, Small Cap	
MSD85791	Ford 289/302, Small Cap	
MSD85824	Ford 289/302, Crab Cap	
MSD85844	Ford 351W, Crap Cap	
MSD85941	Ford FE	
MSD85951	Ford FE, Small Cap, Ready to Run	

Chevy Crank Trigger Distributor with Pickup

MSD23401MSD

Starting Pro-Billet distributor platform, this unit is equipped with an adjustable Hall-Effect cam sync sensor for fuel-injected engines that require a cam sync input. The cam sync can be adjusted up to +/- 30° to achieve the proper lead-time required for specific EFI systems.



Remote Ignition Brackets

This 2-piece design feature a permanent mounted frame with removable mounting plate. Constructed with billet aluminum, the mounting plate uses two quick turn fasteners for easy mounting and removal.

MSD82181



Part	Description	Price
MSD82181	MSD Coil Bracket, Blaster SS/6/7-Series HVC-II	
MSD82182	MSD Ignition Box Bracket, 6A,6AL/6BTM/6ALN/6HVC/6M-2/7AL/7AL-2/8 Series	

NEW PRODUCTS



Rocker Arm Trunnion Upgrade Kit

Improve stiffness and reliability with billet steel trunnions and premium high-count roller bearings. A must for high engine speed applications.



Part	Description	Price
COM13704-KIT	GM LS7, Gen V LT	
COM13704TL-KIT	GM LS7, Gen V LT, With Installation Tool	

GM GEN IV LS without VVT or AFM FSL™ Series Hydraulic Roller Camshafts

Your Choice -

Gain substantial horsepower without any additional modifications. Meets CARB approval. CARB EO #D-279-13.



Part	Intake Duration @ .050" Lift	Exhaust Duration @ .050" Lift	HP Gain
COM146-200-13	206	218	30+
COM146-201-13	210	222	47+

GM Gen V LTI 1.8 Ratio Rocker Arm Set COM1480-16

OE Style. Set of 16. Trunnion upgraded.



Mopar Gen III Hemi Short Travel OE-Style Hydraulic Roller Lifter Set COM15821-16

0.842" diameter, Set of 16.



Ford 5.0L Coyote Hi-Tech Timing Chain Set Your Choice -

Perfect replacement for a worn out factory chain. Designed to handle the added stresses of a modified engine.

Part	Description
COM3041	2011-14 Ford 5.0L Coyote
COM3042	2015-18 Ford 5.0L Coyote



2018 & Newer Ford 5.0L Coyote XFI Blower/Turbo Camshafts

Your Choice -

Hydraulic roller finger follower camshaft. Valve springs required.

Stage 1 - Allows more RPM.

Stage 2 - Very close to a NHRA Factory Shootout or race turbo profile, but mild enough for limited street use.

Part	Stage	Intake Duration @ .050" Lift	Exhaust Duration @ .050" Lift	RPM Range	Material
COM433560	1	232	238	2000-7900	Billet Steel
COM433580	2	240	246	2500-8400	Billet Steel



Non-MDS Lifters for Dodge Gen III Hemi

An upgrade over Hellcat lifters, this set of 16 lifters features improved oil retention which helps reduce wear and increase durability. Drop-in.

Price	Description	Price
COM856-16	With Yokes	
COM856Y-16	Without Yokes	



2018 & Later Ford 5.0L Coyote Thumper Camshafts

Your Choice -

Hydraulic roller finger follower camshaft. No valve springs required.

Stage 1 - Thumper profile. Mid- to upper-RPM performance improvements.
Stage 2 - Mutha' Thumper profile. Mid to upper RPM performance improvements. Great with long tube headers.



Part	Stage	Intake Duration @ .050" Lift	Exhaust Duration @ .050" Lift	RPM Range	Material
COM433700	1	228	238	2000-7000	Billet Steel
COM433710	2	232	242	2200-7900	Billet Steel

1997-15 GM LS Gen III/IV FSL™ Series Camshafts

COM54-103-11

Hydraulic roller camshaft adds over 30 HP to stock GM LS Gen III/IV powerplants. 50 state legal. CARB EO: #D-279-13.



Intake Duration @ .050" Lift	Exhaust Duration @ .050" Lift	RPM Range	Material
210	218	1800-6500	Billet Steel

Dodge Gen III Hemi Hi-Tech Pushrods

Your Choice -

One piece .080" chromoly tubing with precision-formed and reinforced 5/16" ball-type ends. Black oxide-finished and laser etched. Set of 16.



Part	Description	Intake Length	Exhaust Length
COM8720-16	2003-08, 5.7L	7.900"	6.650"
COM8721-16	2011-Later, 6.4L	8.000"	6.800"
COM8722-16	2005-10, 6.1L	7.900"	6.700"



2-1/4" Diameter Carbon Fiber Driveshafts

Manufactured from lightweight carbon fiber and fitted with steel ends designed for extra yoke clearance, these 2-1/4" diameter driveshafts are designed for Modifieds, Sport Mods, or Crate Late Models (not recommended for high-horsepower open late models). Includes 1310 series U-joints.

Part	Description	Price
FSH2CF-10X10-34	34-1/2" Long, Aluminum Ends	
FSH2CF-10X10-315-STL	31-1/2" Long	
FSH2CF-10X10-32-STL	32" Long	
FSH2CF-10X10-325-STL	32-1/2" Long	
FSH2CF-10X10-33-STL	33" Long	

NEW PRODUCTS



2009–Later Dodge 5.7/6.4L HEMI with VVT Hydraulic Roller Camshaft

Designed with low shock technology allowing for higher engine RPM, while improving durability and reducing load loss. Requires Phaser Limiter (COM5761) or Phaser Lock (COM5760).

Stage 1 - Street Car applications. Awesome power increases.

Stage 2 - Best average torque and power.

Stage 3 - Best HP.

Part	Description	Stage	Intake Duration @ .050" Lift	Exhaust Duration @ .050" Lift	RPM Range	Price
COM201-302-17	2009-Later, Dodge Hemi 6.4L With VVT	1	218	228	1800-6800	
COM201-303-17	2009-Later, Dodge Hemi 5.7/6.4L With VVT	2	220	230	1900-7000	
COM201-305-17	2009-Later, Dodge Hemi 6.4L With VVT	3	224	234	2100-7400	
COM201-306-17 *	2009-Later, Dodge Hemi 6.4L With VVT	3	228	236	2100-7100	

*** Does not require Phaser Limiter or Phaser Lock.**

Beehive Valve Spring & Retainer Kits

Includes valve springs, locks, seals, seats, and retainers.

Part	Description	Max Lift	Installed Height	Coil Bind Height	O.D.	I.D.	Retainer Material	Price
COM26001CS-KIT	2018 Later Ford Coyote	.615"	1.765"	1.090"	.999"/1.083"	.636"/.720"	Chromoly Steel	
COM26001T-KIT	2018-Later Ford Coyote	.615"	1.765"	1.090"	.999"/1.083"	.636"/.720"	Titanium	
COM26906CS-KIT	GM LS6+	.559"	1.800"	10181"	1.077"/1.282"	.655"/.860"	Chromoly Steel	
COM26906TS-KIT	GM LS6+	.559"	1.800"	10181"	1.077"/1.282"	.655"/.860"	Tool Steel	
COM26918CA-KIT	2003-08 Dodge Hemi 5.7L	.600"	1.800"	1.140"	1.075"/1.310"	.650"/.885"	Chromoly Steel	
COM26918CB-KIT	2003-08 Dodge Hemi 6.1L	.600"	1.800"	1.140"	1.075"/1.310"	.650"/.885"	Chromoly Steel	
COM26918CC-KIT	2009-Later Dodge Hemi 5.7L/6.1L/6.4L	.600"	1.800"	1.140"	1.075"/1.310"	.650"/.885"	Chromoly Steel	
COM26918TA-KIT	2003-08 Dodge Hemi 5.7L	.600"	1.800"	1.140"	1.075"/1.310"	.650"/.885"	Titanium	
COM26918TB-KIT	2003-08 Dodge Hemi 6.1L	.600"	1.800"	1.140"	1.075"/1.310"	.650"/.885"	Titanium	
COM26918TC-KIT	2009-Later Dodge Hemi 5.7L/6.1L/6.4L	.600"	1.800"	1.140"	1.075"/1.310"	.650"/.885"	Titanium	
COM26918TSD-KIT	GM Gen IV LT4	.600"	1.800"	1.140"	1.075"/1.310"	.650"/.885"	Tool Steel	

Dual Valve Spring & Retainer Kits

Includes valve springs, locks, seals, seats, and retainers.

Part	Description	Max Lift	Installed Height	Coil Bind Height	O.D. Outer	I.D. Inner	I.D. Outer	Retainer Material	Price
COM26527TI-KIT	GM LS/LT1/LT4	.691"	1.900"	1.150"	1.301"	.646"	.924"	Titanium	
COM26527TS-KIT	GM LS/LT1/LT4	.691"	1.900"	1.150"	1.301"	.646"	.924"	Tool Steel	
COM26925CS-KIT	GM LS Series	.680"	1.810"	1.070"	1.320"	.680"	.958"	Chromoly Steel	



Conical Valve Spring & Retainer Kits

Kits include conical valve springs, retainers, valve locks, valve seals, and spring seats.

Part	Description	Max Lift	Installed Height	Coil Bind Height	O.D.	I.D.	Retainer Material	Price
COM7228CC-KIT	2009 & Later Dodge 5.7L Hemi	.615"	1.8"	1.125"	1.030"/1.286"	.622"/.918"	Chomoly Steel	
COM7228TC-KIT	2009 & Later Dodge 5.7L Hemi	.615"	1.8"	1.125"	1.030"/1.286"	.622"/.918"	Titanium	
COM7228TSD-KIT	GM LS Gen V LT4	.615"	1.8"	1.125"	1.030"/1.286"	.622"/.918"	Tool Steel	
COM7230CC-KIT	2009 & Later Dodge 5.7L Hemi	.665"	1.9"	1.175"	1.060"/1.332"	.660"/.932"	Chomoly Steel	
COM7230TC-KIT	2009 & Later Dodge 5.7L Hemi	.665"	1.9"	1.175"	1.060"/1.332"	.660"/.932"	Titanium	
COM7230TS-KIT	GM LS1/LS3	.665"	1.9"	1.175"	1.060"/1.332"	.660"/.932"	Tool Steel	
COM7230TS1-KIT	GM LS1/LS3, Superfinish Process	.665"	1.9"	1.175"	1.060"/1.332"	.660"/.932"	Tool Steel	



NEW PRODUCTS



LS Series Steam Tube Vent Kit

EARLS0036ERL

Eliminate engine hot spots and prevent overheating by venting trapped air and steam from 2006-17 LS Series engines. Works with Holley LS Hi Ram, single-plane, and Sniper fabricated intake manifolds for LS applications. The kit includes a -3AN female steam tube vent adapter, 1/4" aluminum tubing, and 3/16" aluminum tubing.



GM 6-Speed Transmission Oil Cooler Adapter

EAR1133ERL

For use with GM 6L80 and 6L90 transmissions. This adapter with O-ring seals bolts directly to the OE transmission thermostat and allows the use of -6AN hoses. Black anodized finish.



Turbocharger Oil Drain Flange Fitting

Made from 2024 black anodized aluminum and 303 stainless steel.

EARGT0001ERL

Part	Description	Price
EARGT0001ERL	T25/T28/T30, -10AN Male Flare, 1.496" Bolt Spacing	
EARGT0002ERL	T40/Borg Warner S300/Precision 7275-7285, Garret T40-GT4508R, -12 O-Ring Port Flare, 2.000" Bolt Spacing	
EARGT0003ERL	T40, -6AN Male Flare, 1.500" Bolt Spacing	

Vapor Guard™ OE Fuel Line Quick Connect

Allows AN plumbing to connect to OE EFI fuel rails, fuel filters, and other fuel system components. The secure leak-free connection is made from 6061 T6 black anodized aluminum.

EAR751156ERL



Part	Description	Price
EAR751156ERL	-6AN to 5/16" OEM Fuel Tube	
EAR751166ERL	-6AN to 3/8" OEM Fuel Tube	

OE Fuel Line Quick Connect

Stainless steel push-on adapter fitting allows the use of AN plumbing to factory EFI fuel rails, fuel filters, and other fuel system components.



Part	Description	Price
EAR961964ERL	-6AN to 5/16" OEM Fuel Tube	
EAR961965ERL	-6AN to 3/8" OEM Fuel Tube	

Fuel Rail & Fuel Module Quick Connect

This 90° quick connect allows upgrading to billet fuel rails or an in-tank fuel module while retaining the stock OEM-style fuel hose. Black anodized billet aluminum with O-ring seals and stainless steel.



Part	Description	Price
EAR935085ERL	-8AN to 5/16" OEM Fuel Tube	
EAR935086ERL	-8AN to 3/8" OEM Fuel Tube	

GM LS Adjustable Coolant Crossover Tube

Simplify the plumbing of a remote-mounted electric water pump on a GM LS engine with this adjustable length (6.8" to 10.5") coolant crossover tube. Features (2) -12AN female swivels and a -16AN male flare. Black anodized billet aluminum with O-ring seals.



Part	Description	Price
EARLS0035ERL	Standard	
EARLS0037ERL	Low Profile	

GM LS Electric Water Pump Adapters

EARLS0025ERL

Allows the use of a Big Block Chevy electric water pump on the GM LS engine. These billet aluminum adapters feature (2) -12AN O-ring female outlet ports for routing coolant back to the radiator. The 1/8" NPT port on the sides of the adapters allows a convenient hook-up for the steam tube outlet (eliminates modification of the radiator or water pump when installing the steam tube plumbing).



GM LS Remote Electric Water Pump Plumbing Kit

EARLS0040ERL

This kit combines the Adjustable Coolant Crossover Tube (EARLS0035ERL) and the Water Pump Adapter (EARLS0025ERL) to create a clean and simple installation of a Big Block Chevy electric water pump on the GM LS engine.



Billet Aluminum Remote Oil Filter

EAR2188ERL

This black anodized billet aluminum remote oil filter mount features (2) -10AN O-ring ports, an 1/8" NPT port, and dual inlet along with a top outlet. Fits 13/16"-16 oil filter.



Spray Nine Cleaner

PEX26832

Spray Nine has demonstrated effectiveness against viruses similar to Novel 2019 Coronavirus COVID-19 on hard, non-porous surfaces. Therefore, Spray Nine can be used against Novel 2019 Coronavirus COVID-19 when used in accordance with the directions for use against Norovirus/Feline Calicivirus, Rhinovirus Type 37, and Poliovirus on hard, non-porous surfaces.



NEW PRODUCTS



GM LS Engine XFI Sportsman EFI System FST303004

Highlighted by the XFI Sportsman™ ECU, this EFI system offers total tuning flexibility and monitoring of all vital elements of any LS powerplant. It can function as a self-tuning unit or PC-based "tune on the fly" unit. Supports power adders including nitrous. The system includes all necessary hardware, software, and connection cables.



XR Ignition Coil

The use of ultra-pure copper alloy windings produces 15% more spark energy than OEM coils. Set of 8.



Part	Description	Price
FST30388-8	GM Gen-V, 5.3/6.2L LT	
FST30389-8	2006-Later Dodge Hemi, 5.7L/6.1L/6.4L	
FST30390-8	1997-14 Ford Modular 2V, 4.6L/5.4L/5.8L	
FST30391-8	1997-14 Ford Modular 4V, 4.6L/5.4L/5.8L	
FST30392-8	2004-08 Ford Modular 3V, 4.6L/5.4L/6.8L	
FST30393-8	2008-16 Ford Modular 3V, 4.6L/5.4L/6.8L	
FST30394-8	2011-15 Ford Coyote 5.0L	

Universal EFI Sump Kit FST30403-FK

Adjustable from 35-90 PSI and accommodates factory carburetor fuel pump up to 600 HP. Easy installation without requiring tank modifications. Kit includes wiring harness, hoses, fittings, and mounting hardware.



Temperature Sensor & Converter Kit

The sensor measures temperatures (air or fluid) and converts the reading into a universal 0-5V output. The air temp sensor is ideal for monitoring engine inlet, intercooler/heat exchanger, and brake duct temperatures. The fluid sensor is designed to measure engine oil, engine coolant, transmission fluid, and rear differential lubricant temperatures.



Part	Description	Price
FST307037	Air Temperature	
FST307038	Fluid Temperature	

Wireless Air/Fuel Meter Kit

Allows measurement of engine air/fuel ratio from a smartphone. Features include: live data logging for up to two minutes, an RPM-activated window switch, an air/fuel safety cut-off, and a vehicle theft prevention feature.



Part	Description	Price
FST170301	Single Sensor	
FST170302	Dual Sensor	



new vendor



ALD300105



ALDAGRHD

Coil-Over Kits

Design to lower the vehicle and offer modern-era handling, these bolt-on coil-over kits feature single- or double-adjustable Phantom Series shocks and high-tensile coil springs. The units mount into the stock location and are supplied with all required mounting hardware when applicable. Made in USA.

Part	Application	Location	Type	Spring Rate (lbs./in.)	Drop (in.)	Price
Single-Adjustable						
ALD300105	1964-72 GM A-Body,	Front/Rear	Bolt-On/Bolt-On with Bracket	Front: 500 Rear: 160	Front: 0-2.0 Rear: 0-3.0	
ALD300132	1978-96 GM B-Body, 1988-96 GM Truck C1500, 1971-96 Chevy Impala	Front	Bolt-On	700	0-2.0	
ALD300134	1963-82 Corvette, 1958-70 Chevy Fullsize	Front	Bolt-On	450	0-2.0	
ALDAB2FMS	1964-72 GM A-Body	Front	Bolt-On	450	0-2.0	
ALDABFHS	1964-72 GM A-Body, 1955-57 Chevy Full-Size	Front	Bolt-On	550	0-2.0	
ALDABFMS	1964-72 GM A-Body, 1955-57 Chevy Full-Size	Front	Bolt-On	450	0-2.0	
ALDABRHS	1964-72 GM A-Body	Rear	Bolt-On with Bracket	160	0.5-3.0	
ALDAFBFMS	1967-69 GM F-Body, 1968-74 GM X-Body	Front	Bolt-On	450	0-2.0	
ALDAFBFMS3	1970-81 GM F-Body	Front	Bolt-On	450	0-2.0	
ALDAGFMS	1978-88 GM G-Body, 1975-79 GM X-Body	Front	Bolt-On	450	0.2.0	
Double-Adjustable						
ALDAGRHD	1978-88 GM G-Body	Rear	Bolt-On	220	0.5-3.0	

NEW ITEMS FOR 2020



Universal Mini Stock Front Hoops

Universal front hoops come in 3 widths to fit a variety of mini stock chassis. Mild steel tubing is 1-1/2" x .083"



Color	Outside Width	Car Type	Price
ALL22652	40-1/2"	Mid-Size	
ALL22653	46-1/2"	Neon	
ALL22654	51-1/2"	Big	

Rear Lower Spring Cup Light Weight ALL56123

Steel spring cup has a 7 wide curved base that welds to the top of a 3" diameter rear end axle tube creating a flat mounting surface for 5" O.D. racing spring, commonly used to replace OE style pigtail lower spring mount. Sold each.



LS Electric Water Pump ALL31122

Designed to fit Gen III/IV LS engines, water pump features a high-flow electric motor that is perfect for race applications. Machined from black anodized billet 6061 T6 aluminum. With F-Body inlet/outlet location. Pair with our ALL31160 inline thermostat housing if a thermostat is required!



Multi-Purpose Absorbent ALL12035

Organic material is a dust-free alternative when cleaning up spills. Sprinkle product on spills and sweep up. 5-lb. resealable bag.



LS Lifter Valley Covers


Billet aluminum covers come complete with stainless hardware and O-ring. Black anodized.



Part No.	Description	Price
ALL90106	LS1 / Gen III Cover	
ALL90107	LS3 / Gen IV Cover	

LS Oil Pan Kits

Oil pan kits ease the installation of LS series engines into early production vehicles by providing additional clearance between the oil pan and frame crossmember. Kits include oil pan, pick-up tube, gaskets and mounting hardware required for installation. Fabricated oil pan does not accept factory-style oil filter; pan features -10AN oil filter fittings and will require an external oil filter mount.



Part No.	Description	Price
ALL26240	Cast Aluminum	
ALL26241	Cast Aluminum, Black	
ALL26245	Fabricated Aluminum Pan	

LS Coil Mounting Brackets

OE-style mounting brackets fit OE and fabricated valve covers with factory mounting bosses and have a black epoxy coated or black anodized finish.



Part No.	Description	Price
ALL26213	Black Aluminum Brackets for Use with Truck D585 Coils (ALL81401)	
ALL26214	Black Aluminum Brackets for Use with Delco D510C Coils (ALL 81402 & ALL81403)	

Remote Mount LS Coil Brackets

Designed for remote mounting LS Coils. Black anodized billet aluminum brackets come complete with stainless hardware and standoffs for easy removal.



Part No.	Description	Price
ALL26216	Fit Delco D580, LS1/LS6 Coils (ALL81400)	
ALL26217	Fit Delco D581 and D510C, LS2,LS3,LS7 Coils (ALL81402 & ALL81403)	

Buss Bars

Bar features a 1/4" power supply stud and 12 separate #8 connections. Measures 5-1/4" x 1-1/8" wide and can be mounted with two #10 (3/16") fasteners. Bars include a removable protective cover and power supply boot.



Part No.	Description	Price
ALL76170	Red Buss Bar Kit	
ALL76171	Red Protective Cover	
ALL76172	Black Buss Bar Kit	
ALL76173	Black Protective Cover	

To see more great new products from Allstar Performance as well as our complete selection of sale items and specials, visit www.allstarperformance.com