

# BIG DEALS

## NEW PRODUCTS



Floor-Mounted Throttle Pedal Kit  
ALL54102

PAGE 43



CTX Battery Sense CTE40-149

PAGE 30



15 x 3.5 Alumastar  
2.0 Wheel Anglia  
Black

WEL88B-15000

PAGE 14



# UNBELIEVABLE DEALS



## UNBELIEVABLE DEALS

Vendor	Page	Vendor	Page	Vendor	Page	Vendor	Page
Advanced Clutch Technology.....	3	Comp Cams.....	6	Magnaflow Performance Exhaust.....	10	Ridetech.....	12
Aero Race Wheels.....	3	Corsa Performance.....	6	Mahle Pistons.....	10	Richmond.....	12
Aeromotive.....	3	Dart.....	6	Manley.....	10	Rollmaster-Romac.....	12
AFe Power.....	3	Diversified Machine.....	6	March Performance.....	10	Rough Country.....	12
Air Flow Research.....	3	Dougs Headers.....	6	MGP Caliper Cover.....	10	Royal Purple.....	12
Allstar Performance.....	3,4	Dynatech.....	6	Mickey Thompson.....	10	Scat.....	12
American Racing Wheels.....	4	Eagle.....	6,7	Milodon.....	10	Schoenfeld.....	12
AMP Research.....	4	Edelbrock.....	7,8	Mobil 1.....	10	Sharp Rockers.....	12
BD Diesel.....	4	Flaming River.....	8	MOMO.....	10	Simpson Safety.....	12
Bell Helmets.....	4	Flex-A-Lite.....	8	MOTUL USA.....	10	SLP Performance.....	13
Bestop.....	4	Gibson Exhaust.....	8	MPI USA.....	11	Stilo.....	13
Billet Specialties.....	5	Grant.....	8	MSD.....	11	Sunoco Race Jugs.....	13
The Blower Shop.....	5	Hellwig.....	8	NGK.....	11	Sweet.....	13
Blueprint Engines.....	5	Holley.....	8	Oliver Rods.....	11	T And D Machine.....	13
Braille Auto Battery.....	5	Holley.....	9	Optima Battery.....	11	Ti22 Performance.....	13
Brodix.....	5	Hooker.....	9	Performance Accessories.....	11	Trans-Dapt.....	13
Bully Dog.....	5	Hypertech.....	9	Pyrotec.....	11	Triple X Race Components.....	13
California Car Duster.....	5	Jet Performance.....	9	Quick Fuel Technology.....	11	Ultra Lite Brakes.....	13
Callies.....	5	Kooks Headers.....	9	Quick Time.....	11	Weld Racing.....	13,14
Canton.....	5	Longacre.....	9	Quarter Master.....	11	Yukon Gear And Axle.....	14
Carter.....	6	Lund.....	9	Ram Clutch.....	11		
Chevrolet Performance.....	6	M And H Racemaster.....	10	Ram Clutch.....	12		

## NEW PRODUCTS INDEX

**Please Note:** • Some items not legal for sale or use on pollution-controlled vehicles • Not responsible for typographical errors • All prices are listed in U.S. dollars.

## BLACK - NEW VENDORS

Vendor	Page	Vendor	Page	Vendor	Page
Afco.....	28	Corsa Performance.....	18	Hepfner Racing Products.....	27
Airaid.....	15	Crow Enterprises.....	24	Hi-Lift Jacks.....	20
Air Lift.....	15	CTEK.....	30	Howe Racing.....	29
Aldan American.....	20	Daystar.....	17	<b>ICT Billet.....</b>	<b>21-23</b>
ATL Fuel Cells.....	25	DeeZee.....	18	Jones Racing.....	29
Allstar Performance.....	43	DEI - Design Engineering.....	19	K & N Filters.....	23
Amalie Motor Oil.....	16,17	Diversified Machine, INC.....	24	Koni.....	31
American Autowire.....	15	DRP Performance.....	29	Lucas Oil Products.....	20
AutoLoc.....	17	Eibach.....	30	MBRP, Inc.....	24
BAK Truck Bed Covers.....	17	Five Star.....	31	Motive Gear.....	20
Bassett.....	25	Flex-A-Lite.....	18	MPD Racing.....	27
Bert Transmission.....	27	Ford Performance.....	17	MSD.....	24
Billet Specialties.....	15	<b>Frankenstein Engine Dynamics ..</b>	<b>25</b>	Northern Radiator.....	26
Bilstein.....	27	Geddex.....	24	Proform.....	24
BMR Suspension.....	18	Griffin Radiator.....	32	Pypes Performance Exhaust.....	18
		Hawk Performance.....	34	QA1.....	35
				Quarter Master.....	33
				Racing Optics.....	27
				Schoenfeld Headers.....	36
				Scribner Plastic.....	31
				<b>Shaviv.....</b>	<b>42</b>
				Speedmaster.....	26
				Swift Springs.....	29
				Ti22 Performance.....	27
				Wilwood.....	33
				UB Machine.....	33
				VP Racing Fuels.....	36-40
				Wehrs Machine.....	40-41
				Zamp.....	32

## NEW VENDORS



Page 21-23

FRANKENSTEIN  
ENGINE DYNAMICS









Page 25



Page 42
















# CALL NOW! UNBELIEVABLE DEALS!

DON'T MISS OUT ON THESE LIMITED QUANTITIES AVAILABLE AT SPECIAL SALE PRICES

Description	Photo	Part No.	Price
<b>Advanced Clutch Technology</b>			
<b>HD CLUTCH KIT SUBARU</b> Heavy-duty single-disc clutch kit. 240 mm diameter with 25 mm x 24 spline, sprung hub, organic. Fits 2002-13 Subaru STI, Legacy 2.0L and 2.5L.		ACTSB10-HDSS	
<b>Aero Race Wheels</b>			
<b>15 x 8 3" 5.00 SILVER W/ 3 TABS FOR MUDCOVER</b> 52 Series wheel. 15" x 8" with 3.00" backspace. 5 x 5.00" bolt pattern. Silver powder-coated steel. Each.		ARW52-085030T3	
<b>15 x 8 4" 5.00 CHROME W/ 3 TABS FOR MUDCOVER</b> 52 Series wheel, 15" x 8" with 4.00" backspace. 5 x 5.00" bolt pattern. Chromed steel. Each.		ARW52-285040T3	
<b>15 x 10 5" 5.00 BLACK</b> 58 Series wheel, 15" x 10" with 5.00" in backspace. 5 x 5.00" bolt pattern. Black powder-coated steel. Each.		ARW58-105050	
<b>SINGLE VALVE STEM CHROME 15 x 9.5" 4.5" 5.00</b> 59 Series wheel, 15" x 9.5" with 4.50" backspace. 5 x 5.00" bolt pattern. Single valve stem, Chromed steel. Each.		ARW59-295045B	
<b>Aeromotive</b>			
<b>TERMINATOR MECH FUEL PUMP 25 GPM</b> Hex-driven in-line fuel pump. 1500 gph, 4-bolt flange inlet/outlet. Black anodized aluminum. Each.		AFS11138	
<b>DIESEL FUEL PUMP SYSTEM KIT FORD 6.0L 2003-07</b> Electric retrofit fuel pump kit. Flows 130 gph at 10 psi. For 2003-07 Ford full-size truck with PowerStroke diesel.		AFS11808	
<b>STEALTH FUEL CELL W/ A1000 PUMP - 15 GALLON</b> FA100 Stealth fuel cell and pump. 15-gallon capacity, measures 18" x 20" x 10" tall, with -10AN outlet, -8AN return, and -8AN vents. Includes sender. Natural aluminum. Each.		AFS18660	
<b>AFe Power</b>			
<b>SWAY BAR HD END LINKS 1997-15 CORVETTE</b> Control PFADT series end link kit. Includes PTFE bushings, sleeves, bolts, nuts, washers. Cadmium-plated steel. For 1997-2015 Chevy Corvette.		AFE440-401002-A	
<b>INTERCOOLER 1994-02 DODGE 5.9L DIESEL</b> Blade Runner Intercooler for 1994-2002 Dodge Cummins. Natural aluminum finish. Each.		AFE46-20062	
<b>CAT BACK SS 2-1/2" BLACK TIP</b> MACH Force XP cat-back exhaust system. With 2-1/2" tailpipe and 4-1/2" black tips. Stainless steel. For 2018 4-door Jeep Wrangler JL with Mopar V6.		AFE49-48066-B	
<b>AIR INTAKE SYSTEM 1994-97 FORD F250 7.3L DIESEL</b> Magnum Force Pro 5R Stage 2 air induction system. Includes reusable filter. For 1994-97 Ford full-size truck.		AFE54-10792	
<b>Air Flow Research</b>			
<b>SBC 190CC STREET HEADS 65CC VORTEC</b> Eliminator Street assembled cylinder head. 2.020"/1.600" valves, 190cc intake, 65cc chamber, 1.290" springs. Aluminum. For Small Block Chevy. Pair.		AFR0912	
<b>SBC LT1 195CC ALUMINUM HEADS ELIMINATOR STREET A/P</b> Eliminator Street assembled cylinder head. 2.050"/1.600" valves, 195cc intake, 65cc chamber, 1.290" springs. Aluminum. For GM LT-Series. Pair.		AFR1031	
<b>SBC 235CC CNC ALUMINUM HEADS ELIMINATOR RACE 80CC A/P</b> Comp Package assembled cylinder head. 2.125"/1.600" valves, 235cc intake, 80cc chamber, 1.550" springs. Aluminum. For Small Block Chevy. Pair.		AFR1130-TI	
<b>Allstar Performance</b>			
<b>3/16" MULTI-GRIP RIVETS</b> Rivets feature a 1/2" head, 3/16" aluminum mandrel, and offer a 1/16"-3/8" grip range. Black aluminum head. Box of 250.		ALL18071	
<b>3/16" MULTI-GRIP RIVETS</b> Rivets have 1/2" head, 3/16" steel mandrel, and offer a 1/16"-5/8" grip range. Silver aluminum head. Box of 250.		ALL18086	

# CALL NOW! UNBELIEVABLE DEALS!

DON'T MISS OUT ON THESE LIMITED QUANTITIES AVAILABLE AT SPECIAL SALE PRICES

Description	Photo	Part No.	Price
<b>Allstar Performance</b>			
<b>3/16" MULTI-GRIP RIVETS</b> Rivets feature a 3/8" head, 3/16" steel mandrel, and offer a 1/8"-1/4" grip range. Silver aluminum head. Box of 250.		ALL18101	
<b>4-BLADE STEEL FAN</b> 19" mechanical cooling fan has a 4-blade design with 5/8" pilot and universal mounting bolt pattern. Black painted steel. Each.		ALL30101	
<b>REMOTE FILL TANK</b> Flush-mount remote fill tank with a -10AN outlet and 3/8" NPT female bung. Aluminum construction. Each.		ALL36111	
<b>FUEL FILTER ELEMENT</b> Paper fuel filter element filters particles down to 10 microns. Each.		ALL40220	
<b>BRAKE CALIPER BRACKET</b> Clamp-on rear brake caliper bracket fits a 3" O.D. axle tube. For Superlite/Sierra XL caliper. Black anodized aluminum construction. Each.		ALL42134	
<b>BALL JOINT</b> Weld-in lower ball joint is standard length with 2" taper per foot. Greasable low-friction design. Steel construction. Each.		ALL56027	
<b>PANHARD BAR</b> J-Style panhard bar kit can be cut to fit. Measures 27" long center-to-center and has aircraft-style rod ends. Steel construction.		ALL56142	
<b>CONTROL ARM</b> Tubular upper control arm is 9.50" long with a 10° screw-in ball joint mount. Universal design. Black powder-coated steel. Each.		ALL57970	
<b>FAST TRACK TIRE IMPROVER</b> Fast Track tire treatment softens tires for added grip. Detectable. Sold in one-gallon cans. Each.		ALL78103	
<b>EXHAUST MANIFOLD / HEADER GASKET</b> Exhaust manifold/header gasket for Small Block Chevy 1.758" x 1.718" spread-port heads. Steel core laminate construction. Each.		ALL87264	
<b>American Racing Wheels</b>			
<b>15 x 8 TORQ THRUST WHEEL 5x4.5 B/C 4.5 B/S</b> Torq Thrust II wheel. 15" x 8" with 4.50" backspace. 5 x 4.50" bolt pattern. Polished aluminum. Each.		AMRVN5155866	
<b>AMP Research</b>			
<b>POWERSTEP 2014-17 FORD TRANSIT</b> PowerSteps power-deploying running boards. Black anodized aluminum. Fits 2014-17 Ford Transit. Sold in pairs.		AMP76159-01A	
<b>BD Diesel</b>			
<b>EXHAUST BRAKE UNIVERSAL 4" W/ AIR COMPRESSOR</b> Exhaust brake kit for 4" diameter pipe, with cast iron housing, stainless butterfly valve, compressor, and downpipe mount. Pneumatically actuated. Universal.		BDD1028140	
<b>Bell Helmets</b>			
<b>DOMINATOR 2 MATTE BLACK 7-3/8 SA15</b> Dominator 2 Pro Series helmet. Snell SA2015 approved. Head and Neck Support ready. Matte black. Size 7-3/8. Each.		BEL1312013	
<b>K1 PRO HELMET WHITE LARGE SA15</b> K-1 Pro Racer Series helmet. Snell SA2015 approved. Head and Neck Support ready. White. Large. Each.		BEL1420005	
<b>Bestop</b>			
<b>HIGHROCK 4X4 MIRROR REPLACEMENT SET BLACK</b> HighRock 4x4 side-view mirrors. Square, 8" wide x 8" tall. Black plastic. Fits Jeep 1987-2006. Pair.		BES51261-01	












# CALL NOW! UNBELIEVABLE DEALS!

DON'T MISS OUT ON THESE LIMITED QUANTITIES AVAILABLE AT SPECIAL SALE PRICES

Description	Photo	Part No.	Price
<b>Billet Specialties</b>			
<b>LS ENGINE SPORT TRAC PULLEY SYSTEM</b> Sport Trac pulley kit. 6-rib serpentine, black anodized billet aluminum. Fits GM LS-series.		BSP12500	
<b>15X3.5 COMP WHEEL 1.75BS 5X4.75 BC</b> Comp 5 wheel. 15" x 3.5" with 1.750" backspace. 5 x 4.75" bolt pattern. Polished aluminum. Each.		BSPCSF035356117	
<b>The Blower Shop</b>			
<b>SBC INTAKE &amp; 671 DRIVE ACCESSORY KIT 2V</b> Supercharger drive kit for 6-71 superchargers. Includes belt, crankshaft hardware, hub, intake, pulleys, spacers, and hardware. Polished finish. Fits Small Block Chevy.		BLS2611	
<b>Blueprint Engines</b>			
<b>CRATE ENGINE - SBF 302 300HP BASE MODEL</b> Crate engine, base engine. 302 cubic inch, 300 HP Small Block Ford. Each.		BPEBP3024CT	
<b>CRATE ENGINE - SBF 306 390HP DRESSED MODEL</b> Crate engine - dressed. 306 cubic inch, 370 HP Small Block Ford. Each.		BPEBP3060CTC	
<b>Braille Auto Battery</b>			
<b>LITHIUM ION SUPER 16 VOLT BATTERY 2325 AMPS</b> Super-Sixteen lithium-ion battery. 16V with 2325 pulse cranking amps. Has top and top stud terminals. 10.00"L x 6.15"H x 3.25"W. Each.		BRBB168L	
<b>Brodix</b>			
<b>SBC 221CC TRACK 1 HEADS 67CC 2.08/1.60 - ASSEMBLED</b> Track 1 assembled cylinder head. 2.080"/1.600" valves, 221cc intake, 67cc chamber, 1.550" springs. Aluminum. For Small Block Chevy. Pair.		BR01001001	
<b>SBC 200CC IK200 HEADS 64CC S/P BARE</b> IK 200 bare cylinder head. 2.020"/1.600" valves, 200cc intake, 64cc chamber. Aluminum. For Small Block Chevy. Pair.		BR01020000	
<b>SBC CAST IRON BLOCK 4.000 BORE 350 MAINS</b> Engine bare block. 4.000" bore, 9.025" deck, 350 main, 4-bolt main, 2 -piece seal. Iron. Small Block Chevy. Each.		BROBRS400035842S	
<b>Bully Dog</b>			
<b>2007-12 DODGE 2500 PERFORMANCE DPF</b> Diesel particulate filter kit for 2007-12 Dodge full-size truck with 6.7L Dodge Cummins engine. Natural stainless.		BUL70020	
<b>California Car Duster</b>			
<b>WOOD HANDLE CAR DUSTER</b> California Car Duster with 26" wood handle and 15" head. Paraffin-baked cotton. Red. Each.		CCD62442	
<b>Callies</b>			
<b>SBC 4340 FORGED MAGNUM CRANK - 3.750 STROKE</b> Magnum crankshaft with 3.750" stroke. Internal balance, 2-piece seal. Forged steel. For Small Block Chevy. Each.		CALSAJ11A-MG	
<b>SBC 4340 FORGED MAGNUM CRANK - 3.875 STROKE</b> Magnum crankshaft with 3.875" stroke. Internal balance, 2-piece seal. Forged steel. For Small Block Chevy. Each.		CALSAM21A-MG	
<b>SBC FORGED I-BEAM RODS - 6.000/2.100</b> Ultra I-beam connecting rod. 6.000" long, bushed, with 7/16" cap screws. Katech H11. For Small Block Chevy. Set of 8.		CALU14135	
<b>SBC FORGED I-BEAM RODS - 6.125/2.100</b> Ultra I-beam connecting rod. 6.125" long, bushed, with 7/16" cap screws. Katech H11. For Small Block Chevy. Set of 8.		CALU14140	
<b>Canton</b>			
<b>SBC R/R OIL PAN</b> Rear sump 7-quart engine oil pan for street/strip /road race applications. Cadmium-plated steel. For Small Block Chevy. Each.		CAN15-250T	

# CALL NOW! UNBELIEVABLE DEALS!



















DON'T MISS OUT ON THESE LIMITED QUANTITIES AVAILABLE AT SPECIAL SALE PRICES

Description	Photo	Part No.	Price
<b>Carter</b>			
<b>BBC BILLET ALUMINUM FUEL PUMP - GAS</b> Mechanical fuel pump. Flows 180 gph at 8.1-9 psi. -10AN inlet fitting, -8AN outlet fitting. Blue anodized billet aluminum. Gas. For Big Block Chevy. Each.		CARM7901G	
<b>Chevrolet Performance</b>			
<b>CRATE ENGINE - BBC 454/425HP</b> Crate engine 454 Ho Big Block Chevy, 438 HP. Each.		GMP12568774	
<b>Comp Cams</b>			
<b>GM LS XFI CAM - 267PHR14</b> XFI SPR camshaft. For use with hydraulic rollers. Lift 0.559"/0.571", duration 267°/281°, 114 LSA, 1600/6700 RPM. For GM LS-series. Each.		COM156-401-13	
<b>PONTIAC V8 CAM K-KIT XR288HR-10</b> Xtreme Energy camshaft/lifters/springs/timing set. Hydraulic roller. Lift 0.520"/0.540", duration 288°/294°, 110 LSA, 2200/6000 RPM. For Pontiac V8.		COMK51-433-11	
<b>Corsa Performance</b>			
<b>2014-19 CORVETTE 6.2L XTREME VALVE-BACK EXHAUST KIT</b> XTREME axle-back exhaust system. 2-3/4" diameter with 4-1/2" tips. Polished stainless. For 2014-19 Chevy Corvette.		COR14763	
<b>2014-19 CORVETTE 6.2L SPORT VALVE-BACK EXHAUST KIT</b> SPORT axle-back exhaust system. 2-3/4" diameter with dual 4-1/2" tips. Polished stainless. For 2014-19 Chevy Corvette.		COR14764	
<b>2014-19 CORVETTE 6.2L SPORT VALVE-BACK EXHAUST KIT</b> SPORT axle-back exhaust system. 2-3/4" diameter with quad polygon tip. Polished stainless. For 2014-19 Chevy Corvette.		COR14765	
<b>Dart</b>			
<b>BBC 308CC I/E HEAD 121CC R/P 2.25/1.88 ASSM</b> Iron Eagle assembled cylinder head. 2.250"/1.880" valves, 308cc intake, 121cc chamber, 1.550" springs. Iron. Big Block Chevy. Each.		DRT15100112	
<b>SBC PRO SHP IRON BLOCK 9.025 4.125/400</b> SHP Pro bare engine block. 4.125" bore, 9.025" deck. With 400 main, 4-bolt mains, 2-piece seal, and BBC camshaft bore. Iron. Small Block Chevy. Each.		DRT31162212	
<b>Diversified Machine</b>			
<b>Q/C REAR END SAT 4.12 W/ TUBES HOLLOW AXLES</b> Saturday Night Special quick-change rear axle assembly. 10" ring gear, with 4.12 ratio standard. 60" wide. Magnesium center. Kit.		DMIIMCA4.12SAT-TU-HA	
<b>Q/C REAR END PRO 4.86 W/ TUBES HOLLOW AXLES</b> Professional quick-change rear axle assembly. 10" ring gear. 4.86 ratio standard. 60" wide. Magnesium center. Kit.		DMIIMCA4.86PRO-TU-HA	
<b>Dougs Headers</b>			
<b>COATED HEADERS - PONTIAC V8 326-455</b> Shorty headers with 1-3/4" primary and 3" collector. Ceramic-coated steel. For 1967-74 FM F-body/X-body with Pontiac V8. Kit.		DGHD569	
<b>Dynatech</b>			
<b>2014-18 C7 CORVETTE HEADER</b> Long tube headers with 1-7/8" primary and 3" collector. Natural stainless. For 2014-18 Corvette with GM LS-Series. Kit.		DTH715-63810	
<b>BBC HEADERS 2-1/4" - 2-3/8"</b> Drag headers. 2-1/4" to 2-3/8" primary. Collector required. Metallic ceramic-coated steel. For Big Block Chevy in strut front/dragster applications. Kit.		DTH750-92410	
<b>Eagle</b>			
<b>SBC ROTATING ASSEMBLY 383 .030</b> Rotating assembly for 383 CID Small Block Chevy. With forged crank and forged pistons. 3.750" stroke, 4.030" bore, and 5.700" H-beam rods. Kit.		EAG12107030	
<b>SBF ROTATING ASSEMBLY KIT - COMPETITION</b> Rotating assembly for 347 CID Small Block Ford. With forged crank and forged pistons. 3.400" stroke, 4.030" bore, 5.400" H-beam rods. Small Block Ford. Kit.		EAG14004030	






# CALL NOW! UNBELIEVABLE DEALS!

DON'T MISS OUT ON THESE LIMITED QUANTITIES AVAILABLE AT SPECIAL SALE PRICES

Description	Photo	Part No.	Price
<b>Eagle</b>			
<b>BBM RB ROTATING ASSEMBLY KIT - COMPETITION</b> Rotating assembly for 535 CID Mopar RB-Series. With forged crank and forged pistons. 4.500" stroke, 4.350" bore, 7.100" H-beam rods. Kit.		EAG21205055	
<b>SBC 305 FORGED 4340 CRANK 3.500 STROKE/5.700</b> Crankshaft for Small Block Chevy. 3.500" stroke, internal balance, 2-piece seal. Steel. Each.		EAG4349350057LA	
<b>SBC 4340 FORGED CRANK - 4.125 STROKE</b> Crankshaft for Small Block Chevy. 4.125" stroke, internal balance, 2-piece seal. Forged steel. Each.		EAG440041256000	
<b>Edelbrock</b>			
<b>1949-53 FORD FLATHEAD HEADS</b> Cylinder Heads for Ford Flathead. 65cc chamber. 24 stud. Satin-finish aluminum with script letter Edelbrock logo. Pair.		EDE1115	
<b>E-FORCE SUPERCHARGER KIT 2015-17 DODGE 5.7L HEMI</b> E-Force TVS supercharger system with programmer. Black powder-coated finish. For 2015-17 Chrysler LA-body with Mopar Gen III Hemi.		EDE1517	
<b>650CFM AVS2 CARBURETOR W/ANNULAR BOOSTERS</b> AVS2 4-barrel carburetor. 650 CFM, square bore, manual choke, mechanical secondary, and single inlet. Chrome powder-coated finish. Each.		EDE19054	
<b>CARBURETOR ADAPTER</b> Carburetor adapter. 9/16" thick, 4-hole square bore to spread bore adapter. Includes gasket, hardware. Natural aluminum. Each.		EDE2696	
<b>PRO-FLO 4 XT EFI KIT SBC 550 HP</b> Pro-Flo 4 XT fuel injection system. Multi-port sequential, square bore, with 29 lb/hr injectors. 1000 CFM. Natural aluminum. For Small Block Chevy. Kit.		EDE35790	
<b>PRO-FLO 4 XT EFI KIT SBC VORTEC 550 HP</b> Pro-Flo 4 XT fuel injection system. Multi-port sequential, square bore, with 29 lb/hr injectors. 1000 CFM. Natural aluminum. For Small Block Chevy Vortec. Kit.		EDE35820	
<b>SIGNATURE SERIES V/C BREATHER - BLACK</b> Signature Series push-in round breather. For 1-1/4" hole - Black powder-coated steel with Edelbrock Logo. Each.		EDE4403	
<b>BBC ENGINE BLOCK 4.500 BORE - 9.800" DECK HEIGHT</b> Bare engine block. 4.500" bore, 9.800" deck. 4-bolt main, 2-piece Seal. Iron. Big Block Chevy. Each.		EDE450000	
<b>BBC ENGINE BLOCK 4.500 BORE - 9.800" DECK HEIGHT</b> Bare engine block. 4.500" bore, 9.800" deck. 4-bolt main, 1-piece Seal. Iron. Big Block Chevy. Each.		EDE450001	
<b>SBC PERFORMER RPM CYLINDER HEAD - ASSEMBLED</b> Performer RPM assembled cylinder head. 2.020"/1.600" valve, 185cc intake, 70cc chamber, 1.460" springs. Aluminum. For Small Block Chevy. Each.		EDE60739	
<b>SBC PERFORMER CYLINDER HEAD - ASSEMBLED</b> Performer assembled cylinder head. 2.020"/1.600" valve, 185cc intake, 70cc chamber, 1.460" springs. Aluminum. For Small Block Chevy. Each.		EDE60759	
<b>SBC CTR/BLT PERFORMER CYLINDER HEAD - ASSEMBLED</b> Performer centerbolt assembled cylinder head. 2.020"/1.600" valve, 165cc intake, 60cc chamber, 1.460" springs. Aluminum. For Small Block Chevy. Each.		EDE60859	
<b>BBM 426 HEMI VICTOR JR. CYLINDER HEAD - BARE</b> Victor Jr. bare cylinder head. 2.320"/1.940" valve, 245cc intake, 170cc chamber. Aluminum. For Mopar 426 Hemi. Each.		EDE61169	
<b>BBM 426 HEMI VICTOR JR. CYLINDER HEAD W/VALVES</b> Victor Jr. bare cylinder head. 2.320"/1.940" valve, 245cc intake, 170cc chamber. Aluminum. Mopar 426 Hemi. Each.		EDE61189	
<b>PONTIAC PERFORMER D-PORT HEAD - 87CC BARE</b> Performer bare cylinder head. 2.110"/1.660" valve, 204cc intake, 87cc chamber. Aluminum. For Pontiac V8. Each.		EDE61569	

# CALL NOW! UNBELIEVABLE DEALS!















DON'T MISS OUT ON THESE LIMITED QUANTITIES AVAILABLE AT SPECIAL SALE PRICES

Description	Photo	Part No.	Price
<b>Edelbrock</b>			
<b>SBC VICTOR JR. CYLINDER HEAD - ASSEMBLED</b> Victor Jr. assembled cylinder head. 2.080"/1.600" valve, 215cc intake, 64cc chamber, 1.550" springs. Aluminum. For Small Block Chevy. Each.		EDE77589	
<b>Flaming River</b>			
<b>12:1 GM POWER BOX 4 BOLT MOUNT</b> Universal power steering box. 12-to-1 ratio, natural iron finish. For GM applications. Each.		FLAFR1560	
<b>Flex-A-Lite</b>			
<b>MOJAVE HEATER</b> 10-1/8" x 9" x 5", universal fit. Kit.		FLE640	
<b>Gibson Exhaust</b>			
<b>2018 JEEP JL 3.6L CAT BACK EXHAUST STAINLESS</b> Dual split cat-back exhaust system. 2-1/2" tailpipe with 4" tips. Stainless with polished tips. Fits 2018 Jeep Wrangler JL. Kit.		GIB617307	
<b>CAT-BACK DUAL SPLIT EXHAUST SYSTEM STAINLESS</b> Dual split cat-back exhaust system. 2-1/4" tailpipe with 3-1/2" tips. Polished stainless. For 2007-14 Toyota FJ Cruiser. Kit.		GIB618808	
<b>CAT-BACK SINGLE EXHAUST SYSTEM STAINLESS</b> Single exhaust cat-back exhaust system. 3" tailpipe with 3-1/2" tips. Polished stainless. For 1987-96 Ford full-size truck. Kit.		GIB619656	
<b>CAT-BACK DUAL EXTREME EXHAUST SYSTEM ALUMINIZED</b> Dual Extreme cat-back exhaust system. 2-1/2" tailpipe with 3-1/2" tips. Aluminized steel with polished stainless tips. For 2002-05 Dodge full-size truck. Kit.		GIB6500	
<b>Grant</b>			
<b>QUICK RELEASE HUB</b> Steering wheel quick release kit. Pinless 360° release for 3-bolt steering wheel and Ford 40-spline shaft. Black anodized aluminum.		GRT3002	
<b>Hellwig</b>			
<b>1997-17 GMC SAVANA/EXPRESS REAR SWAY BAR</b> Rear sway bar kit for 1997-2017 GMC 2500/3500 Savana and Express vans. 1-3/8" diameter. Gray hammer-tone steel.		HEL7635	
<b>2001-10 GM FULL-SIZE TRUCK FRONT SWAY BAR</b> Front sway bar kit for most 2001-10 GM full-size trucks and Suburban. 1-1/2" diameter Gray hammer-tone steel.		HEL7654	
<b>Holley</b>			
<b>PERFORMANCE CARBURETOR 800CFM 4150 SERIES</b> Model 4150 4-barrel carburetor. Flows 800 CFM. With square bore, manual choke, mechanical secondary, and dual inlet. Chromate finish. Each.		HLYO-4780C	
<b>GEN 3 UHP DOMINATOR CARB 1150CFM 4500 SERIES</b> Gen 3 Ultra Dominator 4-barrel carburetor. Flows 1150 CFM. With Dominator flange, dual inlet, and mechanical secondary. No choke. Red/silver. Each.		HLYO-80905RD	
<b>TERMINATOR STEALTH EFI KIT - HC GRAY</b> Terminator Stealth EFI fuel injection system. Throttle body, square bore mounting. Gray anodized aluminum. Kit.		HLY550-441	
<b>TERMINATOR GM LS MP-EFI LS1/LS6</b> Terminator multi-port fuel injection system for GM LS-Series. Includes power module, programmer, O2 sensor, fittings, and bungs. For LS1/LS6. Kit.		HLY550-608	
<b>TERMINATOR GM LS MP-EFI 2007-UP LS3/4.8/5.3/6.0</b> Terminator multi-port fuel injection system for GM LS-Series. Includes power module, programmer, O2 sensor, fittings, and bungs. For LS2/LS3. Kit.		HLY550-610	
<b>TERMINATOR GM LS MP-EFI 2007-UP LS3/4.8/5.3/6.0</b> Terminator multi-port fuel injection system for GM LS-Series, with transmission control/DBW. Includes power module, programmer, O2 sensor, fittings, and bungs. For LS2/LS3. Kit.		HLY550-613	



# CALL NOW! UNBELIEVABLE DEALS!

DON'T MISS OUT ON THESE LIMITED QUANTITIES AVAILABLE AT SPECIAL SALE PRICES

Description	Photo	Part No.	Price
<b>Holley</b>			
<b>TERMINATOR GM LS MP-EFI 1997-07 TRK /4.8/5.3/6.0</b> Terminator multi-port fuel injection system for GM LS-Series. Includes power module, programmer, O2 sensor, fittings, and bungs. For LS2/LS3. Kit.		HLV550-614	
<b>SNIPER 2300 EFI MASTER KIT GOLD FINISH</b> Sniper EFI fuel injection system. Throttle body with Holley flange. Includes fittings, fuel pressure regulator, O2 sensor, and programmer. Gold anodized aluminum. Kit.		HLV550-851K	
<b>FORD 5.0L 4V HI-RAM SM FABRICATED EFI INTAKE</b> Sniper EFI Race Series fabricated intake manifold with 90 mm throttle body flange. Includes fuel rail and throttle body spacer. Black aluminum with Sniper logo. For Ford Coyote motor. Kit.		HLV833152	
<b>Hooker</b>			
<b>1982-92 SB CAMARO HEADERS COATED</b> Super Competition headers kit. With 1-3/4" primary and 3" collector. Metallic ceramic-coated steel. For 1982-92 GM F-body with Small Block Chevy.		HKR2210-1	
<b>CHEVY HEADERS</b> Super Competition headers kit. With 2-1/8" primary and 3-1/2" collector. Metallic ceramic-coated steel. For 1967-75 GM F-body/X-body with Big Block Chevy.		HKR2285-1	
<b>Hypertech</b>			
<b>DODGE MAX ENERGY ENGINE PROGRAMMER</b> Max Energy programmer for 1997-2004 Dodge with gas engine. Kit.		HYT52500	
<b>Jet Performance</b>			
<b>POWER-FLO MASS AIR SENSOR FORD</b> Mass air meter with black plastic housing. Fits factory air box for various Ford applications from 2011-14. Each.		JET69195	
<b>Kooks Headers</b>			
<b>CAT BACK EXHAUST 3" 2018-UP MUSTANG 5.0L X-PIPE</b> Cat-back exhaust system with X-pipe. With 3" tailpipe and 4" tips. Polished stainless. Fits 2018-up Mustang with Coyote engine. Kit.		KOK11514150	
<b>CAT BACK EXHAUST 3" 2018-UP MUSTANG 5.0L H-PIPE</b> Cat-back exhaust system with H-pipe. With 3" tailpipe and 4" tips. Polished stainless. Fits 2018-up Mustang with Coyote engine. Kit.		KOK11514450	
<b>CAT BACK EXHAUST 3" 2018-UP MUSTANG 5.0L X-PIPE</b> Header back exhaust system with X-pipe. With 3" tailpipe and 4" tips. Requires Kooks headers. Polished stainless. Fits 2018-up Ford Mustang with Coyote engine. Kit.		KOK11515150	
<b>X-PIPE CATTED 3" x 2-3/4" 2015-19 MUSTANG GT350</b> Exhaust X-pipe with converters. 3" diameter pipe. Natural stainless. For 2015-19 Ford Mustang GT350 with Ford Voodoo engine. Each.		KOK11543300	
<b>HEADERS LONG TUBE 1-7/8" 2011-14 FORD F150 5.0L</b> Long tube headers. With 1-7/8" primary and 3" collector. Natural stainless. For Ford full-size truck 2011-14 with Coyote engine. Kit.		KOK13512400	
<b>Y-PIPE CATTED 1204-17 GM P/U 5.3L</b> Exhaust Y-pipe. With 3" inlets and 3" outlet, includes converters. Natural stainless. For 2014-17 GM full-size truck with GM GenV LT-Series. Each.		KOK28603300	
<b>Longacre</b>			
<b>SCALE PAD LEVELER W/SIDE SLIDER FOR 2-1/2 PADS</b> Scale pad leveler. 2-1/2" height. Natural aluminum. Set of 4.		LON52-72842	
<b>QUICK TOE SETTING TOOL</b> QuickToe toe setting tool. Magnetic. For use on 12-17" wheels. Includes 2 tape measures and carrying case. Kit.		LON52-79630	
<b>Lund</b>			
<b>2007-19 TUNDRA 6.5' BED TONNEAU COVER</b> Genesis tri-fold tonneau cover. Black vinyl. Fits 2007-19 Toyota Tundra with 6.5 ft. bed. Kit.		LUN950121	

# CALL NOW! UNBELIEVABLE DEALS!

DON'T MISS OUT ON THESE LIMITED QUANTITIES AVAILABLE AT SPECIAL SALE PRICES

Description	Photo	Part No.	Price
<b>M And H Racemaster</b>			
<b>8.5/24.5-15 M&amp;H TIRE DRAG RACE REAR</b> Drag slick tire, 24.5" x 8.5-15. Bias ply, HB-11 compound, with white letter sidewall. Each.		MHTMHR-025	
<b>275/60R15 M&amp;H TIRE RADIAL DRAG REAR</b> Drag radial tire. 275/60R-15. Radial with black sidewall. Each.		MHTROD-16	
<b>Magnaflow Performance Exhaust</b>			
<b>2010-13 GM 1500 P/U 4.8/5.3L CAT BACK EXHAUST</b> Cat-back performance exhaust system. With 2-1/2" pipe and 3-1/2" tips. Natural stainless. Fits 2010-2013 GM full-size truck with LS-series engine.		MAG15565	
<b>1967-74 GM F-BODY 3" DUAL EXHAUST SYSTEM</b> Cat-back performance exhaust system. With 3" diameter pipe and 3" tips. Natural stainless. For 1967-74 GM F-body with V8. Kit.		MAG15899	
<b>Mahle Pistons</b>			
<b>SBC POWERPAK DOMED PISTON SET 4.155 BORE</b> PowerPak forged pistons and rings. 4.155" bore. 1.0 x 1.0 x 2.0 mm ring grooves. Plus 4.0 cc. For Small Block Chevy. Kit.		MAH930208855	
<b>LS3 POWERPAK F/T PISTON 4.070 BORE -4CC</b> PowerPak forged pistons and ring. 4.070" bore. - 1.0 x 1.0 x 2.0 mm ring groove. Minus 4.0 cc. For GM LS-Series. Kit.		MAH930223070	
<b>Manley</b>			
<b>1.500 NEXTEK DUAL VALVE SPRINGS</b> NexTek valve springs. Dual springs with 780 lb/in spring rate. 1.130" coil bind. 1.500" O.D. Set of 16.		MAN221420-16	
<b>March Performance</b>			
<b>SBC STYLE TRACK PULLEY SET W/SAGINAW PS AND A/C</b> Style series pulley kit for track or street rod with Small Block Chevy engines with short water pump. For 6-rib serpentine belts. Clear powder-coated aluminum. Kit.		MPP22255	
<b>MGP Caliper Cover</b>			
<b>2014-16 SILVERADO 1500 CALIPER COVERS RED</b> Brake caliper cover with Bowtie logo. Red aluminum. For 2014-16 GM full-size truck. Set of 4.		MGP14005SBOWRD	
<b>Mickey Thompson</b>			
<b>35X12.5R15LT 113Q BAJA MTZP3 TIRE</b> Baja MTZ P3 tire. 35.0 x 12.5R-15LT radial. 2535 lbs. max load. With white outlined letter sidewall. Each.		MIC90000024260	
<b>Milodon</b>			
<b>BILLET OIL PUMP COVER &amp; FILTER BOSS - HEMI</b> Oil pump cover with oil filter boss in stock oil filter location. Black anodized billet aluminum. Fittings included. For Mopar 426 Hemi. Each.		MIL21205	
<b>Mobil 1</b>			
<b>ATF SYNTHETIC OIL CASE 6X1 QT</b> Synthetic automatic transmission fluid. Case of 6 one-quart bottles.		MOB112980	
<b>MOMO</b>			
<b>LESMO ONE RACING SEAT REGULAR SIZE BLACK</b> Lesmo One racing seat. Includes side bolsters and harness openings. Fiberglass composite with fabric cover. Black. Each.		MOM1077BLK	
<b>MOTUL USA</b>			
<b>300V 5W40 RACING OIL SYN 2 LITERS</b> 5W40 synthetic motor oil. 300V Power. 2-liter bottles, each.		MTL104242	
<b>300V 5W40 RACING OIL CASE 10X2 LITERS</b> 5W40 synthetic motor oil. 300V Power. Case of 10 2-liter bottles.		MTL104242-10	



# CALL NOW! UNBELIEVABLE DEALS!

DON'T MISS OUT ON THESE LIMITED QUANTITIES AVAILABLE AT SPECIAL SALE PRICES

Description	Photo	Part No.	Price
<b>MPI USA</b>			
<b>RACER STEERING WHEEL 17" FLAT</b> Racer steering wheel, 17" diameter. Flat 3-spoke design. Black aluminum with foam grip. Each.		MPIMPI-DR-17	
<b>MSD</b>			
<b>PRO MAG 44 - CLOCKWISE BLACK</b> Pro Mag 44 ignition magneto with magnetic pickup and HEI style terminal. 26° spark duration, 50,000V. Black. Universal with clockwise rotation. Each.		MSD81303	
<b>CHEVY TALL DECK PRO MAG 12</b> Pro Mag 12 LT ignition magneto with magnetic pickup and HEI style terminal. 26° spark duration, 40,000V. Red. For GM W-Series. Each.		MSD8139	
<b>GM LS SERIES COILS - (8) (LS-1/6)</b> Pro Power ignition coil packs. Multiple spark system with 40,000V and 0.730 Ohm. Female socket. Red. Fits GM LS1/LS6. Set of 8.		MSD82858	
<b>NGK</b>			
<b>NGK SPARK PLUG STOCK # 1716-BOX OF 100</b> NGK standard spark plug with 14mm thread, and 0.749" reach. Stock number 1717. Gasket seat, resistor. Case of 100.		NGKCS6-S100	
<b>Oliver Rods</b>			
<b>BBC BILLET CONNECTING ROD SET 6.800" MAX SERIES</b> Big Block Max I-beam connecting rod. 6.800" long, bushed, with 7/16" cap screws. Forged steel construction. For Big Block Chevy. Set of 8.		OLVC6800BBMX8	
<b>Optima Battery</b>			
<b>BATTERY YELLOW TOP 630CC A/1025CA D27F SERIES</b> YellowTop D27F AGM battery. 12V, 1025 cranking amps. With top post terminals. 12.16"L x 8.61"H x 6.76"W. Each.		OPT8037-127	
<b>Performance Accessories</b>			
<b>2003-05 GM P/U 3" BODY LIFT KIT</b> Body lift kit. 3" lift. Includes front/rear bumper brackets and hardware. Nylon and black/zinc-oxide treated steel components. For 2003-05 GM full-size truck with gas engine.		PRFPA10133	
<b>Pyrotec</b>			
<b>HELMET WHITE SMALL ULTRA SPORT SA2015</b> Ultra-Sport Duckbill helmet. Snell SA2015 approved, Head and Neck Support ready. White. Small. Each.		PYR8201005	
<b>HELMET BLACK X-SMALL ULTRA SPORT SA2015</b> Ultra-Sport Duckbill helmet. Snell SA2015 approved, Head and Neck Support ready. Flat black. X-small. Each.		PYR8300995	
<b>HELMET BLACK MEDIUM ULTRA SPORT SA2015</b> Ultra-Sport Duckbill helmet. Snell SA2015 approved, Head and Neck Support ready. Flat black. Medium. Each.		PYR8302005	
<b>Quick Fuel Technology</b>			
<b>850CFM CARBURETOR - C/T</b> P-Series 4-barrel carburetor. Flows 850 CFM. With square bore, mechanical secondary, and dual inlet. No choke. Polished and anodized finish. Each.		QFTP-850-CT	
<b>Quick Time</b>			
<b>BELLHOUSING LS1 TO T56 TRANSMISSION</b> QuickTime bellhousing. Hardware included. SFI 6.1 approved. Black painted steel. For 2010-17 Chevy Camaro with GM LS-Series and T56 transmission. Kit.		QTMRM-6038	
<b>Quarter Master</b>			
<b>5.5 OPTIMUM V-CLUTCH 2 DISC 26SP LATE CHEVY EXT</b> Optimum-V dual-disc clutch kit. 5-1/2" diameter, 1-5/32" x 26-spline, with rigid hub, flywheel and 1-piece seal. Ceramic. For Chevy. Kit.		QTR27517190ZZ	
<b>Ram Clutch</b>			
<b>FORCE 9.5 DUAL DISC CLUTCH KIT FORD 8-BOLT</b> Force 9.5 twin-disc clutch kit. 9-1/2" diameter, 1-1/8" x 26-spline. Multi-hub. With flywheel. Organic. For 2001-04 Ford Mustang. Kit.		RAM75-2220	

# CALL NOW! UNBELIEVABLE DEALS!

DON'T MISS OUT ON THESE LIMITED QUANTITIES AVAILABLE AT SPECIAL SALE PRICES

Description	Photo	Part No.	Price
<b>Ram Clutch</b>			
<b>POWER GRIP CLUTCH SET 1986-2000 MUSTANG 5.0L</b> Power Grip single-disc clutch kit. 10-1/2" diameter, 1-1/16" x 10-spline. Sprung hub. Metallic/organic. For 1986-2000 Ford Mustang with V8. Kit.		RAM98794	
<b>Ridetech</b>			
<b>STREETGRIP SUSPENSION SYSTEM 1964-67 GM A-BODY</b> Street Grip suspension lowering kit. Includes springs, shocks, sway bars, bushings, and hardware. For 1964-67 GM A-body with Big Block Chevy.		ART11235110	
<b>HQ SERIES SHOCK ABSORBER SINGLE ADJUSTABLE</b> HQ Series monotube shock. 11.55" in compressed/19.10" extended. 1.50" O.D. Single-adjustable. Natural aluminum. Universal, fits rear. Each.		ART22189845	
<b>Richmond</b>			
<b>4.33 RATIO 9" FORD</b> Ring and pinion set for Ford 9" rear end. 4.33 ratio, 28-spline pinion.		RIC69-0161-1	
<b>4.22 RATIO 9" FORD</b> Ring and pinion set for Ford 9" rear end. 4.22 ratio, 28-spline pinion.		RIC69-0367-1	
<b>Rollmaster-Romac</b>			
<b>LS SERIES GEARDRIVE SET LS1 W/3-BOLT CAM</b> Red Series timing gear drive. Billet steel construction, for 3-bolt camshaft. Fits GM LS1/LS6. Kit		ROLGD1136	
<b>LS SERIES GEARDRIVE SET LS2 W/3-BOLT CAM</b> Red Series timing gear drive. Billet steel construction, for 3-bolt camshaft. Fits GM LS2. Kit		ROLGD1185	
<b>Rough Country</b>			
<b>54" BLACK SERIES DUAL ROW CURVED CREE LED</b> 54" curved LED light bar. With double row of white CREE LEDs, including flood/spot beams. 312 Watts. Black anodized aluminum. Includes brackets. Each.		RCS72954BL	
<b>Royal Purple</b>			
<b>MAX ATOMIZER 6-OZ. CAN</b> Max Atomizer fuel additive. Fuel injector cleaner and fuel stabilizer. 6.00-oz. bottle for gas. Each.		ROY18000	
<b>Scat</b>			
<b>SBC F-43 FORGED CRANK - 3.750 STROKE</b> F-43 Series forged steel crankshaft. 3.750" stroke, with internal balance. For Small Block Chevy with 2-piece seal. Each.		SCA4-350-3750-6000-21LW	
<b>FORD 351C 4340 FORGED CRANK - 3.850 STROKE</b> Standard weight forged steel crankshaft. 3.850" stroke, external balance. For Ford Cleveland/Modified with 1- or 2-piece seal. Each.		SCA4-351C-3850-6000	
<b>SBC S/L 4340 FORGED CRANK - 3.750 STROKE</b> Superlight forged steel crankshaft. 3.750" stroke, internal balance. For Small Block Chevy with 2-piece seal. Each.		SCA4-400-3750-6000-3	
<b>Schoenfeld</b>			
<b>SBC TRI-Y MODIFIED HEADERS</b> IMCA modified Tri-Y headers. With 1-5/8" to 1-3/4" primary and 3" collector. Black painted steel. For Small Block Chevy. Kit.		SCH1185VY	
<b>Sharp Rockers</b>			
<b>GM LS3/L92 ROCKER ARM SET 1.7 RATIO W/8MM BOLT</b> Shaft-mounted rocker arms. Original style with 1.70 ratio, full roller. -Orange anodized aluminum. For GM L92/LS3. Set of 16.		SHPSL927	
<b>Simpson Safety</b>			
<b>HELMET FLAT BLACK DOT GHOST BANDIT LARGE</b> Bandit helmet. DOT approved. Flat black, large. Each.		SIMGBDL3	
<b>HYBRID SPORT X-LARGE W/ SLIDING TETHER PA FIA</b> Hybrid Sport Head and Neck Support. Meets SFI 38.1/FIA approved. Plastic. X-Large. Each.		SIMHS.XLG.11.PA.FIA	



















# CALL NOW! UNBELIEVABLE DEALS!

DON'T MISS OUT ON THESE LIMITED QUANTITIES AVAILABLE AT SPECIAL SALE PRICES

Description	Photo	Part No.	Price
<b>SLP Performance</b>			
<b>AXLE BACK EXH KIT LOUD MOUTH II 2010 CAMARO V8</b> Loud Mouth II exhaust system. With 2-1/2" pipe and 4" tips. Stainless steel. For 2010-2014 Chevy Camaro with V8. Kit.		SLP31212	
<b>Stilo</b>			
<b>HELMET ST5 GT SMALL 55CM CARBON SA2015</b> ST5 GT Carbon helmet. Snell SA2015 and FIA approved, Head and Neck Support ready. Carbon fiber. Small. Each.		STIAA0700AF1M-S55	
<b>Sunoco Race Jugs</b>			
<b>FASTFLO JUG LID W/ VEHICLE TANK ADAPTER</b> FastFlo Port utility jug cap with spout and adapter included. Fits Sunoco utility jug. Black and red plastic construction.		SRJFF1000	
<b>Sweet</b>			
<b>4.00" POWER RACK WITH SERVO 19-3/4 ROCKET BLK</b> Power rack and pinion with dual power. 0.220" servo, 4" speed, 19-3/4" center. 5/8"-18 thread rod end eye. Each.		SWE005-93743-220	
<b>T And D Machine</b>			
<b>BBM SHAFT ROCKER ARM KIT - 1.5/1.5 RATIO</b> Shaft-mounted rocker arms. 1.50 ratio, full roller. Natural aluminum. Indy 440-1/440-C single shaft, Mopar RB-Series. Kit.		TDM8210-150/150	
<b>BBM SHAFT ROCKER ARM KIT - 1.5/1.5 RATIO</b> Shaft-mounted rocker arms. 1.50 ratio, full roller. Natural aluminum. Edelbrock 440 Victor single shaft, Mopar RB-Series. Kit.		TDM8241-150/150	
<b>BBM SHAFT ROCKER ARM KIT - 1.6/1.6 RATIO</b> Shaft-mounted rocker arms. 1.60 ratio, full roller. Natural aluminum. Edelbrock 440 Victor single shaft, Mopar RB-Series. Kit.		TDM8241-160/160	
<b>Ti22 Performance</b>			
<b>PRO BIRDCAGE SPIRAL LOCK RING</b> Birdcage spiral lock ring. Seal retainer. Black oxide coated steel. Fits Ti22 birdcage. Each.		TIP2118	
<b>Trans-Dapt</b>			
<b>SWAP IN A BOX KIT-LS ENGINE INTO S-10</b> Engine conversion kit for LS-series engine swap into 1982-2004 GM compact truck. Includes bolts, gaskets, headers, mounts, oil pan, pickup tube, for auto or manual trans.		TRA42933	
<b>Triple X Race Components</b>			
<b>SPRINT CAR CHASSIS RACER KIT 87" X WEDGE 2 BLACK</b> X-Wedge chassis kit. Plus 2", 87/40. Black body and tin, natural chromoly frame. For Triple X Sprint Car.		TXRSC-CH-1003-87-2H-BLK	
<b>FRONT AXLE 50" x 2-1/4" SPRINT CAR</b> Front axle assembly. 2-1/4" O.D. x 50" wide. 9° and 12° degree front spindle. Black powder-coated chromoly. For Triple X Sprint Car. Each.		TXRSC-FA-0008	
<b>Ultra Lite Brakes</b>			
<b>BRAKE KIT INBOARD NEW TITANIUM ROTOR</b> Feather Lite rear brake system. With 4-piston caliper, 10.400" scalloped titanium rotor, and 3 x 46-spline Sprint Car hub. Red anodized finish. Kit.		RDB410-8113	
<b>ROTOR RIGHT/LEFT REAR TITANIUM</b> Ceramic-coated titanium brake rotor. 10.0" O.D. x 0.250" thick. Fits 6 x 5.500" bolt pattern. Each.		RDBTF-250-1000-655	
<b>Weld Racing</b>			
<b>15 x 14 WIDE 5 HS 5" BS 11.9 LBS</b> Wide 5 HS wheel. 15" x 14" with 5.000" backspace and Wide 5 bolt pattern. Polished aluminum. Each.		WEL571-5415	
<b>15 x 14 WIDE 5 HS 5" BS BEAD-LOC 17.5 W/CVR</b> Wide 5 HS beadlock wheel. 15" x 14" with 5.000" backspace and Wide 5 bolt pattern. Cover included. Polished aluminum. Each.		WEL571-5455-6	
<b>15 x 17 42 SPLINE 5" BS BEAD-LOC W/COVER</b> 42-spline Magnum beadlock wheel. 15" x 17" with 5.000" backspace. Cover included. Gold anodized/polished aluminum. Each.		WEL735-51755-6	

# CALL NOW! UNBELIEVABLE DEALS!

DON'T MISS OUT ON THESE LIMITED QUANTITIES AVAILABLE AT SPECIAL SALE PRICES

Description	Photo	Part No.	Price
<b>Weld Racing</b>			
<b>15 x 10 BLK ALPHA-1 WHEEL 5 x 4.750BP 3" BS BLK DBL</b> Alpha 1 beadlock wheel. 15" x 10" with 3.000" backspace and 5 x 4.75" bolt pattern. Black anodized aluminum. Each.		WEL83B-510276MBS	
<b>15 x 10 BLK ALPHA-1 WHEEL 5 x 4.750BP 5" BS BLK DBL</b> Alpha 1 beadlock wheel. 15" x 10" with 5.000" backspace and 5 x 4.75" bolt pattern. Black anodized aluminum. Each.		WEL83B-510280MBS	
<b>15 x 15 BLK ALPHA-1 WHEEL 5 x 4.750BP 3" BS BLK DBL</b> Alpha 1 beadlock wheel. 15" x 15" with 3.000" backspace and 5 x 4.75" bolt pattern. Black anodized aluminum. Each.		WEL83B-515276MBS	
<b>16 x 16 V-SERIES DRAG WHEEL POL 5 x 4.75 4.0 BS DBL</b> V-Series double beadlock wheel. 16" x 16" with 4.000" backspace and 5 x 4.75" bolt pattern. Polished aluminum. Each.		WEL84P-616278UP	
<b>15 x 3.5 MAGNUM PRO WHEEL STRANGE 1.75 BS BLACK</b> Magnum 1-piece wheel. 15" x 3.5" with 1.750" backspace. Strange spindle mount. Black anodized aluminum. Each.		WEL86B-15001	
<b>15 x 4 ALUMASTAR 2.0 5 x 4.75 1.75 BS</b> Alumastar wheel. 15" x 3.5" with 1.750" backspace and 5 x 4.75" bolt pattern. Polished aluminum. Each.		WEL88-504272	
<b>15 x 14 ALUMASTAR 5 x 4.75 4-3/8" BS</b> Alumastar wheel. 15" x 14" with 4.000" backspace and 5 x 4.75" bolt pattern. Polished aluminum. Each.		WEL88-514278	
<b>15 x 3.5 ALUMASTAR 2.0 WHEEL ANGLIA 1.75 BS BLK</b> Alumastar 1-piece wheel. 15" x 3.5" with 1.750" backspace. Anglia spindle mount. Black anodized aluminum. Each.		WEL88B-15000	
<b>16 x 16 ALUMASTAR PRO WHEEL 5 x 5.5 BC 4.0 BS</b> Alumastar wheel. 16" x 16" with 4.000" backspace and 5 x 5.50" bolt pattern. Black anodized/polished aluminum. Each.		WEL89B-616558K	
<b>15 x 15 DRAGLITE 5 x 4.5-4.75" 4.5" BS</b> Draglite wheel. 15" x 15" with 4.500" backspace and 5 x 4.50" / 5 x 4.75" bolt pattern. Polished aluminum. Each.		WEL90-515348	
<b>Yukon Gear And Axle</b>			
<b>SPARTAN LOCKER TOYOTA 8" 30 SPL 4 CYL</b> Spartan Locker differential. 30-spline. Steel. Toyota 8". Each.		YKNSLT8-30	
<b>SPIN-FREE LOCKING HUB CONVERSION KIT DANA 60</b> Manual locking hub kit. Spin-free. Includes hubs, spindles, outer axles, bearings, seals, and hardware. For 2000-08 Dodge full-size non-dually with Dana 60.		YKNYAWU-04	
<b>GRIZZLY LOCKER D44 JK 30 SPLINE</b> Grizzly Locker differential carrier. 30-spline, iron, for Dana 44. Fits Jeep Wrangler JK. Each.		YKNYGLD44-3-30-JK	
<b>GRIZZLY LOCKER D60 35 SPLINE 4.56 &amp; UP</b> Grizzly Locker differential carrier. 35-spline, 4.56 ratio and up, iron, for Dana 60. Each.		YKNYGLD60-4-35	
<b>GRIZZLY LOCKER FORD 8.8 31 SPLINES.</b> Grizzly Locker differential carrier. 31-spline, iron, for Ford 8.8". Each.		YKNYGLF8.8-31	
<b>MASTER OVERHAUL KIT FORD 10.50 1986 &amp; OLDER</b> Differential installation and master overhaul kit. Includes bearings, crush sleeve, gaskets, hardware, seals, and shims. For 1999-2006 Ford 10.50".		YKNYKF10.5-A	

# NEW PRODUCTS



## Female Single-Wire Spade Terminals AAW500095

1/4" female wire terminals for 18-14 gauge wire. 10-pack.




## Terminal & Connector Kit AAW510643

250-piece terminal and connector kit that includes a heavy-duty plastic case to hold popular electrical connectors used by automotive enthusiasts. The large component selection includes male/female spade connectors, ring terminals, multi-way connectors, rubber sleeves, and a pocket screwdriver.



## 1968-76 Corvette Classic Update Wiring Kit AAW510717

Update the electrical system with this kit that includes a new original headlight and parking light switch, boot, tube, grommets, and light sockets. Also included is a ready-to-install new fuse box as well as the connectors for original lighting, fuel sender, optional back-up lights, license plate lights, and a third brake light. The wiring kit is equipped to plug into an updated SI alternator and original coil/distributor or most aftermarket setups.



## LSA 6.2L Tru Trac Engine Pulley System BSPBLK13410

This system bolts on at the water pump and aligns perfectly with no need for stabilizer brackets or adjuster bars. System includes a 170A Powermaster alternator, Sanden SD-7 A/C compressor, Edelbrock LSA water pump, ATI Super Damper, billet aluminum compressor cover, serpentine belts, hard-coated black anodized billet aluminum pulleys with black anodized belt surfaces, tensioners, fasteners, and all brackets.



## Big Block Chevy Serpentine A/C Add-On Conversion Kit BSPFM1325PC

The 6061 T-6 billet polished aluminum brackets and pulleys are a direct bolt-on. Stainless steel hardware, a stainless turnbuckle, and QA1 rod ends are also included. Designed for use with a long-style water pump and a Sanden 508 compressor.



## MXP Series Cold Air Intake

Features include a large, one-piece, rotomolded air box to keep heat away from the intake, while the air intake tube, made from cross-linked, high-density black polyethylene, maintains mass air flow readings for functionality and correct air-fuel ratio.

Part No.	Description	Price
<b>2018-19 Ford F-150 3.0L Powerstroke Diesel</b>		
ARA404-391	Washable Cotton Gauze Air Filter	
ARA405-391	Washable Synthetic Air Filter	



## LoadLifter 5000 AIR57350

The Air Lift Super-Duty system is ideal for Class A, B, & C motor homes, and 3/4 and 1-ton pickups. Maximizes ride comfort and provides up to 5,000 lbs. of load-leveling capacity. Integrated roll plates protect the air springs from abrasion while adding up to 10% greater capacity.



## LoadLifter 7500 XL AIR57550

Designed for 3/4 and 1-ton trucks, LoadLifter 7500 XL™ gives you up to 7,500 lbs. of load-leveling capacity\* and is designed to support the largest loads on the road. Loadlifter kits include: air springs, inflation valves, lines, fittings, brackets, hardware, and illustrated instructions. Air adjustable from 5 to 100 PSI for up to 7,500 lbs. with leveling capacity. Lifetime warranty. \*Never exceed vehicle's GVWR.



## LoadLifter 5000 Ultimate AIR88350

Adjustable system provides up to 5,000 lbs. of load-leveling capacity, and eliminates jarring, squat, sway, and bottoming out, even on rough roads. Maintenance-free system can be run safely with zero air pressure for a comfortable ride, even unloaded. Installs easily with common hand tools.



## Loadlifter 5000 Ultimate Plus AIR89350

Adjustable system provides up to 5,000 lbs. of load-leveling capacity, and eliminates jarring, squat, sway, and bottoming out, even on rough roads. Maintenance-free system can be run safely with zero air pressure for a comfortable ride, even unloaded. Features stainless steel roll plates and braided air lines with military-grade -AN fittings.





# NEW PRODUCTS



## Non-Detergent Motor Oil

Straight weight motor oils for use wherever a non-detergent API SA/SB mono-grade oil is recommended.

Part No.	Description	Price
AMA60536-56	30W, 1 Quart	
AMA160-60536-56	30W, (12) 1-Quart Case	
AMA60546-56	40W, 1 Quart	
AMA160-60546-56	40W, (12) 1-Quart Case	



## XLO Heavy-Duty Fleet Motor Oil

Specifically motor oil for 2-cycle diesel engines and many 4-cycle applications. Meets Mil-Prf-2104G, CID A-A-52306.

Part No.	Description	Price
AMA61736-56	30W, 1 Quart	
AMA160-61736-56	30W, (12) 1-Quart Case	
AMA71706-56	15W40, 1 Quart	
AMA160-71706-56	15W40, (12) 1-Quart Case	
AMA71707-36	15W40, 1 Gallon	
AMA160-71707-36	15W40, (4) 1-Gallon Case	



## XLO Ultimate Synthetic & Synthetic Blend Motor Oil

Specifically blended motor oil to protect EGR/low-emission diesel engines while maximizing the durability of diesel particulate filters (DPFs). Meets or exceeds OEM diesel engine requirements.

Part No.	Description	Price
AMA79177-36	10W30, Synthetic, 1 Gallon	
AMA160-79177-36	10W30, Synthetic, (4)-1-Gallon Case	
AMA79107-36	15W40, Semi-Synthetic, 1 Gallon	
AMA160-79107-36	15W40, Semi-Synthetic, (4) 1-Gallon Case	



## Synplus Synthetic Blend 2T Motorcycle Oil

A synthetic blended motor oil designed for high-performance two-stroke and smaller four-stroke motorcycle engines.

Part No.	Description	Price
AMA62796-56	20W20, 1 Quart	
AMA160-62796-56	20W20, (12) 1-Quart Case	



## Pro High-Performance Synthetic Blend Motor Oil

Created with high-quality synthetic and first quality mineral base stocks, this motor oil offers optimum engine protection for competition engine applications.

Part No.	Description	Price
AMA65656-56	50W, 1 Quart	
AMA160-65656-56	50W, (12) 1-Quart Case	



## All Weather Hydraulic Oil

AMA160-64134-25

Formulated to protect and provide over 5,000 hours of service regardless of water contamination, to hydraulic systems using vane, gear and other pump types that require anti-wear protection. 5-gallon bucket.



## Ultra All-Trac 245 Hydraulic Oil

AMA160-73474-25

An all-purpose tractor hydraulic fluid specifically designed to lubricate sump hydraulic-transmission-final drive systems in agricultural industry. 5-gallon bucket.



## GL-1 SAE 50 Synthetic Manual Transmission Oil

AMA160-66254-25

50W synthetic lubricant designed for heavy-duty manual transmissions (Eaton 121-R3 and Rockwell D-81). 5-gallon bucket.



## Multi-Purpose Lithium Grease #2

This lithium thickened grease offers good anti-wear properties and anti-rust characteristics. Designed for automotive/truck, powersports, and industrial applications where a NLGI #2 is required.



Part No.	Description	Price
AMA68311-91	14-Ounce Cartridge	
AMA160-68311-91	(50)14-Ounce Case	

## Blue Hi Temp Grease #2

AMA160-68324-28

This lithium thickened grease offers good anti-wear properties and anti-rust characteristics while maintaining its characteristics at high temps. Designed for automotive and truck chassis and bearing applications where a NLGI #2 is required. Operation range -40°F to 350°F with a dropping point of 500°F. 35-pound bucket.



## Pro Tac Plus Grease

A lithium complex grease fortified with molybdenum designed for the high shock conditions in the agricultural and construction industry.



Part No.	Description	Price
AMA68331-91	14-Ounce Cartridge	
AMA160-68331-91	(10) 14-Ounce Cartridge Case	
AMA160-68334-28	35-Pound Bucket	

## Elixir Synthetic Blend Calcium Sulfonate Grease NLGI #2

Heavy-duty synthetic blend extreme-pressure grease with robust film strength and strong resistance to salt water environments. Recommended for the most severe applications in off-highway construction and mining equipment.



Part No.	Description	Price
AMA160-68340-18	120-Pound Drum	
AMA160-68344-28	35-Pound Bucket	

# NEW PRODUCTS



## Universal Synthetic Automatic Transmission Fluid

AMA160-72864-25

A full synthetic universal automatic transmission fluid that's engineered to meet the requirements of most American, European, and Asian automotive applications. 5-gallon bucket.



## Limited Slip MP Hypoid LS GL-5 Gear Oil

AMA160-73024-25

For use in limited slip automotive differentials. API GL-5 classification. 5-gallon bucket.



## Hypoid Gear Multi-Purpose GL-5 85W-140

AMA160-73154-25

For use in limited slip automotive differentials with anti-oxidant, anti-foam, rust, and corrosion inhibitors. For passenger car and truck service. Meets the performance requirements of U.S. Military Specification MIL-PRF-2105-E and MACK GO-J (GO-J PLUS). 5-gallon bucket.



## Elixir Full Synthetic 70W-90

AMA160-73164-25

This high performance full synthetic GL-5 75W90 base oil offers improved viscosity, a low pour point, reduced friction as well as fuel savings and longer service intervals. 5-gallon bucket.



**FORD PERFORMANCE**

## 2019-2020 Ranger EcoBoost Power Pack Kit

FRDM9603-REB

Designed to increase power, improve drivability, optimize shift points, and adjust for tire sizes up to 265/70/17. The kit includes a Ford Performance Pro Cal 4 calibration tool, allowing adjustments that can result in up to 45 hp & 60 lb/ft power gains over stock. Also included is a K&N® high flow air filter. Performance calibrations will require 91 octane or higher fuel. 50-state emissions legal.



## 2018-2020 Mustang GT 5.0L, Performance Calibration Kit

FRDM9603-M8B

Add up to 19 hp @ 6,500 rpm and increase torque 42 lb/ft @ 2,000 rpm using this calibration kit which includes Ford Performance cold air kit, 87mm throttle body, throttle body adapter, and Pro 4 calibration tool. The Pro 4 calibration tool allows gear changes up to 4.09:1 and calibrations for both manual and automatic transmission vehicles. Performance shift changes are part of the automatic transmission calibration package. 50-state emissions legal.



## 1958-82 Corvette H4 Headlight Conversion Kit

AULAUTDC1FA

Kit includes four 5-3/4" head light housings, two high and two low beam H4 bulbs, and wiring.



## Revolver X2 Hard Roll-Up Bed Cover for 2020 GM Full-Size Truck, 6' 10" Bed

BAK39133

This roll-up aluminum bed cover offers locking rails that secure the full length of the truck bed and do not cover stake pockets. 3-year warranty. Made in USA. Black.



**Truck and Jeep Accessories**

## Two-Way Radio Kits

Keep in constant contact up to 13 miles with this 25-watt GMRS (General Mobile Radio Service), 30-channel, two-way radio. FCC certification allows monitoring of US off-road racing events, weather, and emergency channels. Each kit consist of radio, high-output dual band antenna, mount, and coax cable. Water, dirt, mud, and shock resistant.



Part No.	Description	Price
<b>2007-18 Wrangler JK</b>		
DASKJ71060BK	Windshield Mount, 4 Illuminated Rocker Switches	
DASKU73011BK	Universal Mount	

## Handheld 25-Watt Two-Way Radio

DASKU73010BK

Great for short range (3 miles) communication at the races, when traveling in small groups, weather forecasts, or emergencies. The unit offers 25 watts of power and comes with a high-output dual-band antenna. Water, dirt, mud, and shock resistant. Made in USA.



## Ranger 2" Bolt-On Leveling Kit

DASKF09151BK

This easy-to-install, front suspension leveling kit is designed for the 2019-2020 Ford Ranger 4WD to level the front of the vehicle with the rear. The progressive-rate polyurethane spacers mount on top of the factory struts. Factory ride is maintained along with the ability to install 33" tires. Kit contains all necessary hardware needed for installation. Made in the USA.



# NEW PRODUCTS



## 1998-02 Camaro Torque Relocation Crossmember BMRTCC006R

Designed for 1998-02 Camaro transmission swaps. The stronger crossmember features 1-1/4" diameter tubular steel with 3/16" steel plates that bolt to the factory location while offering the proper mounting for TS6/M6 manual transmissions.



## 2020 Jeep Gladiator Tailgate Assist DZZ43303

Hardware included.



## 2007-19 Jeep Wrangler JK/JL



DZZ4462JK



DZZ4463JP

Part No.	Description	Price
<b>Windshield Light Bar Bracket Kit</b>		
DZZ4462JK	2007-18 JK, Black Powder-Coated Aluminum	
DZZ4462JL	2018-19 JL, Black Powder-Coated Aluminum	
<b>Roof Rack Kit</b>		
DZZ4463JP	2007-19 JK/JL, 24" Long, Black Powder-Coated Steel	
DZZ4470JP	2007-19 JK/JL, One-Piece, 41" L x 21" W x 3" H, Black Powder-Coated Steel	
DZZ4471JP	2007-19 JK/JL, Bolt-Together, Black Powder Coated Steel, 41" L x 21" W x 3" H	
DZZ4472JL	2018 JL, Hex Series, Two-Piece, Front Rack 60", Rear Rack 24", Black Powder-Coated Steel	
<b>Rack Mount Kits</b>		
DZZ4468JK	2007-18 JK, Black Powder-Coated Steel	
DZZ4468JL	2018-19 JL, Black Powder-Coated Steel	

## Overlanding—Hex Series



DZZ95010TB Detail



DZZ95010TB

Part No.	Description	Price
DZZ95010TB	Cab Rack Side Rails, Black Powder-Coated Aluminum, Kit	
DZZ95020TB	Cab Rack Top Rails, Black Powder-Coated Aluminum, Kit	
DZZ95030TB	Cab Rack Molle Panel, Slotted, 12", Black Powder-Coated Aluminum, Each	
DZZ95031TB	Cab Rack Molle Panel, Slotted, Large, Black Powder-Coated Aluminum, Each	



## 2016-20 Camaro SS ZL1 6.2L Axle Back Exhaust COR14789

This Camaro stainless steel constructed axle-back system with twin 4" tips combine increased durability, improved sound, and added horsepower. Integrates directly to factory NPP valve actuator and reuses NPP module.



## Compact Adjustable Electric Fan Controller and Relay Kit

This compact adjustable electric fan controller and relay kit is available with either a thread-in temperature probe or traditional push-in style probe. The control module is potted for vibration and water protection; all wires are permanently attached. Includes a 30-amp relay and inline fuse.




Part No.	Description	Price
FLE33094	With Push-In Style Probe	
FLE33095	With Thread-In Style Probe	



## Pypes 409 Stainless Steel Exhaust Systems

Pypes Exhaust systems are designed to deliver enhanced performance, provide extra punch in the passing lane, and improve gas mileage. Fabricated using the highest quality, smooth seam-coated 16-gauge, mandrel-bent 409 stainless 2-1/2" diameter steel tubing. The Street Pro mufflers are a great street/strip muffler that maintains its rich sound. Race Pro mufflers come alive during hard acceleration. Both mufflers feature a welded case design. Complete with cadmium-plated clamps and hangers.



PYPSCC910SE

Part No.	Description	Price
PYPSCC910SE	1975-80 Corvette C3, Crossmember Back, X-Pipe, Street Pro Mufflers	
PYPSFT965SE	1975-76 Ford F-Series 2WD, Crossmember Back, X-Pipe, Street Pro Mufflers	
PYPSCG911SE	1975-81 GM F-Body, Crossmember Back, X-Pipe, Street Pro Mufflers	
PYPSCG940E	1975-81 GM F/X-Body, Crossflow, H-Pipe, Dual Race Pro Muffler	
PYPSCG941SE	1975-81 GM F-Body, Crossmember Back, H-Pipe, Street Pro Mufflers	
PYPSCG970E	1975-81 GM F/X-Body, Crossflow, X-Pipe System, Dual Race Pro Muffler	
PYPSCG910SE	1978-88 GM G-Body, Crossmember Back, X-Pipe, Street Pro Mufflers	
PYPSCG912SE	1978-88 GM G-Body SS, Crossmember Back, X-Pipe, Street Pro Mufflers	
PYPSCG978SE	1975-87 GM Fullsize Truck, Crossmember Back, H-Pipe, Street Pro Mufflers	
PYPSCG980SE	1975-87 GM Fullsize Truck, Crossmember Back, X-Pipe, Street Pro Mufflers	



# NEW PRODUCTS



## Heat Screen™ DSN010071

Manufactured from high-temperature-resistant fiberglass that withstands up to 1200°F direct heat, Heat Screen™ is an excellent solution for preventing radiant heat from entering any vehicle's interior. With self-adhesive backing and a thickness of just .060", application to floorboards, body panels, or under carpeting is quick and easy. 12" x 24".



## Heat Shroud GOLD™ DSN010924

Designed to protect fuel lines, electrical wires, and hoses, Heat Shroud GOLD™ installs without disconnecting at either end. Manufactured from high-temperature, metalized polyamide and 20-oz. heat-treated fiberglass, Heat Shroud GOLD™ can reflect up to 800°F. Easily installed with high-temperature hook-and-loop closure material. 2" / 2-1/2" diameter x 3' long.



## Form-A-Barrier DSN011013

A heat-reflective material on both sides offers thermal protection up to 1300°F. This lightweight, rigid 12" x 24" shield can be formed to fit odd shapes and sizes.



## Heat Shield Mounting Kit DSN010224

Universal mounting kit for rigid or semi-rigid heat shields. Kit consists of (6) 1/2" tall stainless standoffs with hardware.



## Black Titanium Exhaust Wrap Kit DSN010073

This extremely pliable premium wrap will withstand 1800°F direct and 2500°F intermittent heat. The high-tech carbon fiber-look material resists abrasions, oil spills, temperature fluctuations, and vibration break-down. Kit includes (2) 2" x 50' rolls, (8) 4" stainless locking ties, (4) 8" stainless locking ties, and locking tie tool.



## Black Glass Fiber Exhaust Wrap DSN010198

Keep under-hood temperatures down with glass fiber exhaust wraps. Withstands 1200°F direct heat and radiant heat up to 2000°F, effectively reducing under hood temperature up to 50% and increasing horsepower. 6" x 100' roll.



## Protect-A-Boot DSN010507

These spark plug boot protectors are constructed from tightly woven, high-temperature-resistant glass fiber material to protect both the plug boots and plug wires from continuous, extreme under-hood heat. Silver, 1-1/4" I.D. x 6" long, Pack of 4.



## Black Titanium™ Protect-A-Sleeve

Developed for applications that experience extreme high-heat conditions. These high-temperature Black Titanium™ sleeves will protect wires, lines, and cables exposed up to 1800°F direct heat and 2500°F radiant heat. Both water and heat resistant, these sleeves are also great for motorcycle and powersports applications. Sold each.



Part No.	Description	Price
DSN010589	1" I.D. x 36"	
DSN010590	1/2" I.D. x 36"	
DSN010591	1/2" I.D. x 72"	

## Heel Protector DSN011015

The DEI heel protector was developed to protect the race car driver from that extreme heat produced on the floor, firewall, and transmission tunnel. This protector is manufactured with a silicone-coated fiberglass bottom, extra insulation, tough outer covering, and hook & loop fastener. One size fits all. Black.



## Motorcycle Leg Shield DSN011016

This motorcycle leg shield is designed with a durable outer shell and insulated inner layer to protect the riders legs from getting burned. Fully adjustable and large enough to fit over leathers and riding gear. Black, 8" x 10" with hook & loop fasteners. One size fits all.



## Sound-Deadening Headliner Kit DSN050188

These kits consist of pre-shaped, peel-and-stick, open-cell polyurethane foam to minimize outside noise and vibration. This installation will reduce interior noise up to 4 decibels and also reduce radiant heat from the roof. The polyurethane foam is finished with a polymer surface treatment for an attractive look.



Part No.	Description	Price
<b>2018-20 Jeep Wrangler JL 5-Door</b>		
DSN050188	Black, 5-Piece	
DSN050189	Gray, 5-Piece	
DSN050190	White, 5-Piece	
DSN050191	Gray Leather Look, 5-Piece	
DSN050192	Black Leather Look, 5-Piece	
<b>2019-20 Jeep Gladiator</b>		
DSN050183	Black, 7-Piece	
DSN050184	Gray, 7-Piece	
DSN050185	White, 7-Piece	
DSN050186	Gray Leather Look, 7-Piece	
DSN050187	Black Leather Look, 7-Piece	

## 2018-20 Jeep Wrangler JL 2-Door—Rear Side Window Trim Kit

Manufactured from open-cell polyurethane foam and finished with a polymer surface treatment, these kits add sound deadening and thermal insulation to the vehicle interior. Sold in pairs.



Part No.	Description	Price
DSN050268	Black	
DSN050269	Gray	
DSN050270	White	
DSN050271	Gray Leather Look	
DSN050272	Black Leather Look	

# NEW PRODUCTS

## Hi-Lift® JACKS

### Running Gear Jack Cover HLJRGJC

The Running Gear jack cover protects the lifting assembly mechanism from the elements. Made of a marine-grade vinyl, the cover features a carbon fiber-embossed material with a high-quality zipper and PVC Hi-Lift logo patch. Fits all Hi-Lift Jack models.



### 500 Series Non-Adjustable Coilover Shocks ALDAS-556

Built with right out of the box valving, the 2" diameter threaded aluminum body coilover shocks accommodates 2-1/2" diameter, 13" tall springs (9-1/2" compressed). Springs sold separately. Sold in pairs.



### Phantom Series Rebound Adjustable Coilover Shocks

Control suspension rebound with these 11-way adjustable 2" diameter threaded aluminum body coilover shocks. 2-1/2" diameter springs sold separately. Sold in pairs.

Part	Description	Price
ALDAS-656	13.00" Extended, 9.50" Compressed	
ALDAS-657	13.50" Extended, 9.80" Compressed	
ALDAS-658	16.50" Extended, 11.50" Compressed	
ALDA658300B	16.50" Extended, 11.50" Compressed, with 300 Lb. Springs*	
ALDPAS-658	16.50" Extended, 11.50" Compressed	
ALDPAS-658/5B	18.00" Extended, 13.00" Compressed	

\* Includes adjustable spanner wrench.



### Striker Series Double-Adjustable Coilover Shocks

Precise suspension tuning with these rebound and compression adjustable 2" diameter threaded aluminum body coilover shocks thanks to six compression settings and eleven rebound settings. 2-1/2" diameter springs sold separately. Sold in pairs.

Part	Description	Price
ALDAS-754	14.00" Extended, 10.10" Compressed	
ALDAS-755	15.40" Extended, 11.50" Compressed	
ALDAS-758/5B	18.50" Extended, 13.20" Compressed	
ALDPAS-755	15.40" Extended, 11.50" Compressed	
ALDPAS-758	17.00" Extended, 12.00" Compressed	
ALDPAS-758/5B	18.50" Extended, 13.20" Compressed	



### Spanner Wrench ALDALD-1

Universal fully adjustable steel spanner wrench designed to work with hook-groove style coilover shocks. Made in USA.



### Hand Sanitizer

This compact bottle of hand sanitizer is ideal to keep in your vehicle, toolbox, or in your pocket. Water-thin formula is an 80% alcohol antiseptic.



Part No.	Description	Price
LUC11176	2-Ounce Squeeze Bottle	
LUC11176-50	(50) x 2-Ounce Case	



### Dana 44 Ring & Pinion Sets

Heavy-duty standard-weight ring and pinion sets made from 8620 steel and heat treated for extra strength and durability. 28-spline. 3.07 and higher carrier. 12-bolt cover. 1-year/50,000 mile warranty.

Part No.	Description	Price
<b>Rear (8.66" Dia./39-8 Teeth)</b>		
MOTD44-488JL	4.88 Ratio, Rear	
MOTD44-513JL	5.13 Ratio, Rear	
<b>Front (8.27" Dia./41-8 Teeth)</b>		
MOTD44-488JLF	4.88 Ratio	
MOTD44-513JLF	5.13 Ratio	



### Differential/Pinion Gear Install Kit

Dana 44 differential gear install kit includes, brush, cover gasket or sealant, crush sleeve or preload shim pack, marking compound, pinion nut, pinion seal, and thread locking compound. 1-year/50,000 mile warranty.



Part No.	Description	Price
MOTD44IKJL	Rear	
MOTD44IKJLF	Front	

### Differential/Pinion Bearing Kit

Dana 44 master differential bearing kit includes Koyo tapered bearings, brush, cover gasket or RTV, crush sleeve or preload shim pack, marking compound, pinion nut, pinion seal, ring gear bolts, shims, and thread locking compound. 1-year/50,000 mile warranty.



Part No.	Description	Price
MOTRA28RJL	Differential, Rear, E-Locker or Trac-Lok Carrier	
MOTRA28RJLF	Differential, Front, Open Carrier	
MOTRA28RJLFMK*	Differential, Front, Master Kit	
MOTRA28RJLFPK	Pinion, Front, Open Carrier	
MOTRA28RJLMK*	Differential, Rear, Master Kit	
MOTRA28RJLPK	Pinion, Rear, E-Locker or Trac-Lok	

\* Master Kit: Includes ring gear bolts and pinion/carrier shims.

# NEW PRODUCTS



## LS Swap Heater Core Hose Set ICT551065

The ICT LS swap heater core hose kit makes it easy to hook up a heater core for LS and LT engine swaps. The kit includes (1) 60" L x 5/8" I.D. hose, and (1) 60" L x 3/4" I.D. hose. USA-made Dayco heater hoses with factory-molded bends.




## LS Swap Power Steering Pump Hose Kit ICT551082

The ICT universal power steering pump hose kit makes it easy to route power steering lines from pump to reservoir and to the gear box or rack and pinion. Kit includes: 5' of high-pressure 3/8" hose, 5' of low-pressure 3/8" hose, (4) aluminum hose ends, and an assortment of (8) aluminum O-ring inverted flare adapter fittings, (1) 90° hose end, and (1) straight hose end.




## LT Swap Universal Spark Plug Wire Set, Remote Coil ICT551083

This wire set ensures a powerful spark required for LS-Series remote mounted coils. The ICT universal LS/ LT swap spark plug wire set includes; (8) 5' long 8mm spiral core plug wires, (8) straight, (8) 135°, and (8) 90° boots and terminals. Compatible with GEN 2, 3, 4, and 5 LS/LT engines and ignition coils.



## Transmission Adapter Fittings ICT551114

ICT Transmission Adapter Fittings provide a quick way to replace steel lines with AN lines. Takes the guess work out on what size fittings are needed for a GM TH350, TH400, 200-R4, 700R4, 4L60E, 4L80E automatic transmission case. Kit includes a pair of -6AN x 1/4" NPSM fittings with o-rings.



## LS Billet Freeze Plug Retainer Plates ICT551122-LS01

These ICT billet aluminum freeze plug retainer plates prevent head freeze plugs from blowing out under high internal cooling system pressures. Compatible with GEN 3/GEN 4-cyl-inde heads. Includes (4) freeze plugs, and mounting bolts.



## LS Swap Heavy-Duty Billet Engine Mount Adapters ICT551128-301

CNC-machined from 3/8" thick, 6061-T6 billet aluminum, brackets bolt directly to the LS engine block and provide the threaded motor mount bolt patterns for early SBC motor mounts. The plate positions the LS engine crankshaft in the same position as the SBC crankshaft. Transmission will remain in the factory location. Includes the necessary mounting hardware and instructions. Made in the USA.



## LS/LT Harmonic Balancer Pulley Install Tool ICT551141

The ICT Billet Harmonic Balancer Install Tool threads into the crankshaft and presses the harmonic balancer pulley into position. Compatible with GM LS & LT series engines (except 1992-97 GEN 2 LT1).



## LT GEN V—Fuel Pump Block-Off Plate, Direct Injection Delete ICT551152

The ICT Billet Fuel Pump Block-Off Plate for Gen V LT engines where the direct injection fuel pump was removed. Mounts to the valley cover plate on all 2014-later GEN V GM LT series engines. Can be used on the stock valley cover or with the ICT551171 Billet valley cover. Includes billet plate, bolts and O-ring. Made in USA.



## LS Swap—Gauge Adapter, Master Kit ICT551156

ICT Billet Master Gauge Sensor Adapter fittings are made from 6061-T6 billet aluminum. This master kit assortment of six adapter fittings (1/8", 3/8", 1/2" NPT to M16-1.5 male) provides a solution when using SBC/BBC and aftermarket sensors on all LS-Series engines.




## LS/LT Crankshaft Hub Torque Converter Adapter ICT551165

ICT billet aluminum crankshaft hub adapter inserts into an LS/ LT crankshaft end to use a GM Powerglide, TH350, TH400, 4L60, 4L60E, 4L80E, 700R4, and 200R4 torque converter. Compatible with GEN 3, 4, and 5 LS/LT crankshafts (except 1999-00 6.0L).



## LT1 Billet Valley Pan ICT551168

CNC-machined LT1 billet aluminum valley pan deletes the factory direct injection on 2014-later LT (L83/L86) series engines. Not compatible with factory valley pan-mounted fuel pump. Made in USA.



## Universal Billet Battery Mount ICT551181

Sturdy and attractive universal billet battery mount secures most popular Optima group 34 or 78 batteries. Made from aerospace-quality billet aluminum, the mount includes a billet base and top plate, 3/8" all-thread hold downs, billet sleeves, and hardware. Battery tray accepts batteries up to 10.5"L x 6.95"W x 6.7"H.



## LS Turbo Oil Drain Return -10AN Adapter ICT551208

This fitting connects a -10AN turbo oil return line to the LS oil pan. Designed to thread into the M20 x 1.5mm oil sensor hole using an O-ring seal. Each.






# NEW PRODUCTS



## LS Cathedral Port Cylinder Head to Rectangular Port Intake Manifold Adapters

ICT551316

These CNC-machined billet aluminum plates adapt LS cathedral port heads with LS rectangular port intakes, supercharger, or blower (except raised port LS7 intakes). Includes a pair of 1/2" thick billet adapter plates, O-rings, and 70mm bolts with sealing washers for use with an LSA supercharger.



## LS Swap Transmission Dipstick Adapter Bracket

ICT551323

This ICT billet bracket provides the missing bolt hole on the LS engine block that is used on SBC/BBC engines to bolt the dipstick tube to the cylinder head. Compatible with TH400, TH350, 4L60E, 200-4R, 4L80E transmissions. Includes adapter and hardware.



## LT Gen V Fuel Rail Block-Off Plates

ICT551325

These fuel rail block-off plates are needed when switching to port injection on 2014-later LT series engines. Includes two plates and mounting hardware.



## LS1 Harmonic Balancer Puller

ICT551329


This tool easily removes the harmonic balancer by installing a dowel pin in the bolt hole and by connecting the puller against the rear tangs on the balancer. Simply tighten the screw until the balancer is fully removed. Compatible with 1993-13 GM LS-Series engines.



## LT1 Cylinder Head/LS3 Rectangular Port Intake Manifold Adapter

ICT551347-LT-LS3

The CNC-machined billet aluminum plates adapt LT1/LT2/L82/L83/L84/L86/L87/L88 cylinder heads to LS3/L99/LSA/LZ1/L92/LS9/LFA rectangular port intake manifold (not compatible with DFI systems). Includes a pair of 1" thick adapter plates, O-ring seals, and mounting hardware.



## Gen 5/LT Engine Swap Engine Mount Brackets

ICT551363X

These CNC-machined billet aluminum bolt-on brackets adapt a Gen 5/LT series engine with the use of two SBC style motor mounts into an early GM vehicle. Includes a pair of billet aluminum plates, (8) flat-head bolts, and (6) M10 x 1.5mm flange bolts.



## LS1/LS6 to LS Truck Fuel Injector Spacer

ICT551371


This CNC-machined billet aluminum spacer set adapts short LS truck fuel injectors into a taller LS1/LS6 intake manifold and fuel rail. Set of 8 spacers and o-rings.



## LS Truck/SUV Alternator/Power Steering Pump Bracket Kit

ICT551396-3

The ICT billet aluminum bracket kit is lighter than the OE cast aluminum brackets giving the LS truck engine a hi-tech look. Includes billet brackets, turnbuckle tensioner, and mounting hardware.



## Engine Stand Bolt Kit

ICT551412

The 12-piece, GR10 bolt kit contains all the hardware needed to mount a LS engine to an engine stand. Clear zinc coated.



## Heavy-Duty LS Sanden 508 A/C Compressor Bracket Kit

ICT551474-3

The CNC-machined, billet aluminum bracket kit for LS1, LS3, and LSX engines when adding an OE or aftermarket Sanden 508 A/C compressor to the engine swap. Kit also includes idler pulley, belt tensioner, and mounting hardware.



## LS Throttle Body 4 to 3 Bolt Adapter Plate

The billet aluminum adapter plate, mounts to a 4-bolt intake manifold (up to 92mm) and adapts a 3-bolt mechanical throttle body with 75mm opening. Hardware included. Made in USA.



Part No.	Description	Price
ICT551511XG	Mechanical Throttle	
ICT551567	Drive By Wire	

## LS/LT Remote Mount Coil Relocation Bracket Kit

ICT551532

These billet remote coil brackets are a must when using a turbo or removing the coils from the valve covers on a LS engine. Kit includes billet aluminum brackets, spacers and bolts. Use plug wire set ICT551083.



## LSX Oil Pressure Sending Unit Relocation Adapter

Allows relocation of factory LS sending unit to the side of the oil pan. Includes the adapter, O-ring, and mounting hardware.

Part No.	Description	Price
ICT551534	Adapter	
ICT551541	Adapter with Dual 1/8" NPT Outlets	



## LS3 Mass Air Flow Sensor Mounting Flange

ICT551545

CNC-machined billet aluminum mounting flange compatible with 2014-Later LS3, LS7, LT engines. A machined radius cut on the bottom accepts a 4" pipe. Includes a billet flange and 2 bolts.



# NEW PRODUCTS



## O2 Sensor Bung & Plug Kit

ICT551548

Oxygen sensor bungs for exhaust system fabrication. Includes (2) steel bungs and (2) plugs.



## Camshaft Installation Tool

ICT551557

A billet aluminum camshaft installation handle designed to aid in camshaft installation. Compatible with SBC, BBC, LS, and any 3-bolt pattern camshafts. 6" long.



## LS Truck Turbo Alternator Bracket and Belt Tensioner Relocation Kit

ICT551573-3

The billet aluminum high-mount alternator bracket relocation kit spaces the alternator away from the turbo on LS truck turbo installation. The kit includes accessory brackets, manual tensioner, water pump spacers, gaskets, and mounting hardware.



## LS3, LS Truck, A/C Compressor HD Bracket with Tensioner Kit

ICT551585X-3

The all-in-one design of this idler and tensioner kit is a must when adding an A/C compressor to the LS3/L99/LS truck engine swap. Kit includes a billet aluminum bracket with an idler pulley, belt tensioner, and mounting hardware.



## LS Turbo Front Timing Cover With Dual Oil Returns

The LS Turbo billet front timing cover provides (2) -10AN fittings for twin-turbo applications and is compatible with Gen 3 LS engines. Includes front oil seal. A truck or LS3 crank pulley and ICT high-mount alternator and power steering brackets are required.



Part No.	Description	Price
ICT551589	Gen 3	
ICT551595	Gen 4	

## LS Turbo Oil Feed Line Adapter

ICT551591

This thick billet aluminum adapter adds (2) 1/8" NPT oil supply ports and is a direct fit for LS3/L99 Camaros with wet sump oil pans. Kit includes billet adapter, spacers, O-rings, and hardware.



## LS Oil Pump Spacer Kit

ICT551593

This spacer kit provides the needed clearance when installing a double-roller timing chain. Low-profile bolts included.



## LS Oil Cooler Adapter Plate, 6AN ORB In/Out

ICT551600

The billet aluminum adapter plate features -6AN ORB in/out ports. Fits LS1, LSX, and LS3 engines. Includes O-rings and bolts.



## 2018-20 Ford C-Max II/Transit Connect Air Charger Panel Filter

KNE33-3138

For 1.0L L3 gas/1.5L L4 diesel engines.



## 57-Series FIPK Intake System

57-Series FIPK air intake system includes a washable, reusable high-flow air filter, paired with a CAD-designed, rotationally-molded high airflow intake tube shaped to reduce turbulence and accelerate air flow into the engine. High-strength connectors and stainless clamps ensure a secure fit. CARB approved.



Part No.	Description	Price
KNE57-2600	2017-19 Ford F250 Super Duty, 6.7L Diesel	
KNE57-2605	2019 Ford Mustang GT, 5.0L	

## 63-Series Air Intake System

63-Series air intakes are guaranteed to add horsepower and acceleration, as well as noticeable pulling power and torque gains. Easy to install. Washable and reusable lifetime air filter.



Part No.	Description	Price
KNE63-2611	2017-18 Ford Edge, 2.0L	
KNE63-3115	2017-20 Chevrolet Blazer 3.6L, Cadillac XT5 3.6L, GMC Acadia 3.6L	
KNE63-3117	2019-20 Chevrolet, GMC 1500 Pick Up 4.3L V6	

## 2020 Jeep Cherokee 2.4L 77-Series Air Intake System

KNE77-1577KS

77-Series air intakes are guaranteed to increase horsepower and torque. A mandrel-bent aluminum intake tube is paired with a cone-style air filter and a heat shield to seal out hot engine air and direct cold air into the intake.



# NEW PRODUCTS



## High-Performance Hand Sanitizer GDX613

Geddex high-performance hand sanitizer bases on a thin high alcohol formulation, adheres to the World Health Organization's recommended formula for eliminating 99.9% of germs including COVID-19. 8-ounce squeeze bottle.



## 2020 Chevy Silverado, GMC Sierra, 2500/3500 6.6L 4" Cat-Back Pro Series Exhaust MBRS5093304

MBRP Pro Series T304SS performance exhaust systems are designed to maximize horsepower and torque, free-up restricted exhaust flow, and minimize exhaust temperatures. Includes a 5" O.D. stainless steel tip.



## MOPAR Officially Licensed Slant Edge 14" Air Cleaner Kit

Proform MOPAR officially licensed 14" diameter, die-cast aluminum, slant-edge air cleaner kits features an oversized MOPAR emblem with inlaid paint and a 3" tall air filter. Fits 5-1/8" and 4-7/32" carb necks. Includes necessary hardware.



Part No.	Description	Price
PFM440-830	Raised Silver MOPAR Logo, Black Wrinkle	
PFM440-832	Blue MOPAR Logo, Polished	
PFM440-833	Black MOPAR Logo, Polished	
PFM440-834	Blue MOPAR Logo, Black Wrinkle	
PFM440-835	Black MOPAR Logo, Chrome	



## Pro CDI 600 High-Output Coil

This compact high-output coil is capable of up to 50,000 volts and over 200 millijoules, making it ideal for use with methanol, ethanol, E85, and power adder applications. Designed for use with the MSD Pro 600. For vehicles using GM LS power, the coils can be mounted on Holley LS valve covers or OEM LS passenger coil brackets using 72mm bolt spacing.



Part No.	Description	Price
MSD8280	50,000 Volt Output Coil, Each	
MSD82808	50,000 Volt Output Coil, 8-Pack	



## 26" Mini Sprint Torsion Bars

Constructed from 7/8" dia., high-quality 4340 steel, these Mini-Sprint hollow, natural finished splined bars are commonly used with DMI T-Rex torsion stop retainers. Sold each.

Part No.	Description	Price
DMILRC-600-26	600 lb.	
DMILRC-625-26	625 lb.	
DMILRC-650-26	650 lb.	
DMILRC-675-26	675 lb.	
DMILRC-700-26	700 lb.	
DMILRC-712-26	712 lb.	
DMILRC-725-26	725 lb.	
DMILRC-737-26	737 lb.	
DMILRC-750-26	750 lb.	
DMILRC-775-26	775 lb.	
DMILRC-800-26	800 lb.	

## T-REX Torsion Stop Retainer DMILRC-1500

These anodized aluminum retainers screw into the end of Mini Sprint torsion bars using a threaded bolt to ensure safety. Sold each and two are required per torsion bar.



## 6-EF Ignition Coil Kit MSD86415

Designed to work with the MSD 6-EFI ignition box, this remote-mount 45,000 volt coil can also be used with other MSD boxes like the 6 AL series of ignition boxes. Kit includes mounting bracket, color coded plug-in wiring harness, and mounting screws. Black.



## Junior Dragster 5-Point Kam Lock Harness-Black CRW11174AB

Perfect for Junior Dragster pilots, these black restraints maximum safety and fit. The harness is constructed from 2" nylon webbing and features bolt-in and wraparound mounting points with pull-up adjustment. Includes Crow's industry standard Kam Lock latching system. Kit includes lap, shoulder, and anti-submarine belts. SFI-approved.



## Triangle Window Net for Mod and Late Model-Black CRW11611

This ribbon-style black nylon window net features a quick-release latch and halo strap. Perfect for use in Late Models and Modifieds. SFI 37.1-approved.





# NEW PRODUCTS



**new vendor**

## LS3 Monster Series M311 Rectangle Cylinder Heads

Built for a minimum 4.00" bore size with a 273cc chamber, these rectangular port cast aluminum cylinder heads feature CNC-machining (11°, 5-angle valve job) and are assembled in the USA with factory-style water crossover ports along with 7/16" main studs, 8mm outer/deck studs, and a 0.750" deck. Additional features include Manley stainless steel valves (2.165" int./1.600" exhaust), Manley dual valve springs, FED titanium retainers, and FED billet rocker stands. Sold in pairs.



Part	Description	Price
FED113001	Bare Head	
FED113002	Assembled	

## F710 287cc LS7 Square Cylinder Heads

Built for a minimum 4.125" bore size with a 287cc chamber, these square port A357 T6 aluminum cast cylinder heads feature CNC-machining (10°, 5-angle valve job) with -6 ORB water crossover ports, 7/16" main studs, 8mm outer/deck studs, 0.750" deck, and are made in the USA. Additional features include Manley stainless steel valves (2.165" int./1.600" exh.), Manley dual valve springs, and FED titanium spring kit. Ideal for power adder applications. Includes aluminum valve covers (without coil mounts), oil cap, and doweled rock stands. Sold in pairs.



Part	Description	Price
FED116030	Bare, Use Factory LS7 Rockers	
FED116031	Assembled, Use Factory LS7 Rockers	
FED116033	Bare, Black Valve Covers, Use Aftermarket Shaft Mount Rockers	
FED116034	Assembled, Black Valve Covers, Use Aftermarket Shaft Mount Rockers	
FED116035	Assembled, Black Valve Covers, Use Aftermarket Shaft Mount Rockers	



## LS-Engine Low Pro-Billet Intake Manifold

All-billet aluminum intake manifold designed for additional under hood clearance. This low-profile unit features a burst panel, black billet aluminum fuel rails, and machined aluminum valley tray.

Part	Description	Price
FED213001	LS3, Machined Finish	
FED213001-BLK	LS3, Black Anodize Finish	
FED217001	LS7, Machined Finish	
FED217001-BLK	LS7, Black Anodize	

## F-Series Valve Covers

These cast aluminum baffled valve covers are compatible with factory emission components and are available with or without coil mounts. Oil filler cap included.



Part	Description	Price
FED916085	Natural, with Coil Mounts	
FED916086	Natural, without Coil Mounts	
FED916087	High-Gloss Green, without Coil Mounts	
FED916088	High-Gloss Green, with Coil Mounts	
FED916089	Black Wrinkle, without Coil Mounts	
FED916090	Black Wrinkle, with Coil Mounts	

## Billet Aluminum Valley Plates



Part	Description	Price
FED952001	Black Anodized Finish	
FED952003	Machined Finish	



## Super Cell Fuel Bladder ATLFB222B

3-ply rubberized fuel cell bladder with foam baffling and quick-fill flapper valves. Fits ATLSUC222B. Meets NASCAR 2000 and FIA FT3.5 specifications. The fuel cell bladder has 1-1/2" O.D. vent valves and -8AN pick-ups. Not for alcohol.



## Sprint Car Tail Tank Shell ATLTT428-FS

High-impact seamless molded 28-gallon tail tank shell. Includes heavy-duty mounting inserts.



## Replacement Flap Valve ATLTF564

Fits ATFTF600, ATFTF195, and ATFTF473 flap valve plates.



BAS57RN4



## DOT Street Legal Wheels

Designed for IMCA Hobby Stocks, Street Stocks, or the daily driver, this wheel conforms to DOT specifications, while offering the same construction as Cup/Busch/Truck certified wheels. Lightweight. Black powder coated.

Part No.	Wheel Size	Bolt Circle	Back Spacing	Price
BAS57RH4	15" x 7"	4 x 100mm	4"	
BAS57RN4	15" x 7"	5 x 100mm	4"	
BAS57RT4	15" x 7"	4 x 4.5"	4"	

**Wheels require 45° chamfer lug nuts. Stock/OEM-type lug nuts will not fasten the wheel securely.**

## Inertia Advantage 15" x 10" Wheels BAS50L56

The lightest weight, lowest runout (under .020") 15" x 10" wheel available. Wheels have 5 x 5 bolt circle, 6" back spacing, and 5-spoke centers. Inertia Advantage wheels are 5% faster, have more brake cooling area, and weigh 20 pounds. Black.



# NEW PRODUCTS



## Race Pro Radiator

Ultra-light drag race fully welded aluminum GM radiator is engineered with great functionality in mind. Features include a machined billet SAE-compliant filler neck, lightweight die-stamped tanks with a 1-5/8"-12 UNJ female threaded inlet, and a standard 1-3/4" hose bead outlet, and a 2-row, 1" tube radiator core.



Part No.	Description	Price
<b>28" x 19" x 3-1/8"</b>		
NRA204120	Double-Pass, Threaded Inlet	
NRA204123	Single-Pass, Threaded Inlet	
<b>31" x 19" x 3-1/8"</b>		
NRA204124	Double-Pass, Threaded Inlet	
NRA204125	Single-Pass, Threaded Inlet	

## Threaded Hose Connection

Clear anodized aluminum.



Part No.	Description	Price
NRAZ17546	1-5/8" -12 UNJ Male/-16AN Male	
NRAZ17547	1-5/8" -12 UNJ Male/-20AN Male	
NRAZ17548	1-5/8" -12 UNJ Male/1-1/2" Hose Bead	

## Extreme Heavy-Duty Transmission Oil Cooler Kit Chevy/GMC Duramax Diesel 6.6L

NRAZ18062

This kit adds a fluid cooler to the automatic transmission keeps operating temperature under control during extreme conditions. The kit includes a 20" x4-5/8" x 2-3/4" fluid cooler and all necessary mounting hardware. Hose and cooler fittings sold separately.



## Speedmaster Intake Manifolds

Speedmaster manifolds are available for most popular engines and power combinations.

- The Low-Rise designed dual-plane models are intended for street use with an rpm range from idle to 5500. Designed as a direct stock replacement manifold and available in either natural or polished finish.
- Mid-Rise manifolds feature a dual-plane design or a mid-rise air single-plane design for street/strip applications with an operating rpm range of 1500-6500 on dual-plane models while the single-plane models offer a 3000-7500 rpm range.



SPM1-147-001



SPM1-148-032

- High-Rise competition manifolds are manufactured to accept square bore carburetors.
- Qualifier ER intake manifolds offer a larger plenum designed for large displacement LS1/LS6 and LS 2 powerplants using a larger LS2 style throttle body.

Part No	Description	Price
<b>Small Block Chevy</b>		
SPM1-147-001	Low-Rise Dual-Plane, Spread-Bore Flange with Adapter Plate, Idle-5500 RPM, Natural.	
SPM1-147-002	Low-Rise Dual-Plane, Spread-Bore Flange with Adapter Plate, Idle-5500 RPM, Polished.	
SPM1-147-008	Mid-Rise Air Single-Plane w/Divider, Square Bore Flange, 1500-6500 RPM, Polished.	
SPM1-147-031	Mid-Rise, Dual-Plane, Square-Bore Flange, 1500-6500 RPM, Natural.	
SPM1-147-014	High-Rise Single-Plane, Square-Bore Flange, 3000-7500 RPM, Polished.	
<b>Small Block Chevy Vortec</b>		
SPM1-147-004	Low-Rise Dual-Plane, Spread-Bore Flange with Adapter Plate, Idle-5500 RPM, Natural.	
SPM1-147-005	Low-Rise Dual-Plane, Idle-5500 RPM, Spread-Bore Flange with Adapter Plate, Polished.	
SPM1-147-010	Mid-Rise Air Single-Plane with Divider, Square-Bore Flange, 1500-6500 RPM, Natural.	
SPM1-147-011	Mid-Rise Air Single Plane with Divider, Square-Bore Flange, 1500-6500 RPM, Polished.	
<b>Big Block Chevy</b>		
SPM1-147-016	Low-Rise, Oval Port, Dual Plane, Idle-6000 RPM, Spread Bore with Adapter Plate, Natural.	
SPM1-147-017	Low-Rise, Oval Port, Dual Plane, Idle-6000 RPM, Spread Bore with Adapter Plate, Polished.	
SPM1-147-020	Mid-Rise Air, Oval Port, Single Plane w/Divider, Square-Bore Flange, 1500-6500 RPM, Polished.	
SPM1-147-022	High-Rise, Rectangular Port, Single-Plane, 3000-7500 RPM, Square-Bore Flange, Natural.	
SPM1-147-023	High-Rise, Rectangular Port, Single-Plane, 3000-7500 RPM, Square-Bore Flange, Polished.	

Part No	Description	Price
<b>GM LS1/LS6, EFI</b>		
SPM1-148-032	Multi-Port Qualifier ER Series, 85mm Throttle Body Bore, 1500-6500 RPM, 102mm Adapter Tapers to 85mm for Intake. 3-Bolt Intake to 4-Bolt Throttle Body. Natural.	
SPM1-148-035	Multi-Port Qualifier ER Series, 96mm Throttle Body Bore, 1500-6500 RPM, 102mm Adapter Tapers to 96mm for Intake. 3-Bolt Intake to 4-Bolt Throttle Body. Natural.	
<b>GM LS2, EFI</b>		
SPM1-148-038	Multi-Port Qualifier ER Series, 96mm Throttle Body Bore, 4-Bolt, 1500-6500 RPM, 102mm Adapter Tapers to 96mm. Natural.	
<b>Small Block Ford 351W</b>		
SPM1-147-046	Low-Rise Dual Plane, Spread Bore Flange w/ Adapter Plate, Idle-5500 RPM, Natural.	
SPM1-147-047	Low-Rise Dual Plane, Spread Bore Flange w/Adapter Plate, Idle-5500 RPM, Polished.	
SPM1-147-025	Hi-Rise Single Plane, Square Flange, 3500-8000 RPM, Natural.	
SPM1-147-026	Hi-Rise Single Plane, Square Flange, 3500-8000 RPM, Polished.	
<b>Small Block Ford 260/289/302</b>		
SPM1-147-043	Low-Rise Dual-Plane, Spread-Bore Flange w/ Adapter Plate, Idle-6500 RPM, Natural.	
SPM1-147-049	Mid-Rise Air Dual-Plane w/Divider, Square Bore Flange, 1500-6500 RPM, Polished.	
SPM1-147-052	High-Rise Single-Plane, Square Flange, 3500-8000 RPM, Natural.	
<b>MOPAR Small Block 318/360</b>		
SPM1-147-028	Mid-Rise Air Dual-Plane w/Divider, Square-Bore Flange, 1500-6500 RPM, Natural.	
SPM1-147-029	Mid-Rise Air Dual-Plane w/Divider, Square-Bore Flange, 1500-6500 RPM, Polished.	

# NEW PRODUCTS



## Inline Fuel Filters

The compact design features an aluminum housing and a stainless steel filter element. With or without shut-off valve.



Part No.	Description	Price
<b>30-Micron Element</b>		
MPD72106	-6AN, without Shut-Off Valve	
MPD72306	-6AN, with Shut-Off Valve	
<b>100-Micron Element</b>		
MPD72212	-12AN, without Shut-Off Valve	
MPD72412	-12AN, with Shut-Off Valve	



## Bert Second Generation Replacement Part No.



BERSG-1035-01



BERSG-1082



BERSG-1251

Part No.	Description	Price
BERSG-1035-01	Plunger Small Ball 1/4" Diam.	
BERSG-1066	82° Flat Head Screw, 10-24 Thread, 1" Long	
BERSG-1082	O-Ring	
BERSG-1251	Yoke Seal	



## Shock Reservoir Mounting Brackets BIL11-176015

Designed to mount the reservoir to the body the 5160 Series shock. Black anodized aluminum.



## ASB Series Shock Shaft BILE4-KS2-Z009B35

Description	Stroke	Chrome Length
11mm x 230mm	8"	5.12"



## 4600 Series Monotube Rear Shocks For 2009-19 RAM 1500 4WD BIL24-187350

High-pressure monotube shocks improve handling and provide a comfortable stable ride. Sold each.



HRPHRP6700A-BLK



## Mounts for Chevy Spread Port Headers

Black powder-coated bracket keeps Chevy spread-port headers secure and safe in shop or the trailer. Available in angled or flat configuration. Sold each.

Part No.	Description	Price
HRPHRP6700A-BLK	Angled Mount	
HRPHRP6700F-BLK	Flat Mount	



## RealShield

A single-layer 15 mil thick, optically clear protective face covering, RealShield attaches to a hat, cap, visor, hard hat, or bump cap. It's designed to shield your eyes, nose, and mouth from airborne droplets. ANSI-certified for Z87.1-2020 - face shield/protective eye and face standard and Z87.1-2020 (D3) - splash protection-eye and face standard.



Part No.	Description	Price
ROPRS15001A-4	4-Pack, Each	
ROPRS15001A-50	(50) 4-Pack, Case	



PERFORMANCE  
THE WINNING ELEMENT IN RACING.

## Non-Wing Front Sprint Car Axle TIP2004

Precision-built 53" 2 1/4" X .120" wall 4130 chromoly front axles are USA-made. 10/10 kingpin degree ensures proper wheel angle, giving you excellent front-end feel. Perfect for non-wing racing, these axles are raw finished and come with reamed bosses to allow easy installation. Features factory-honed king pin bosses, threaded panhard bar stud, and shock mounts. Axles work best with 49" tie rods and Ti22 Combo & Steering Arms.



## Clamp-On Top Steering Plate TIP3080

Aluminum clamp-on top steering gear mount for 1-1/4" steering bars. No more hole drilling! Multiple fuel shut off locations and steering wheel mounting distances. Comes with two clamps, a top steering plate, and clamping bolts. Use with Ti22 TIP3083 or TIP3084 shut-off brackets. Available for chassis with 1-1/4" and 1" upper steering bars added.



## Top Steering Gear Mount Fuel Shutoff Bracket

Use with TIP3080 bracket.



Part No.	Description
TIP3083	MPD Racing Valve
TIP3084	Waterman Valve



# NEW PRODUCTS



## 84 Series Steel Monotube Dry Shock Absorber Kits

Designed for car builders and shock tuners, the IMCA-legal 84 series shocks are an enhanced version of the 73/74 series. Each kit features 46mm billet, CNC-machined pistons. Choose from linear/linear or linear/digressive piston options. Valving must be purchased separately.



Part No.	Description	Stroke	Compressed Length	Extended Length	Price
AFC84-7-PB-PB-3L-6L	Billet 3-Port Linear/6-Port Linear Piston (AFC550000682)	7"	12.95"	18.85"	
AFC84-7-PB-PB-3L-3L	3-Port Linear/3-Port Linear Piston (AFC550001139)	7"	12.95"	18.85"	
AFC84-7-PB-PB-6L-D	Billet 6-Port Linear/Digressive Piston (AFC550000934)	7"	12.95"	18.85"	
AFC84-7-PB-PB-3L-D	3-Port Linear/Digressive Piston (AFC550001140)	7"	14.95"	18.85"	
AFC84-9-PB-PB-3L-6L	Billet 3-Port Linear/6-Port Linear Piston (AFC550000682)	9"	14.95"	22.85"	
AFC84-9-PB-PB-3L-3L	3-Port Linear/3-Port Linear Piston (AFC550001139)	9"	13.97"	22.85"	
AFC84-9-PB-PB-6L-D	Billet 6-Port Linear/Digressive Piston (AFC550000934)	9"	14.95"	22.85"	
AFC84-9-PB-PB-3L-D	3-Port Linear/Digressive Piston (AFC550001140)	9"	14.95"	22.85"	

## Related/Replacement Components

Part No.	Description	Price
AFC55000011870	Replacement 1/2" Dia. Shaft, 7" Stroke, with Bleed Jet	
AFC55000011890	Replacement 1/2" Dia. Shaft, 9" Stroke, with Bleed Jet	
AFC550030161X	Bleed Jet, 5mm x .020"	
AFC550030162X	Bleed Jet, 5mm x .030"	
AFC550030164X	Bleed Jet, 5mm x .040"	

AFC55000011870



## Curved Vane Ultralight Racing Slotted Brake Rotors

AFCO curved vane ultralight slotted racing brake rotors are precision machined and double disc ground to ensure flatness. All rotors are .810" thick, 11.75" diameter and feature 8-bolt x 7" bolt circle.



Part No.	Description	Price
AFC6640147	Left	
AFC6640148	Right	

## Progressive Rate Torque Link Springs

Engineered for Modifieds fitted with a torque link, the springs are 5" O.D. x 6-5/8" tall and feature progressive rates, which provides improved traction and handling consistency. Black coated.

Part No.	Description	Price
AFC270000PRB	600-1,300 lbs.	
AFC2700001B	600-2,000 lbs.	
AFC2800001B	200-2,000 lbs.	



## Collapsible Steering Column

AFC37304

22-1/2" - 32" collapsible steel steering column is splined at steering gear end, and features a quick-release hub at the cockpit end. Rod end mounting included.



## 71 Series Steel Body Monotube Shock Absorbers

Designed for the IMCA Hobby Stock racers, 71 series shock absorbers are based on the 70 series with an additional internal fill port. Shocks include stock mount legal tie-bars and bushings and feature Hobby Stock tuned valving.



Part No.	Compressed Length	Extended Length	Compression Valving	Rebound Valving	Price
<b>1973-88 GM A/G Body, Front</b>					
AFC71-1-3-7	9.27"	13.97"	3	7	
AFC71-1-3-8	9.27"	13.97"	3	8	
AFC71-1-5-3	9.27"	13.97"	5	3	
AFC71-1-6-3	9.27"	13.97"	6	3	
AFC71-1-7-3	9.27"	13.97"	7	3	
AFC71-1-7-9	9.27"	13.97"	5	9	
<b>1973-88 GM A/G Body, Rear</b>					
AFC71-2-3-4	12.73"	20.00"	3	4	
AFC71-2-3-5	12.73"	20.00"	3	5	
AFC71-2-4-4	12.73"	20.00"	4	4	
AFC71-2-6-3	12.73"	20.00"	6	3	
AFC71-2-7-3	12.73"	20.00"	7	3	

## F44 Aluminum Metric Caliper AFC6630510

An improvement over OEM GM metric calipers, the F44 combines a two-piece, forged aluminum body with four cross bolts for added strength. The caliper design offers reduced flex, resulting in reduced pad taper and less brake fade along with reduced brake drag and increased response. Right or left side. Sold each.



## Rear Brake Rotor Hat

AFC9850-6600

Special rear rotor hat converts rear drum brake car to disc brakes. The premium steel, 11.25" diameter rotor hat fits 5 x 4.5" or 5 x 4.75" bolt patterns and incorporates straight vanes for brake cooling. Sold each.



## Stock Brake Rotors

AFC9850-6505

Stock-appearing brake rotors for Modifieds, Street Stocks, and Hobby Stocks. Rotors include races and 5/8" coarse thread studs installed on 5 x 5 bolt pattern.



Description	Thickness	Bolt Circle	Diameter
Hybrid/Pinto/Mustang II Spindle	.813"	5 x 5	10.13"

# NEW PRODUCTS



## Performance Products

### Low Drag Hub Kits

Innovative, all-in-one low drag hub kits virtually eliminate wheel bearing drag, providing reduced friction and lower operating temperatures, ultimately delivering more horsepower to the track. Maintenance is also reduced as bearings don't require repacking as often. Each kit includes premium finished wheel bearings, an ultra low drag hub seal, and special adjustable wheel bearing spacer that allows precise pre-load setting. Components for a single hub. Bearing spacers are also offered separately.

DRP007-10505K



Part No.	Description	Price
DRP007-10505	Bearing Spacer, 2", 5x5 Steel	
DRP007-10505K	Low Drag Hub Kit, 2", 5x5 Steel	
DRP007-10520	Bearing Spacer, Chevy Impala	
DRP007-10520K	Low Drag Hub Kit, Chevy Impala Front	



### Standard Conventional Coil Springs

Engineered to deliver the optimal spring rate "sweet spot".



Part No.	Diameter	Length	Rate	Price
<b>Front Springs</b>				
SWI950-500-350	5"	9-1/2"	350 Lb.	
SWI950-500-375	5"	9-1/2"	375 Lb.	
SWI950-500-400	5"	9-1/2"	400 Lb.	
SWI950-500-425	5"	9-1/2"	425 Lb.	
SWI950-500-475	5"	9-1/2"	475 Lb.	
SWI950-500-700	5"	9-1/2"	700 Lb.	
SWI950-500-750	5"	9-1/2"	750 Lb.	
SWI110-500-350F	5"	11"	350 Lb.	
SWI110-500-400F	5"	11"	400 Lb.	
SWI110-500-425F	5"	11"	425 Lb.	
<b>Rear Springs</b>				
SWI130-500-100BP	5"	13"	100 Lb.	
SWI130-500-125BP	5"	13"	125 Lb.	
SWI130-500-275	5"	13"	275 Lb.	
SWI180-500-050	5"	18"	50 Lb.	
SWI180-500-080	5"	18"	80 Lb.	
SWI200-500-225V*	5"	20"	75/225 Lb.	

\* Progressive rate.



### Progressive Barrel-Type Coilover Springs

Part No.	Diameter	Length	Rate	Price
SWI120-250-225V	2-1/2"	13"	140/225 Lb.	
SWI120-250-400V	2-1/2"	13"	150/400 Lb.	



### Replacement Components

Part No.	Description	Price
HOWH3100	Y-Pipe Muffler Assembly, 3" Inlet/5" Outlet	
HOW22389A	Ball Joint Stud +0.900", Fits HOW22303/22304	
HOW2243810	Ball Joint Stud +1.000", Fits HOW22423	
HOW22602	Upper A-Frame Key Kit	
HOW22615	Mount Upper Control Arm Mount, +1.000" Taller	
HOW30051	Load Bolt, 8" Long, 1"-14 Thread, 3/8" Broach	
HOW23215	Ball Joint Stud +0.500", Fits HOW23270/23280	
HOW318925L	Trailing Arm Frame Mount, Tall LS Front, Adjustable	
HOW22311	Upper Ball Joint Hex Retainer "X"	
HOW22312	Upper Ball Joint Retaining Ring "X"	
HOW22427	Lower Ball Joint Hex Retainer "X"	
HOW22428	Lower Ball Joint Retaining Ring "X"	
HOW224383	Ball Joint Stud +.0300", Ford Lower to Big OEM or Howe Spindle	
HOW229625	Lower Control Arm, 15.6", with Rod End	
HOW2329610	Replacement Quick Bump Stud +0.100", with Boss	



### Radius Tooth HTD Oil Pump Pulleys

Made from lightweight billet aluminum featuring 5/8" I.D., 1/14" wide, and a 3/16" keyway with five set screws.



Part No.	Description	Price
JRPOP-6103-28-11/4	28-Tooth	
JRPOP-6103-32-11/4	32-Tooth	
JRPOP-6103-34-11/4	34-Tooth	

### Flat-Head Drive Hub Bolt Kit

JRPSK-2109-N

USF fine thread. 3/8" x 3.00" USS.



### Crank Pulley Spacer

JRPSP-6103-WC-C-1/2

1/2" spacer for SBC/BBC oil pump drive system.



### Small Block Chevy Water Pump

JRPWP-9104-SBC-AL

Aluminum SBC short-style water pump.



### 5-Rib Serpentine Belt

JRP5PK-698HD

5-ri belt measures 27.480" long.



# NEW PRODUCTS



## Smart Pass 120S CTE40-289

Delivers 120A for a quick charge of batteries between 28-800Ah. Ideal for radios, emergency lighting, and navigation systems. The unit offers Battery Guard, which prevents total discharge and built-in over-temperature protection.



## D250SE Smart Charger CTE40-315

The D250SE is a fully automatic, 5-step charger that supplies up to 20A of power to any 12V lead-acid or lithium service battery from 40-300Ah. The D250SE can maintain a stable output up to 20A to vehicles equipped with ECU controlled alternators.



## CT5 Powersports Battery Charger CTE40-339

Ideal for powersports applications including motorcycles, ATV/UTV, personal watercraft and snow machines. Fully automatic charging including maintenance mode and a reconditioning program for deeply discharged batteries. 2.3A maximum output. 5-year limited warranty.



## Lithium US Battery Charger 40 CTE56-926

This lithium-ion battery charger is designed to recover, charge, and maximize performance and extend battery life. Float/Pulse maintenance ensures battery care during periods of inactivity. Plug and play operation. 4.3A maximum output. 5-year limited warranty.



## PRO25SE Battery Charger CTE40-327

25A 12-volt battery charger that is compatible with lead acid and lithium batteries. Includes 19.7-foot long charging cables, wall mount, and works well in workshop areas. 2-year warranty.



## PRO25S Battery Charger CTE40-328

Designed for the automotive professional, this portable 25A 12-volt battery charger is compatible with lead acid and lithium batteries. Rated for outdoor use (IP44). 2-year warranty.



## CTX Battery Sense CTE40-149

Maximize battery performance with this user-friendly system that monitors the health and charge level of any battery.



## Conventional Front Coil Springs

Engineered for applications using stock-type coil springs including Street Stocks, Hobby Stocks, or Factory Stocks. Manufactured from premium chrome silicon steel and red powder coated with a durable epoxy finish. All springs are imprinted with the part number, and are guaranteed to remain within 2% of their rate and height for the life of the spring.



Part No.	Description	Price
<b>5" Diameter x 9-1/2" Tall</b>		
EIB0950-500-0425	425 lbs.	
EIB0950-500-0475	475 lbs.	
<b>5-1/2" Diameter x 9-1/2" Tall</b>		
EIB0950-550-0425	425 lbs.	

## Coilover Springs

Chrome silicon steel coilover springs are formed on CNC coilers, heat-tempered, shot-peened, pre-set, phosphate-treated and silver powder coated. 10" tall.

Part No.	Description	Price
EIB1000.250.0300S	2-1/2" Diameter, 250 Lb., Red	
EIB1000.300.0300S	3" Diameter, 300 Lb., Silver	



## XT Barrel Coilover Spring EIB0800.2530.0350

This lightweight barrel main spring is designed for increased travel. 8.00" tall x 2.50" I.D. x 350 lbs. Red finish.



## Pro-Kit

The Eibach Pro-Kit dramatically improves a vehicle's performance and creates an aggressive look. Kit includes four springs.



Part No.	Description	Drop/Lift	Price
EIBE10-87-001-01-22	2017-20 Tesla 3, Long Range, RWD	Front: -1.0" Rear: -1.1"	
EIBE10-87-001-02-22	2017-20 Tesla 3, Long Range, AWD	Front: -0.9" Rear: -1.0"	
EIBE10-87-001-04-22	2018-20 Tesla 3, Standard Range, RWD	Front: -1.3" Rear: -1.1"	
EIBE10-87-001-05-22	2018-20 Tesla 3, Performance, AWD	Front: -1.0" Rear: -1.4"	
EIBE30-35-038-01-20	2017-20 Ford F-150 Raptor (Front Only)	Front: +1.7"	

## Off-Road Coilover Spring EIB1600.250.0080S

Legendary Eibach off-road durability and performance. 16" tall x 2.50" I.D. x 80 lbs. Silver finish.



## 1993-04 Mustang Rear Sway Bar EIB3510312

Improve handling with this replacement 0.938" diameter rear sway bar. Red powder coated. Includes hardware.





# NEW PRODUCTS



## Street Stock Monte Carlo Rear Roof Panel

FIV601-5104-W

Extra long. Hand-laid fiberglass.



## MD3 Mustang Street Stock Nose Kit

A new design for stock-style race cars. This two-piece front nose is manufactured with MD3 exclusive high-impact plastic for extra durability and reduced weight.



Color	Part No.	Price
Black	FIV20321-41051-B	
Blue	FIV20321-41051-CB	
Red	FIV20321-41051-R	
White	FIV20321-41051-W	

## Dirt Grand National Fenders

Designed to fit GM G-Body/Metric-Style chassis for Dirt Sportsman racers. Lightweight high-strength composite plastic components. Chevrolet SS.



Part No.	Description	Price
FIV662-24-BL	Left, Black	
FIV662-24-BR	Right, Black	

## Lower Nose Screen for Chevy Short Track Truck FIVT230-4111

Frame is CNC-machined lightweight aluminum with a 3/4" mesh stainless steel screen. Natural.



## STR.T Shock Absorbers And Strut Assemblies

Entry-level performance shock absorber and strut assemblies are engineered to deliver improved handling characteristics. Ideal as an OEM replacement or performance enhancement, assemblies are a direct bolt-in. Sold each.

Part No.	Description	Price
KON8050-1033	1987-93 Ford Mustang, Rear Shock	
KON8050-1034	1997-99 Acura CL, 1990-97 Honda Accord, Rear Shock	
KON8050-1035R	1990-97 Honda Accord, Right Front Strut	
KON8750-1024	1987-93 Ford Mustang, Front Shock	



## Straight-Up Body For Chevrolet SS

FIV662-211A-BR



Part No.	Description	Price
<b>Extra-Long Door - Aluminum</b>		
FIV662-211A-BL	Left, Black	
FIV662-211A-BR	Right, Black	
<b>Quarter Panel Window - Hand-Laid Fiberglass</b>		
FIV662-280-WL	Left, White	
FIV662-280-WR	Right, White	
<b>Re-Skin Fender Package - Steel *</b>		
FIV662-23S-WL	Left, White	
FIV662-23S-WR	Right, White	

\* Also fits Ford Fusion

## Hood Pin Kits

3/8" pins. Available in a variety of colors. 2-pack.

Color	Part No.	Price
Natural	FIV10001-34033	
Black	FIV10001-34033-B	
Blue	FIV10001-34033-CB	
Red	FIV10001-34033-R	



**scribner**plastics



## 3-Gallon Utility Jugs

These space-saving durable square 3-gallon molded utility jugs are 9-1/2" x 9-1/2" x 16" tall. Offered in a variety of colors, jugs are sold each or in cases of four.

Part No.	Description	Price
SCR2020R	Red, Each	
SCR2020R-CASE	Red, (4) Case	
SCR2020W	Clear, Each	
SCR2020W-CASE	Clear, (4) Case	
SCR2020K	Black, Each	
SCR2020K-CASE	Black, (4) Case	
SCR2020B	Blue, Each	
SCR2020B-CASE	Blue, (4) Case	

# NEW PRODUCTS



## Performance Fit Cooling Combo Kit

These application specific kits include a two-row 1-1/4" tubing aluminum radiator, twin Spal electric fans, aluminum shroud, wiring, temperature sensor, and radiator cap.

Part No.	Description	Core Size	Inlet/Outlet Location	Inlet/Outlet Size	Fan Diameter/Flow	Price
GRICU00008LS	1970-81 GM A/G-Body, Early LS Outlets, M/T	28" x 19" x 2.68"	Top Right/Bottom Right	1.25"/1.5"	(2)-16"/2596 CFM	
GRICU00009LS	1964-67 GM A/F-Body, Early LS Outlets, M/T	22.5" x 19" x 2.68"	Top Right/Bottom Right	1.25"/1.5"	(2)-12"/1722 CFM	
GRICU70010LS	1970-81 GM A/G-Body, Early LS Outlets, A/T	26" x 19" x 2.68"	Top Right/Bottom Right	1.25"/1.5"	(2)-14"/2076 CFM	



GRICU00008LS



GRICU00009LS

## Universal Econorail Aluminum Radiator GRI2-56135-X

This universal fit crossflow radiator features a two-row 1-1/4" tubing configuration with left-side filler neck. Manual transmission.



Radiator Size	Inlet/Outlet Location	Inlet/Outlet Size
17" x 18.78" x 3"	Top Right/Bottom Left	1.5"/1.75"

## HP (High-Performance) Series

Has a high-efficiency two-row core, serpentine fins, and 1-1/4" in-line tubes to meet moderate to heavy cooling demands.



Part No.	Radiator Size	Inlet/Outlet Size	Price
<b>Top Right/Bottom Left (Inlet/Outlet Location)</b>			
GRI158242X	27.5" x 19" x 3"	1.5"/1.75"	
<b>Top Left/Bottom Left (Inlet/Outlet Location)</b>			
GRI155242XS*	27.5" x 19" x 3"	1.5"/1.75"	

\* Signifies radiator with straight bottom outlet; standard radiators outlets are angled up 10°.



## Z-Tech Series 2A Head & Neck Restraint ZAMNT002003

The Series 2A features Advanced Axis Adjustment to allow shoulder width, arm angle, and arm width adjustment. The framework consists of fiberglass-reinforced nylon along with a modified alloy material. 2" or 3" belts compatible. Weighs approximately 900 grams. The padding is designed to be cleaned and can be replaced when needed. Hardware includes stainless steel posts and screws along with Kevlar single-point tethers. SFI38.1 certified.



## RL-70E Switch Full-Face Helmet

This helmet features the DDAIR (Dual-Density Air Integration Relief) system. Full 360° air flow channeling. Cool air enters the helmet, warm air leaves the helmet. Other features include a composite/aramid mix lightweight shell, channels in the chin bar for easy mounting of communication and drink hardware, and visor. Ear cups and ear pads, M6 restraint inserts, and Switch reconfiguration caps are also provided. FIA 8859-2015/Snell SA-2015 approved.



## Helmet Accessories



ZAMHACOM003



ZAMHALCC20



ZAMRA001003

Part No.	Description	Price
ZAMHACOM003	Speaker Kit Helmet, 3.5mm Plug	
ZAMHALCC20	Breath/Chin Curtain, Cloth	
ZAMRA001003	Helmet Skirt Black	
ZAMHTA25003	One-Way Radio Mount, Black	
ZAMHALBB20	Breath Deflector	

Part No.	Description	Price
<b>Black</b>		
ZAMH760003L-WSP*	Large, with Speakers and Radio Mount	
ZAMH760003M-WSP*	Medium, with Speakers and Radio Mount	
ZAMH760003XL-WSP*	X-Large, with Speakers and Radio Mount	
<b>Black/Gray</b>		
ZAMH760C01L-WSP*	Large, with Speakers and Radio Mount	
ZAMH760C01M-WSP*	Medium, with Speakers and Radio Mount	
ZAMH760C01XL-WSP*	X-Large, with Speakers and Radio Mount	

\* Includes ZAMEAR003COM, ZAMHTA25003

# NEW PRODUCTS



## Late Chevy 7.25" V-Drive Button Clutch Assembly QTR298153ZZ

Engineered for performance, reliability and low moment of inertia (MOI), V-drive clutch features an open design for cooler, cleaner operation. Clutch has 1-5/32"-26 spline and is designed for 1986-up small block Chevy, externally-balanced applications.



## Small Block Ford Crankshaft Drive Hub QTR180331

Crankshaft drive hub is configured for 1.375"-10 spline.



## Floating Trailing Arm Bracket Bushing UBM46-0050-L

Sold each.



## Small Block Ford Water Pump Backing Plate UBM60-1100

Steel plated. Sold individually.



## Scale Pad Cups UBM11-0525

Ideal for circle track teams when scaling a race car at the track or in the shop. Allows for consistent and accurate weight measurements. Sold individually.



## Hobby Stock Steel Tubular Lower Control Arms

These steel fabricated tubular lower control arms improve handling while providing added strength and reliability for the 4-cylinder Hobby Stock/Hornet racer.

Part No.	Side	Length	Price
<b>Dodge Neon</b>			
UBM28-4114-L	Left	-.750"	
UBM28-4116-L	Left	-.500"	
UBM28-4122-L	Left	Stock	
UBM28-4122-R	Right	Stock	
UBM28-4126-R	Left/Right	-.500"	
UBM28-4136-R	Right	-.750"	
UBM28-7122-L	Left	Adjustable	
UBM28-7122-R	Right	Adjustable	
<b>Honda Civic</b>			
UBM29-3144-L	Left	-.750"	
UBM29-3146-L	Left	-.500"	
UBM29-3152-L	Right	Stock	
UBM29-3152-R	Right	Stock	
UBM29-3156-R	Right	-.500"	
UBM29-3160-R	Right	-.750"	
UBM29-7152-L	Left	Adjustable	
UBM29-7152-R	Right	Adjustable	



## D52-R Single Piston Floater Brake Calipers

Pure heavy-duty race calipers, manufactured using a lightweight, forged aluminum Type III hard anodized body that is fitted with a stainless steel piston, feature the original GM mounting configuration and accept standard D52 brake pads. Calipers offer a lower deflection rate and improved volumetric efficiency compared to heavier cast units. Sold each.



Part No.	Description	Price
WIL120-15607	2.38" Piston, .810" Rotor	
WIL120-15608	2.38" Piston, 1.00" Rotor	
WIL120-15609	2.38" Piston, 1.25" Rotor	
WIL120-15610	2.75" Piston, .810" Rotor	
WIL120-15611	2.75" Piston, 1.00" Rotor	
WIL120-15612	2.75" Piston, 1.25" Rotor	

## 1967-69 Camaro/1964-72 Nova Classic Series Dynalite Front Brake Kit WIL140-15272-R

All-inclusive kit provides a significant upgrade in braking to early GM "F" or "X" bodies with OEM drum or disc spindles. Kit offers clearance for most 14" or 15" OEM or after-market disc brake wheels, and is designed to suit the daily driver or discriminating show enthusiast. Includes Dynalite four-piston, red powder coat finished forged aluminum calipers, one-piece rotors, brake pads, caliper brackets, brake lines, and necessary hardware.



## Small Ford Forged Dynalite Rear Parking Brake Kit WIL140-9282-DR

FDL rear disc brake kit, which fits small Ford with 2.50" axle offset, combines the benefits of significantly improved rear braking performance with internally hidden parking brake provisions. Includes four-piston, red powder coat finished forged billet aluminum calipers, 12.19" one-piece rotors, caliper brackets, brake pads and necessary hardware.



## BP-30 Brake Pads For GN6R/GN II/GN III Calipers WIL150-14774K

BP-30 brake pads, designed for calipers that require a 7520 pad, are a very high friction compound with an aggressive initial response, yet low wear rate. Sold as an axle set.





# NEW PRODUCTS



## HP+ Brake Pads

These fade-resistant low-to-mid temperature range brake pads are ideal for autocross and club racing events. The brake pads offer smooth, predictable performance and are designed to work with iron brake rotors.



Part No.	Description	Price
HAWHB145N570	2004-15 Honda Accord/Civic, Rear	
HAWHB149N505	1994-05 Mazda Miata, Front	
HAWHB158N515	1984-95 Mazda RX7, Rear	
HAWHB159N492	1994-97 Mazda Miata, Rear	
HAWHB178N564	1989-96 Nissan 300ZX, Front	
HAWHB361N622	2000-11 Honda Civic/S2000, Front	
HAWHB204N615	1982-93 Volvo140/240, Front	

## HPS Brake Pads

High-Performance Street brake pads offers 20-40% more stopping power and high resistance to brake fade than most standard replacement pads. Excellent for spirited driving. Easy on brake rotors while providing extended pad life. Designed to work with iron brake rotors.



Part No.	Description	Price
HAWHB148F560	1994-05 Mazda Miata, Front	
HAWHB149F.505	1994-05 Mazda Miata, Front	
HAWHB155F580	1986-95 Mazda RX-7, Front	
HAWHB158F515	1984-95 Mazda RX7, Rear	
HAWHB159F492	1994-97 Mazda Miata, Rear	
HAWHB179F630	1989-96 Nissan 300ZX, Rear	
HAWHB193F670	2003-15 Dodge Viper, Front	
HAWHB262F540	1984-89 Nissan 300ZX, Rear	
HAWHB387F.547	2005-13 Infiniti G35/37, Front	
HAWHB478F605	2006-13 Mazda 3, Rear	
HAWHB600F539	2005-13 Infiniti G35/37, Rear	
HAWHB178F.564	Front, Nissan 300ZX	

## HPS 5.0

A premium replacement pads designed for Late Model Muscle and Import Tuner enthusiasts. Designed to work with iron brake rotors.



Part No.	Description	Price
HAWHB180B.560	Rear, Subaru WRX	
HAWHB453B.585	Front, Mitsubishi EVO/Subaru Impreza	
HAWHB601B.626	Front, Infiniti G37	
HAWHB602B.545	Rear, Infiniti G37	

## Blue 9012 Compound Brake Pads for 1994-97 Mazda Miata, Rear HAWHB159E492

Designed as an entry-level endurance compound with medium/high torque and excellent brake modulation. Designed to work with iron brake rotors.



## DTC-60 Brake Pads

Extremely high torque with aggressive controllable initial bite. Superior release and torque control characteristics. Brake pads designed for cars with high deceleration rates. Works well on pavement Circle Track race cars, Sports Car racing, Short-Course off-road, and Open Wheel road racing. Very low rotor wear. Designed to work with iron brake rotors.



Part No.	Description	Price
HAWHB159G492	1994-97 Mazda Miata, Rear	
HAWHB100G480	Wilwood Dynalite	

## DTC-30

This multipurpose brake pad compound is very effective on Dirt Circle Tracks, Drag Racing, Desert Trucks, Short-Course Buggies, and others. Offers medium torque control characteristics and releases well. Designed to work with iron brake rotors.



Part No.	Description	Price
HAWHB159W.492	1994-97 Mazda Miata, Rear	
HAWHB267W480	Strange Engineering	

## Super Duty

Designed for severe-duty use, these brake pads offer an extremely high coefficient of friction and fade resistance. Recommended for light trucks towing heavy payloads and professional medium-duty trucks. Designed to work with iron brake rotors. (Not recommended for personal or recreational trucks and SUVs.)



Part No.	Description	Price
HAWHB589P.704	Front, 2007-16 Toyota Tundra	
HAWHB590N.682	Rear, 2007-16 Toyota Tundra	

## Performance Ceramic Compound for Front, 2012-16 Camaro/2015-16 Charger HAWHB649Z605

Engineered to reduce NVH (Noise, Vibration, and Harshness) along with improving stopping power, the Performance Ceramic brake pad is extremely quiet, offers minimal dust characteristics, and is easy on brake rotors while extending pad life. Designed to work with iron brake rotors.



## DOT 4 Premium Brake Fluid HAWHP520

Above Original Equipment specifications. Made for performance street vehicles. Minimum dry boiling point of 500°F. 500ml bottle.





## Lower Ball Joint Housing

QA11210-502

Replacement housing for QA11210-502 lower ball joint.



## Low-Friction Hybrid Ball Joint

QA11210-227

Popularly used on the right front of IMCA chassis, hybrid lower ball joint combines a QA11210-508 housing and QA19029-223 stud.



## 27 Series Steel Monotube Stock-Mount Shock

QA1276812-2M

Steel monotube, stock-mount shock absorber is racer rebuildable and revalvable, and feature an electroless nickel-plated body. Shock includes an adjustable Hyperscrew feature, and is NOT IMCA-legal.



Description	Valving Compression/Rebound	Compressed Length	Extended Length
GM Metric Rear	12-2	14.30"	22.63"

## 51 Series Steel Replaceable Bearing Shock

QA15177

Twin-tube shock absorber features a machined body with a 2mm larger inside diameter to allow easier gas bag installation. Deflective disc valving provides increased sensitivity in response, control and consistency.



Description	Valving Compression/Rebound	Compressed Length	Extended Length
7" Stroke	7	13.38"	20.30"

## 60 Series Aluminum Smooth Body Shock Absorbers

Twin-tube, large body shocks are common to sprint applications. Shocks offer more grip and feel, even when track conditions diminish. Racer rebuildable and revalvable.



Part No.	Valving Compression/ Rebound	Compressed Length	Extended Length	Price
<b>6" Stroke</b>				
QA1606R-DRY*	N/A	12.00"	18.00"	
QA16063-7	3-7	12.00"	18.00"	
<b>8" Stroke</b>				
QA16084-5	4-5	14.00"	24.00"	

\* Signifies dry shock without set valving.

## 1965-67 Chevy C-10 Stocker Star Front Shock Absorber

QA1TS405

Single adjustable, aluminum shock absorber combines the benefits of improved handling, an affordable price and a great appearance. Made in the USA, shock is serviceable, rebuildable, and offers direct, bolt-in installation.



## Shock Absorber Disc Valve Packs

Required when tuning FC, 50, 51, 53, 60, and 62 series shocks. Sold in packs of eight.



Part No.	Description	Price
QA17855-104	.900" O.D. x .010"	
QA17855-107	1.100" O.D. x .006"	
QA17855-108	1.100" O.D. x .008"	
QA17855-109	1.100" O.D. x .010"	
QA17855-112	1.300" O.D. x .006"	
QA17855-113	Disc Valve Pack, 1.300" O.D. x .008"	
QA17855-115	Disc Valve Pack, 1.300" O.D. x .012"	

## Shock Absorber Accessories/ Replacement Components

QA19028-117



Part No.	Description	Price
QA19028-117	Replacement Piston Rod, For 53 Series Shocks	
QA19055-325	Firm Base Valve Assembly, for FC, 50, 51, 53, 60, & 62 Series Shocks	
QA19057-289	Monotube Piston, Variable Linear/Digressive, for 16, 26, & 27 Series Shocks	

## Coil-Over Thrust Bearing and Spanner Wrench Kit

QA17888-112

Designed to simplify the adjustment of coil-overs, kit includes (2) thrust bearings and (2) ratchet spanner wrenches.



## GM "B"/"F" Body Circle Track Spindles

All-new, stock-style spindles are designed for classes requiring a stock front clip. Ductile iron spindles feature OEM geometry, increased strength, carbon steel pins and compatibility with most aftermarket brakes. Use with 11" rotors only.



Part No.	Description	Price
QA19056-104	1980-90 GM B-Body (Impala)/ 1980-81 GM F-Body (Camaro) Spindle, Right	
QA19056-105	1980-90 GM B-Body (Impala)/ 1980-81 GM F-Body (Camaro) Spindle, Left	

## PC-Series 1/2" x 1/2"-20 RH Male High Misalignment Rod End

QA1PCYFR8T

Chromoly steel heat-treated body is black oxide coated and delivers the highest load rating of any two-piece rod end. Ball is 52100 bearing steel, precision ground, heat-treated, and hard chrome plated.



## SIB-T Series .625" I.D. x 1.00" O.D. x 1.00" Width Spherical Bearing

QA1SIB10T-102PK

Bearing combines a corrosion-resistant stainless steel body with a heat-treated and hard chrome-plated 52100 bearing steel ball and self-lubricating PTFE liner.



# NEW PRODUCTS



## D.I.R.T. Modified/"602" Crate Headers SCH1122BUCM2

The spec header for D.I.R.T. Sportsman Division, Chevy 602 Crate Motor headers utilize a cab forward design for added muffler clearance. Headers have 1-5/8" primary tubes and 3" dia. x 8" long collectors, and fit Behrent's, Bicknell, Olsen, TEO, and Troyer chassis. Includes bolts and gaskets.



## Stock Clip/18° Chevy Headers SCH156V18

Engineered for race cars that utilize a stock clip, headers are designed for use with 18° cylinder heads. Headers feature 1-3/4" to 1-7/8" primary tubes and 3-1/2" x 9" long collectors. Both headers exit over the frame rails and will not fit with the stock firewall. Includes bolts and gaskets.



## New Design Dirt Late Model/18° Chevy Headers SCH182-606LVG

Headers fit Chevy 18° cylinder heads, and include 1-3/4" to 1-7/8" primary tubes with 3-1/2" dia. collectors. Design offers 26" from the head surface to the inside of the left collector, allowing fitment to a wide variety of chassis.



## Crossover Tailpipe Kit SCH3035K

All inclusive, crossover tailpipe kit includes (1) SCH3042 3" dia. 42° elbow, (1) SCH3031 3" dia. 30° elbow, (1) SCHY3035 3" in/3-1/2" out Y-collector, (1) SCH3590 3-1/2" dia. 90° elbow, (1) SCH360035 3-1/2" dia. x 36" long collector extension, and (2) SCH4003-6 header tab kits.



## 3" Dia./90° Exhaust Elbow SCH3091

Expanded on one end, elbow is 3" dia. with a 90° bend and 5" center line radius.



## Tailpipe Saver SCH350TSS-45

Single-outlet tailpipe saver features a silver powder-coated finish, and measures 3-1/2" dia. with a 45° angle.



## Slip-On Merge Collector SCHSOM82530

Merge collector slips over 1-7/8" primary tubing, and has a 2-1/2" dia. merge and 3" dia. outlet.



## EZ Pour Spout

Eases the pouring of liquids from quart, half gallon and one gallon containers. Made in the USA, durable EZ Pour Spout fits all 1-1/8" Beta openings. Sold each or cases of 24.



Part No.	Description	Price
VPF320	Each	
VPF32024	(24) Case	

## Power Spout VPF348

Spout screws directly onto the pull out spouts found on the VP Racing Fuel 5-gallon steel pails, easing the transfer of liquids. A built-in vent tube helps speed liquid flow. **Note: Power Spout does not fit 5-gallon motorsport or sportsman containers.**



## 55-Gallon Drum Siphon Pump VPF3054

Economical, manual pump attaches directly to 55-gallon steel drums, allowing liquids to be quickly and effectively siphoned.



## 7-In-1 Fuel Treatment

Easy-to-use fuel additive removes combustion chamber deposits, cleans fuel injectors, and stabilizes fuel, resulting in improved performance and fuel economy. Designed for use in 4- or 2-cycle engines, product should be used between Fuel System Cleaner intervals.

Part No.	Description	Price
VPF2848	16-oz. Bottle, Each	
VPF2849	(9) 16-oz. Bottles, Case	



## Diesel All-In-One Fuel Conditioner

Fuel conditioning additive cleans injectors and pumps, reduces smoking, replaces lost lubrication, increases fuel mileage, and disperses water, while providing anti-gel protection to -40° F. Adding 24 ounces treats up to 240 gallons.

Part No.	Description	Price
VPF2838	16-oz. Bottle, Each	
VPF2839	(9) 16-oz. Bottles, Case	
VPF2833	64-oz. Jug, Each	
VPF2836	(4) 64-oz. Jugs, Case	



## ATF Pro

Specially formulated additive for automatic transmissions that is engineered to reduce fluid temperatures and restore performance, resulting in extended unit life. Equally suited to diesel, heavy-duty, and performance applications.

Part No.	Description	Price
VPF2037	8-oz. Bottle, Each	
VPF2038	(9) 8-oz. Bottles, Case	





# NEW PRODUCTS



## Octanium Unleaded

Fuel additive delivers an octane boost to unleaded fuel of up to 7 numbers (70 points), eliminating detonation and increasing horsepower. Additionally cleans fuel injectors and eliminates varnish build-up, thereby improving throttle response. Safe for catalytic converters and O2 sensors.

Part No.	Description	Price
VPF29505	32-oz. Can, Each	
VPF29507	(8) 32-oz. Cans, Case	



## Ultra Marine Fuel Stabilizer And Cleaner

Ultra Marine fuel additive slows the fuel aging process, keeping fuel fresh. Product incorporates vapor corrosion inhibitors and top-tier detergents to keep carburetors and injectors clean, while preventing carbon build-up in the engine.

Part No.	Description	Price
VPF2039	24-oz. Bottle, Each	
VPF2040	(6) 24-oz. Bottles, Case	



## Stay Frosty

A proprietary coolant specially-formulated for high-performance engines that require increased protection from overheating, while needing minimal freeze protection. Stay Frosty reduces engine temperatures up to 25°F compared to traditional, glycol-based coolants.

Part No.	Description	Price
VPF2087	64-oz. Jug, Each	
VPF2088	(4) 64-oz. Jugs, Case	



## Racing 622 Brake Fluid

Formulated to meet the hard braking and high temperature demands common to racing. Fully synthetic 622 is the highest boiling point, DOT 4 fluid currently available that maintains stability under high temperatures, resists vapor lock and fade, and improves pedal feel.

Part No.	Description	Price
VPF2551	500 ml Bottle, Each	
VPF2552	(12) 500 ml Bottles, Case	



## Classic Non-Synthetic Racing Oils

Racing oils are formulated with high-quality mineral base oils and a specialized additive package, resulting in a lubricant that offers superior film strength and protection to critical engine parts. Oils also include enhanced levels of ZDDP and a strong detergent dispersant package for increased engine longevity.

Part No.	Description	Price
VPF2681	30W, 1-Quart Bottle, Each	
VPF2682	30W, (12) 1-Quart Bottles, Case	
VPF2678	10W-30, 1-Quart Bottle, Each	
VPF2679	10W-30, (12) 1-Quart Bottles, Case	
VPF2691	20W-50, 1-Quart Bottle, Each	
VPF2692	20W-50, (12) 1-Quart Bottles, Case	



## Traditional Non-Synthetic Racing Oils

Engineered for use in high-performance competition engines that are exposed to extreme loads and high-temperature conditions. Non-synthetic, straight-weight oils offer an aggressive base layer along with enhanced levels of ZDDP to protect internal engine components.

Part No.	Description	Price
VPF2685	50W, 1-Quart Bottle, Each	
VPF2686	50W, (12) 1-Quart Bottles, Case	
VPF2687	60W, 1-Quart Bottle, Each	
VPF2688	60W, (12) 1-Quart Bottles, Case	



## Nitro 70W Racing Oil

Non-synthetic racing oil is formulated for competition engines that are subjected to extreme load conditions, including alcohol or nitro-methane-fueled applications. High viscosity, an aggressive base oil film and enhanced levels of ZDDP combine to provide critical engine protection.

Part No.	Description	Price
VPF2689	70W, 1-Quart Bottle, Each	
VPF2690	70W, (12) 1-Quart Bottles, Case	



## 0W-50 EX HP Hi-Performance Racing Oil

Full synthetic, wide viscosity racing oil provides exceptional high- and low-temperature protection to highly stressed competition engines. The lower viscosity offers improved flow to critical engine parts, while maintaining high-temperature/high-shear protection.

Part No.	Description	Price
VPF2758	0-50W, 1-Quart Bottle, Each	
VPF2759	0-50W, (12) 1-Quart Bottles, Case	



## C11 5W-40 High-Performance Diesel Engine Oil

Lubricant provides excellent high- and low-temperature protection to high-performance diesel race engines as well as tow vehicles. C11 includes higher levels of ZDDP, an aggressive detergent dispersant and an anti-oxidant package for superior engine protection.

Part No.	Description	Price
VPF2695	5W-40, 1-Quart Bottle, Each	
VPF2696	5W-40, (12) 1-Quart Bottles, Case	



## Classic 80W-90 Hi-Performance Gear Oil

API GL-4 lubricant is engineered for use in classic manual transmissions and transaxles. Oil combines select base oils with anti-wear additives and friction modifiers for unsurpassed protection of critical components.

Part No.	Description	Price
VPF2703	80W-90, 1-Quart Bottle, Each	
VPF2704	80W-90, (12) 1-Quart Bottles, Case	



# NEW PRODUCTS



## High-Performance 75W-140LS Full Synthetic Gear Oil

Full synthetic, GL-5 extreme-pressure gear oil provides excellent protection against high-speed scoring, low-speed/high-torque wear and heavy shock loading. Also offers low frictional drag and resistance to foaming. Sold in one-quart bottles, or in cases.

Part No.	Description	Price
VPF2707	75W-140LS, 1-Quart Bottle, Each	
VPF2708	75W-140LS, (12) 1-Quart Bottles, Case	



## PowerWash Moto Formula Spray

Specially formulated for Motorsports, Powersports, and R/C hobby enthusiasts, super concentrated, dual-action detergent makes cleaning easier, removing dirt and grease without streaking or spotting.

Part No.	Description	Price
VPFM10025	32-oz. Spray Bottle, Each	
VPFM10027	(12) 32-oz. Spray Bottles, Case	



## Power Clean

Revolutionary product is specially formulated to safely clean wheels, tires and other automotive surfaces, except glass. Special polymers and emulsifiers break down and dissolve the toughest dirt, grime, and brake dust. Sold in 17-oz. spray bottle, or in cases.

Part No.	Description	Price
VPF2117	17-oz. Spray Bottle, Each	
VPF2118	(12) 17-oz. Spray Bottles, Case	



## Power Leather and Interior Detailer

Product cleans, restores, and protects leather, vinyl, and moldings. Formula has the ability to restore the original color, hide scratches, and protect against the sun's UV rays. Sold in 17-oz. spray bottle, or in cases.

Part No.	Description	Price
VPF2115	17-oz. Spray Bottle, Each	
VPF2116	(12) 17-oz. Spray Bottles, Case	



## Power Instant Detailer and Gloss Enhancer

Spray-on detailer provides unsurpassed slickness and gloss to any automotive surface. Simply spray and wipe all exterior surfaces for a high-gloss finish that also repels dust and dirt.

Part No.	Description	Price
VPF2110	17-oz. Spray Bottle, Each	
VPF2111	(12) 17-oz. Spray Bottles, Case	



## Power Wax

The only wax currently available that includes a patented system to protect paint from the sun's harmful UV rays. Unique formula provides up to 5 months of protection. Safe for all automotive surfaces including vinyl and moldings.

Part No.	Description	Price
VPF2112	17-oz. Spray Bottle, Each	
VPF2113	(12) 17-oz. Spray Bottles, Case	



## Lane Choice 5 Traction Compound

The most advanced technology in traction, LC5 is VP Racing Fuel's version of the old "VHT" traction compound. Designed to be blended with methanol for custom tailoring.

Part No.	Description	Price
VPF2351	1-Gallon Jug, Each	
VPF23514	(4) 1-Gallon Jugs, Case	



## Drum Wrench VPF3061

Heavy-duty steel wrench eases cap removal or replacement common to large steel fuel or oil drums.



## M2 Upper Lube

M2™ protects the investment in your methanol or ethanol powered engine and will more than pay off at rebuild time. Protects valves, cylinders, and aluminum fuel system components from corrosive effects of methanol or ethanol fuels.

Part No.	Description	Price
VPF2076	16-oz. Bottle, Each	
VPF2079	(12) 16-oz. Bottles, Case	



## Synthetic Power Steering Fluid

Universal fluid is formulated using synthetic base stocks and an advanced additive technology package to deliver optimum power steering system protection. Fluid protects and conditions seals, and minimizes pump squealing.

Part No.	Description	Price
VPFVP6100502	12-oz. Bottle, Each	
VPFVP6100502C	(12) 12-oz. Bottles, Case	



## Street-Legal DOT-4 Brake Fluid

Premium, street-legal synthetic brake fluid is suitable for use with disc, drum and ABS brake systems. Glycol-based fluid meets DOT 4 specifications and offers exceptional corrosion and oxidation resistance. Sold in 12-oz. bottles, or in cases.

Part No.	Description	Price
VPFVP6100402	12-oz. Bottle, Each	
VPFVP6100402C	(12) 12-oz. Bottles, Case	



## Extreme Service Oil Boost

Specially formulated for vehicles with over 75,000 miles, engine oil additive includes special seal conditioners that revitalize O-rings, gas-kets, and seals to eliminate oil leakage, while incorporated detergents minimize sludge.

Part No.	Description	Price
VPFVP6100102	12-oz. Bottle, Each	
VPFVP6100102C	(12) 12-oz. Bottles, Case	



## Multi-Purpose Automatic Transmission Fluid

Premium lubricant is designed for automatic transmissions previously requiring GM Dexron-III or Ford Mercon. Fluid offers smooth shifting, anti-shudder properties and excellent seal compatibility. Sold in one-quart bottles, or in cases.

Part No.	Description	Price
VPFVP4011103	1-Quart Bottle, Each	
VPFVP4011103C	(12) 1-Quart Bottles, Case	



# NEW PRODUCTS



## UTV/ATV Synthetic 4-Cycle Engine Oils

Specially formulated for popular UTV's/ATV's, 4-cycle synthetic engine oils combine synthetic base stocks with a special additive package for increased performance and durability.

Part No.	Description	Price
VPFVP7150503	5W-40, Can-Am/Polaris, 1-Quart Bottle, Each	
VPFVP7150503C	5W-40, Can-Am/Polaris, (12) 1-Quart Bottles, Case	
VPF26721	10W-40, Honda/Yamaha/Kawasaki/Arctic Cat, 1-Quart Bottle, Each	
VPF26727	10W-40, Honda/Yamaha/Kawasaki/Arctic Cat, (12) 1-Quart Bottles, Case	



## Street Synthetic-Blend Formula Motor Oil

Synthetic-blend oils combine the benefits of conventional base stocks with a proprietary, advanced additive system, resulting in increased engine protection and performance. Sold in one-quart bottles, or in cases.

Part No.	Description	Price
VPFVP3152003	5W-20, 1-Quart Bottles, Each	
VPFVP3152003C	5W-20, (12) 1-Quart Bottles, Case	
VPFVP3153003	5W-30, 1-Quart Bottles, Each	
VPFVP3153003C	5W-30, (12) 1-Quart Bottles, Case	
VPFVP3110303	10W-30, 1-Quart Bottles, Each	
VPFVP3110303C	10W-30, (12) 1-Quart Bottles, Case	



## Powersport Foam and Fiber Air Filter Cleaner

Very effective in cleaning foam or fiber air filters that require periodic cleaning and oiling. Water rinsable, solvent cleaner removes dirt and contaminants without damage. Sold in 13-oz. aerosol cans, or in cases.

Part No.	Description	Price
VPFVP7970020	13-oz. Aerosol Can, Each	
VPFVP7970020C	(12) 13-oz. Aerosol Cans, Case	



## Powersport Multi-Purpose Lubricant

Versatile lubricant has the ability to penetrate components, loosen seized parts, and provide a protective lubricating film. Sold in 13-oz. aerosol can, or in cases.

Part No.	Description	Price
VPFVP7930020	13-oz. Aerosol Can, Each	
VPFVP7930020C	(12) 13-oz. Aerosol Cans, Case	



## Powersport Air Filter Oil

Specially formulated lubricant maximizes the effectiveness of air filters that require periodic oiling. Filters should be cleaned thoroughly with air filter cleaner prior to oiling. Formulas offered for foam or fiber filters. Sold in 13-oz. aerosol cans, or in cases.

Part No.	Description	Price
VPFVP7950020	Foam Air Filter, 13-oz. Aerosol Can, Each	
VPFVP7950020C	Foam Air Filter, (12) 13-oz. Aerosol Cans, Case	
VPFVP7960020	Fiber Air Filter, 13-oz. Aerosol Can, Each	
VPFVP7960020C	Fiber Air Filter, (12) 13-oz. Aerosol Cans, Case	



## Powersport Chain Cleaner

Aerosol quickly removes grease, grime, dirt and oil from drive chains. Chain lubricant may be applied following cleaning. Sold in 13-oz. aerosol cans, or in cases.

Part No.	Description	Price
VPFVP7920020	13-Oz. Aerosol Can, Each	
VPFVP7920020C	(12) 13-Oz. Aerosol Cans, Case	



## Powersport Chain Lubricant

Product offers superior protection to drive chains, preventing galling and wear. Suited to street or off-road applications. Sold in 13-oz. aerosol cans, or in cases.

Part No.	Description	Price
VPFVP7910020	13-Oz. Aerosol Can, Each	
VPFVP7910020C	(12) 13-Oz. Aerosol Cans, Case	



## Powersport Silicone Detailer

Specifically formulated for use on motorcycles, ATV's, UTV's, etc., silicone detailer helps provide a quick clean-up. Product offers an attractive shine and superior surface protection. Sold in 13-oz. aerosol cans, or in cases.

Part No.	Description	Price
VPFVP7980020	13-oz. Aerosol Can, Each	
VPFVP7980020C	(12) 13-oz. Aerosol Cans, Case	



## Powersport Contact Cleaner

Product helps clean sensitive electronic contacts, removing corrosion, while preventing shorting and arcing. Sold in 13-oz. aerosol cans, or in cases.

Part No.	Description	Price
VPFVP7940020	13-oz. Aerosol Can, Each	
VPFVP7940020C	(12) 13-oz. Aerosol Cans, Case	





# NEW PRODUCTS



**SPECIALY LABELED FOR CANADA!**

## Fuel Stabilizer With Ethanol Shield

Special fuel additive eliminates the problems associated with ethanol fuels, protecting the engine from corrosion and eliminating the need for repairs. One 8-oz. bottle can treat up to 80 gallons of fuel. Sold in 8-oz. bottle, or in cases.

Part No.	Description	Price
VPF28151	8-oz. Bottle, Each	
VPF28171	(9) 8-oz. Bottles, Case	



## ATF Pro

Automatic transmission additive reduces fluid temperatures and restores performance, resulting in extended unit life. Equally suited to diesel, heavy-duty, and performance applications. Sold in 8-oz. bottles, or in cases.

Part No.	Description	Price
VPF20371	8-oz. Bottle, Each	
VPF20381	(9) 8-oz. Bottles, Case	



## 7-In-1 Fuel Treatment

Fuel additive removes combustion chamber deposits, cleans fuel injectors, and stabilizes fuel, resulting in improved performance and fuel economy. Designed for use in 4- or 2-cycle engines.

Part No.	Description	Price
VPF28481	16-oz. Bottle, Each	
VPF28491	(9) 16-oz. Bottles, Case	



## Octanium

Blended for off-road applications, fuel additive increases the octane of gasoline up to 8 numbers (80 points), increasing horsepower, while eliminating detonation. Also functions as a lead substitute. One can treats up to 10 gallons of gas. Sold in 32-oz. can, or in cases.

Part No.	Description	Price
VPF28551	32-oz. Can, Each	
VPF28571	(8) 32-oz. Cans, Case	



## Fuel System Cleaner

Advanced formula increases fuel mileage, restores performance, and eliminates detonation. Cleans entire fuel system for up to 5,000 miles. One 16-oz. bottle treats up to 20 gallons.

Part No.	Description	Price
VPF28051	16-oz. Bottle, Each	
VPF28071	(9) 16-oz. Bottles, Case	



## Octanium Unleaded

Delivers an octane boost to unleaded fuel of up to 7 numbers (70 points), eliminating detonation and increasing horsepower. Safe for catalytic converters and O2 sensors.

Part No.	Description	Price
VPF29506	32-oz. Can, Each	
VPF29508	(8) 32-oz. Cans, Case	



## Diesel All-In-One Fuel Conditioner

Fuel additive cleans injectors and pumps, increases fuel mileage and disperses water, while providing anti-gel protection to -40° F. Adding 24 oz. treats up to 240 gallons.

Part No.	Description	Price
VPF28351	16-oz. Bottle, Each	
VPF28371	(9) 16-oz. Bottles, Case	
VPF28331	64-oz. Jug, Each	
VPF28361	(4) 64-oz. Jugs, Case	



## Sub Zero 2T Snowmobile Engine Oil

Sub Zero 2T snowmobile engine oil is a 2-cycle lubricant formulated with synthetic base oils and an advanced additive package to provide optimum engine performance, while minimizing harmful carbon deposits.

Part No.	Description	Price
VPFVP7110004	1 Gallon Jug, Each	
VPFVP7110004C	(6) 1-Gallon Jugs, Case	



## Bump Stop Suspension Adjuster With Travel Indicator WEHWM381C

Allows running a bump stop package outside of shocks, enabling quicker tuning changes. Shaft slips apart once the upper bolt is removed from chassis for quick, easy bump stop adjustments.



## Adjustable Shock Mount For 1-1/2" Tubing WEHWM4461500

Kyle Strickler-inspired adjustable shock mount allows tuning a car's dynamic attitude in 1/2" increments. Sold as a kit with weld plates and hardware to fit 1-1/2" dia. tubing.



## Center Pull Rear Trailing Arm

Center pull-design rear trailing arm, designed by Toby Nuttleman, includes added axle tube clearance to allow a full range of motion. May be mounted to the axle tube with WEHWM442K bracket kit. Requires a 3/4" suspension tube of the desired length, purchased separately, to complete the assembly.



Part No.	Description	Price
WEHWM441	Center Pull Rear Trailing Arm	
WEHWM442K	Center Pull Axle Clamp Bracket Kit	

## Spindle Checker WEHWM449

When used in conjunction with an angle checker, fixture allows checking for bent spindles. Compatible with spindles featuring 3-1/4"-5" spread from upper to lower ball joint.



# NEW PRODUCTS



## Lower Control Arm Drop Shock Mounts

Weld-in mount is required when additional shock travel is desired. Choose from two versions: WEHWM371 welds to 1-1/4" x .095" tubing on one side and to the ball joint ring on the opposite side, while WEHWM372 welds to 1-1/4" x .095" tubing on both sides.



Part No.	Description	Price
WEHWM371	Drop Shock Mount, Welds To Ball Joint Ring & 1-1/4" O.D. x .095" Tubing	
WEHWM372	Drop Shock Mount, Welds To 1-1/4" O.D. x .095" Tubing on Both Sides	

## Trans and Rear End Breather Fitting WEHWM128B

Suitable for use as a breather for transmissions or differentials, breather includes a bulkhead fitting that accepts a -4AN line.



## Double Slot Shock Plate WEHWM200-3-500-S-F-1

Billet steel shock plate is double slotted with 1/2" dia. holes, complete with laser-engraved increments for eased adjustments.



## Double Slot Top Plate WEHWM200-4-500-187-B-1

Differential mount billet steel top plate is double slotted with 1/2" holes. Laser-engraved increments make adjustments easier.



## Lightweight Hood Pin Scuff Plate WEHWM201B

Billet aluminum scuff plate features a black finish.



## Steel Shock Mount WEHWM2211250150S

Required to mount shocks, 5th or 6th coil set-ups to 1-1/4" round tubing; mounting is 3-3/4" below centerline.



## Dual Bearing Spring Sliders

The smoothest, most stable slider currently available. Slider has a 26" extended coarse-thread body, and features a four-position locking mechanism that assists fine tuning, while a Torrington bearing on the adjuster nut allows for easier adjustment and bind-free spring travel. Offered for use with 2-1/2" or 5" O.D. springs.



Part No.	Description	Price
WEHWM251-2C	5" Spring Slider	
WEHWM251-2C-2.5	2-1/2" Spring Slider	

## Clamp-On Hood Pin Mount WEHWM258175045

Innovative 4-1/2" tall mount clamps directly to 1-3/4" chassis tubing, easing hood pin mount installation.



## Small Body Mud Scrapers

Manufactured from high-strength 1/2" plastic to eliminate breakage, mud scrapers are offered with short or long-reach handles.



Part No.	Description	Price
WEHWM266SB	Small Body Mud Scraper, Long-Reach Handle	
WEHWM266SBS	Small Body Mud Scraper, Short Handle	

## Bolt-In Steel Quick Adjust Limit Chain

Designed by Brad Waits, unique design allows changing chain length by simply pulling a pin, moving to the next hole and inserting the pin. Also offered with a Belleville spring stack to provide a cushion at the end of the chain to keep the tire planted on the track.



Part No.	Description	Price
WEHWM269BS	Quick Adjust Limit Chain	
WEHWM269BSW	Quick Adjust Limit Chain with Belleville Spring Stack	

## 5" Quick Release Swivel Cup and 3/4"-10 Screw Jack

Engineered to eliminate spring bind, allowing rotation and angular alignment. Patented SLIC Pin technology allows easy spring changes. Choose from assemblies with 8" or 10" long x 3/4"-10 screw jack.



Part No.	Description	Price
WEHWM28810B-750	Swivel 5" Tall Cup (4" Tall), 10" Long x 3/4"-10 Screw Jack	
WEHWM2888T-750	Swivel 5" Tall Cup (4" Tall), 8" Long x 3/4"-10 Screw Jack	

## 1" Longer Suspension Travel Limiter WEHWM291-1

Bare travel limiter can is 1" longer than the standard unit.



## Shift Handle and Knob Combo WEHWM29179

Super light, billet aluminum shift knob is sold complete with 5-1/2" tall handle (WEHWM179).



## GM Metric Trailing Arm Bolt WEHWM326

Inspired by Stefan Sybesma, bolt extends the hex end of the bolt outside of the frame rail, easing bolt removal or replacement. Fits GM metric chassis.



## Crank Trigger Guard WEHWM328

Screws onto the crank trigger mount, encasing the wiring and protecting it from track debris.



## Clamp-On Swivel Shock Mount WEHWM3321250

Allows mounting shock absorber without the need for welding, while also permitting height adjustment. Designed to clamp directly to 1-1/4" dia. tubing, mount is sold complete with WEHWM200-8 shock swivel.



# NEW PRODUCTS



## Chamfering Blade

SHA29147

Ideal for external chamfering of tubes and pipes up to 1.02" (26mm) diameter. Suitable for steel, aluminum, copper, brass, cast iron, stainless steel, and plastics materials.



## Countersinks

These 90° hole-edge countersinks suitable for steel, aluminum, copper, brass, cast iron, stainless steel, and plastics.



Part No.	Description	SHA29049
SHA29049	Up to 12mm (.47") Dia.	
SHA29050	Up to 20mm (.78") Dia.	
SHA29051	Up to 30mm (1.18") Dia.	

## Deburring Blades

SHA29012-10



Part No.	Description	Blade	Materials	Price
<b>Model B Blade Holder</b>				
<b>Straight Edge, Hole Edge</b>				
SHA29012-10	B10, 10-Pack	High-Speed Steel	Steel, Aluminum, Copper	
SHA29210-10	B10S, 10-Pack	Cobalt-Enriched	Steel, Aluminum, Copper, Stainless Steel, Plastics	
<b>Model E Blade Holder</b>				
<b>Straight Edge, Hole Edge</b>				
SHA29034	E100, Each	HD High-Speed Steel	Steel, Aluminum, Copper	
SHA29211-10	E100S, 10-Pack	Cobalt-Enriched	Steel, Aluminum, Copper, Stainless Steel, Plastics	

## Glo-Burr Handy Deburring Kit

The kit includes four Glo-Burr holders and four blades: 100, 200, 300, and 111.



Part No.	Description	SHA29114	Price
SHA29114	E-Holder		
SHA90042	B-Holder		

## Mango II Extra Close Work Bonus Pack

The tool package is designed to deburr steel, aluminum, copper, brass, cast iron, and plastics. Includes a Mango II handle and 10 blades.



Part No.	Description	Price
<b>Extra-Close Work</b>		
SHA29249	B10 Blades, B-Holder, High-Speed Steel Blade	
SHA29250	E100 Blades, E-Holder, HD High-Speed Steel Blade	
SHA29254	E100S Blades, E-Holder, Cobalt-Enriched Blade	
<b>Long-Reach Work</b>		
SHA29256	B10S Blades, B-Holder, Cobalt-Enriched Blade	

## Mango II Set FR

SHA90072  
This Mango II Set features a FR ratcheting tool holder for internal chamfering up to 0.78" (20mm) I.D. Uses F20 blade. **Note: All sets deburr, aluminum, copper, brass, cast iron, stainless steel, and plastics.**



## Mango II Set-Bi

SHA90073

This Mango II Set features a FR ratcheting tool holder for external chamfering up to 1.00" (26mm) O.D. Uses F26X blade. **Note: All sets deburr, aluminum, copper, brass, cast iron, stainless steel, and plastics.**



## Mango II Set M

SHA90094

Deburs holes, slots, and edges. The Two-in-One M-Holder handle supports both B and E blades. Includes handle and 6 blades (B10, B20, B30, E100, E111, E200). **Note: All sets deburr, aluminum, copper, brass, cast iron, stainless steel, and plastics.**



## Mango II Set Burr-Bi

SHA90095

For heavy-duty deburring of materials with single or double straight edges up to 14 mm (0.56") thick. Holder can take two R10, R20, or R30 blades for arc-shaped finishes on workpieces up to 16 mm (0.63") thick. **Note: All sets deburr, aluminum, copper, brass, cast iron, stainless steel, and plastics.**



## Scrape-Burr Kit 3+1

SHA90081

Tackle most any deburring task with this set of three Scrape-Burr tools: the HD, the All-Purpose, and the Fine-Finish scraper. A Glo-Blurr handle with B10 blade is included as well. **Note: All sets deburr, aluminum, copper, brass, cast iron, stainless steel, and plastics.**



## Mango II Set L

SHA90101

Designed for the deburring of external curved edges such as pipes and tubes. Includes Mango II handle with L10 blade.



## Professional Series Auto Burr Kit

SHA90117

This ten-piece hand deburring tool kit is designed with the automotive professional as well as the enthusiast in mind. This kit includes the equipment needed to handle tubing up to 1.00" O.D. and 0.78" I.D. Suitable for steel, aluminum, copper, brass, cast iron, stainless steel, and plastics. Includes carrying case.



## Zero Flute Chamfering Kit

SHA90098

This three-piece chamfering kit made with high-speed steel with a 90° flute angle and works with any 1/4" bit holder handle or power tool. Tool sizes 9/32" - 13/16", 3/16" - 1/2", and 5/64" - 5/16". Includes finishing bit.



## Cera-Burr

SHA90084

The ceramic bladed tool designed for deflashing plastics and deburring soft metals.



## Ceramix Set Q10Tool

SHA29238

This ceramic bladed heavy-duty utility tool designed for deflashing plastics and deburring soft metals. The unique blade is designed with a straight edge and a flat surface allowing for multi-purpose use. Replaceable blade.







# NEW ITEMS FOR 2020

## Quick-Release NHRA Fire Extinguisher Bracket for 3-3/8" O.D. Extinguisher

ALL10513

NHRA-approved bracket keeps fire extinguisher secure and allows quick access by pulling pin. Bracket mounts most 2-1/2 lb. extinguishers to 1-1/2"-1-3/4" round tubing with supplied 3/4" wide stainless T-bolt bands or fastens to a flat panel.



## Caster Kit

Measure your front end caster by attaching an adapter and level holder to your upper ball joint threads. Additional adapters may be purchased separately for other use.



ALL11162

Part No.	Description	Price
ALL11162	Kit With Holder, BJ Adapters and Carry Case (No Digital Level)	
ALL11164	Holder Only for Digital Level	
ALL11165	Quick-Change Pinion Angle Adapters (2)	
ALL11166	Late Model Spindle Adapter	

## Race Car Air Jack Kit, 15.25" Stroke Cylinders with Dirt Foot

ALL11301

Raise your car in seconds! The Allstar Air Jack system connects to your race car with included weld-on mounting rings. Works with a nitrogen tank, requires a high-pressure regulator, and a minimum 400 PSI hose. System will support vehicles up to 3000 lbs. Dirt foot system includes lift cylinders with a large 5" base designed for use in dirt or soft pit areas.



## Round Tank Brackets (Bottle Mounts)

Hinged brackets are uniquely designed to simplify tank installation and removal. Brackets are 1/2" wide and feature a flat bottom with 2.5" bolt spacing.



Size	Polished	Price	Black	Price
6.90"	ALL14436		ALL14437	

## Gear Marking Compound Kit

ALL78250

Gear marking compound kit is a good way to identify correct gear contact area when installing or adjusting ring and pinion gear sets. Kit includes gear marking compound and application brush.



## Oval Head Aluminum T-30 Torx Fasteners



	10-Pack	Price	50-Pack	Price
<b>7/16"</b>				
.500" Long, Silver	ALL19071		ALL19072	
.500" Long, Black	ALL19073		ALL19074	
.550" Long, Silver	ALL19075		ALL19076	
.550" Long, Black	ALL19077		ALL19078	

## Full Throttle Non-Restricting Inserts

ALL26190

Inserts are used in place of restricting inserts to allow full throttle operation without restriction, commonly used when qualifying or when track conditions allow for more power. Insert design provides a smooth transition over simply removing the restrictor inserts. Sold in a set of 4.



## NPT To AN Fittings

1/8"-27NPT steel fittings are commonly used when connecting braided lines to brake calipers, engine oiling systems, etc.



Part No.	Description	Price
ALL50004	1/8"NPT Male To -4AN Straight, Tall	
ALL50021	1/8"NPT Male To -4AN 90° Tall	

## Floor-Mounted Throttle Pedal Kit


ALL54102

Floor-mount pedal offers a smooth, natural feel to maximize throttle control and comfort. Complete kit includes a pedal with a built-in return spring and throttle stop, universal firewall bell crank assembly and two 24" throttle rods with rod ends and mounting hardware. Firewall bell crank assembly requires welding to match the firewall angle and throttle rods will need to be cut and threaded to your specific lengths.



## LS Cylinder Head Bolt Kits

LS head bolt kits are direct replacement OE-style Torque-to-Yield (TTY) head bolts which make them ideal for use on stock and mild performance rebuilds. Follow OEM torque sequence and specifications for proper installation.



Part No.	Description	Price
ALL87004	1997-2003 Gen III	
ALL87005	2004-06 Gen III (Fully-threaded)	
ALL87006	004-2019 Gen III & IV	

## SB Chevy Rubber Valve Cover Gaskets

ALL87215

Reusable rubber gaskets are 3/16" thick and feature a molded-in steel reinforcing layer to help gasket keep its shape and provide a leak-free fit. Package of 2.



**To see more great new products from Allstar Performance as well as our complete selection of sale items and specials, visit [www.allstarperformance.com](http://www.allstarperformance.com)**