



TABLE OF CONTENTS

UNBELIEVABLE DEALS NEW PRODUCTS AND VENDORS

3-12
13-41

UNBELIEVABLE DEALS

Vendor	Page	Vendor	Page	Vendor	Page	Vendor	Page
Ace Racing Clutches.....	3	Cylinder Head Innovations.....	5	Hyperco.....	8	Quarter Master.....	10
AEM.....	3	Dart.....	5	Impact Racing.....	8	Racepak.....	11
Aero Race Wheels.....	3	Del West.....	6	Isky Cams.....	9	Reese.....	11
Aeromotive.....	3	Detroit Speed Engineering.....	6	JE Pistons.....	9	Richmond.....	11
Allstar Performance.....	3,4	Diversified Machine.....	6	JET Performance.....	9	Royal Purple.....	11
AMP Research.....	4	Eagle.....	6	KOOKS Headers.....	9	Sealed Power.....	11
Antigravity Batteries.....	4	Energy Suspension.....	6	Longacre.....	9	Simpson Safety.....	11
ATL Fuel Cells.....	4	Eneos.....	6,7	Magnaflow Performance Exhaust.....	9	Skyjacker.....	11
Auto Meter.....	4	Fast Shafts.....	7	Mahle Original.....	9	Sunoco Race Jugs.....	11
Bell Tech.....	4	FiTech Fuel Injection.....	7	Manley.....	9	Superwinch.....	11
Billet Specialties.....	4	Flaming River.....	7	Meziere.....	9	T and D Machine.....	12
Bilstein.....	4,5	Flo-Tek.....	7	MGP Caliper Cover.....	9	Ultra Lite Brakes.....	12
Braille Auto Battery.....	5	Ford.....	8	Moroso.....	10	Weld Racing.....	12
C and R Racing Radiators.....	5	Fuel Safe.....	8	Motive Gear.....	10	Wilwood.....	12
Canton.....	5	Gibson Exhaust.....	8	Motul USA.....	10	Wizard Products.....	12
Centerforce.....	5	Gorilla.....	8	MSD Ignition.....	10	Yukon Gear and Axle.....	12
Comp Cams.....	5	Heidts Rod Shop.....	8	NGK.....	10		
Corsa Performance.....	5	Holley.....	8	Nitrous Express.....	10		
Crower.....	5	Hooker.....	8	Peterson Fluid.....	10		

NEW PRODUCTS INDEX

Please Note: Some items not legal for sale or use on pollution-controlled vehicles • Not responsible for typographical errors • All prices are listed in U.S. dollars.

BLACK - NEW VENDORS

Vendor	Page	Vendor	Page	Vendor	Page	Vendor	Page
3D MAXPIDER.....	24-26	Edelbrock.....	40	Melling.....	26	Richmond.....	21
AFM Performance Equipment.....	14	Equuss.....	34,35	MPD Racing.....	38	Rigid Industries.....	27
Allstar Performance.....	41	Five Star Race Car Bodies.....	15	MPI.....	36	Roush Performance.....	26
Auto Meter.....	39	Fluidampr.....	26	NOCO.....	17	SCT Performance.....	33
BAK Industries.....	21	Fragola.....	37	Northern Radiator.....	30	Skyjacker.....	40
BBK Performance.....	34	FST Carburetors.....	37	OMP Racing.....	39	Spyder Filtration.....	15
Bassett.....	14	Fuel Off-Road.....	19	Oracle.....	33	Superwinch.....	27
Bestop.....	20	Heatshield Products.....	18,19	Out-Pace Racing Products.....	15	Sweet Manufacturing.....	22
Bully Dog.....	31	IDIDIT.....	40	Painless Wiring.....	34	Ti22 Performance.....	40
Champion Brand.....	33	KOOLMAT.....	16	Permatex.....	33	Triple-XXX.....	40
CURT.....	31	KRC Power Steering.....	21	PIAA.....	20	Westin.....	17
DANA Spicer.....	26	Landrum.....	13,14	Proform.....	20	Wiles Driveshafts.....	21
Deatschwerks.....	36	LUND.....	22	Race Ramps.....	27	Wolfe Aircraft Products.....	32
Design Engineering Inc.....	23	Macs Custom Tie-Downs.....	34	Racequip.....	17	Zamp Racing.....	15
Diablosport.....	33	Magnaflow.....	31	Racing Electronics.....	15		
Diversified Machine.....	40	Manley Performance Products.....	32	Racing Power Company.....	28,29		
DRP Performance Parts.....	17	Maxima Racing Oils.....	22	RE Suspension.....	16		

NEW VENDORS



Page 24-26



















Page 19



Page 18,19













CALL NOW! UNBELIEVABLE DEALS!

DON'T MISS OUT ON THESE LIMITED QUANTITIES AVAILABLE AT SPECIAL SALE PRICES

Description	Photo	Part No.	Price
Ace Racing Clutches			
2011-17 Mustang 5.0L Clutch Kit Street King twin-disc clutch kit. 10" diameter, with 1" x 23 spline, sprung hub, and organic friction surface. For 2011-17 Ford Mustang with 5.0 L.		ACERSK-300M	
1996-10 Mustang 4.6L Clutch Kit Street King twin-disc clutch kit. 10" diameter, with 1-1/16" x 10 spline, sprung hub, and organic friction surface. For 1996-10 Ford Mustang with 4.6 L.		ACERSK-302M	
SBC/SBF/Mopar Clutch Kit Street King twin-disc clutch kit. 10" diameter, with 1-1/8" x 26 spline, sprung hub, and organic friction surface. For Chevy/Ford/Mopar.		ACERSK-306S	
AEM			
Digital Dash Display CD-5G CD-5G Carbon digital dash display. DTM style, includes connectors, GPS display. Black. Each.		AEM30-5602	
Aero Race Wheels			
15"x10" Wide 5 - Chrome Wheels w/ 6" BS 51-Series 15" x 10" wheels with 6.000" backspace and Wide 5 bolt pattern. Chrome-plated steel. Each.		ARW51-200560-RF	
Aeromotive			
Aluminum Fuel Cell 15-Gal w/ Brushless Eliminator Pump Aluminum fuel cell with Eliminator brushless pump. 15 gallon, 20" x 18" x 10" H, with -10AM O-ring outlet, -8AN return and vent. Natural finish, for E85/gas. Universal. Each.		AFS18362	
Aluminum Fuel Cell 6-Gal w/ Brushless Eliminator Pump Aluminum fuel cell with Eliminator brushless pump. 6 gallon, 12" x 12" x 10" H, with -10AM O-ring outlet, -8AN return and vent. Natural finish, for E85/gas. Universal. Each.		AFS18367	
Stealth Aluminum Fuel Cell 6-Gal w/ 3.5 GPM Spur Gear Pump Stealth aluminum fuel cell with 3.5-gallon spur gear pump. 6 gallon, 12" x 12" x 10" H, with -10AM O-ring outlet, -8AN return and vent. Natural finish, for E85/gas. Universal. Each.		AFS18376	
Stealth Aluminum Fuel Cell 6-Gal w/ 5 GPM Spur Gear Pump Stealth aluminum fuel cell with 5-gallon spur gear pump. 6 gallon, 12" x 12" x 10" H, with -10AM O-ring outlet, -8AN return and vent. Natural finish, for E85/gas. Universal. Each.		AFS18377	
Allstar Performance			
Tire Perforator 2" wide with 1/4" tall pins. Steel head with wood handle. Each.		ALL10550	
Tire Perforator Head 2" wide with 1/4" tall pins. Steel. Fits Allstar tire perforators. Each.		ALL10551	
Mini Stock Front Bumper 1-3/4" O.D., 0.095" wall. Natural steel. Each.		ALL22329	
Body/Spoiler Brace Telescoping, 16" to 27" long. Natural steel. Each.		ALL23020	
Body/Spoiler Brace Telescoping, 16" to 27" long. Natural steel. Set of 10.		ALL23020-10	
Carburetor Hold-Down Nuts 5/16"-18 thread for 1/4" square ratchet drive. Black oxide-treated steel. Set of 4.		ALL26324	
Electric Cooling Fan 10" electric cooling fan. Push/pull, 775 CFM, curved blade, 11" x 11-1/2" x 2-1/2" thick. Plastic. Kit.		ALL30070	

CALL NOW! UNBELIEVABLE DEALS!

DON'T MISS OUT ON THESE LIMITED QUANTITIES AVAILABLE AT SPECIAL SALE PRICES

Description	Photo	Part No.	Price
Allstar Performance			
Radiator Honeycomb Screen Aramid fiber honeycomb screen. 19" x 26" x 1/2". Orange. Each.		ALL30158	
Brass Valve Stems Bolt-on brass valve stems for 5/8" rim hole. Natural. Each.		ALL44134	
Top Wing Tree Wing Mount Adjustable 18" to 24" tall, 26" wide. Includes sliders. Chrome-plated chromoly steel. For Sprint Car. Kit.		ALL55133	
Tie Rod End Greasable outer tie rod ends. OE style, 9" long with 11/16"-18 right-hand thread. Steel. Fit 1977-96 Chevy Impala. Each.		ALL55922	
Rear End Spool Full-size 35-spline spool for Ford 9" rear end. Black powder-coated steel. Each.		ALL68072	
Engine Oil Heater 250-watt 120V engine oil heater with internal element. Screw-in with 1/2" NPT steel fitting. 7-1/2" long with 12" cord. Kit.		ALL76416	
AMP Research			
Bedextender HD Max BedXTender HD Max is bed mounted. Silver powder-coated aluminum. Fits 2007-19 Ford F150/ Lincoln Mark LT/Toyota Tundra. Each.		AMP74813-00A	
PowerStep Running Boards for 2014-17 Ford Transit PowerStep power-deploying running boards. Black anodized aluminum. Fits 2017-17 Ford Transit. Pair.		AMP76159-01A	
Antigravity Batteries			
Lithium Battery 480CCA 16 Cell 12V Lithium-ion 12V battery with cranking amps. Features threaded and top terminals. 4.50"L x 5.25"H x 3.25"W. Weighs just 4 lbs. Each.		ANTAG-1601	
ATL Fuel Cells			
Commando 33 Gal Sprint Cell Complete Fuel cell with tail tank. Factory Kahne. 33-gallon capacity with -12AN fuel pickup, top outlet, filter/surge tank. Kit.		ATLSC433KK-B12-TF698	
Auto Meter			
2-1/16" A/W Water Temp Gauge 120-240 Degrees Analog 2-1/16" water temperature gauge. 120-240°F range, full-sweep Arctic White face. Each.		ATM1332	
Bell Tech			
Performance Handling Kit Plus 2016.5-17 GM P/U Performance Handling Kit Plus. Includes brackets, bushings, coil-over system, shocks, and sway bar. For 2016.5-17 GM full-size trucks.		BLL987HKP	
Billet Specialties			
LS Smooth Modular Valve Covers Black Smooth modular valve covers. Stock height. Hidden coils, wire harness, and filler cap. Black anodized billet aluminum with stainless steel hardware. Fits GM LS-Series. Pair.		BSPP95476	
15" x 15" Street Lite Wheel 3.5" BS 5 x 4.75" BC Street Lite 15" x 15" wheel with 3.500" backspace. 5 x 4.75" bolt pattern. Polished billet aluminum. Each.		BSPRS035156135N	
Bilstein			
Shock - 5100 Series 5100 series monotube rear shock. Zinc-plated steel. For 1-1/2 to 3" lifted 2007-13 Jeep Wrangler JK. Each.		BIL24-146715	

CALL NOW! UNBELIEVABLE DEALS!

DON'T MISS OUT ON THESE LIMITED QUANTITIES AVAILABLE AT SPECIAL SALE PRICES

Description	Photo	Part No.	Price
Bilstein			
Shock - 5100 Series 5100 series monotube rear shock. Zinc-plated steel. For 2006-13 Toyota Compact SUV/truck. Each.		BIL24-186728	
Shock - 5100 Series 5100 series monotube rear shock. Zinc-plated steel. For 4" lifted 2007-13 Jeep Wrangler JK. Each.		BIL33-186887	
Braille Auto Battery			
Micro-Lite Carbon Lithium 12-Volt Battery Micro-Lite Carbon lithium-ion 12V battery with 1,325 pulse cranking amps. With threaded terminals. 7.20"L x 6.20"H x 3.65"W. Each.		BRBML20C	
C and R Racing Radiators			
Radiator Module Kit 1970-81 Camaro Radiator and fan module. Passenger side inlet and outlet. PS/oil cooler. Natural aluminum. For 1970-81 GM F-body with LS-series engine. Kit.		CRR15-11054	
Radiator LW Chevy 19x30 Dual-Pass w/ Heat Exchanger Single-row extruded tube radiator. 30"W x 19"H x 1-3/4"D, with passenger side inlet and outlet. Natural aluminum. For Late Model. Each.		CRR918-30191	
Canton			
SBC R/R Oil Pan Street/Strip/Road Race rear sump engine oil pan. 7-qt. capacity, 7-1/2" deep. Cadmium-plated steel. For Small Block Chevy. Each.		CAN15-250T	
Centerforce			
2005-06 Mustang V6 Dual-Friction Clutch Kit Dual-friction single-disc clutch kit. 10" diameter, 1-1/16" x 10 spline. With sprung hub and organic/carbon friction surface. For 2005-07 Ford Mustang V6.		CTFDF490309	
Comp Cams			
BBC Belt Drive System for 0.400" Raised Cam Hi-Tech external belt drive for raised camshaft. Adjustable, with idler pulley. Billet aluminum. Big Block Chevy. Kit.		COM6300	
Corsa Performance			
Exhaust Cat-Back - 3.0in Dual Rear Exit Cat-back Sport exhaust system. 3" diameter with twin 4" dual black Pro-Series tips. Stainless. For 2018 Ford Mustang GT 5.0L Fastback. Kit.		COR14337BLK	
2014-18 Corvette 6.2L Sport Valve-Back Exhaust Kit Axle-back Sport exhaust system. 2-3/4" diameter with 4-1/2" tips. Polished stainless. For 2014-18 Chevy Corvette 2014-18. Kit.		COR14765	
Crower			
Sportsman Rods - Ford 2.3L 5.200 Sportsman I-beam connecting rods. 5.200" long, bushed, with 3/8" cap screws. Forged steel. For Ford 2300. Set of 4.		CROSP93231B-4	
Cylinder Head Innovations			
SBF Cleveland 3V 208cc Aluminum Head 60cc Bare Cylinder head, 3V, bare. 2.070"/1.650" valves, 208cc intake, 60cc chamber, Aluminum. Ford Cleveland/Modified. Each.		CHISBF3V208B-60	
Dart			
SBC 245cc Pro-1 Head CNC 66cc A/P 2.100/1.60 Bare Pro 1 cylinder head, bare. 2.100"/1.600" valves, 245cc intake, 66cc chamber, angle plug. Aluminum. Small Block Chevy. Each.		DRT11980060P	
BBC 345cc I/E Head 121cc R/P 2.30/1.88 Assembled Iron Eagle assembled cylinder head. 2.300"/1.880" valves, 345cc intake, 121cc chamber, 1.550" springs. Iron. For Big Block Chevy. Each.		DRT15200132	
BBC 310cc Pro-1 Head 121cc R/P 2.25/1.88 Assm Pro 1 assembled cylinder head. 2.250"/1.880" valves, 310cc intake, 121cc chamber, 1.550" springs. Aluminum. Big Block Chevy. Each.		DRT19100112	

CALL NOW! UNBELIEVABLE DEALS!

DON'T MISS OUT ON THESE LIMITED QUANTITIES AVAILABLE AT SPECIAL SALE PRICES

Description	Photo	Part No.	Price
Del West			
11/32 Intake Valves - 2.080" Intake valve with 2.080" head and 11/32" valve stem. 5.140" long. Titanium. For Small Block Chevy. Set of 8.		DELIV2080-2T-CRST-8	
Detroit Speed Engineering			
Mini-Tub Kit - 1968-74 Nova 2" Drop Suspension lowering kit with mini-tubs. 2" lowering. Includes shackles, shocks, springs, and wheel tubs. Steel. For 1968-74 GM X-Body. Kit.		DSE041207	
Diversified Machine			
Quick-Change Rear End 4.86 w/ Tubes, 2" Offset Hollow Saturday Night Special quick-change rear axle assembly. With 10" ring gear, 4.86 ratio standard, magnesium center. 60" wide with 2" offset. Kit.		DMIIMCA4.86SAT-TU-HA-2	
Eagle			
GM LS1 Rotating Assembly 383 3.905" Bore Balanced Rotating assembly with forged crank, forged pistons, 4.000" stroke, 3.905" bore, and 6.125" H-beam rods. For 383 CID GM LS-Series. Kit.		EAGB129123905	
Chevy 4.3L 4340 Forged H-Beam Rods 5.700" H-beam connecting rod. 5.700" long, bushed, with 7/16" cap screws. Forged steel. For Chevy V6. Set of 6.		EAGCRS570063D	
Energy Suspension			
Shock Tower Grommet Shock end bushing, bayonet, 3/8" I.D., 1-1/4" O.D., 7/8" nipple, 5/8" thick. Red polyurethane. Universal. Set of 4.		ENE9-8101R	
Eneos			
ECO CVT Fluid 12 x 1 Qt Synthetic CVT (Continuously Variable Transmission) transmission fluid. Case of 12x 1-quart bottles.		EN03026-301	
ECO CVT Fluid 6-Gallon Box Synthetic CVT (Continuously Variable Transmission) transmission fluid. 6-gallon box. Each.		EN03026-400	
Import CVT Model N Case 12 x 1 Qt Model N synthetic CVT transmission fluid for Nissan Continuously Variable Transmissions. Case of 12x 1-quart bottles.		EN03057-301	
Import CVT Model H Case 12 x 1 Qt Model H synthetic CVT transmission fluid for Honda Continuously Variable Transmissions. Case of 12x 1-quart bottles.		EN03072-301	
Gear Oil 75W90 Case 6 x 1 Qt High-performance 75W90 synthetic gear oil. Case of Synthetic, 1 qt Bottle, Set of 6x 1-quart bottles.		EN03092-302	
ECO ATF Case 12 x 1 Qt ECO ATF synthetic automatic transmission fluid. Case of 12x 1-quart bottles.		EN03103-301	
ECO ATF 6-Gallon Box ECO ATF synthetic automatic transmission fluid. 6-gallon box. Each.		EN03103-400	
Import ATF Model T Case 12 x 1 Qt Import Model T ATF synthetic automatic transmission fluid for Toyota. Case of 12x 1-quart bottles.		EN03104-301	
Import ATF Model H Case 12 x 1 Qt Import Model H ATF synthetic automatic transmission fluid for Honda. Case of 12x 1-quart bottles.		EN03105-301	
Import ATF Model N Case 12 x 1 Qt Import Model N ATF synthetic automatic transmission fluid for Nissan. Case of 12x 1-quart bottles.		EN03106-301	


CALL NOW! UNBELIEVABLE DEALS!

DON'T MISS OUT ON THESE LIMITED QUANTITIES AVAILABLE AT SPECIAL SALE PRICES

Description	Photo	Part No.	Price
Eneos			
Import ATF Model TW Case 12 x 1 Qt Import Model TW ATF synthetic automatic transmission fluid for Toyota Type WS. Case of 12x 1-quart bottles.		EN03107-301	
Import ATF Model SP Case 12 x 1 Qt Import Model SP ATF synthetic automatic transmission fluid for Hyundai/Kia. Case of 12x 1-quart bottles.		EN03108-301	
Full Synthetic Oil 5W20 Case 12 x 1 Qt Synthetic 5W20 motor oil. Case of 12x 1-quart bottles.		EN03241-301	
Full Synthetic Oil 5W20 6 Gallon Box Synthetic 5W20 motor oil. 6 gallon box. Each.		EN03241-400	
Full Synthetic Oil 0W16 Case 12 x 1 Qt Synthetic 0W16 motor oil. Case of 12x 1-quart bottles.		EN03251-301	
Full Synthetic Oil 0W16 6-Gallon Box Synthetic 0W16 motor oil. 6-gallon box. Each.		EN03251-400	
Import DPS Fluid Case 12 x 1 Qt Synthetic Dual Pump Transmission (DPS) fluid. Case of 12x 1-qt bottles.		EN03410-301	
Full Synthetic Oil Dexos 1 Case 0w20 12 x 1 Qt Synthetic Dexos 0W20 motor oil. Case of 12x 1-quart bottles.		EN03701-301	
Full Synthetic Oil 5w40 Case 12 x 1 Qt Synthetic 5W40 motor oil. Case of 12x 1-quart bottles.		EN03704-301	
Racing Pro 10W50 Case 6 x 1 Qt Racing Pro synthetic 10W50 motor oil with ZDDP and Mo-DTC. Case of 6x 1-quart bottles.		EN03802-302	
Racing Street 0W20 Case 6 x 1Qt Racing Pro synthetic 0W20 motor oil with ZDDP and Mo-DTC. Case of 6x 1-quart bottles.		EN03901-302	
Fast Shafts			
Carbon Fiber Driveshaft 32.5" x 2-1/4" O.D., Steel Ends Carbon fiber driveshaft, 32-1/2"L x 2-1/4" O.D., with 1310 U-joints, steel ends. Universal. Each.		FSH2CF-10X10-325-STL	
FiTech Fuel Injection			
GO EFI 2x4 625hp Kit Bright Tumble Finish Go EFI 2x4 fuel injection system. Square bore throttle body with 70 lb/hr injectors. Polished aluminum. Universal. Kit.		FIT30061	
Ultimate LS Truck EFI Kit LS1/LS2/LS6 750hp Ultimate EFI LS Truck 750HP fuel injection system. Multiport with 55 lb/hr injectors. Black anodized aluminum. For GM LS1/LS2/LS6. Kit.		FIT70008	
Flaming River			
Power Rack & Pinion Cradle System Rack and pinion steering kit includes cradle, power, tilt column, brackets, hardware, joint, pump, and wiring. For 1965-70, Ford Mustang.		FLAFR300PW1	
Flo-Tek			
BBC 315cc Assembled Aluminum Cylinder Head Assembled aluminum cylinder head. With 2.300"/1.880" valves, 315cc intake, 121cc chamber, and 1.620" springs. For Big Block Chevy. Each.		FTC315-6058	
BBC 375cc Jackal Series Assembled Aluminum Cylinder Head Jackal series assembled aluminum cylinder head with 2.350"/1.880" valves, 375cc intake, 127cc chamber, and 1.640" springs. For Big Block Chevy. Each.		FTC375-5059	

CALL NOW! UNBELIEVABLE DEALS!

DON'T MISS OUT ON THESE LIMITED QUANTITIES AVAILABLE AT SPECIAL SALE PRICES

Description	Photo	Part No.	Price
Ford			
514 Super Cobra Jet Assembled Aluminum Cylinder Head Super Cobra Jet assembled aluminum cylinder head with 2.020"/1.760" valves, 290cc intake, 72cc chamber, and dual spring. For Big Block Ford. Each.		FRDM6049-SCJB	
Fuel Safe			
15-Gallon Wedge Cell Race Safe Top Pickup Fuel cell and can for Dirt Late Model/Modified. 15 gallon, 20-1/4" x 20" x 14"H, -10AN male outlet, -8AN return, -6AN male vent. Steel/Plastic. Black. Universal. Each.		FUEDST115	
Gibson Exhaust			
Cat-Back Dual Split Stainless Exhaust System Cat-back dual split exhaust system. 2-1/4" tailpipe with 3-1/2" tips. Polished stainless construction. For 2007-14 Toyota FJ Cruiser.		GIB618808	
Cat-Back Dual Extreme Stainless Exhaust System Extreme cat-back dual split exhaust system. 2-1/4" tailpipe with 3-1/2" tips. Polished stainless. For 2007-14 GM full-size SUV/truck.		GIB65572	
2005-10 Ford F150 5.4L Stainless Header Shorty headers with 1-5/8" primary and stock collector flange. Natural stainless. For 2005-10 Ford full-size SUV with Ford modular engine. Kit.		GIBGP218S	
Gorilla			
1/2" Acorn Bulge Lug Nuts with 3/4" Hex, Extra Long—Box of 60 Extra-long bulge acorn-style lug nuts. With 1/2"-20 thread, 3/4" hex head, and 60° seat. Closed end. Chromed heat-treated steel. Box of 60.		GOR41188XLHT	
9/16" Acorn Bulge Lug Nuts with 3/4" Hex, Extra Long—Box of 60 L Extra-long bulge acorn-style lug nuts. With 9/16"-18" thread, 3/4" hex head, and 60° seat. Closed end. Chromed heat-treated steel. Box of 60.		GOR41198XLHT	
Heidts Rod Shop			
Front Sub Frame for 1967-69 Camaro, 1968-72 Nova Pro-G front suspension kit. Includes brakes, coil-overs, crossmember, control arms, rack, sub-frame, and spindles. For 1967-69 GM F-Body.		HEICF-101-WT	
Holley			
Performance Carburetor 750CFM 4500 Series Model 4500 4-barrel carburetor with Dominator flange. Flows 750 CFM. No choke, mechanical secondary, and dual inlet. Chromate finish. Each.		HLV0-80186-1	
Super Sniper 4150 EFI Kit w/4 Injectors Super Sniper EFI fuel injection system. Square bore throttle body with 4 injectors. Gold anodized aluminum.		HLV550-520	
Terminator GM LS MP-EFI LS1/LS6 Terminator GM LS fuel injection system. Multiport system includes power module, programmer, O2 sensor, fittings, and bungs. For GM LS1/LS6.		HLV550-608	
Hooker			
Chevy Headers Super Competition headers with 2-1/8" primary and 3-1/2" collector. Metallic ceramic-coated steel. For Big Block Chevy in 1967-75 GM F-Body/X-Body. Kit.		HKR2285-1	
Hyperco			
Spring Kit Polaris 2017-18 XP4 / 18 XPT4 Pro Coil front/rear suspension spring kit includes 8 coil springs, crossover rings, slider. Silver powder-coated finish. Fits 2017-18 Polaris XP4.		HYP1201PO-XP4-1	
Spring Kit Polaris 2014-16 XP4 Pro Coil front/rear suspension spring kit includes 8 coil springs, crossover rings, slider. Silver powder-coated finish. Fits 2014-16 Polaris XP4.		HYP1201PO-XP4-2	
Impact Racing			
Suit Phenom X-Large Black / Red Phenom DS one-piece driving suit. SFI-3.2A/5, FIA approved. Double-layer Nomex, black/red. X-Large. Each.		IMP25215607	

CALL NOW! UNBELIEVABLE DEALS!

DON'T MISS OUT ON THESE LIMITED QUANTITIES AVAILABLE AT SPECIAL SALE PRICES

Description	Photo	Part No.	Price
Isky Cams			
BBC Redzone Roller Lifters Red Zone mechanical roller lifters with vertical link bar. For Big Block Chevy. Set of 16.		ISK276-RHM-904	
SBC Roller Lifter Set Red Zone mechanical roller lifters with extra-tall body and vertical link bar. For Chevy V8. Set of 16.		ISK372-180-904	
JE Pistons			
SBC Flat Top Piston Set 4.155" Bore -6cc Forged pistons with 18° flat top. 4.155" bore, 1/16" x 1/16" x 3/16" ring grooves. Minus 6.0 cc. Fit Small Block Chevy. Set of 8.		JEP181960	
SBC Domed Piston Set 4.135 Bore +4.5cc Forged pistons with small block open chamber dome. 4.135" Bore, 1.2 x 1.5 x 3.0 mm ring grooves. Minus 4.5 cc. Fit Small Block Chevy. Set of 8.		JEP281799	
JET Performance			
Xcelerator 2006-18 GM Cars Xcelerator throttle booster for 2006-18 GM passenger cars. Each.		JET40100	
KOOKS Headers			
Connection-Back Exhaust 3" 2018-20 Mustang 5.0L H-Pipe Connection-back exhaust system with 3" tailpipe and 4" tips. Requires Kooks headers and connections pipes. Polished stainless. For 2018-20 Ford Mustang with Coyote motor.		KOK11515450	
Longacre			
Digital Valve Spring Tester 1,400 lb. Digital valve spring tester with 1,400 lb. range. For springs up to 4-3/8" tall. Includes charger. Kit.		LON52-73511	
Magnaflow Performance Exhaust			
Stainless Muffler 3" Inlet/Dual 2.5" Out Muffler with 3" center inlet and dual 2-1/2" outlets. 18" x 8" x 5" oval body, 24" total length. Natural stainless. Universal. Each.		MAG12288	
Mahle Original			
Turbocharger for 2004-05 Ford 6.0L Diesel—Remanufactured Remanufactured turbocharger. OE replacement for 2004-05 Ford Powerstroke 6.0 L Diesel. Kit.		M77014TC26159100	
Turbocharger for Dodge Cummins—Remanufactured Remanufactured turbocharger with wastegate actuator. For 2007-10 Dodge Cummins 6.7 L Diesel. Kit.		M77286TC21101100	
Manley			
SBC 4340 Forged Crank - 4.000" Stroke/350 Main Pro Series forged steel crankshaft with 4.000" stroke. Internal balance with 2-piece seal. For Small Block Chevy. Each.		MAN190130	
Meziere			
HD Billet 139-Tooth Flexplate for Mopar V8 HD True Billet steel 139-tooth flexplate is SFI 29.2 rated. Internal balance, 8-bolt crank. For Mopar RB-series/Hemi. Each.		MEZFPS027	
MGP Caliper Cover			
Caliper Covers for 2014-16 Silverado 1500—Red Brake caliper covers. Red-anodized aluminum with Bowtie logo. For 2014-16 GM full-size trucks. Set of 4.		MGP14005SBOWRD	

CALL NOW! UNBELIEVABLE DEALS!

DON'T MISS OUT ON THESE LIMITED QUANTITIES AVAILABLE AT SPECIAL SALE PRICES

Description	Photo	Part No.	Price
Moroso			
Dry Sump Oil Pump Drag Race 4-Stage 1.100" Four-stage dry sump oil pump. 1.100" pressure/scavenge stages. Aluminum. Each.		MOR22244	
Low-Profile Dry Sump Tank w/o Breather - 5-Qt. Dry sump 5-qt oil tank. 13"H x 7" dia. With three -12AN male inlets, -12AN male outlet, and -12AN male breather port. Each.		MOR22683	
Motive Gear			
3.89 Ford 9" Pro Gear 35 Spine Pro Gear ring and pinion. 3.89 ratio with 35-spline pinion for Ford 9". Kit.		MOTF990389BP	
Motul USA			
300V Synthetic 5W30 Racing Oil Case 10 x 2-Liter Bottles 300V Power Racing synthetic 5W30 motor oil. Case of 10x 2 L bottles.		MTL104241-10	
300V Synthetic 5W40 Racing Oil 2-Liter Bottle 300V Power synthetic 5W40 motor oil. 2 L bottle. Each.		MTL104242	
300V Synthetic 5W40 Racing Oil Case 10 x 2 Liters 300V Power Racing synthetic 5W40 motor oil. Case of 10x 2 L bottles.		MTL104242-10	
Gear 300 75W90 Oil Case 12 x 1 Liter Gear 300 synthetic 75W90 gear oil. Case of 12x 1 L bottles.		MTL105777-12	
MSD Ignition			
Midget DIS-2 Programmable Ignition Box Midget ignition box digital 2-channel CD ignition. Programmable with 2 timing curves, rev limiter, and 2 non-magnetic pickups. Magnets included. Kit.		MSD6214	
NGK			
NGK Spark Plug Stock # 1716 Box of 100 NGK standard spark plug with 14 mm thread, 0.749" reach, gasket seat, and resistor. Stock number 1716. Set of 100.		NGKCS6-S100	
Nitrous Express			
LS3 EFI Plate System 2010-16 Camaro V8 Single stage wet nitrous oxide system. LS3 plate system. 75-225 HP, includes white 10-lb bottle. For GM LS-series. Kit.		NXS20931-10	
Peterson Fluid			
Pump Single-Stage RS Std Volume 1.200" Body Wet sump external oil pump. R4 high-volume, single-stage, passenger side, for Small Block Ford. Each.		PTR04-1020	
Pump 5-Stage L/S Dry sump oil pump. R4, 5-stage, with 1.200" pressure/1.400" scavenge stages, driver's side. Aluminum. Each.		PTR04-5060	
Quarter Master			
7.25" V-Drive Clutch 2 Disc 1-5/32" x 26 Spline V-Drive Rally dual-disc clutch kit. 7-1/4" diameter with 1-5/32" x 26 spline, rigid hub, metallic. For GM applications.		QTR298090RY	
Clutch 7.25 Optimum 1-5/32" x 26 Spline w/o Button Optimum-V triple-disc clutch kit. 7-1/4" diameter with 1-5/32" x 26 spline, rigid hub, ceramic.		QTR397050	












CALL NOW! UNBELIEVABLE DEALS!

DON'T MISS OUT ON THESE LIMITED QUANTITIES AVAILABLE AT SPECIAL SALE PRICES

Description	Photo	Part No.	Price
Racepak			
CL1-Jr Dragster Kit Vantage CL1 data logger with D3 Jr Dragster app. Kit.		RPK20100-2003	
Street SmartWire IQ3S Dash Kit Smartwire IQ3S Racepak digital dash with V-Net system. Includes GPS module and programming cable. Black. Kit.		RPK250-KT-SWIQ3S	
Reese			
Reese Replacement Hitch Pin Kit with 4 Pins Hitch pins with clips. 1/2" diameter. Natural steel. Set of 4.		REE58053	
Richmond			
Ring and Pinion Set—4.33 Ratio for 9" Ford Ring and pinion with 4.33 ratio, 28-spline pinion. For Ford 9". Kit.		RIC69-0161-1	
Royal Purple			
15W40 Synthetic Motor Oil 5-Gallon Jug Synthetic 15W40 motor oil, 5-gallon jug. Each.		ROY05154	
Sealed Power			
Forged Piston Speed Pro forged pistons. With 4.350" bore, 5/64" x 5/64" x 3/16" ring grooves, plus 0.0 cc and coated skirt. Mopar RB-Series. Set of 8.		SEAL2266F30	
Simpson Safety			
Hybrid Sport with Sliding Tether, SFI Approved—Medium Hybrid Sport head and neck support. SFI 38.1 approved. Black plastic. Medium. Kit.		SIMHS.MED.11.SAS	
Mid-Top Shoe Black 10.5 Fusion mid-top driving shoe. SFI 3.3/5 approved. Suede outer, Nomex inner in black/gray. Size 10-1/2 Mens/12 Womens. Pair.		SIMMT105BK	
Skyjacker			
Black Max Shock with Black Boot Black Max twin-tube shock for vehicles with 0-6" lift. Black-painted steel. Fits various SUV and truck applications from 1967-up. Each.		SKYB8517	
Sunoco Race Jugs			
Red Sunoco 3-Gallon Utility Jug with Fastflo Cap 3-gallon square utility jug, includes a Fastflo O-ring seal cap and flip-up vent. Red plastic. Each.		SRJR3100RD-FF	
Superwinch			
10,000-lb. Winch with Roller Fairlead & 12-ft Handheld Remote LP10000 winch offers 10,000-lb capacity and includes a roller fairlead, 12-ft remote, and 3/8" x 85 ft steel rope. 12V. Kit.		SUP1510200	
8,500-lb. Winch with Hawse Fairlead & 15-ft Handheld Remote LP8500 winch offers 8,500-lb capacity and includes a Hawse fairlead, 15-ft remote, and 5/16" x 94 ft steel rope. 12V. Kit.		SUP1585202	
9,500 -lb Winch with Roller Fairlead & 12-ft Handheld Remote Tigershark 9500 winch features a 9,500-lb capacity and includes a roller fairlead, 12-ft remote, and 21/64" x 95 ft steel rope. 12V. Kit.		SUP1595200	

CALL NOW! UNBELIEVABLE DEALS!

DON'T MISS OUT ON THESE LIMITED QUANTITIES AVAILABLE AT SPECIAL SALE PRICES

Description	Photo	Part No.	Price
T and D Machine			
Needle Bearing for Steel Rocker Body 8-Pack Rocker arm needle bearings. for T&D Machine rocker arms. Set of 8.		TDM0418-8	
Ultra Lite Brakes			
Inboard Brake Kit New Titanium Rotor, Black Feather Lite inboard rear brake system. With 4-piston caliper, 10.400" scalloped titanium rotor, and 3 x 46-spline Sprint Car hub. Black anodized. Kit.		RDB410-8113B	
Weld Racing			
15" x 10" Wide 5 XL with 4" Backspace Wide 5 XL 15" x 10" beadlock wheel with 4.000" backspace. Wide 5 Bolt Pattern for Modifieds. Polished aluminum. Each.		WEL558-5024M	
15" x 10" Weld Star with 5x4.5 Bolt Pattern and 6.5" Backspace Weld Star 15" x 10" wheel with 6.500" backspace. 5 x 4.50" bolt pattern. Polished aluminum. Each.		WEL791P-510212	
15" x 10" Black Alpha-1 Double Beadlock Wheel Alpha-1 15" x 10" double beadlock wheel with 5.000" backspace. 5 x 4.75" bolt pattern. Black anodized aluminum. Each.		WEL83B-510280MBS	
Spindle Mount Rim Shell 15" x 8" with 5" Backspace Direct Mount 15" x 8.25" wheel with 5.000" backspace. 5 x 9.75" bolt pattern. Polished aluminum. Each.		WEL860-50815	
16" x 16" AlumaStar Pro Wheel with 5x5.5 Bolt Pattern and 4" Backspace AlumaStar 16" x 16" wheel with 4.000" backspace. 5 x 5.50" bolt pattern. Black anodized/polished aluminum. Each.		WEL89B-616558K	
15" x 14" Pro Star with 5x4.5" Bolt Pattern and 5.5" Backspace Pro Star 15" x 14" wheel with 5.500" backspace. 5 x 4.50" bolt pattern. Polished aluminum. Each.		WEL96-514210	
Wilwood			
AERO4 Rear Brake Kit for 2010-15 Camaro AERO4 Rear brake system includes 4-piston caliper, 14.25" drilled/slotted 2-piece rotor. Red anodized aluminum. For 2010-15 Chevy Camaro. Kit.		WIL140-11270-DR	
Big Ford New Style 2.50 Offset Drilled/Polished Dynalite rear brake system with 4-piston caliper, 12.00" drilled/slotted iron rotor, and offset hat/parking brake. Polished aluminum. Big Ford. Kit.		WIL140-7140-DP	
Wizard Products			
Mist-N-Shine 1-Gallon Jug Mist-N-Shine exterior detailer. 1-gallon jug. Each.		WIZ01217	
Yukon Gear and Axle			
Spin-Free Locking Hub Conversion Kit Dana 60 Spin-free manual locking hub kit. Includes hubs, spindles, outer axles, bearings, seals, hardware. For 200-08 Dodge full-size dually trucks with Dana 60.		YKNYAWU-05	
Grizzly Locker D44 JK 30 Spline Grizzly Locker differential carrier. 30-spline. Iron. For Jeep Wrangler JK with Dana 44. Each.		YKNYGLD44-3-30-JK	
Grizzly Locker D44 30-Spline 3.92 & Up Grizzly Locker differential carrier. 30-spline, 3.92 ratio and up. Iron. Dana 44. Each.		YKNYGLD44-4-30	
Grizzly Locker D44 30-Spline 3.92 & Up Master overhaul differential installation kit. Includes bearings, crush sleeve, gaskets, hardware, seals, and shims. For 1999-2006 Ford 10.50". Kit.		YKNYKF10.5-A	



VB Series 2-1/2" I.D. Coil-Over Springs **NEW/RATES!**

Manufactured from premium chrome-silicone wire, springs are designed to offer an accurate rate and long service life. Finished in gold powder coat, each spring includes a dyno sheet to ensure accuracy and quality control.

Part No.	I.D.	Height	Rate	Price
LAN4VB300	2-1/2"	4"	300 lbs.	
LAN7VB550	2-1/2"	7"	550 lbs.	
LAN7VB600	2-1/2"	7"	600 lbs.	
LAN7VB700	2-1/2"	7"	700 lbs.	
LAN7VB800	2-1/2"	7"	800 lbs.	
LAN14VB055	2-1/2"	14"	55 lbs.	
LAN14VB350	2-1/2"	14"	350 lbs.	
LAN16VB055	2-1/2"	16"	55 lbs.	
LAN16VB075	2-1/2"	16"	75 lbs.	
LAN16VB225	2-1/2"	16"	225 lbs.	
LAN16VB250	2-1/2"	16"	250 lbs.	
LAN16VB275	2-1/2"	16"	275 lbs.	



2-1/2" I.D. Barrel Springs **NEW/HEIGHT AND RATES!**

Specially engineered barrel springs combine the benefits of reduced weight, increased travel, and added shock absorber clearance when compared to traditional 2-1/2" I.D. coil-over springs.

Part No.	I.D.	Height	Rate	Price
LANW12-100	2-1/2"	12"	100 lbs.	
LANW12-125	2-1/2"	12"	125 lbs.	
LANW12-150	2-1/2"	12"	150 lbs.	
LANW12-175	2-1/2"	12"	175 lbs.	
LANW12-200	2-1/2"	12"	200 lbs.	
LANW12-225	2-1/2"	12"	225 lbs.	
LANW12-250	2-1/2"	12"	250 lbs.	
LANW12-275	2-1/2"	12"	275 lbs.	
LANW12-300	2-1/2"	12"	300 lbs.	



3" I.D. Coil-Over Springs **NEW/RATES!**

Springs are cold-wound, designed with the correct pitch and height ratio, engraved and serial numbered for quality control.

Part No.	I.D.	Height	Rate	Price
LANR6-400	3"	6"	400 lbs.	
LANR10-150	3"	10"	150 lbs.	
LANR10-325	3"	10"	325 lbs.	
LANR10-350	3"	10"	350 lbs.	
LANR10-375	3"	10"	375 lbs.	
LANR10-400	3"	10"	400 lbs.	
LANR10-450	3"	10"	450 lbs.	
LANR10-475	3"	10"	475 lbs.	



Elite Series 5" O. D. x 7" Tall Progressive Pull Bar Spring LANG500-2000-E

Top-of-the-line, Elite Series Pull Bar spring features a 500-2,000 lb. progressive rate. Silver powder-coated finish.



ST Series Bump Stop Springs **NEW/HEIGHT!**

High-tensile steel bump stop springs, now offered in 2.400" height, feature a linear rate and allow easier adjustability as the spring rate determines how hard you want to hit the stop, and how quickly.

Part No.	O.D.	Height	Rate	Price
LANST24-0400	1.960"	2.400"	400 lbs.	
LANST24-0500	1.960"	2.400"	500 lbs.	
LANST24-0600	1.960"	2.400"	600 lbs.	
LANST24-0700	1.960"	2.400"	700 lbs.	
LANST24-0800	1.960"	2.400"	800 lbs.	
LANST24-1000	1.960"	2.400"	1,000 lbs.	
LANST24-1200	1.960"	2.400"	1,200 lbs.	
LANST24-1400	1.960"	2.400"	1,400 lbs.	
LANST24-1600	1.960"	2.400"	1,600 lbs.	
LANST24-1800	1.960"	2.400"	1,800 lbs.	



DRS Series Conventional Front Drag Race Springs

Designed for drag race applications utilizing stock lower control arms, springs are engineered to help deliver maximum weight transfer. Finished in gun metal gray powder coat.

Part No.	O.D.	Height	Rate	Price
5" O.D. Springs (1964-72 GM "A" Body; 1967-69 GM "F" Body & 1968-74 GM "X" Body)				
LANDRS18-150-5.0	5"	18"	150 lbs.	
LANDRS18-165-5.0	5"	18"	165 lbs.	
LANDRS18-180-5.0	5"	18"	180 lbs.	
LANDRS18-200-5.0	5"	18"	200 lbs.	
LANDRS18-225-5.0	5"	18"	225 lbs.	
LANDRS18-250-5.0	5"	18"	250 lbs.	
5.5" O.D. Springs (1973-up GM "A"/"G" Body; 1970-81 GM "F" Body; 1975-up GM "X" Body & Most Fords)				
LANDRS18-180-5.5	5.5"	18"	180 lbs.	
LANDRS18-225-5.5	5.5"	18"	225 lbs.	
LANDRS18-250-5.5	5.5"	18"	250 lbs.	



Conventional 5" O.D. x 8" Tall Front Spring **NEW/RATE!**

LANA950

Front spring is ground flat on one end to assure 2% tolerance on jack screw plates, and is tangential on the opposite end to assure true lower A-frame seating. Spring is 8" tall and has a 950 lb. rate.



Conventional 5" O.D. Rear Springs **NEW/RATES!**

These springs mount below the axle and include ends that are ground flat to provide true contact with the spring perches.

Part No.	O.D.	Height	Rate	Price
LANK16-075	5"	16"	75 lbs.	
LANK18-075	5"	18"	75 lbs.	
LANK18-100	5"	18"	100 lbs.	
LANK18-125	5"	18"	125 lbs.	





Elite Series Conventional 5" O.D. Front Springs

Combining the latest materials, engineering, and technology, Elite Series conventional front springs are ground flat on one end to assure 2% tolerance on jack screw plates, and are tangential on the opposite end to assure true lower A-frame seating. Springs have a silver powder-coated finish.

Part No.	O.D.	Height	Rate	Price
LANB300-E	5"	9.5"	300 lbs.	
LANB350-E	5"	9.5"	350 lbs.	
LANB400-E	5"	9.5"	400 lbs.	
LANB450-E	5"	9.5"	450 lbs.	
LANB500-E	5"	9.5"	500 lbs.	
LANB550-E	5"	9.5"	550 lbs.	
LANB600-E	5"	9.5"	600 lbs.	
LANB650-E	5"	9.5"	650 lbs.	
LANBB300-E	5"	10.5"	300 lbs.	
LANBB350-E	5"	10.5"	350 lbs.	
LANBB400-E	5"	10.5"	400 lbs.	
LANBB450-E	5"	10.5"	450 lbs.	
LANK11-125-E	5"	11"	125 lbs.	
LANK11-150-E	5"	11"	150 lbs.	
LANK11-175-E	5"	11"	175 lbs.	
LANK11-200-E	5"	11"	200 lbs.	
LANK11-225-E	5"	11"	225 lbs.	
LANK11-250-E	5"	11"	250 lbs.	
LANJ125-E	5"	13"	125 lbs.	
LANJ150-E	5"	13"	150 lbs.	
LANJ175-E	5"	13"	175 lbs.	
LANJ200-E	5"	13"	200 lbs.	
LANJ225-E	5"	13"	225 lbs.	
LANJ250-E	5"	13"	250 lbs.	
LANJ275-E	5"	13"	275 lbs.	
LANK16-050-E	5"	16"	50 lbs.	
LANK16-075-E	5"	16"	75 lbs.	
LANK16-100-E	5"	16"	100 lbs.	
LANK16-125-E	5"	16"	125 lbs.	
LANK16-150-E	5"	16"	150 lbs.	
LANK16-200-E	5"	16"	200 lbs.	
LANK16-225-E	5"	16"	225 lbs.	
LANK16-250-E	5"	16"	250 lbs.	
LANE500-E	5.5"	9.5"	500 lbs.	
LANE550-E	5.5"	9.5"	550 lbs.	
LANE600-E	5.5"	9.5"	600 lbs.	
LANE650-E	5.5"	9.5"	650 lbs.	
LANE700-E	5.5"	9.5"	700 lbs.	
LANE750-E	5.5"	9.5"	750 lbs.	
LANE800-E	5.5"	9.5"	800 lbs.	
LANE850-E	5.5"	9.5"	850 lbs.	
LANE950-E	5.5"	9.5"	950 lbs.	
LANE1000-E	5.5"	9.5"	1,000 lbs.	



LANB550



LANJ125-E



LANE950-E

NEW PRODUCTS



Universal Sway Bars

Part No.	Diameter	Bar Length	Rate	Price
Tubular Sway Bars				
AFM04123711	1-1/8"	46.5"	200 lbs.	
AFM04123712	1-1/4"	46.5"	300 lbs.	
AFM04123715	1-3/8"	46.5"	400 lbs.	
Heavy-Wall Sway Bar				
AFM04123716	1-3/8"	46.5"	500 lbs.	



D-Hole Lightweight Wheels

Classic, D-hole center design wheels use lightweight spun-formed rim shells for added caliper clearance and a lower bead flange, resulting in a larger tire footprint. Wheels weigh just 15 lbs.



Part No.	Description	Bolt Circle	Back-spacing	Price
BAS47SH3C	Chrome 14" x 7"	4 x 100mm	3"	
BAS47SH4C	Chrome 14" x 7"	4 x 100mm	4"	
BAS57SH3	Black 15" x 7"	4 x 100mm	3"	

NOW AVAILABLE IN CHROME!

IMCA 15" x 8"

"Inertia Advantage" Wheel

BAS58A52IC

Wheel has a 5 x 5 bolt circle and 2" backspacing, concentrating the strength towards the center rather than the shell for improved moment-of-inertia. Chrome-finished wheel weighs 19 lbs. and is affixed with the IMCA decal.



NEW BACK SPACING SIZE AVAILABLE!

IMCA 15" x 8" Beadlock Wheel

BAS58D5475ILK

D-hole, 8-spoke beadlock wheel is a true 15" x 8" for IMCA use. Wheel has a 5 x 5 bolt pattern and 4-3/4" backspacing, includes the outer ring, and weighs 22.5 lbs. Finished in black powder coat.



WISSOTA 15" x 8"

"Inertia Advantage" Wheel

BAS58A53W

Approved by WISSOTA, 15" x 8" wheel with 5 x 5 bolt pattern and 3" of backspacing, combines the "Inertia Advantage" and "Armor Edge" designs, resulting in added performance and durability for dirt track applications. Black powder coat finish.



NEW PRODUCTS



MD3 Hood Filler Panel

Engineered to replace traditional aluminum filler panels, durable plastic blend panel fits between the nose and hood of Dirt Late Models, and resists the chipping, denting, and bending commonly associated with aluminum. Panel is 80" long x 30" tall and may be easily trimmed.



Color	Part No.	Price
Black	FIV32000-35851-B	
Chevron Blue	FIV32000-35851-CB	
Red	FIV32000-35851-R	
White	FIV32000-35851-W	



Left Rear Chain Limiter

Developed through extensive research and on-track testing, left rear chain limiter helps provide maximum traction to Dirt Late Model applications. Offered separately with chain, or as a kit complete with premium RE Suspension 5150F bushings in choice of two different durometers.



Part No.	Description	Price
Left Rear Chain Limiters (with Chain)		
OPP51-011	Single-Bushing Style	
OPP51-012	Double-Bushing Style	
Left Rear Chain Limiter Kits (Complete with Chain & RE Suspension 5150F Bushings)		
OPP51-011-KIT-BLUE	Single-Bushing Style, Blue (65 Durometer) Bushings	
OPP51-011-KIT-WHITE	Single-Bushing Style, White (50 Durometer) Bushings	
OPP51-012-KIT-BLUE	Double-Bushing Style, Blue (65 Durometer) Bushings	

7/8" Greasable Extreme Drop Bent Steel Modified Tie Rod OPP555-815-BL-M

Engineered to provide maximum frame clearance, 7/8" O.D. x .156" wall x 15" long bent LH threaded steel tube includes a 5/8" moly rod end and jam nut. **NOTE: Bent LH threaded outer tie rod end requires a RH threaded stock inner tie rod end.**



Warm-Up Air Filter SPYSFWUP

Compact air filter offers engine protection, while allowing plenty of room to perform pre-race adjustments or inspection. One-piece design eliminates the need for a base or lid. Fits all Holley 4150 carburetors.



RE3000 440CH Over-The-Air Programmable Scanner

Lightweight, handheld unit is among the best scanners currently available to race fans. The RE3000 allows listening to all of the audio and feedback between drivers, crews, and spotters, while also having access to race officials, radio broadcast feeds, and track PA systems. May be programmed manually or over-the-air.



Part No.	Description	Price
RCERE3000	RE3000 Scanner	
RCERE3000-CASE	Protective Case For RE3000	

Stilo Helmet Adapter Cable RCERT805-C-STILO

Coil cord adapter converts three conductor male to four conductor for Stilo helmets.



RZ-36 Top Air **SMALL SIZE!** ZAMH76903FS

Offering comfort and superior driver protection, the RZ-36 Top Air uses a fiberglass composite shell that is fitted with a removable, washable liner. Top air port provides exceptional ventilation. Meets Snell SA2020 specifications. Matte black only.



RZ Top Air Low-Profile Inlet Adapter ZAMHTA22003

Adapter allows converting any Zamp RZ series helmet to a top air configuration. Low-profile design offers maximum clearance. Gloss black only.



NEW PRODUCTS



SFI-Approved Shifter Boot

KOO07063

NASCAR-style black shifter boot is constructed from heat- and flame-resistant Carbon X/Gentex material, and is designed to prevent harmful heat or flame transfer into the driver's compartment. SFI approved.



LS1 Corvette Spark Plug Boot Protectors

KOO07501PKE

Recommended for LS1 Corvettes with headers, Koolsox protect spark plug boots and wires from harmful exhaust heat. Natural material Koolsox are 3/4" dia. x 8" long, and sold in an eight-pack.



LS Corvette Tunnel Shields

Ideal for road racing, pro touring, or track day applications, tunnel shields reduce both exhaust heat transfer and road noise, thereby improving driver comfort and concentration. Shields resist radiant heat up to 2,500°F.




K0008007

Part No.	Description	Price
K0008001	Corvette Street Tunnel Shield, Fits 1997-Up, 11-1/2" x 41-1/2"	
K0008001R	Corvette Race Tunnel Shield, Fits 1997-Up, 14-1/2" x 41-1/2"	
K0008007	Corvette Tunnel Shield, 2017-Up, 12-1/2" x 41-1/4"	

Zero Clearance Heat Shield

KOO04248

Engineered to insulate the bottom of the car above the exhaust system, Zero Clearance is diamond-faced 10-mil aluminum top-bonded to a 3/16" layer of fiberglass insulation. Shield is 42" x 48" in size and has a self-adhesive backing to ease installation.



Universal Koolmat Insulation


Composite insulation significantly reduces road noise and prevents heat transfer for exhaust systems. Suitable for street rods, race cars, etc., material reduces floor heat up to 70%.



Part No.	Description	Price
K0007031	X-Small, 30" x 12"	
K0007032	Small, 30" x 3'	
K0007033	Medium, 30" x 4'	
K0007061	X-Large/Full Interior, 30" x 8'	

Reflective Foils

Reflective film reduces radiant heat and may be used in a variety of different applications including air intakes, fuel cells, etc. Film includes a fire-resistant, pressure-sensitive adhesive, while a fiberglass backing adds strength and tear resistance.



Part No.	Description	Price
K001303-28	Gold Reflective Foil, 6-Mil Thick, 12" x 24", up to 750°F	
K001503.28	Silver Reflective Foil, 10-Mil Thick, 12" x 28", up to 1,050°F	



Foam 5150/5153 Series Bump Stops

Offered with a .500" I.D. and a 2" O.D., bump stops are available in heights of 1/2", 3/4", and 1" to meet most racers requirements. Foam bump stops allow the first 50% of travel to be fairly linear, before turning progressive beyond that point. Offered in several different durometers.

Part No.	O.D.	I.D.	Height	Durometer	Price
RESRE-BR-5150F-0500-35R	2.00"	.500"	.500"	Red (Soft)	
RESRE-BR-5150F-0500-50W	2.00"	.500"	.500"	White (Medium)	
RESRE-BR-5150F-0500-65B	2.00"	.500"	.500"	Blue (Hard)	
RESRE-BR-5150F-0500-75B	2.00"	.500"	.500"	Black (Hardest)	
RESRE-BR-5150F-0750-35R	2.00"	.500"	.750"	Red (Soft)	
RESRE-BR-5150F-0750-50W	2.00"	.500"	.750"	White (Medium)	
RESRE-BR-5150F-0750-65B	2.00"	.500"	.750"	Blue (Hard)	
RESRE-BR-5150F-0750-75B	2.00"	.500"	.750"	Black (Hardest)	
RESRE-BR-5150F-1000-35R	2.00"	.500"	1.00"	Red (Soft)	
RESRE-BR-5150F-1000-50W	2.00"	.500"	1.00"	White (Medium)	
RESRE-BR-5150F-1000-65B	2.00"	.500"	1.00"	Blue (Hard)	
RESRE-BR-5150F-1000-75B	2.00"	.500"	1.00"	Black (Hardest)	



Molded Bump Stop **NEW/DUROMETER OFFERING!**

RESRE-BR-RSW-460

RSW series bump stops are thermo set for consistency, and are designed to provide a relatively linear curve.

O.D.	I.D.	Height	Durometer
2.00"	.500"	1.00"	60 (Purple)



NEW PRODUCTS



Premium Finished Wheel Bearing and Race Kit for Winters 1-Ton Wide 5

Wheel bearings and races are premium finished, resulting in reduced drag and lower operating temperatures. Includes inner and outer wheel bearings, and accompanying races for one hub. Fits all Winters 1-ton Wide 5 hubs.



NEW APPLICATIONS!

Adjustable Hub Bearing Spacers

Innovative adjustable spacer allows setting precise wheel bearing pre-load for reduced drag and lower operating temperatures. Includes complete instructions.



Part No.	Description	Price
DRP007-10508	DMI Deuce 1/2-Ton Wide 5	
DRP007-10532-1	Camaro Front Spindle, Steel Hub, 1.252" Inner I.D., .840" Outer I.D.	

Quick Change Precision Rear End Housing Fixture

Fixture allows checking axle tubes and side bell for straightness, while also aiding the straightening of bent tubes. May also be used to set toe and camber in axle tubes. Fixture is sold complete with (2) billet end plates (Wide 5 pattern), (2) adjustable tensioning struts, (1) digital caliper, and instructions.



HDX Drop Nerf Bars

The notched bar design gives any truck a more rugged look. The black powder-coated one-piece stamped steel construction features a removable step plate for easy cleaning. No drilling required. 3-year warranty.



Part No.	Description	Price
WES56-13255	2007-20 Toyota Tundra Crew Max	
WES56-13725	2007-18 Chevy Silverado 1500, 2007-19 Chevy Silverado 2500/3500 Crew Cab	
WES56-13935	2015-20 Ford F-150 Super Cab, 2017-20 Ford F-250/350 SD Super Cab	
WES56-13945	2015-20 Ford F-150 Super Crew, 2017-21 Ford F-250/350 SD Crew Cab	
WES56-14085	2019-21 RAM 1500 Extended Cab	
WES56-14095	2019-21 RAM 1500 Quad Cab (except 2019-20 RAM Classic)	
WES56-14125	2019-202 Chevy Silverado 1500 Double Cab (except 2019 Silverado LD 1500)	
WES56-14135	2019-20 Chevy Silverado 1500/2500/3500 Crew Cab	



GENIUS Smart Battery Chargers

Among the most powerful, highest-performing, energy-efficient, and compact battery chargers currently available. GENIUS series include the ability to charge, maintain, and desulfate 6- and 12-volt lead-acid, gel, AGM, and lithium-ion batteries.



Part No.	Description	Price
NOCGENIUS2X2	2-Bank, 4-Amp (2-Amps Per Bank) Battery Charger	
NOCGENIUS2X4	4-Bank, 4-Amp (2-Amps Per Bank) Battery Charger	

GENIUS Gen5 On-Board 12-Volt Battery Chargers

Rugged, waterproof on-board battery chargers are designed for the harsh conditions associated with marine usage. Units include the ability to act as a battery charger, maintainer, and desulfator. Multi-bank units allow charging multiple batteries at the same time. Compatible with lead-acid, AGM, and lithium-ion batteries.



Part No.	Description	Price
NOCGEN5X1	1-Bank, 5-Amp Battery Charger	
NOCGEN5X2	2-Bank, 10-Amp (5-Amps Per Bank) Battery Charger	
NOCGEN5X3	3-Bank, 15-Amp (5-Amps Per Bank) Battery Charger	
NOCGENPRO10X1	1-Bank, 10-Amp Battery Charger	
NOCGENPRO10X2	2-Bank, 20-Amp (10-Amps Per Bank) Battery Charger	
NOCGENPRO10X3	3-Bank, 30-Amp (10-Amps Per Bank) Battery Charger	
NOCGENPRO10X4	4-Bank, 40-Amp (10-Amps Per Bank) Battery Charger	



PRO20 Side Air

The PRO20 Side Air features a lightweight FRP shell that is fitted with a Nomex liner for fire resistance and comfort. Forced air is plumbed into the left side of the helmet via a 1.25" barbed fitting so that air flows across the face shield from left to right for cooling and anti-fogging. Offered in flat black only, helmet meets Snell SA2020 standards and includes provisions for a HANS/HNR restraint.



Size	Part No.
Small	RQP296992
Medium	RQP296993
Large	RQP296995
X-Large	RQP296996
XX-Large	RQP296997

Adult Arm Restraints

Required by the drivers of most open cockpit race cars, arm restraints combine 2" wide premium polypropylene webbing with high-grade steel hardware. Adjustable for length, restraints meet SFI 3.3 specifications. Black only.






**new
vendor**

LS3 Intake Manifold Heat Shield HSP140021

Keep intake temperatures lower on any LS3 powerplant utilizing a factory intake. The shield creates a heat barrier between the top of the engine and the bottom of the intake, maximizing the horsepower potential of the engine. Made in the USA.



Heat Shield Armor

This 4-mil thick layer reduces radiant heat up to 70%. Ideal for exhaust system components. Made in the USA.

Part No.	Description	Price
HSP170001	1/4" x 6" x 60"	
HSP170102	1/4" x 12" x 24"	
HSP170105	1/4" x 12" x 60"	
HSP172252	Pipe Kit, 2-1/2" Diameter x 24" Long	
HSP175102	1/2" x 12" x 24"	
HSP175110	1/2" x 18" x 48"	
HSP176001	1/2" x 12" x 36"	
HSP177201	12" x 10", With Ties	
HSP179002	Tape, 2" x 39"	



Sticky™ Shield

Designed to reflect 90% of radiant heat, this ultra-thin lightweight sheet is ideal for off-road vehicles, race cars, and other performance applications. The adhesive backing allows for easy application. 1100°F continuous/2000°F intermittent protection. Made in the USA.

Part No.	Description	Price
HSP180020	1/8" x 12" x 23"	
HSP180021	1/8" x 23" x 24"	
HSP180025	1/8" x 36" x 47"	



Hose & Wire Sleeve HP Builders Kit HSP204002

This fiberglass woven heat sleeve is designed to protect small diameter wires and hoses, up to 1100°F. Black. 1/2" I.D. x 24" Long.



Hot Rod Sleeve

Longer, 10-foot bulk length of the popular hose & sleeve shield. Black. Available in a variety of diameters.

Part No.	Description	Price
HSP204011	3/8" I.D.	
HSP204012	1/2" I.D.	
HSP204013	1/4" I.D.	
HSP204014	3/4" I.D.	
HSP204018	1" I.D.	



Fire Shield Sleeve

Protect hoses and wires from heat damage, 500°F continuous/900°F intermittent. Depending on its use, the silicone-covered wrap can dissipate as well as retain heat. 36" long. Black. Made in the USA. Various diameters.

Part No.	Description	Price
HSP210040	3/8" I.D.	
HSP210042	1/2" I.D.	
HSP210044	3/4" I.D.	



Thermafect™ Sleeve

Designed for easy slide on/slide off installation, the chrome fiberglass sleeve heat barrier, reflects radiant heat away from components. Works well protecting wires and cable from 1100°F continuous/2000°F intermittent temperatures. Various diameters.

Part No.	Description	Price
HSP270101	1" I.D., 120" L, Sewn Seam	
HSP274012	1/2" I.D., 36" L, Hook & Loop Seam	
HSP274034	3/4" I.D., 36" L, Hook & Loop Seam	
HSP274100	1" I.D. x 36" L, Hook & Loop Seam	
HSP274112	1-1/2" I.D. x 36" L, Hook & Loop Seam	
HSP274200	2" I.D. x 36" L, Hook & Loop Seam	



Lava™ Turbo T4 Flange Heat Shield HSP300074

Reduces underhood temperatures up to 60% while retaining heat inside the turbocharger housing. Allows for consistent boost even when "peddling". Protects against up to 1200°F continuous/2000°F intermittent temperatures. Fits T4 turbocharger flange, V-band in and out turbines.



Thermafect Tape

Aluminized fiberglass cloth heat barrier tape. Protects from up to 1100°F continuous/2000°F intermittent temperatures. Reflects up to 90% of radiant heat.

Part No.	Description	Price
HSP340020	1-1/2" x 20 Ft.	
HSP340410	4" x 10 Ft.	



Thermal Tie

These stainless steel locking ties are designed to secure insulation to exhaust components. Handles continuous temperatures up to 1800°F. Special tools not required.

Part No.	Description	Price
HSP351001	5/16" W x 8" L, 8-Pack	
HSP351007	5/16" W x 20" L, 6-Pack	



HP Heat Shrink HSP353019

Designed to protect wire looms, cables, and hoses from high temperatures. This 1-1/2" diameter heat shrink is made from polyolefin tubing and meets all AMS-DTL-23053/5C, UL and CSA specifications. Made in the USA.



NEW PRODUCTS



**new
vendor**

Heat Sleeve with Carbon Fiber Look-Lava™ Tube HSP280010

A specially formulated fibrous thermal barrier weave created from volcanic rock, this tube-shaped guard can protect components from up to 1200°F continuous/2000°F intermittent temperatures. Ideal for shielding turbo oil lines, fuel lines, hydraulic lines, and other components adjacent to exhaust heat. 1-1/2" ID. 36" long. Made in the USA.



Lava™ Exhaust Wrap Kit HSP372051

A straightforward exhaust wrap kit that increases engine scavenging and reduces underhood temperatures up to 50%. includes stainless steel ties. Protects from up to 1200°F continuous/2000°F intermittent temperatures. 2" x 50 feet.



Lava™ Starter Heat Shield

Designed with crushed volcanic rock fibers, this heat shield will extend the life of the starter motor and solenoid from high underhood temperatures commonly found on high horsepower engine applications. Protects up to 1200°F continuous/2000°F intermittent temperatures. Installation doesn't require starter removal.



Part No.	Description	Price
HSP501070	7-1/4" x 21-3/4"	
HSP501071	3-1/2" x 18", Small Gear Reduction	

Heatshield Mat HSP721202

Ideal for applications with one inch of airspace and ample airflow, this aluminized self-adhesive matting will reflect up to 90% of radiant heat. Uses include firewalls, floorpans, air intakes as well as unfinished fiberglass and carbon fiber components. Protects from up to 1100°F continuous/2000°F intermittent temperatures. 24" x 24".



Fuel Off-Road

When it comes to wheels designed to handle the toughest terrain, Fuel Off-Road delivers. With some of the most advanced off-road wheels available, in a variety of styles, Fuel Off-Road offers cutting-edge designs for trucks, SUVs, and UTVs.



Assault



Contra



Lethal



Maverick



Triton



Vapor

Part No.	Size (in.)	Bolt Pattern-1 (mm)	Bolt Pattern-2 (mm)	Finish	Bore (mm)	Offset (mm)	Backspacing (in.)	Price
Assault								
FORD54620909850	20x9	6x135	6x139.7	Matte Black Milled	106.1	1	5.04	
FORD54620009846	20x10	6x135	6x139.7	Matte Black Milled	106.1	-22	4.63	
FORD57620009846	20x10	6x135	6x139.7	Gloss Black Milled	106.1	-22	4.63	
FORD57620909850	20x9	6x135	6x139.7	Gloss Black Milled	106.1	0	5	
Contra								
FORD61520909849	20x9	6x135	6x139.7	Brushed Gun Metal Tinted Clear	106.1	2	5	
Lethal								
FORD56720009845	20x10	6x135	6x139.7	Matte Black Milled	106.1	-24	4.56	
Maverick								
FORD61020909850	20x9	6x135	6x139.7	Gloss Black Milled	106.1	1	5	
Triton								
FORD60920009846	20x10	6x135	6x139.7	Chrome Plated	106.1	-10	-19	
Vapor								
FORD56020009846	20x10	6x135	6x139.7	Matte Black	106.1	-18	4.79	

PIAA



S-RF Series Light Bars

These low-profile (1.8" tall) LED light bars with Reflector Facing Technology offer maximum output and long life. The LED's have a 5600K color temp and a 50,000+ hour rating. The aluminum extruded framework and the polycarbonate lens offer durability regardless of use. Available with driving beam (long range) pattern or a combo pattern that lights up the road up ahead while offering great periphery lighting as well.



Part No.	Description
PIA25-03606	6" Driving Beam Pattern
PIA25-03609	9" Driving Beam Pattern
PIA25-03620	20" Combo Beam Pattern
PIA25-03630	30" Combo Beam Pattern
PIA25-03640	40" Combo Beam Pattern

2000 Series 2" LED Flood Lights

PIA25-02303

This pair of compact two-inch LED flood lights feature multi-surface reflector technology offering a wide flat beam pattern to enhance low-beam headlights. Works well for improving visibility in rain or snow.



2001 Series 2" LED Spot Lights

PIA25-02603

This pair of compact two-inch LED spot lights are perfect for complementing factory lighting found on trucks, SUVs, UTVs, and other recreational vehicles. The units are IP67-rated against dust and water ingress and feature a GORE pressure equalizing, high-grade alloy heat sink, stainless hardware with universal mounting brackets, and Quad XCT optics. The two LED chips draw 9.6-watts, have an operating voltage range of 9-36 V, and are rated at 50,000+ hours of life.



4" Quad Edge Series LED Light Kit

PIA25-06103


These low-profile four-inch LED lights work well mounted on Jeep and other truck/SUV applications. The light kit utilizes Quad XCT Wide Angle Optics and Edge Technology providing 180° of coverage out the front of the vehicle. 12V/24V 27-watts. ECE compliant, IP67-rated for dust and water ingress. Made with aluminum housings and polycarbonate lenses. Mounting brackets, hardware, wiring harness, and switch included.



All-Weather LED Bulbs

Replace factory halogen headlight bulbs with high-performance PIAA All-Weather LEDs. 24-watt. 4000k rated.

Part No.	Description
PIA24-17504	H4 (9003)
PIA24-17507	H7
PIA24-17508	H8
PIA24-17509	H9
PIA24-17511	H11
PIA24-17513	H13 (9008)
PIA24-17516	H16
PIA24-17592	9012
PIA24-17595	9005 (HB3)
PIA24-17596	9006 (HB4)



Jeep Wrangler/Gladiator All-Weather Trail Cover

Designed to quickly protect your Jeep when unexpected weather hits and the soft top is unavailable. Includes storage bag.



Part No.	Description	Price
BES81044-01	2007-18 Wrangler JK 2-Door	
BES81045-01	2007-18 Wrangler JK 4-Door	
BES81050-01	2020 & Newer Gladiator	



1960-88 MOPAR

A/B Body Slim Fit Radiator

A factory replacement, completely integrated aluminum radiator, shroud, and fan that is less than four inches thick. Other features include an adjustable thermostat, fabricated aluminum tanks, a billet aluminum filler neck and high-capacity overflow tube. Fits 1960-88 MOPAR A/B Body. Must specify manual or automatic transmission.



Part No.	Description	Price
PFM69696.1	Manual Transmission	
PFM69696.2	Automatic Transmission	

Small Block Chevy Shark Gray Dress Up Kit

PFM141-880

The latest finish from Chevrolet Performance. Shark Gray with Chevrolet Red accents. This small block Chevy dress up kit includes baffled valve covers, a 14" air cleaner, a timing chain cover, push-in valve cover breather cap, and valve cover wing nuts and hold downs. All featuring bowtie and Chevrolet emblems.



Small Block Chevy

Shark Gray Dress Up Components



Part No.	Description	Price
PFM141-881	Valve Covers with Bowtie Logo	
PFM141-882	14", A/C with Bowtie Logo	
PFM141-883	Timing Cover with Bowtie Logo	
PFM141-884	Push-in Breather Cap	
PFM141-885	Valve Cover Hold Downs, 4-Pack	
PFM141-886	Valve Cover Wing Nuts, 4-Pack	



Super Street 5-Speed With Overdrive

The Super Street 5-speed provides the ultimate blend of performance and economy. Low gear ratios in gears 1st through 4th ensure powerful acceleration, while a high 5th gear ratio yields a smooth and economical highway ride. Strong enough to handle up to 600lb/ft. of torque. A durable side lever rail shift mechanism and a lightened 1st gear result in easy, consistent shifts.



Part No.	1st	2nd	3rd	4th	5th	Price
RIC7020526A	3.33	1.85	1.31	1.00	0.77	
RIC7020526B	2.89	1.85	1.31	1.23	0.77	



34.5" Long Carbon Fiber Driveshaft **NEW LENGTH!** For Modified/Crate Late Model WDSCF225345

Ultra-lightweight driveshaft, which is 34.5" long, is ideal for IMCA/UMP Modifieds or Crate Late Models with up to 500 horsepower. Driveshaft is manufactured from 2-1/4" O.D. x .125" wall carbon fiber tube with 7075 forged aluminum yokes and permanent lube U-joints. Slip yoke not included.



Bakflip MX4 Bed Cover

This low-profile, flush-mount, premium hard folding cover is constructed with HD matte finished aluminum panels. Clamp-on, drilling installation. 3-year warranty. Made in the USA.



Part No.	Description	Price
BAK448339	2021 Ford F-150, 5.5 Ft. Bed	
BAK448337	2021 Ford F-150, 6.5 Ft. Bed	
BAK448338	2021 Ford F-150, 8 Ft. Bed	

Revolver X2 Hard Roll-Up Bed Cover

Designed with locking rails that secure the full length of the truck bed without covering the stake pocket. This aluminum cover easily rolls up with one hand and allows 100% bed access. 3-year warranty. Made in the USA.



Part No.	Description	Price
BAK39339	2021 Ford F-150, 5.5 Ft. Bed	
BAK39337	2021 Ford F-150, 6.5 Ft. Bed	
BAK39338	2021 Ford F-150, 8 Ft. Bed	

Revolver X4 Bed Cover

The BAK Revolver X4, featuring the same great features of the Revolver X2, with a stylish matte finish. When closed, heavy-duty aluminum slats secure the cover the full length of the bed on both sides, providing unrivaled strength and security. When opened, the cover rolls up tight, providing full bed access without blocking rear view mirror and third brake light visibility. The RX4 is constructed of heavy-duty aluminum panels. When latched, the 3/4" patented rotational locking rails secure the cover the entire length of the truck bed.



Part No.	Description	Price
BAK79339	2021 Ford F-150, 5.5-Ft. Bed	
BAK79337	2021 Ford F-150, 6.5-Ft. Bed	
BAK79338	2021 Ford F-150, 8-Ft. Bed	



Bellhousing Mount Tandem Fuel/Power Steering Pump Kit KRCESP10096932

Tandem pump kit combines a race-prepped, hex-drive KRC power steering pump with a billet aluminum Waterman Racing Components fuel pump. Comprehensive kit includes bolt-on reservoir, HTD drive pulley, bellhousing mount bracket, and necessary hardware.



SB Chevy Block Mount Elite Series Power Steering Pump Kit KRCESP18020115

Premium, Elite Series Power Steering Pump is manufactured from aircraft-quality 6061-T6 aluminum and features nine adjustable levels for optimal driver feel. Includes pump with bolt-on tank, 4.2" 6-rib press-on serpentine pulley, block mount bracket, and necessary hardware.



Aluminum HTD Pulleys

Manufactured from rigid billet aluminum, all pulleys are hard anodized for durability and corrosion protection.



Part No.	Description	Price
KRC81508024	Denso Alternator Pulley, 24-Tooth, 10 mm Wide	
KRC88008037	Water Pump Pulley, 37-Tooth, 30 mm Wide	



Integrated Dual Power Cylinder Rack And Pinion SWE005-803411-235

Manufactured and assembled entirely in the USA, race-prepped power rack and pinion unit is designed for use on Asphalt Late Models. Unit features a 18-1/4" center distance, dual power cylinder, R/H slotted down and L/H slotted up rack ends, and .235" valving.



3/4"-48 Splines x 1" DD Universal Joint SWE401-51020

Specifically engineered for race car usage, universal joint is lightweight, compact and durable.



Straight Pitman Arm SWE201-29000

Manufactured from rigid, billet steel, Pitman arm has a straight (0°) design.



Titanium Steering Wheel Bolt Kit SWE801-70150

Includes (3) lightweight titanium 5/16"-18 bolts to secure the steering wheel to Sweet quick release.



1-1/8" Firewall Bearing Assembly SWE405-10425

Lightweight, billet aluminum bearing assembly is engineered to accept an 1-1/8" dia. steering column. Red anodized for corrosion resistance.



Off-Road Coolant

Developed for racing in the deserts of North America, Off-Road Coolant is designed to reduce and maintain lower operating temperatures, minimize power loss, and prevent excessive internal wear to a vehicle's powerplant.

Part No.	Description	Price
MAX89-83964	(6) 64-oz. Bottles	
MAX89-83964S	64-oz. Bottle	



SC1 Mud Release Agent

Prevents mud and rubber buildup.

Part No.	Description	Price
MAX78904	(24) 4-oz. Can	
MAX78904S	4-oz. Can	



Premium Style. Lasting Performance.

Genesis Roll-Up Tonneau

A low-profile soft tonneau cover that rolls up for complete bed access. The textured black vinyl cover features a patented latching and automatic tensioning system that combines with the HD hook and fasteners to keep the cover looking good and secure. The cover comes pre-assembled with all mounting hardware. No-drill installation.



Part No.	Description	Price
LUN96072	2021 Ford F-150, 5.5-Ft. Bed	
LUN96073	2021 Ford F-150, 6.5-Ft. Bed	

Genesis Elite Roll-Up Tonneau

The same low-profile soft tonneau with patented latching and automatic tensioning system along with all the other features of the Genesis, but made with maintenance-free black twill fabric.



Part No.	Description	Price
LUN96872	2021 Ford F-150, 5.5-Ft. Bed	
LUN96873	2021 Ford F-150, 6.5-Ft. Bed	

Genesis Elite Tri-Fold Tonneau

This cover features a distinctive-looking "convertible-type" fabric with a specially formulated twill weave texture that is resistant to mildew, water, and UV rays. Twill construction doesn't allow dirt to penetrate the fabric, making maintenance as easy as just hosing it off to leave it looking like new in minutes. The Tri-Fold design folds easily and secures quickly to the front of the truck bed. Quick installation. No tools required. Made in the USA.



Part No.	Description	Price
LUN95869	2021 Ford F-150, 5.5-Ft. Bed	
LUN958115	2021 Ford F-150, 6.5-Ft. Bed	

Genesis Tri-Fold Tonneau

Comes completely assembled. High-quality double-sided fabric with black matte finish is tear-resistant. All-black rails and bows with strong, rigid extrusions provide a clean look while offering durability, and easy operation. The quick-release cam action design provide tension and security to the cover. Buckle-style closure straps easily store cover in open position. Limited lifetime warranty on frame and cover. Textured black vinyl cover.



Part No.	Description	Price
LUN95069	2021 Ford F-150, 5.5-Ft. Bed	
LUN950115	2021 Ford F-150, 6.5-Ft. Bed	



Protect-A-Boot™

Uniquely constructed spark plug boots and wire protectors that offer protection from excessive underhood temperatures thanks to its high-temperature resistant glass fiber material. Fits most straight or angled boots. Offers in available in various lengths and colors.



Part No.	Description	Price
DSN010520	6", Red, 2-Pack	
DSN010523	6", Black 4-Pack	
DSN010524	6", Red, 4-Pack	
DSN010525	6", Blue, 4-Pack	

Titanium™

Protect-A-Boot™ Sleeve DSN010578

Similar construction to the Protect-A-Boot™ with added heat protection through the use of a basalt-based fiber material. 6" long. 4-pack.



High-Temperature Shrink Tube DSN010855

Ideal for insulating and protecting electrical wires in any vehicle. Made from MIL-spec flexible polyolefin tubing. Meets Military Spec DTL-23053/5C. 3mm diameter. 60" long.



Underhood Insulation Kit

The black underhood insulation kits are application specific and the peel-and-stick mounting makes installation easy.



Part No.	Description	Price
DSN050098	1969-70 Ford Mustang	
DSN050099	1967-69 Chevy Camaro	

Sprinter Van Insulation Kit

Featuring DEI Boot Mat this kit will improve the climate and reduce noise inside the body of any Sprinter van.



Part No.	Description	Price
DSN050400	Short Wheelbase	
DSN050401	Long Wheelbase	

Headliner Kit


Boom Mat sound deadening headliners will not only reduce outside noise, but looks good as well. Marine grade acoustical foam material that resists mold and mildew with a R4 value. These kits include a 75" x 54" (1/2" or 1" thick) cut-to-fit peel and stick panel that is offered in three colors with either an universal or leather look.



Part No.	Description	Price
DSN050528	Universal, Black, 1"	
DSN050534	Universal, White, 1"	
DSN050535	Universal, Gray, 1"	
DSN050536	Universal, Black, 1/2"	
DSN050537	Universal, White, 1/2"	
DSN050538	Universal, Gray 1/2"	
DSN050539	Leather Look, Black, 1"	
DSN050540	Leather Look, Gray, 1"	
DSN050541	Leather Look, Black, 1/2"	
DSN050542	Leather Look, Gray, 1/2"	
DSN050028	Leather Look, Black, 1/8"	

Stainless Steel Heat Shield Pad

These universal heat shield pads are manufactured from double-sided stainless steel with silica insulation and feature grommet mounting holes. Hand formable. Withstands radiant heat up to 2000°F.



Part No.	Description	Price
DSN010257	4" x 8"	
DSN010258	12" x 12"	

UTV Heat Control & Dirt Deflector Kit

The kit utilizes semi-rigid Form-A-Barrier, aluminized glass fiber heat screen materials, and Extreme Heat barrier material to create a heat barrier and block dirt throughout the cockpit. The application specific kits include hardware and are easy to install.



Part No.	Description	Price
DSN902110	2014 & Newer Honda Pioneer 700	
DSN902111	2019 & Newer Honda Talon 1000	
DSN902401	2019 & Newer Polaris RZR XP1000/XP1000 Turbo/XP1000 Turbo S, Behind Seat	
DSN902402	2019 & Newer Polaris RZR XP1000/XP1000 Turbo/XP1000 Turbo S, Center Console	
DSN902403	2019 & Newer Polaris RZR XP1000/XP1000 Turbo/XP1000 Turbo S, Complete	
DSN902404	2017 & Newer Can-Am Maverick X3, 2-Seat	
DSN902405	2018 & Arctic Wildcat XX, Center Console	

NEW PRODUCTS



**new
vendor**



3D KAGU all-weather custom fit floor liners are the revolutionary interior protection for vehicles with an innovative, unique three-layer structure. The digitized three-dimensional design is measured to exact cabin contours for trapping messes and spills. Patented anti-skid bottom layer keeps mats in place without harming the original carpet or leaving marks like nubs of traditional rubber floor mats. Surface layer Thermoplastic Rubber carbon fiber texture will complement the interior of any vehicle. Available in black only. (* = tan)


Part No.	Application	Description	M3DL1CH09201509	Price
Chevy				
M3DL1CH04211509	2014-21 Impala	Floor Liners, 1st Row		
M3DL1CH04221509	2014-21 Impala	Floor Liners, 2nd Row		
M3DL1CH09201509	2019-20 Blazer	Floor Liners, 1st & 2nd Row		
M3DL1CH06711509	2015 20 Colorado	Floor Liners, 1st Row		
M3DL1CH06721509	2015-20 Colorado	Floor Liners, 2nd Row		
M3DL1CH01421509	2010-17 Equinox	Floor Liners, 2nd Row		
M3DM1CH0521309	2010-17 Equinox	Cargo Liner		
M3DL1CH01411509	2010-17 Equinox	Floor Liners, 1st Row		
M3DL1CH08511509	2018-20 Equinox	Floor Liners, 1st Row		
M3DM1CH0851309	2018-20 Equinox	Cargo Liner		
M3DL1CH08521509	2018-20 Equinox	Floor Liners, 2nd Row		
M3DM1CH0591309	2015-20 Suburban	Cargo Liner		
M3DL1CH06201509	2015-20 Tahoe	Floor Liners, 1st & 2nd Row, Front w/o Hump, Rear Bench		
M3DL1CH06801509	2015-20 Tahoe	Floor Liners, 1st & 2nd Row, Front w/o Hump, Rear Bucket		
M3DL1BC02321509	2009-17 Traverse	Floor Liners, 2nd Row, Bucket Seats		
M3DL1CH06001509	2009-17 Traverse	Floor Liners, 1st & 2nd & 3rd Row, w/Bench 2nd Row		
M3DL1BC02211509	2009-17 Traverse	Floor Liners, 1st Row		
M3DL1CH08611509	2018-20 Traverse	Floor Liners, 1st Row		
M3DL1CH08621509	2018-20 Traverse	Floor Liners, 2nd Row, Bucket Seats		
M3DL1BC01621509	2014-20 Trax	Floor Liners, 2nd Row		
M3DL1BC01611509	2014-20 Trax	Floor Liners, 1st Row		
M3DL1CH04711502*	2007-13 Silverado 1500 Crew Cab	Floor Liners, 1st Row		
M3DL1CH04711509	2007-13 Silverado 1500 Ext. Cab	Floor Liners, 1st Row, 2-Piece Bucket/Bench, w/o 4x4 Floor Shift		
M3DL1CH05511509	2007-13 Silverado 1500 Reg. Cab	Floor Liners, 1st Row, Bench Seat Only, Fit w/o Floor Shift, 2-Piece		
M3DL1CH04721509	2007-13 Silverado 1500 Crew Cab	Floor Liners, 2nd Row, w/o Under-Seat Storage		
M3DL1CH05021509	2007-13 Silverado 1500 Ext. Cab	Floor Liners, 2nd Row, w/o Under-Seat Storage		
M3DL1CH03901509	2014-19 Silverado 1500/2500HD Double Cab	Floor Liners, 1st & 2nd Row, No Floor Shifter, No Vinyl Floor		
M3DL1CH03911509	2014-19 Silverado 1500/2500HD Crew Cab	Floor Liners, 1st Row, No Floor Shifter, No Vinyl Floor		
M3DL1CH03921509	2014-19 Silverado 1500/2500HD Double Cab	Floor Liners, 2nd Row, No Vinyl Floor		
M3DL1CH04021509	2014-19 Silverado 1500/2500HD Crew Cab	Floor Liners, 2nd Row		
M3DL1CH05611509	2014-18 Silverado 1500/2500HD Reg. Cab	Floor Liners, 1st Row, Bench & Bucket, w/o 4x4 Floor Shifter		
Ford				
M3DL1FR06521509	2005-14 Mustang	Floor Liners, 2nd Row		
M3DM1FR0851309	2015-20 Mustang	Cargo Liner		
M3DL1FR08511509	2015-20 Mustang	Floor Liner, 1st Row		
M3DM1FR0201309	2007-14 Edge	Cargo Liner		
M3DM1FR1001309	2015-21 Edge	Cargo Liner		
M3DL1FR09311509	2015-21 Edge	Floor Liners, 1st Row		
M3DL1FR09321509	2015-21 Edge	Floor Liners, 2nd Row		
M3DM1FR0561309	2013-19 Escape	Cargo Liner		
M3DL1FR10611509	2015-19 Escape	Floor Liners, 1st Row		
M3DL1FR10621509	2015-19 Escape	Floor Liners, 2nd Row		

NEW PRODUCTS



**new
vendor**

3D KAGU all-weather custom fit floor liners are the revolutionary interior protection for vehicles with an innovative, unique three-layer structure. The digitized three dimensional design measured to exact cabin contours for trapping messes and spills. Patented anti-skid bottom layer keeps mats in place without harming the original carpet or leaving marks like ribs of traditional rubber floor mats. Surface layer Thermoplastic Rubber carbon fiber texture will complement the interior of any vehicle. Available in black only. (* = tan)




Ford			
M3DL1LC01111509	2018-21 Expedition	Floor Liners, 1st Row	
M3DL1LC01221509	2018-21 Expedition	Floor Liners, 2nd Row, Bucket Seats	
M3DL1LC01121509	2018-21 Expedition	Floor Liners, 2nd Row	
M3DL1LC01231509	2018-21 Expedition	Floor Liners, 3rd Row, Bucket Seat	
M3DL1LC01131509	2018-21 Expedition	Floor Liners, 3rd Row	
M3DL1FR03611509	2011-14 Explorer	Floor Liners, 1st Row	
M3DM1FR0361309	2011-19 Explorer	Cargo Liner	
M3DL1FR03621509	2011-19 Explorer	Floor Liners, 2nd Row	
M3DL1FR07921509	2011-19 Explorer	Floor Liners, 2nd Row, Bucket Seats	
M3DL1FR09111509	2015-16 Explorer	Floor Liners, 1st Row	
M3DL1FR11111509	2017-21 Explorer	Floor Liners 1st Row	
M3DL1FR06711509	2009-10 F150 Supercrew	Floor Liners, 1st Row, Single Hook On Drivers Side, Doesn't Fit Floor Shift	
M3DL1FR07121509	2009-14 F150 Supercab	Floor Liners, 2nd Row Trim to Fit Subwoofer	
M3DL1FR10111509	2015-20 F150 Supercab	Floor Liners, 1st Row, Bench Seat 3-Piece, Doesn't Fit 4x4 Floor Shift	
M3DL1FR07211509	2009-14 F150 Reg. Cab	Floor Liners 1st Row, Dual Post, Heat Duct Drivers Side, Doesn't Fit 4x4 Floor Shift	
M3DL1FR08301509	2015-20 F150 Supercrew	Floor Liners 1st & 2nd Row, Front Buckets, Doesn't Fit 4x4 Floor Shift, 2-Post	
M3DL1FR08311509	2015-20 F150 Supercrew	Floor Liners 1st Row, Bucket Seats, w/o Center Hump, Doesn't Fit 4x4, 2-Post	
M3DL1FR08321509	2015-20 F150 Supercrew	Floor Liners, 2nd Row, Trim to Fit Subwoofer	
M3DL1FR10711509	2015-20 F250SD Supercrew	Floor Liners, 1st Row, No Vinyl Floor, 2-Piece	
M3DL1FR10711509	2015-20 F250SD Reg. Cab	Floor Liners 1st Row, No Vinyl Floor, 2-Piece	
M3DL1FR10701509	2017-20 F250SD Supercrew	Floor Liners, 1st & 2nd Row, No Vinyl Floor Fit Bench Seat Row 1	
M3DL1CH05511509	2019-20 Ranger	Floor Liners, 1st Row	
M3DL1FR05021509	2019-20 Ranger Supercrew	Floor Liners, 2nd Row	
GMC			
M3DL1GM02501509	2019-20 Sierra 1500 Reg. Cab	Floor Liners, 1st & 2nd Row	
M3DM1GM0211309	2017-20 Acadia	Cargo Liner, Cross Fold, Behind Second Row	
M3DL1GM02111509	2017-20 Acadia	Floor Liners, 1st Row	
M3DL1GM02121509	2017-20 Acadia	Floor Liners, 2nd Row	
M3DL1GM01001509	2015-19 Sierra 1500/2500HD Crew Cab	Floor Liners, 1st & 2nd Row, Front Row Fits Bench & Bucket, w/o Floor Shift	
M3DL1GM02421509	2019-20 Sierra 1500 Reg. Cab	Floor Liners, 2nd Row	
M3DL1GM02511509	2019-20 Sierra 1500 Reg. Cab	Floor Liners, 1st Row	
M3DL1GM00501509	2010-17 Terrain	Floor Liners, 1st & 2nd Row, Dual Floor Hooks	
M3DL1GM02311509	2018-20 Terrain	Floor Liners, 1st Row	
M3DL1GM02301509	2018-20 Terrain	Floor Liners, 1st & 2nd Row	
Dodge			
M3DL1DG01611509	2008-20 Grand Caravan	Floor Liners, 1st Row, One Stud on Drivers Side	
Jeep			
M3DL1DG00621509	2011-13 Grand Cherokee	Floor Liners, 2nd Row, Bench Seat	
M3DM1JP0041309	2011-20 Grand Cherokee	Cargo Liner	
M3DL1DG01311509	2013-20 Grand Cherokee	Floor Liners, 1st & 2nd Row, Retention Post Passenger Side, Bench Seat 2nd Row	
M3DL1JP02201509	2020-21 Gladiator JT	Floor Liners, 1st & 2nd Row	
M3DL1JP02221509	2020-21 Gladiator JT	Floor Liners, 2nd Row	
M3DL1JP00311509	2007-13 Wrangler Unlimited	Floor Liners, 1st Row	

NEW PRODUCTS



**new
vendor**



M3DL1JP00321509



M3DL1JP02201509

Jeep			
M3DL1JP00321509	2007-13 Wrangler Unlimited	Floor Liners, 2nd Row	
M3DL1JP01911509	2014-18 Wrangler JL Unlimited	Floor Liners, 1st Row	
M3DL1JP01921509	2018-20 Wrangler JL Unlimited	Floor Liners, 2nd Row	
Ram			
M3DL1DG01721509	2012-20 Ram 1500 Crew Cab	Floor Liners, 2nd Row	
M3DL1DG02011509	2012-20 Ram 1500 Crew Cab	Floor Liners, 1st Row, Dual Post Only	
M3DL1DG02721509	2019-20 Ram 1500 Crew Cab	Floor Liners, 2nd Row	
M3DL1DG02711509	2019-20 Ram 1500 Crew Cab	Floor Liners, 1st Row, Bench Seat Only, 3-Piece	
M3DL1DG02811509	2019-20 Ram 1500 Crew Cab	Floor Liners, 1st Row, Bucket Seats Only	
M3DL1DG03121509	2019-20 Ram 1500 Quad Cab	Floor Liners, 2nd Row	

SPICER®



Jeep Wrangler JK/JL & Gladiator JT Ultimate Dana Crate Axles

This direct bolt-in solution for serious off-road enthusiasts. Added features include thicker tubes for improved overall strength, thicker 1/4" inch steel brackets to resist bending, chromoly axle shafts for optimal strength and performance, Spicer Life Series 1350 U-joints with triple lip seals and full-circle clips, performance differential cover, and genuine Spicer gearing with optimized pinion angles for lifted vehicles.



Part No.	Description	Price
DAN10010521	Dana 44, JK, Front 4.988 ELD	
DAN10005777	Dana 60, JK, Front 5.38 ELD	
DAN10056030	Dana 60, JL/JT, Front 5.38 ELD	

Jeep Wrangler JK/JL/JT Front Driveshaft Dana 30/44 DAN10020345

Offering improved balance and strength and designed for off-road use for with lifts from factory height up to six inches. Fit Jeep Wrangler JT/JL /JT applications. Dana 30/44 AdvanTEK - Series 1310. Includes transfer case and double cardan yoke. Yoke to yoke length of 35.945".



UD60 Front Driveshaft Assembly

The Spicer 1350-series driveshaft offers added strength thanks to extra-thick high-quality steel tubing and a slip assembly located at the transfer case. The assembly includes the driveshaft assembly, universal joint strap, and bolts.



Part No.	Description	Price
DAN10097841	Jeep Wrangler JL/Gladiator JT	
DAN10113216	Jeep Wrangler JK	



Fluidampr with 15% Underdrive for Toyota/Lexus 1JZ/2JZ FLU840811

Now available for 1990-2005 Toyota/Lexus 1JZ/2JZ with 15% underdrive, this race-proven, SFI-approved steel balancer with billet aluminum serpentine pulley requires no service or maintenance. Balancer is 8-1/2" dia., includes engraved timing marks, and includes a black zinc finish.



High-Volume/High-Performance Oil Pump For GM LS 5.3/6.0/6.2L MEL10355HV

Offering 20% more volume, this high-performance oil pump fits all 2005-17 GM LS 5.3, 6.0, and 6.2L engines. Aluminum pump housing is hardcoat anodized for durability, includes an installed +10 PSI pressure relief spring, and accepts a 7/8" dia. bolt-on pickup. Sold complete with standard and +20 PSI oil pressure relief springs, and O-rings for pickup tube.



2015-17 Ford F-150 Grille ROU422248

Available now for purchase for the first time, the Roush F-150 grille combines the benefits of bold, aggressive styling with integrated accent lighting and increased air flow. Engineered with OEM CAD data for superior fitment and compatibility with the OEM front camera, three-piece grille offers easy installation and is sold complete with all required hardware.



NEW PRODUCTS



5" Hook Nosed Ramps RMPRR-RACK-HN20-5

Ramps are ideal for low-ground-clearance vehicles with up to 18" wide tires. The hook nose keep ramps in place when assisting with vehicle load onto a platform or lift. Ramps hold up to 6,000 lbs. per set and have a 6.4° incline. 48"L x 5"H x 20"W. Sold in pairs.



Wireless Winch Remote Kit SUP2277

For use with all 12-volt Superwinch electric winches. Includes wireless receiver, transmitter, lanyard, wiring, adapters, and hardware.



D2 Series Pro LED Light Kit RIG212113

The D2 series LED light is a compact flush-mount 3" x 3" lamp containing four LEDs in a black aluminum housing. Provides over 3100 lumens of light. Includes mounting hardware, wiring harness, connectors, and switch. Sold in Pairs.



RDS-Series PRO Light Bar



The extremely powerful RDS-Series, PRO (Professional Race Output) light bar offers 70% more raw lumens and more useable light where its needed most. The slightly arched E-Series light bar creates a sleek integrated look on most trucks and SUVs.

Part No.	Description	Price
RIG874213	40" Spot, White	
RIG875213	50" Spot, White	
RIG884213	40" Spot, Black	

Adapt LED Light Bar



This universal mounting single row LED light bar offers eight selectable beam patterns and can be programmed to display any color in the light spectrum. The unit features three different light patterns; Spot, Flood, and Driving. When programmed in adaptive mode, the beam pattern will adjust according to vehicle speed. The dash-mounted controller offers two programmable presets and can intuitively control the beam patterns, accent lighting, and the adaptive mode. Kit includes one light, GPS module, dash controller, underdash module, complete wiring harness and switch, mounting hardware and installation guide. Limited lifetime warranty.

Part No.	Description	Price
RIG230413	30"	
RIG240413	40"	

Red Chase Light RIG90133



This rear facing red LED light can be used as a third brake light, a running light, a reverse light or in strobe mode for competition and chase applications. Ideal for trucks, buggies, UTVs, Jeeps or other off-road applications.

SR-Series PRO Light Bar



The SR-Series PRO LED light bar is a single-row, two-inch tall LED light bar offered in a variety of light patterns while emitting 111% more raw lumens. The extruded aluminum housing is black powder coated. Limited lifetime warranty.

Part No.	Description	Price
RIG930314	30", Spot/Driving	
RIG931314	30", Spot/Flood	

D-SS Pro LED Pod Light Kit

The dually-side shooter LED pod light kit offer a wider spread, 120° beam thanks to additional side-aimed LEDs that offer up to 102% more raw lumens. Kit sold in pairs and includes harness and switch, stainless steel mounting bracket and hardware.



Part No.	Description	Price
RIG262213	Spot	
RIG262313	Driving	

2017-18 Ford Raptor Triple Fog Light Kit RIG41610

Replace the factory Ford Raptor OEM fog lights with Rigid D-Series LEDs. Offer a clean factory look without modifying the bumper. Kit includes everything needed to install six D-Series lights in both fog light locations. One pair each SAE rated lights, flood lights, and driving lights.



10" E-Series Light Bar RIG110313

This black anodized aluminum housing ten-inch light bar features two rows of white LEDs in a flood/spot light configuration. Limited lifetime warranty.



10" Adapt Light Bar RIG210413

The unique signature look of the Adapt light bar offers style and technology. The programmable ten-inch unit offers eight beam patterns and features three different light patterns; Spot, Flood, and Driving. When operating in adaptive mode, the beam pattern will adjust according to vehicle speed. Kit includes one light, GPS module, dash controller, under dash module, complete wiring harness and switch, mounting hardware and installation guide. Limited lifetime warranty.



Radiance Amber LED Light Kit RIG68204

The affordable Radiance Pod Scene Light Kit offers D-Series construction with a 100° horizontal spread in a amber backlit driving light. Black powder-coated finish. Includes universal mounting bracket. Sold in pairs.



DC Scene Light RIG681513

Developed specifically for first responders and rescue personnel, DC Scene lighting is an efficient way to light up any area. This 2" x 2" LED light utilizing offers a 115° spread.





3/8"-16 Header Bolts

Set of 16 hex-head bolts with 3/8"-16 thread.



Part No	Description	Price
RPCR0938	Zinc Plated Steel	
RPCR0938S	Stainless Steel	

Super Flow Air Cleaner Assembly

Air cleaner assembly is 14" diameter x 3" tall, with a 5-1/8" carburetor flange. Includes cleanable cotton filter.



Part No.	Description	Price
RPCR2225	Drop Base, Chrome, Blue Filter	
RPCR2226	Flat Base, Chrome, Blue Filter	
RPCR2227	Drop Base, Black Powder Coat, Blue Filter	
RPCR2228	Flat Base, Black Powder Coat, Blue Filter	
RPCR2350	Flat Base, Black Powder Coat, Red Filter	
RPCR2351	Drop Base, Black Powder Coat, Red Filter	

Oil Fill Cap

RPCR4804BK

Round, twist-on black steel cap.



GM LS Motor Mount Adapter Plates

These 3-bolt motor mounts adapt 1997-13 GM LS Gen III/IV engines to most early model Chevy applications. Choose multiple mounting positions. 3/8" billet aluminum plates with heavy-duty hardware.



Part No.	Description	Price
RPCR5140	Natural	
RPCR5140BK	Black	

GM LS Engine Valley Cover Plate

OE replacement billet aluminum LS valley cover plate. Hardware included.



Part No.	Description	Price
RPCR5310	LS3, Natural	
RPCR5310BK	LS3, Black	
RPCR5315	LS3, Finned, Natural	
RPCR5315BK	LS3, Finned, Black	
RPCR5320	LS1/LS6, Finned, Natural	
RPCR5320BK	LS1/LS6, Finned, Black	

Chevy Fuel Pump Block Off Plate

Steel plate with gasket.

Part No.	Description	Price
RPCR2057BK	Small Block	
RPCR2058BK	Big Block	



GM Power Steering Control Valve

RPCR3157

-6AN Male to 18mm.



GM LS Swap Fabricated Steel Oil Pan

RPCR4016BK

Designed to make easy work of any LS swap in GM A/F/X-Body vehicles. This 5-1/2-quart capacity steel oil pan offers trap door baffling to ensure positive engine lubrication, and features reinforced pan rails and (2) -10AN oil filter relocation fittings. Black.



GM LS Swap Fabricated Aluminum Oil Pan

RPCR4010

This clear anodized aluminum oil pan has a 7-quart capacity and offers all the same LS swap design features as the steel version.



GM LS Steel Oil Pan

The steel oil pan features a 7-quart capacity, reinforced pan rails, and (2) -10AN oil filter relocation fittings, and offers trap door baffling to ensure positive engine lubrication.



Part No.	Description	Price
RPCR4019BK	Black	
RPCR4019Z	Zinc Coated	

Small Block Chevy Power Steering Pump Bracket Kit

RPCR4302BK

Black anodized aluminum driver side block mount power steering bracket and water pump mount with long shaft water pump.



Small Block Chevy Alternator Bracket Kit

RPCR4304BK

Black anodized aluminum passenger side mid-mount alternator bracket with long shaft water pump.



Fuel Vapor Purge Solenoid Plate

RPCR5132

Billet aluminum solenoid plate includes screw.



Oil Cooler Port Block-Off Plate

RPCR5134

Billet aluminum with O-ring.



Billet PCV Valve

RPCR6008BK

Black billet aluminum PCV. 3/4" O.D. with barbed hose end.





Stainless Steel Coolant Overflow Tank

Stainless steel coolant overflow tank feature a twist-on cap, 1/4" inlet/outlet tubes, mounting brackets, and hardware.

Part No.	Description	Price
RPCR6081BK	2" Diameter, 10" Long, Black	
RPCR6081X	2" Diameter, 10" Long, Polished	
RPCR6074BK	2" Diameter, 17" Long, Black	
RPCR6075BK	2" Diameter, 19" Long, Black	
RPCR6078BK	3" Diameter, 16" Long, Black	



GM LS Engine Aluminum Oil Pan

Factory replacement cast aluminum rear sump oil pan. Includes pickup, gasket, and hardware.



RPCR8460



RPCR8465BK



RPCR8470

Big Block Ford Aluminum Valve Covers

RPCR6288BK

Black anodized cast aluminum valve covers without PCV hole.



3" Tall Chrome Breather

Black cotton gauze filter element with chrome top.

Part No.	Description	Price
RPCR9516BK	Push In	
RPCR9517BK	Clamp On	



RPCR9516BK

Part No.	Description	Price
RPCR8460	5-1/2 Quart, Satin	
RPCR8460BK	5-1/2 Quart, Black	
RPCR8460POL	5-1/2 Quart, Polished	
RPCR8465	6 Quart, Low-Profile, Satin	
RPCR8465BK	6 Quart, Low-Profile, Black	
RPCR8465POL	6 Quart, Low-Profile, Polished	
RPCR8470	Neoprene Oil Pan Gasket	





Scirocco-Style Race Pro Radiator

NRA204112

Ultra-light drag race fully welded aluminum Scirocco-style radiator is engineered with great functionality in mind. Features include a machined billet SAE-compliant filler neck, lightweight die-stamped tanks, a standard 1-3/4" hose bead passenger side inlet/outlet, and a 2-row, 1" tube radiator core. 21-1/2" x 12-9/16" x 3-1/8".



Classic Car Radiators

These application-specific lightweight aluminum radiators feature reinforced, die-stamped tanks, billet machined filler necks, and all-welded construction.



Part No.	Description	Price
NRA205056	1967-87 GM Full-Size, Driver Inlet, Passenger Outlet, 30-3/4" x 18-5/8" x 3-1/8"	
NRA205066	1977-82 Corvette, Driver Inlet, Passenger Outlet, 2 9-7/8" x 18-1/2" x 3-1/8"	
NRAZ21230	Universal Radiator Insulators, Rubber, Black, Pair	

Sprint Car Radiator

All-aluminum downflow radiator designed for 305, 360, and 410 Sprint Car applications. Includes billet aluminum filler neck designed for 26-pound high-pressure mini-style radiator cap.



Part No.	Description	Price
2-Row, 5/8" Tubes		
NRA204113	20" x 20" x 1-7/8"	
NRA204114	20" x 20" x 2-3/4"	
1-Row, 1-5/8" Tubes		
NRA209660	20-1/2" x 16-1/4" x 2-1/4"	

Muscle Car Radiator

All-aluminum radiator with two rows of 1" tubes and a machined billet aluminum SAE compliant filler neck.



Part No.	Description	Price
NRA205059	1964-66 Ford Mustang, Manual Trans, 20-1/4" x 18-1/2" x 3-1/8"	
NRA205122	1955-57 Chevy, 22-3/4" x 22-1/2" x 3-1/8"	

Aluminum Radiator Mount Kit

NRAZ21260

4 aluminum mounts. 2 upper and 2 lower.



2007-18 Jeep Wrangler Hemi Conversion Radiator

NRA205219

A single-row all-aluminum radiator with 1-5/8" tubes and a machined billet aluminum SAE-compliant filler neck. 25-1/4" x 21-1/8" x 2".



Race Pro Radiator

Two-row aluminum radiator with 1" tubes. Machined billet aluminum SAE-compliant filler neck.



Part No.	Size	Inlet/Outlet	Price
GM, 1-Pass			
NRA209635	26" x 19"	1-1/2"/1-3/4", Pass/Pass	
NRA209674	22" x 19"	1-1/2"/1-3/4", Driv/Pass	
NRA209675	26" x 19"	1-1/2"/1-3/4", Driv/Pass	
NRA209676	28" x 19"	1-1/2"/1-3/4", Driv/Pass	
NRA209677	31" x 19"	1-1/2"/1-3/4", Driv/Pass	
Ford, Chrysler, 3-Pass			
NRA209695	26" x 19"	1-1/2"/1-3/4", Pass/Driv	
NRA209697	31" x 19"	1-1/2"/1-3/4", Pass/Driv	

Cooling System Filler Neck Tee

NRAZ12006

1-1/2" diameter aluminum filler neck tee. 6" long.



Radiator Flange Mounting Bracket

NRAZ12014

Designed to weld to radiator for flange mounting. The aluminum brackets come with slotted holes for easy mounting.



Machined Aluminum Filler Neck

NRAZ17606

1-5/8" I.D. x 3/4" Tall.



Transmission Cooler Kit

Ideal for full-size vehicles, trucks, SUVs, and high horsepower applications. This high-efficiency transmission fluid cooler includes mounting hardware and hose. Unit built with female 1/2" NPT inlet/outlets. 5/16" barbed and 5/16" inverted flare adapters are also included.



Part No.	Description	Price
NRAZ18027	9-3/4" x 5-3/4" x 1-1/4"	
NRAZ18028	16-1/4" x 8" x 1-1/2"	

Electric Brushless Fans With Shroud

12-volt 500-watt brushless electric fans with plastic blades and shroud. Includes 175°F-195°F temperature sensor and wiring. 2430 cfm.



Part No.	Description	Price
NRAZ40132	Dual 12", 17-1/4" x 28" x 2-3/4"	
NRAZ40133	Single 16", 26" x 18-1/8" x 2-3/4"	
NRAZ40135	Single 16", 22-3/8" x 18-1/8" x 2-3/4"	
NRAZ40136	Single 16", 25-3/4" x 17-3/8" x 2-3/4"	



Anti-Rattle Hitch Clamp

Prevents shank movement for a quieter ride. Steel and aluminum construction.

Part No.	Description	Price
CUR22320	2-1/2" Receiver	
CUR22325	2" Receiver	



Quick Pin No-Latch Trailer Coupler

Allows for quick trailer coupling with one pin. Easier to use than traditional couplers. No adjustments needed. Black powder coated. 3500 pound capacity.

Part No.	Description	Price
CUR25470	2" Channel	
CUR25471	2-1/2" Channel	
CUR25472	3" Channel	



Rockerball Cushion Hitch Ball

Dampens jerking and jarring from bumps, pot holes, and sudden braking thanks to ShockDrop technology to create a smoother towing experience. Forged steel construction featuring a durable black powder coat finish on base and a chrome-plated ball.

Part No.	Description	Price
CUR40247	2" Ball	
CUR40248	2-5/16" Ball	



Dinghy Towing Electrical Adapter

CUR58980

Plugs in to a 4-way blade connector to provide a 7-way RV socket.



Assure Proportional Trailer Brake Controller

CUR51160

Featuring a dynamic OLED screen that displays brake pressure and offers diagnostic alerts to notify any potential problems including low voltage and disconnect. This proportional trailer brake controller is also fitted with a 3-axis, motion-sensing accelerometer for smooth, highly responsive stops. Plug-and-play installation. Includes mounting hardware.



Rebellion XD Adjustable Cushion Hitch

ShockDrop technology dampens jerking and jarring from bumps, pot holes, and sudden braking to create a smoother towing experience. Increases driver control by reducing trailer sway tendencies, Adjustable 8-position head featuring up to a 6-inch drop, allowing for exact leveling of trailer. Cast steel construction with a textured dark gray teridium finish.



Part No.	Description	Price
CUR45955	2-1/2" Shank, 2" Ball/10,000 Lbs., 2-5/16" Ball/20,000 Lbs.	
CUR45982	2" Shank, 2" Ball/10,000 Lbs., 2-5/16" Ball/15,000 Lbs.	

GM Truck Tailgate Sensor

Prevents use of inner tailgate when ball mount is in use, avoiding costly Chevy/GMC tailgate damage. Available for 2" x 2" and 2-1/2" x 2-1/2" receivers. Easy installation. Includes sensor cap and wiring harnesses.



Part No.	Description	Price
CUR58265	2" Cap	
CUR58266	2-1/2" Cap	



Chevy SUV Cat Back Exhaust System

3" diameter stainless steel construction. Includes clamps. Moderate exterior sound and mild interior sound.

Part No.	Description	Price
MAG19540	2021 Tahoe 5.3L, Single Exhaust, Single Black Tip	
MAG19541	2021 Tahoe 5.3L, Dual Exhaust, Dual Black Tips	
MAG19542	2021 Suburban 5.3L, Single Exhaust, Single Black Tip	



2021 GM Silverado/Sierra 2500/3500 HD DPF Series Exhaust System

MAG17072

DFP Series performance exhaust system features 5-inch diameter stainless steel construction and a single rear exit black-coated pipe and tip. Moderate exterior sound and mild interior sound.



BULLY DOG
powered by DERIVE



Throttle Response Enhancer

Improve throttle response on the late model vehicles with this electronic throttle enhancement device. Simple inline plug-in installation between the throttle position sensor and the vehicle harness. Throttle response is adjustable on the fly.



Part No.	Description
BUL49001	2017-21 RAM, Jeep JK
BUL49001EO	2018-21 Jeep JL/JT, 2.0L/3.6L
BUL49002	2005-21 Chrysler
BUL49002EO	2007-19 Dodge/RAM
BUL49003	2007-20 Buick, Cadillac, Chevy
BUL49003EO	2009-20 GM Truck
BUL49004	2013-21 Cadillac
BUL49005	2006-21 GM SUV/Car
BUL49006	2006-21 GM Truck, 14N/6
BUL49007	2007-21 Infiniti/Lexus/Subaru/Toyota
BUL49008	2019-21 GM Truck, V8
BUL49009	2003-21 Toyota



Turbo Tuff Series Billet Crankshafts For GM LS

Manufactured from rigid billet 4340 steel, crankshafts are engineered to endure high engine speeds, ultra-high compression ratios, high boost levels, and up to 2,200 horsepower. Crankshafts feature (CCW) Center Counter Weights to further improve durability. Crankshafts weigh approximately 60 lbs., and are offered with 3.622" or 4.000" stroke and 24- or 58-tooth reluctors.



Part No.	Description	Stroke	Minimum Rod Length	Reluctor	Bobweight	Price
MAN190724B	GM LS	3.622"	6.125"	24-Tooth	1780 Grams	
MAN190758B	GM LS	3.622"	6.125"	58-Tooth	1780 Grams	
MAN190824B	GM LS	4.000"	6.125"	24-Tooth	1780 Grams	
MAN190858B	GM LS	4.000"	6.125"	58-Tooth	1780 Grams	

NOTE: Engine block requires minor clearancing for CCW.



Aluminum Bent Elbows

Well suited for use as intake tubing, Woolf Aircraft offers a variety of aluminum tubing bent into 45°, 90°, or 180° elbows in popular diameters up to 5".

Part No.	O.D.	Wall Thickness	Bend Angle	Centerline Radius	Price
WAP075-065-100-090-6061	.750"	.065"	90°	1.00"	
WAP100-065-100-045-6061	1.000"	.065"	45°	1.00"	
WAP100-065-100-090-6061	1.000"	.065"	90°	1.00"	
WAP125-065-125-045-6061	1.250"	.065"	45°	1.25"	
WAP125-065-125-090-6061	1.250"	.065"	90°	1.25"	
WAP125-065-200-180-6061	1.250"	.065"	180°	2.00"	
WAP138-065-150-090-6061	1.375"	.065"	90°	1.50"	
WAP150-065-150-045-6061	1.500"	.065"	45°	1.50"	
WAP150-065-150-090-6061	1.500"	.065"	90°	1.50"	
WAP150-065-300-090-6061	1.500"	.065"	90°	3.00"	
WAP175-065-175-090-6061	1.750"	.065"	90°	1.75"	
WAP200-065-200-045-6061	2.000"	.065"	45°	2.00"	
WAP200-065-200-090-6061	2.000"	.065"	90°	2.00"	
WAP200-065-300-090-6061	2.000"	.065"	90°	3.00"	
WAP200-065-300-180-6061	2.000"	.065"	180°	3.00"	
WAP225-065-225-090-6061	2.250"	.065"	90°	2.25"	
WAP250-065-250-045-6061	2.500"	.065"	45°	2.50"	
WAP250-065-250-090-6061	2.500"	.065"	90°	2.50"	
WAP250-065-300-180-6061	2.500"	.065"	180°	3.00"	
WAP275-065-400-180-6061	2.750"	.065"	180°	4.00"	
WAP300-065-300-045-6061	3.000"	.065"	45°	3.00"	
WAP300-065-300-090-6061	3.000"	.065"	90°	3.00"	
WAP300-065-450-090-6061	3.000"	.065"	90°	4.50"	
WAP300-065-450-180-6061	3.000"	.065"	180°	4.50"	
WAP350-065-350-090-6061	3.500"	.065"	90°	3.50"	
WAP350-065-450-180-6061	3.500"	.065"	180°	4.50"	
WAP400-065-400-045-6061	4.000"	.065"	45°	4.00"	
WAP400-065-400-090-6061	4.000"	.065"	90°	4.00"	
WAP400-065-600-090-6061	4.000"	.065"	90°	6.00"	
WAP400-065-600-180-6061	4.000"	.065"	180°	6.00"	
WAP400-125-400-090-6061	4.000"	.125"	90°	4.00"	
WAP450-065-450-090-6061	4.500"	.065"	90°	4.50"	
WAP500-065-600-090-6061	5.000"	.065"	90°	6.00"	
WAP500-125-525-090-6061	5.000"	.125"	90°	5.25"	



NEW PRODUCTS

DIABLOSPORT® GAS AND DIESEL TUNING SYSTEMS

Ford F-Series Sprint Auto Stop/Start Disabler DBLS1000A

Offers control over the auto stop/start feature in late model gas and diesel powered Ford F-series trucks.



ORACLE LIGHTING

2018 Ford Mustang Halo ColorSHIFT® Headlight Upgrade ORA1446-332

The 2018 Mustang headlight halo kit with ColorSHIFT® incorporates hundreds of Bridgelux LEDs into the OEM-style headlight assembly. Thanks to a special SMD technology that produces the intense light, the system uses very little additional power. The ColorSHIFT® halo rings allow customization of light patterns and colors that are programmable with any smartphone. The kit includes (6) dynamic ColorSHIFT® DRL circuit boards, (2) dynamic ColorSHIFT® halo rings, and (1) dynamic ColorSHIFT® DRL/turn signal multi-function controller. Headlight disassembly required.



White Under Body Wheel Well Rock Light Kit ORA5875-001

These bright white LED rock lights feature over 2,400 lumens of output. The kit includes (4) white LED rock lights, (8) mounting gasket sets, (4) sets of mounting hardware, and an easy 4-to-1 wiring hub.



2014-21 Jeep Grand Cherokee Dynamic ColorSHIFT® Headlight DRL Upgrade Kit ORA1284-332

Designed to enhance the Grand Cherokee factory headlights, this dynamic kit allows the user to run multiple moving color patterns through the PCB, creating a vivid eye-catching lighting effect. Controlled with any smartphone, the unit offers over 200 pre-programmed moving patterns as well as static color control and white mode for street driving. This kit includes (2) dynamic ColorSHIFT® RGB DRL boards, (1) data splitting hub, (1) constant current led driver with in-line fuse, and (1) dynamic bluetooth controller. Headlight disassembly required.



Jeep Wrangler JL Rear Bumper LED Reverse Lights ORA5874-504

Improve visibility when backing up in a Jeep JL with this LED rear bumper light kit. Featuring 22 high-powered LEDs the two aluminum housed lights mount in the factory rear bumper locations using the existing hardware.



Diesel Flo Fuel Conditioner

Diesel FLO anti-gel fuel additive.

Part No.	Description	Price
CHO4183H-12	(12) 1-quart Bottle	
CHO4183H	1-quart Bottle	



2011-20 Ford Mustang Burst Electronic Throttle Enhancement Device

Improve throttle response on the late model Ford Mustang with this electronic throttle enhancement device. Simple inline plug-in installation. Throttle response is adjustable on the fly. This product is not legal for sale or use in California on pollution-controlled motor vehicles.

Part No.	Description
SCT49000	Non-CARB
SCT490000E	CARB



Permatex® Optimum Max Temperature Gasket Maker

The red gasket maker is a silicon RTV formulation that performs between -90°F to 750°F intermittent and is sensor safe.

Part No.	Description	Price
PEX27038	3.35-ounce Tube	
PEX27138	8-ounce Power Bead Can	



Right Stuff One-Minute Gasket Maker

This high-temperature red gasket maker offers a quick one-minute adhesion time and performs up to 650°F intermittent.

Part No.	Description	Price
PEX34423	3-ounce Can	
PEX34426	7-ounce Power Bead Can	



Right Stuff 90-Minute Gasket Maker PEX34628

This high-temperature red gasket maker that sets up in 90 minutes is ideal for header, manifold, slip-fit exhaust parts, and turbocharger components. Performance up to 650°F intermittent. 3-ounce tube.



NEW PRODUCTS



GM LS Ignition Coil Harness

Made in the USA.



Part No.	Description	Price
PWI60140	1997-04 Chevy Corvette, 1998-02 GM F-Body, LS1	
PWI60141	LS2/LS3, Gen III/IV Truck Engines, MSD aftermarket	



HD Tube Track

MTD290008

Designed to mount into the floor of a trailer to create an adjustable position mounting track for a lashing winch or D-ring. The steel tube track dimensions are 1.5" x 1.5" x .1875" and tested to 10,000-pound minimum breaking strength. Locking mounting points are every two inches. Bolted or welded into place.



Lashing Winch

Work well with wheel net applications. 10,000-pound capacity lashing winch for use with two-inch wide webbing. Tensioner operates with 1-1/8" wrench. Mounts directly to trailer floor. Zinc coated.



Part No.	Description	MTD330007	Price
HD Tube Rack Mount			
MTD360003	Low-Profile, Center Handle		
Floor Mounted			
MTD330007	Standard, Left-Hand Handle		
MTD330018	Low-Profile, Center Handle		

D-Ring Mount Tie Down Anchor

MTD360002

Mounts directly to trailer floor, the black powder coated steel mounting plate is paired with a steel plated D-ring. Includes mounting hardware.



Ball Mount Sleeve

MTD731701

Securely store your ball mount when not in use in this convenient metal sleeve. Designed to mount to the floor or wall of a trailer with two stainless steel screws.



Ford 7.3L Motor Lift Plate

MTD701501

Lift plates work in conjunction with the Macs PiVOT, making the removal and installation of the Ford 7.3L powerplant a breeze. Macs PiVOT attaching hardware included. Engine fasteners not included.



2016-19 Camaro SS Shorty Headers

Increased the horsepower and improve the exhaust tone of 2016-19 Camaro SS 6.2L LT1. Direct bolt-on, shorty headers combine mandrel bent, 1-3/4" dia. primary tubes with 3/8" thick die-stamped flanges. Manufactured from 16 gauge steel, headers are offered in chrome or silver ceramic coated finish. Sold complete with gaskets and necessary hardware.



Part No.	Description	Price
BBK4043	Camaro Shorty Headers, Chrome Finish	
BBK40430	Camaro Shorty Headers, Silver Ceramic Finish	



Classic 7000 Series 3-3/8" Tachometer

EQUE7068

Attractive, dash-mounted 3-3/8" tachometer features a black dial face with white needle and is encased in a chromed stainless steel bezel. Tachometer has a 0-8,000 RPM range, includes back-lit illumination and is compatible with any 1-12 cylinder engine.



Classic 7000 Series 3-3/8" Speedometers

Affordable, reliable, and attractive, Classic 7000 series speedometers combine a black dial face with chromed stainless steel bezels. Dash mount, 3-3/8" dia. 0-120 MPH speedometers include back-lit illumination. Offered in mechanical or electric versions. Electric unit may be reprogrammed to accommodate any gear ratio or tire and wheel combinations.



Part No.	Description	Price
EQUE7072	3-3/8" Speedometer, Mechanical	
EQUE7074	3-3/8" Speedometer, Electric	

Classic 7000 Series 5-Piece Gauge Kit

EQUE7500

Suitable for a wide range of vehicles, kit includes 3-3/8" mechanical, 0-120 MPH speedometer, 2"

mechanical oil pressure, mechanical water temperature, voltage, and fuel level (GM/0-90 Ohms) gauges. Gauges include black dial faces with white pointer and chromed stainless steel bezels. Sold complete with necessary hardware.



iEquus 8000 Performance Series

2" Quartz Clock

EQUE8000

Accurate and reliable, electric quartz movement clock features a back-lit white dial face with orange hands and a satin silver aluminum bezel. Includes installation hardware.





Classic 7000 Series 2" Gauges

Compact in size, yet easily read, the affordable Classic 7000 Series gauges are accurate, reliable. Gauges have black dial faces, white pointers, chromed stainless steel bezels, and are back-lit (unless specified). Sold with necessary hardware.



Part No.	Description
EQUE7200	Triple Gauge Kit with Panel, Mech. Water Temp./Voltage/Mech. Oil Press.
EQUE7210*	Hourmeter, Tracks Run Time/Vehicle Service Life
EQUE7232	Mechanical Water Temperature, 130°-280°F, 90° Sweep
EQUE7234	Mechanical Oil Pressure, 0-100 PSI, 90° Sweep
EQUE7242	Mechanical Water Temperature, 130°-280°F, 270° Sweep
EQUE7244	Mechanical Oil Pressure, 0-100 PSI, 270° Sweep
EQUE7262	Electric Water Temperature, 100°-280°F, 90° Sweep
EQUE7264	Electric Oil Pressure, 0-100 PSI, 90° Sweep
EQUE7268	Voltmeter, 8-18 Volts, 90° Sweep
EQUE7361	Fuel Level, Ford/Chrysler, 73-10 Ohms, 90° Sweep
EQUE7362	Fuel Level, GM, 0-90 Ohms, 90° Sweep
EQUE7363	Fuel Level, AMC, 240-33 Ohms, 90° Sweep

* Gauge is not backlit for night usage.

iEquus 8000 Performance Series Pedestal Mount Tachometers

Pedestal-mount tachometers are accurate, reliable, and easily mounted. Tachometers are offered in 3-3/8" or 5" diameters, and feature white dial faces with back lighting, orange needles, and satin silver aluminum bezels. The 5" model includes an external 3/4" diameter programmable shift light. Compatible with 1-12 cylinder engines.



Part No.	Description	Price
EQUE8068	3-3/8" 0-8,000 RPM Tachometer	
EQUE8080	5" 0-10,000 RPM Tachometer with External Shift Light	

iEquus 8000 Performance Series 3-3/8" Mechanical Speedometer EQUE8076

Attractive, accurate, and affordable, dash-mounted mechanical 0-160 MPH speedometer utilizes race inspired styling with a white dial face, orange needle and satin silver aluminum bezel. Back-lit for night use.



iEquus 8000 Performance Series 5-Piece Gauge Kit EQUE8500

Kit includes iEquus 8000 Performance Series 3-3/8" mechanical 0-160 MPH speedometer, and 2" mechanical oil pressure, mechanical water temperature, voltmeter, and fuel level (0-90 Ohms/GM) gauges. Precision gauges utilize white dial faces with back lighting, orange pointers, and satin silver aluminum bezels. Sold complete with necessary installation hardware.



iEquus 8000 Performance Series Gauges

Perfect for street rods or muscle cars, performance gauges feature back-lit white dial faces with orange needles and satin silver aluminum bezels. Offered in 1-1/2", 2" or 2-5/8" diameters, each gauge is sold with required installation hardware.



EQUE8100



EQUE8200

Part No.	Description	Price
1-1/2" Gauges		
EQUE8100	Triple Gauge Kit With Panel, Water Temp./Volts/Oil Pressure	
EQUE8162	Electric Water Temperature, 100°-280°, 90° Sweep	
EQUE8164	Electric Oil Pressure, 0-100 PSI, 90° Sweep	
2" Gauges		
EQUE8200	Triple Gauge Kit With Panel, Water Temp./Volts/Oil Pressure	
EQUE8241	Electric Transmission Temperature, 100°-280°F, 90° Sweep	
EQUE8242	Mechanical Water Temperature, 130°-280°F, 270° Sweep	
EQUE8243	Electric Oil Temperature, 100°-280°F, 90° Sweep	
EQUE8244	Mechanical Oil Pressure, 0-100 PSI, 270° Sweep	
EQUE8256	Boost Gauge, 0-60 PSI, 270° Sweep	
EQUE8257	Vacuum/Boost Gauge, 0-30"/0-30 PSI, 270° Sweep	
EQUE8262	Electric Water Temperature, 100°-280°F, 90° Sweep	
EQUE8264	Electric Oil Pressure, 0-100 PSI, 90° Sweep	
EQUE8268	Voltmeter, 8-18 Volts, 90° Sweep	
EQUE8361	Fuel Level, Ford/Chrysler, 10-73 Ohms, 90° Sweep	
EQUE8362	Fuel Level, GM, 0-90 Ohms, 90° Sweep	
EQUE8363	Fuel Level, AMC, 240-33 Ohms, 90° Sweep	
EQUE8366*	Air/Fuel Ratio, Graduated Color LED's	
2-5/8" Gauges		
EQUE8434	Mechanical Fuel Pressure, 0-15 PSI, 270° Sweep	
EQUE8442	Mechanical Water Temperature, 130°-280°F, 270° Sweep	
EQUE8443	Mechanical Oil Temperature, 130°-280°F, 270° Sweep	
EQUE8444	Mechanical Oil Pressure, 0-100 PSI, 270° Sweep	
EQUE8457	Vacuum/Boost, 0-30" Vac./0-20 PSI, 270° Sweep	
EQUE8462	Electric Water Temperature, 100°-280°F, 90° Sweep	
EQUE8464	Electric Oil Pressure, 0-100 PSI, 90° Sweep	
EQUE8468	Voltmeter, 8-18 Volts, 90° Sweep	

* Compatible with most existing OEM narrowband 0-1 V O2 sensors, not included.



DW440 In-Tank Brushless Fuel Pump with Controller and Install Kit

All-inclusive in-tank fuel pump kits include all of the necessary components to upgrade to the high-performance DW440 pump. Brushless pump delivers 440 LPH @ 40 PSI with reduced friction and heat, thereby increasing pump efficiency and durability. Includes pump, controller, and installation kit. Choose from kits with dual-speed C102 or PWM (Pulse-Width Modulation) C103 controller.

DWK9-442-C102-0902



Part No.	Application	Price
Kits with Dual-Speed C102 Controller		
DWK9-442-C102-0902	2016-Up Chevy Camaro	
DWK9-441-C102-0903	1989-2005 Mazda Miata MX-5; 1993-2007 Subaru Impreza	
DWK9-441-C102-0904	2004-08 Mazda RX-8; 2009-Up Nissan 370Z	
DWK9-441-C102-0905	2005-10 Ford Mustang GT	
DWK9-442-C102-0906	2015-Up Ford Mustang/F-150	
DWK9-441-C102-0907	2011-14 Ford Mustang/F-150	
DWK9-441-C102-0908	1999-2004 Ford Mustang	
DWK9-442-C102-0909	2003-13 Chevy Corvette	
DWK9-441-C102-0910	2008-14 Subaru WRX; 2008-Up STI	
DWK9-441-C102-0912	2014-19 Ford Fiesta ST	
DWK9-441-C102-0913	1994-98 Nissan 240SX; Nissan Silvia	
Kits with PWM C103 Controller		
DWK9-442-C103-0902	2016-Up Chevy Camaro	
DWK9-441-C103-0903	1989-2005 Mazda Miata MX-5; 1993-2007 Subaru Impreza	
DWK9-441-C103-0904	2004-08 Mazda RX-8; 2009-Up Nissan 370Z	
DWK9-441-C103-0905	2005-10 Ford Mustang GT	
DWK9-442-C103-0906	2015-Up Ford Mustang/F-150	
DWK9-441-C103-0907	2011-14 Ford Mustang/F-150	
DWK9-441-C103-0908	1999-2004 Ford Mustang	
DWK9-442-C103-0909	2003-13 Chevy Corvette	
DWK9-441-C103-0910	2008-14 Subaru WRX; 2008-Up STI	
DWK9-441-C103-0912	2014-19 Ford Fiesta ST	

DW440 In-Tank Brushless Fuel Pump for 2020 Toyota Supra

DWK9-441-0901

In-tank retrofit fuel pump utilizes brushless construction for reduced friction and heat, thereby resulting in improved efficiency and durability. Pump delivers 440 LPH @ 40 PSI and is compatible with gasoline, ethanol, or methanol. Sold complete with required hardware.



DW400 Fuel Pump Module For 2004-19 Chevy/GMC SUV

DWK9-401-7015

Direct replacement fuel pump module has the ability to support over 750 horsepower. Module combines a 415 LPH Bosch pump with integrated filtration and an OE-compatible fuel level sender. Sold complete with -8AN feed and -6AN return lines, DWR1000 regulator, and fuel pressure gauge. Fits all 2004-19 Avalanche 1500, Cadillac Escalade, Chevy Suburban 1500, and Chevy Tahoe/GMC Yukon.



Logitech SIM Adapter MPIMPI-A-SIM-LG

Adapts MPI steering wheel to Logitech simulator. Ideal for I-Racing competitors.



Fuel Pump Hardwire Kits

Professional quality wiring harnesses are designed as an upgrade to OEM harnesses, and ensures that the pump(s) receives the required voltage. Choose from harnesses for single or dual pump systems.



Part No.	Description	Price
DWKFPHWK-10-DP	Universal Hardwire to Battery Kit, Dual Pumps	
DWKFPHWK-10-HP	Universal Hardwire to Battery Kit, Single Pump	

Application-Specific In-Line Fuel Filters

High-flow, direct replacement fuel filters flow over 1,000 LPH, yet capture contaminants as small as 10 microns. Anodized billet T6061 aluminum filters include 304 stainless steel elements, Viton O-rings, and include the necessary fittings. Compatible with pump gas, race gas, ethanol, methanol, MTBE, and diesel fuels.



Part No.	Description	Price
DWK8-05-02-010	2005-20 Ford Mustang	
DWK8-05-03-010	1993-2005 Subaru Impreza	

High-Performance Fuel Rail Kits

Constructed from precision CNC-machined billet T6061 aluminum for exceptional fuel flow, fuel rails are attractively black anodized for corrosion resistance.



Part No.	Description	Price
DWK6-101	Side Feed To Top Feed Fuel Rail Conversion, 2004-06 Subaru STI/Legacy GT	
DWK6-102	Top-Feed Fuel Rail MPFI Upgrade, 2002-14 Subaru WRX; 2007-15 STI; 2007-12 Legacy GT	
DWK7-400	Honda B-Series	
DWK7-402	Honda K-Series	
DWK7-404	2000-2005 Honda S2000	
DWK7-500	Mitsubishi Evo 10	
DWK7-502	Mitsubishi Evo 8/9	
DWK7-600	Toyota 2JZ-GTE	

DWR1000c Adjustable Fuel Pressure Regulators

Versatile, adjustable fuel pressure regulator is suitable for a wide range of high-performance or racing applications. Billet aluminum construction unit includes (2) -6AN inlet and (1) -6AN outlet ports, (1) 1/8" NPT gauge port, and (1) vacuum reference port. Offered with black or titanium anodized finish.




Part No.	Description	Price
DWK6-1002-FRB	DWR1000c Regulator, Black	
DWK6-1002-FRT	DWR1000c Regulator, Titanium	



RT Series 4bbl Carburetors

Affordable, pressure-forged construction carburetors offer superior driveability and reliability to classic muscle cars, street rods, etc. RT Series carburetors feature an attractive polished finish, and are offered with choice of side or center-hung floats, mechanical or vacuum secondaries, and manual or electric choke.



FSC40600-1

Part No.	Description	Price
Side Float Carburetors		
FSC40600-1	600 CFM Carburetor, Vacuum Secondary, Manual Choke	
FSC40600-2	600 CFM Carburetor, Mechanical Secondary, Electric Choke	
FSC40600-3	600 CFM Carburetor, Mechanical Secondary, Manual Choke	
FSC40650-1	650 CFM Carburetor, Vacuum Secondary, Manual Choke	
FSC40650-2	650 CFM Carburetor, Mechanical Secondary, Electric Choke	
FSC40650-3	650 CFM Carburetor, Mechanical Secondary, Manual Choke	
FSC40750	750 CFM Carburetor, Vacuum Secondary, Electric Choke	
FSC40750-1	750 CFM Carburetor, Vacuum Secondary, Manual Choke	
FSC40750-2	750 CFM Carburetor, Mechanical Secondary, Electric Choke	
FSC40750-3	750 CFM Carburetor, Mechanical Secondary, Manual Choke	
Center-Hung Float Carburetors		
FSC41600	600 CFM Carburetor, Vacuum Secondary, Electric Choke	
FSC41600-2	600 CFM Carburetor, Mechanical Secondary, Electric Choke	
FSC41650	650 CFM Carburetor, Vacuum Secondary, Electric Choke	
FSC41650-2	650 CFM Carburetor, Mechanical Secondary, Electric Choke	
FSC41650-3	650 CFM Carburetor, Mechanical Secondary, Manual Choke	

RT-X Series Carburetors

High-performance RT-X Series carburetors are well suited to dual-purpose, street/strip applications, boasting pressure forged main bodies, red billet 2-circuit metering blocks, black billet bases, down-leg boosters, and 4-corner idle. Choose from carburetors with polished or black electroplated main body, vacuum or mechanical secondaries, and electric or manual choke.



FSC41600X

Part No.	Description	Price
Polished Main Body Carburetors		
FSC41600X	600 CFM Carburetor, Vacuum Secondary, Electric Choke	
FSC41600X-2	600 CFM Carburetor, Mechanical Secondary, Electric Choke	
FSC41600X-3	600 CFM Carburetor, Mechanical Secondary, Manual Choke	
Black Electroplated Main Body Carburetors		
FSC41600XB	600 CFM Carburetor, Vacuum Secondary, Electric Choke	
FSC41600XB-1	600 CFM Carburetor, Vacuum Secondary, Manual Choke	
FSC41600XB-2	600 CFM Carburetor, Mechanical Secondary, Electric Choke	
FSC41600XB-3	600 CFM Carburetor, Mechanical Secondary, Manual Choke	

Billet X-treme 1050 CFM Pro Series Carburetor

FSC41050B-V

Race-specific, mechanical secondary carburetor features a precision CNC-machined black anodized main body, and billet gold anodized two-circuit metering blocks that provide six stages of emulsion for added tunability. Fully capable of handling the varying demands of gasoline, methanol or ethanol, dual-feed carb lacks choke provisions and has high-capacity, three-port Viper fuel bowls.



RT Plus Series 600 CFM 4bbl Carburetor

FSC41600PB-2

Designed for the weekend warrior that demands performance and reliability while remaining affordable, the RT Plus mechanical secondary carburetor features a pressure forged main body, metering blocks and base plate, down-leg boosters, 4-corner idle, and an electric choke. Finished in black electroplate.



Series 8300 Black High-Temp Push-Lite Hose

The perfect alternative when cost or weight is a concern, Series 8300 hose is suitable to a variety of automotive applications, has a temperature range of up to 300°F, and maximum working pressure of 400 PSI. Hose consists of a synthetic PKR inner layer with a nylon reinforcing braid and synthetic black rubber cover. Sold in -10AN size with 5/8" I.D. only.



Part No.	Description	Price
FRG833010	-10AN Hose, 3' Roll	
FRG836010	-10AN Hose, 6' Roll	
FRG831010	-10AN Hose, 10' Roll	
FRG831510	-10AN Hose, 15' Roll	
FRG832010	-10AN Hose, 20' Roll	

NPT and ORB 90° Male Adapters

Often used to simplify plumbing, NPT and ORB 90° male aluminum adapters listed feature a bright black anodized finish.



Part No.	Description	Price
FRG999600-BL	3/8" NPT To 3/8" NPT	
FRG999601-BL	1/2" NPT To 1/2" NPT	
FRG999602-BL	-6AN (9/16"-18) To -6AN (9/16"-18)	
FRG999603-BL	-6AN (9/16"-18) To -8AN (3/4"-16)	
FRG999604-BL	-8AN (3/4"-16) To -8AN (3/4"-16)	
FRG999605-BL	-8AN (3/4"-16) To -10AN (7/8"-14)	
FRG999606-BL	-10AN (7/8"-14) To -10AN (7/8"-14)	
FRG999607-BL	-10AN (7/8"-14) To -12AN (1-1/16"-12)	
FRG999608-BL	-12AN (1-1/16"-12) To -12AN (1-1/16"-12)	
FRG999609-BL	-12AN (1-1/16"-12) To -16AN (1-5/16"-12)	
FRG999610-BL	-16AN (1-5/16"-12) To -16AN (1-5/16"-12)	



Sprint Spindles

Manufactured using billet 7075-T6 and offered with a titanium or steel snout. Includes lock nuts.

Part No.	Description	Price
MPD14000	Steel Snout, 2 Ear	
MPD14010	Titanium Snout, 2 Ear	



Ashphalt Sprint Spindle

MPD14100


Precision-machined from 6061-T6 aluminum and featuring a direct-mount floating rotor. Includes aluminum wheel nuts, bearings, seal, and hardware.



Midget Pedals


These pedals fit the most popular chassis and are made of high-quality materials.

Part No.	Description	Price
MPD20400	Throttle Pedal	
MPD20406	Brake Pedal	



Midget Nerf Bars & Bumpers

The nerfs and bumpers fit the most popular chassis and constructed from 4130 chromoly tubing. Black powder coat finish.



Part No.	Description	Price
MPD25100	Front Bumper, Black	
MPD25105	Left Nerf, 4-Point, Black	
MPD25106	Right Nerf, 4-Point, Black	
MPD25110	Rear Bumper, Black	

Midget Steering Arms

These billet aluminum arms work on all Midget steering applications and have 7/16"-20 threaded mounting holes.

Part No.	Description	Price
MPD28250	Steering Arm, Black	
MPD28260	Wishbone Steering Arm, Black	
MPD28270	Combo Steering Arm, Black	



Front Brake Mounts

Aluminum front brake mounts are built for 10-1/8" rotors and come in a variety of styles.

Part No.	Description	Price
MPD28300	Front-Mount, DMI-Style, Black	
MPD28310	Top-Mount, DMI-Style, Black	
MPD28315	Front-Mount, Winters-Style, Black	



Pitman Spacers

A variety of different styles of Pitman arms ensuring proper feel of the race car.



Part No.	Description	Price
MPD28340	Straight, Black, 10"/11" Holes	
MPD28345	Angle Broach, Black, 10"/11" Holes	
MPD28360	Straight, Long, Black, 11.25"/12.25"/13.25"/14.25" Holes	
MPD28365	Angle Broach, Long, Black, 11.25"/12.25"/13.25"/14.25" Holes	

Midget Spindles

Produced from billet 7075-T6 aluminum and are offered with both steel and titanium pins. They come complete with spindle lock nuts. Offered in 2 and 4 ear.



Part No.	Description	Price
MPD28400	Billet Spindle, 4 Ear, Steel Shaft, Black	
MPD28404	Billet Spindle, 2 Ear, Steel Shaft, Black	
MPD28410	Billet Spindle, 4 Ear, Titanium Shaft, Black	
MPD28414	Billet Spindle, 2 Ear, Titanium Shaft, Black	
MPD28440	Spindle Lock Nut Kit, Each	

Midget King Pins

Offered in both steel and titanium. Cap included. Each.



Part No.	Description	Price
MPD28450	Steel	
MPD28454	Titanium	
MPD28456	Cap, Aluminum	
MPD28460	King Pin Bushings, Brass, 4-Pack	

Sprint and Midget Hubs

These billet direct-mount hubs are machined from 6061-T6 aluminum for superior precision and strength. Kit includes left hub with rotor mount, right hub without rotor mount, bearings, seals, wheel nuts, and dust cap.



Part No.	Description	Price
MPD28500	Complete Kit	
MPD28510	Direct-Mount Billet Hub, Left Side Only, Complete	
MPD28512	Direct-Mount Billet Hub, Right Side Only, Complete	
MPD28520	Dust Cap for Front, Each	
MPD28524	Bearing for Front Hub, Each	
MPD28526	Seal for Front Hub, Each	
MPD28528	Bolt Kit for Front Hub, Each	

Bar and Stop Cleaning Tool

Works great cleaning torsion bar splines and bar stop.

Part No.	Description	Price
MPD30010	3/4" Bar	
MPD30011	1-7/8" Bar	
MPD30012	1" Bar	
MPD30013	1-1/8" Bar	





TRS-X Seat OMPHA803N

This tube frame seat offering large shoulder harness slots with medium height side bolsters is a very affordable competition seat. Additional design features include high lateral support, HANS® compatible, and a compact design making a favorite among small sedans.



One Socks - Ankle Length

Designed and manufactured with the latest knitted fabric technology, One Socks have maximum breathability and cooling in hot weather. Leg fatigue is greatly reduced by using knitting techniques that provide differentiated pressure areas to improve blood circulation. FIA approved.



Size	Part No.	Price
White		
Small	OMPIAA766020S	
Medium	OMPIAA766020M	
Large	OMPIAA766020L	
Black		
Small	OMPIAA766071S	
Med	OMPIAA766071M	
Large	OMPIAA766071L	

Corsica Steering Wheel OMPOD1954NR

A 350 mm dished steering wheel with three uncovered anodized black spokes, a black suede leather grip, red stitching, and a horn button.



KS-2 Karting Boots

These mid-cut boots are designed for karting enthusiasts. Microfiber reinforced mesh top with a high-grip sole. Lace-free closure with a velcro strap. Black with yellow upper.



Size	Part No.	Size
32	OMPIC82505932	
33	OMPIC82505933	
34	OMPIC82505934	
35	OMPIC82505935	
36	OMPIC82505936	
37	OMPIC82505937	
38	OMPIC82505938	
39	OMPIC82505939	
40	OMPIC82505940	
41	OMPIC82505941	
42	OMPIC82505942	
43	OMPIC82505943	
44	OMPIC82505944	
45	OMPIC82505945	
46	OMPIC82505946	
47	OMPIC82505947	

Tecnica Evo Driving Gloves

An extended gauntlet glove, the Tecnica Evo combines the benefits of fire-retardant silicon rubber palms, localized leather inserts, precurved external seams, elastic wrist stops, and a Velcro closure.



Size	Part No.	Price
White		
X-Small	OMPIB772WXS	
Small	OMPIB772WS	
Medium	OMPIB772WM	
Large	OMPIB772WL	
X-Large	OMPIB772WXL	



Ford-Licensed Tachometers

Utilizing advanced air core meter movement, precision tachometers feature black dial faces with Ford blue oval logos, orange pointers and white LED through-the-dial lighting. Offered in pedestal or in-dash mount versions, tachometers have a 0-10,000 RPM range.



Part No.	Description	Price
ATM880825	3-3/8" Tachometer with External Shift Light, Pedestal Mount	
ATM880826	3-3/8" Tachometer, In-Dash	
ATM880827	5" Tachometer with External Shift Light, Pedestal Mount	

Ford-Licensed 3-3/8" Electric/Programmable Speedometer ATM880824

Electric, in-dash mounted 0-160 MPH speedometer features a large 3-3/8" black dial face with Ford blue oval logo, bright orange pointer, and white LED through-the-dial lighting. May be easily programmed for any final drive ratio or tire/wheel combination.



Ford-Licensed 2-1/16" Gauges

Ford-licensed 2-1/16" gauges incorporate traditional Auto Meter precision and durability. Black dial faces with Ford blue oval logos are combined with orange pointers and white LED through-the-dial lighting for superior readability, day or night. Each gauge is sold complete with necessary senders and hardware.



Part No.	Description	Price
ATM880820	Fuel Level, 90° Sweep, 73-10 Ohms (Ford)	
ATM880821	Oil Pressure, 90° Sweep, 0-100 PSI	
ATM880822	Water Temperature, 90° Sweep, 100°-250°F	
ATM880823	Volt Meter, 90° Sweep, 8-18 Volts	



Oldsmobile Performer RPM Cylinder Head **NEW AND IMPROVED!**

New and improved, aluminum cylinder head features larger, 218cc intake runners, 2.150" intake and 1.680" exhaust valves, improved water jackets, and clearance for an OEM-type mechanical fuel pump. Exhaust ports are raised, but will accept stock manifolds or headers. Valve train has been upgraded with 7/16" screw-in studs and 3/8" dia. pushrod guide plates. Intended for big block Oldsmobiles with a minimum 4.125" bore. Sold individually.


Part No.	Description	Int. Valve	Exh. Valve	Chamber Volume	Intake Volume	Valve Spring	Max. Lift	Price
EDE61025	Assembled, Hyd. Roller	2.150"	1.680"	77cc	218cc	1.460"	.600"	
EDE61029	Assembled, Hyd. Flat Tappet	2.150"	1.680"	77cc	218cc	1.460"	.600"	



Billet Rear Wheel Hub Assembly

Billet aluminum rear wheel hub assembly complete with wheel studs, bearings, seals, and dust cap. Use with 2-7/8" Smart Axle Tube.

Part No.	Description	Price
DMICRC-2030	5 on 5	
DMICRC-2040	5 on 4.75	



Forward Style Sprint Car Halo TXRSC-CH-0021

Increases cage height 2-3/4" at approximately 9-1/2" forward of the cockpit halo and extended profile from the back of the cage to midway forward of the cockpit rails. This 1-1/2" diameter chromoly tubing three-piece halo is tack welded and notched allowing for quick installation. Designed to reduce weld heat area around the WoO compliant uprights.



2021 Jeep Gladiator 3-1/2" Lift Kit

3-1/2" suspension lift kit with dual-rate long-travel coil springs, rear coil spring spacers, front adjustable track bar, front lower links, front and rear bump stop spacers, front and rear sway bar end links, and Black Max shocks. The dual-rate long-travel springs offer the best of both worlds for on-road and off-road use.



Part No.	Description
SKYG350PBLTD	Front Dual Rate Long Travel Coil Springs Only
SKYG351RKBLTD	Front & Rear Dual Rate Long Travel Coil Springs



Standard 51" Front Axle TIP2001

Ti22's standard 51" front axle is made from 2-1/2" O.D. chromoly tubing. Camber is set at 12° RF and 9° LF. The laser-cut brackets and components are welded for optimal strength and powder coated black.



HD Front Torsion Arms

Designed to reduce deflection and resist twisting. The torsion arms are 1" wide and are 1/4" thicker than the typical torsion arm offered by the competition. Both front torsion arms have a machined pocket on the inside of the arm allowing it to locate itself in the same position just as a standard front torsion arm. No set up changes are needed. Hardware included. Black.



Part No.	Description	Price
TIP2362	Right, 16-3/4" Torsion Bar Hole To End	
TIP2374	Left, 18-3/4" Torsion Bar Hole To End	



Tilt Steering Column

Retrofit Floor shift tilt steering column.



Part No.	Description	Price
IDI1120647151	1964-66 Ford Mustang, Black	
IDI1170825010	1965-66 Ford Truck, Raw	
IDI1520790020	1969 Chevy Camaro, Classic Ignition, Chrome	

POPULAR PRODUCT



NEW BULK PACKS

Flap Wheel Sanding Discs

Flap discs for 4-1/2" grinders with a 7/8" arbor quickly remove rust and other coatings from a variety of metal, stainless, and steel surfaces. Ideal for grinding welds or preparing materials for welding. Package of 5.

Part No.	Description	Qty.	Price
ALL12121-5	60 Grit	5	
ALL12122-5	80 Grit	5	
ALL12123-5	120 Grit	5	



8" Backing Pad and Sanding Discs

Sanding discs are for use with the ALL44188 Backing Pad which features a hook-and-loop style backing for easy installation and removal. Discs are sold in a package of 20 and are rated up to 6000 RPM.

Part No.	Description	Qty.	Price
ALL44189-20	8" Sanding Discs, 36 Grit	20	
ALL44197-20	8" Sanding Discs, 24 Grit	20	
ALL44198-20	8" Sanding Discs, 16 Grit	20	



Steel Tube Nut and Sleeve

Tube nuts and sleeves are used when making hard line connections to male AN fittings. Line requires a 37° flare for proper sealing. Package of 20.

Part No.	Description	Qty.	Price
ALL50300-20	-3AN Tube Nut	20	
ALL50310-20	-3AN Tube Sleeve	20	



Shaft Collars

ALL52140-10

Aluminum, 2-piece 3/4" I.D shaft collars are used on sway bars and steering column assemblies. Package of 10.



Pro Series Steel (Moly) Rod Ends

Two-piece spherical rod ends have a pivoting steel ball and are PTFE lined. Package of 10.

Part No.	Description	Strength	Price
1/2" x 1/2"-20 - Black (PTFE Lined)			
ALL58078-10	RH Male	17,650 lbs	
ALL58083-10	LH Male	17,650 lbs	
5/8" x 5/8"-18 - Black (PTFE Lined)			
ALL58080-10	RH Male	15,200 lbs	
ALL58085-10	LH Male	15,200 lbs	
3/4" x 3/4"-16 - Black (PTFE Lined)			
ALL58082-10	RH Male	21,400 lbs	
ALL58086-10	LH Male	21,400 lbs	



Bearing Spacers

Spacers fit between inner and outer bearings. Prevent overtightening and consistently set bearing pre-load while reducing bearing drag. US Patent No. 6,312,162. Package of 4.

Part No.	Description	Qty.	Price
ALL72320-4	Wide 5	4	
ALL72323-4	5x5 with 2" Pin	4	



Standard U-Bolt Kits

ALL69015-10

U-bolt kits for 1310 and 1330 series U-joints secure driveshaft to pinion yoke. Sold in pairs with nuts and lock washers. Package of 10.

U-Joint Series	Cap	Thread	"A"	Stud CTC "B"
1310/1330	1-1/16"	5/16"-24	1-3/4"	1.400"



Tube Clamps

ALL14481-10

2-piece 1-1/4" tube clamp bolts to round tubing and provides a removable welding point for many uses. Clamps are constructed of 1/8" mild steel that is 2" wide. Includes two 3/8" grade 8 bolts with nyloc nuts. Package of 10.



To see more great new products from Allstar Performance as well as our complete selection of sale items and specials, visit www.allstarperformance.com