



ANCHOR METALS

16949 S. State Hwy 19, Elkhart, TX 75839

(903) 764-0100

PANEL PROFILES

R-Panel / PBR, Tite Lock Plus, U-Panel / PBU, Siding Panel	2
Structural Snap, Mech Seam, Armco, WP1000	3
Snaplock, Nailstrip	4

COMMERCIAL TRIM PROFILES

Ridge, Eave, Rake	5
Gutter, Peak Box	6
Downspout, Framed Openings	7
Corner, Angle, Transition	8
Open Wall, Door Track	9
Die-formed Flashing	10

RESIDENTIAL TRIM PROFILES

Ridge, Eave, Rake	11
Corner, Angle, Transition	12

RESIDENTIAL TRIM PROFILES

Ridge, Rake, Valley, Transition	13
Transition, Eave	14





MINI-STORAGE TRIM PROFILES

Corner, Head, Jamb, Eave, Rake	15
Gutter, Downspout	16
Mullion	17



ANCHOR METALS





PANEL PROFILES





ANCHOR METALS

PANEL PROFILES






ANCHOR METALS


PANEL PROFILES

Snaplock



Available in smooth or with striations

Nailstrip



Available in smooth or with striations



ANCHOR METALS

COMMERCIAL TRIM PROFILES

*MAXIMUM TRIM LENGTH OF 21'-0"

AVAILABLE IN PBR ONLY* PS1

36" 18"

*SPECIFY PITCH

PEAK SHEET (FORMED RIDGE CAP)

PART	A
RR6	6"
RR7	7"
RR8	8"
RR10	10"

RR'X'

A A

1/2" Closed Hem (Typ.)

*SPECIFY PITCH

UNIVERSAL RIDGE

SRR1

1 3/4" 4 3/4" 3/4"

1/2" Closed Hem (Typ.)

*SPECIFY PITCH

SCULPTURED RIDGE

LPRV1

6" 1 1/4" 7 5/8"

1/2" Closed Hem (Typ.)

*SPECIFY PITCH

LOW PROFILE RIDGE VENT

SHS1

8" 3 1/2" 3 1/2" 1 1/2" 1 1/2"

1/2" Closed Hem (Typ.)

*SPECIFY PITCH

SCULPTURED HIGH SIDE EAVE

LET1

4" 4 1/2"

1/2" Closed Hem

*SPECIFY PITCH

LONG EAVE TRIM

SR1

5" 3 1/2" 3 1/2" 1 1/2" 1 1/2" 7 5/8" 1 3/4"

1/2" Closed Hem

SCULPTURED RAKE

SREC1

4 1/2" 3 1/2" 3 1/2" 3 1/2" 4 1/2" 6 1/2" 1 1/2"

SCULPTURED RAKE END CAP

BR1

5 1/2" 6 3/4" 1 1/2" 1 1/2" 1 3/4" 3/4"

1/2" Closed Hem

BOX RAKE



ANCHOR METALS

COMMERCIAL TRIM PROFILES

*MAXIMUM TRIM LENGTH OF 21'-0"

	BREC1
BOX RAKE END CAP	

PART	A		SG'X'
SG1	5 1/4"		
SG3	5 1/2"		
*SPECIFY PITCH			
SCULPTURED POST HUNG GUTTER			

PART	A		SG'X'
SG2	5 1/4"		
SG4	5 1/2"		
*SPECIFY PITCH			
SCULPTURED PRE HUNG GUTTER			

	SGEC1
SCULPTURED GUTTER END CAP	

	BG1
POST HUNG BOX GUTTER	

*SPECIFY PITCH

	BG2
PRE HUNG BOX GUTTER	

*SPECIFY PITCH

	BGEC1
BOX GUTTER END CAP	

	CB1
CORNER BOX	

	PB1
PEAK BOX	



ANCHOR METALS

COMMERCIAL TRIM PROFILES

*MAXIMUM TRIM LENGTH OF 21'-0"

PART	A	B	PANEL
GS1	1"	1"	PBR
GS1B	3/4"	5/8"	PBU/TLP

GS'X'

GUTTER SUPPORT

PART	A
DS34	3"
DS44	4"

DS'X'

Down to 21'-0"

DOWNSPOUT

DSS1

DOWNSPOUT STRAP

DSK1

DOWNSPOUT WITH 72° KICKOUT

DSE1

SPECIFY DEGREE

DOWNSPOUT ELBOW

DSC1

1/2" TURNDOWNS

DOWNSPOUT CONNECTOR

PART	A	B	C
HT1	1 1/4"	1 1/2"	2 5/8"
HT2	1"	1"	2 3/8"

HT'X'

1/2" Closed Hem

HEAD TRIM

JT1

JAMB TRIM

PART	A	B
JL4	4 1/8"	2"
JL6	6 1/8"	2 7/16"
JL8	8 1/8"	2 7/16"
JL10	10 1/8"	2 7/16"

JL'X'

JAMB LINER



ANCHOR METALS

COMMERCIAL TRIM PROFILES

*MAXIMUM TRIM LENGTH OF 21'-0"

PART	A	B	C	PANEL	
SBP1	3"	1 1/2"	3/4"	PBR	SBP'X'
SBP2	2 1/2"	1"	3/4"	PBU/TLP	

SHEET BOTTOM PROTECTOR (BASE TRIM)

PART	A	
IC1	1 3/4"	IC'X'
IC2	1"	

INSIDE CORNER

PART	A	
OC1	1 3/4"	OC'X'
OC2	1"	

OUTSIDE CORNER

PART	A	
OA2	2"	OA'X'
OA3	3"	
OA4	4"	

OUTSIDE ANGLE

PART	A	
IA2	2"	IA'X'
IA3	3"	
IA4	4"	

INSIDE ANGLE

			HWT1

*SPECIFY PITCH

HEADWALL TRANSITION

PART	A	
SWT1	1 3/4"	SWT'X'
SWT2	1"	

SIDEWALL TRANSITION

		TF1

*SPECIFY TWO PITCHES

TRANSITION FLASHING (8"X8")

PART	A	B	
VF1	8 3/8"	1 1/2"	VF'X'
VF2	8 7/8"	1"	

*SPECIFY PITCH








VALLEY FLASHING



ANCHOR METALS

COMMERCIAL TRIM PROFILES

*MAXIMUM TRIM LENGTH OF 21'-0"





ANCHOR METALS






DIE-FORMED FLASHING

STANDARD FEATURES

- 10'-0" Coverage
- "R" Panel Profile
- Galvalume, Polar White, or standard color options available

APPLICATIONS

- Wall-to-Roof Transition Flashing
- Ventilator Skirt Flashing
- Roof-to-Wall Transition Flashing
- High Side Eave Flashing





ANCHOR METALS

RESIDENTIAL TRIM PROFILES

*MAXIMUM TRIM LENGTH OF 21'-0"

PART	A
RR6	6"
RR7	7"
RR8	8"
RR10	10"

RR'X'

1/2" Closed Hem (Typ.)

*SPECIFY PITCH

UNIVERSAL RIDGE

SRR1

1/2" Closed Hem (Typ.)

*SPECIFY PITCH

SCULPTURED RIDGE

PART	A	PANEL
RRT1	1 3/4"	PBR
RRT2	1 1/4"	PBU

RRT'X'

1/2" Closed Hem

RESIDENTIAL RAKE

RHS

1/2" Closed Hem (Typ.)

*SPECIFY PITCH

RESIDENTIAL HIGH SIDE EAVE

RES1

4"

*USES 5" HANGER

RESIDENTIAL GUTTER

SET1

1/2" Closed Hem

*SPECIFY PITCH

SHORT EAVE

PART	A	B
VF1	8 3/8"	1 1/2"
VF2	8 7/8"	1"

VF'X'

1/2" Closed Hem

*SPECIFY PITCH

VALLEY FLASHING

TF1

1/2" Closed Hem

ROOF-TO-ROOF
*SPECIFY TWO PITCHES

TRANSITION FLASHING (8"X8")

HWT1

1/2" Closed Hem

WALL-TO-ROOF
*SPECIFY PITCH






HEADWALL TRANSITION



ANCHOR METALS

RESIDENTIAL TRIM PROFILES

*MAXIMUM TRIM LENGTH OF 21'-0"





ANCHOR METALS

STANDING SEAM TRIM PROFILES

*MAXIMUM TRIM LENGTH OF 21'-0"

RR8b

8" 8"
1" Open Hem (Typ.)

*SPECIFY PITCH

8" UNIVERSAL RIDGE

PART	A
ZB1	1"
ZB112	1 1/2"
ZB134	1 3/4"
ZB2	2"

ZB

1 1/4" A 1 1/4"

*AVAILABLE IN PRE-CUT LENGTHS (ZBAR-PC)

Z-BAR

RSS

4" TO 4 3/4" 1" TO 1 3/4" 3" 3/4" Open Hem 1" Open Hem

RESIDENTIAL CF RAKE

RAKE REC

1 1/2" 3"

RAKE RECEIVER

A	B
8" TO 9 7/16"	PANEL HGT

VF3

A B B

*SPECIFY PITCH

VALLEY FLASHING FOR CF

CLEAT

1" TO 1 1/2" 1" 135° 1" TO 1 1/2"

CLEAT

B
PANEL HGT

VF'4'

4 7/8" 1 1/2" 4" B

*SPECIFY PITCH

VALLEY FLASHING WITH CLEAT

HWT3

4" Painted Side 1" Open Hem 5"

HEADWALL TRANSITION FOR CF

SWT3

4" Painted Side 1" Open Hem 5"



SIDEWALL TRANSITION FOR CF



ANCHOR METALS

STANDING SEAM TRIM PROFILES

*MAXIMUM TRIM LENGTH OF 21'-0"














ANCHOR METALS

MINI-STORAGE TRIM PROFILES

*MAXIMUM TRIM LENGTH OF 21'-0"





ANCHOR METALS

MINI-STORAGE TRIM PROFILES

*MAXIMUM TRIM LENGTH OF 21'-0"

PART	A	SG'X'
SG1	5 1/4"	
SG3	5 1/2"	

1" 1/2" Closed Hem
1"
3 1/2"
3 1/2"
4 1/2"
A

*SPECIFY PITCH

SCULPTURED POST HUNG GUTTER

		SGEC1
--	--	-------

4 1/2"
3 1/2"
3 1/2"
4 1/2"
6 1/2"
1/2"

SCULPTURED GUTTER END CAP

		CB1
--	--	-----

18" 18"

CORNER BOX

		PB1
--	--	-----

PEAK BOX

PART	A	B	PANEL	GS'X'
GS1	1"	1"	PBR	
GS1B	3/4"	5/8"	PBU/TLP	

A B

GUTTER SUPPORT

PART	A	DS'X'
DS34	3"	
DS44	4"	

4" 4" Up to 21'-0"

DOWNSPOUT

		DSS1
--	--	------

4" 4" 2"

DOWNSPOUT STRAP

		SGEC1
--	--	-------

4" 4" 4"

DOWNSPOUT WITH 72° KICKOUT

		DSE1
--	--	------

4" 4" 6" 6" SPECIFY DEGREE

DOWNSPOUT ELBOW



ANCHOR METALS

MINI-STORAGE TRIM PROFILES

*MAXIMUM TRIM LENGTH OF 21'-0"

PART	A	B	MC'X'
MC6	6"	2 1/2"	
MC12	12"	5 1/2"	
MC18	18"	8 1/2"	
MC24	24"	11 1/2"	

MULLION