

# Play Frames





## Spire

L: 2900 W: 3223 H: 2600mm



FFH: 530mm

Min Surface Area: 34m<sup>2</sup>

Min Space: 6.23m x 5.9m

Consists of:

Log Rope  
Rope Walk  
Balance Beam  
Stepping Logs



## Elevate

L: 4125 W: 2900 H: 2600mm


FFH: 550mm

Min Surface Area: 39.3m<sup>2</sup>

Min Space: 7.12m x 5.9m

Consists of:

Log Rope  
Wobble Bridge  
Rope Walk  
Balance Beam



## Crest

L: 2950 W: 2875 H: 2522mm

FFH: 1360mm

Min Surface Area: 32.9m<sup>2</sup>

Min Space: 5.95m x 5.9m

Consists of:

Traverse Net  
Zig Zag Steel Bars  
Log Climber  
Chin Up Bar  
Rope Chain Traverse

## Ascent

L: 3512 W: 3062 H: 2600mm


FFH: 1490mm

Safety Surface Area: 37.56m<sup>2</sup>

Min Space: 6.5 x 6.1m

Consists of:

Rope Walk  
Log Roll with Drop Ropes  
Cross Rope  
Timber Log Climber



## Peak

L: 3631 W: 3162 H: 2650mm


FFH: 1290mm

Safety Surface Area: 38.5m<sup>2</sup>

Min Space: 6.16 x 6.63m

Consists of:

Log Rope  
Timber Log Climber  
Rope Walk  
Traverse Net  
Drop Rope Traverse



## Apex

L: 3675 W: 3206 H: 2600mm


FFH: 599mm

Safety Surface Area: 39.16m<sup>2</sup>

Min Space: 6.67 x 6.20m

Consists of:

Jigsaw Traverse Panels  
Balance Beam  
Rope Walk  
Log Rope  
Tarzan Traverse







## Altitude

L: 5862 W: 2216 H: 2485mm  
FFH: 1747mm

Safety Surface Area: 42.73m<sup>2</sup>  
Min Space: 8.96 x 5.31m

### Consists of:

Tarzan Ring Beam  
Jigsaw Traverse Panels  
Traverse Net  
Rope Walk  
Chin Up Bar



## Vertex

L: 5125 W: 3566 H: 2690mm  
FFH: 1370mm

Safety Surface Area: 49.87m<sup>2</sup>  
Min Space: 8.13 x 6.56m

### Consists of:

Jigsaw Traverse Panels  
Traverse Net  
Timber Log Climber  
Balance Beam x2  
Tarzan Traverse  
Cross Rope  
Log Roll with Drop Ropes  
Rope Walk

## Zenith


L: 6312 W: 3281 H: 2600mm  
FFH: 1345mm

Total Safety Surface Area: 55.8m<sup>2</sup>  
Min Space: 9.31 x 6.28m

Safety Surface Area Split  
FFH < 600mm = 10.75m<sup>2</sup>  
FFH 600 > 1500 = 45m

### Consists of:

Traverse Net  
Tarzan Traverse  
Log Rope  
Cross Rope  
Log Roll with Drop Ropes  
Rope Walk  
Balance Beam  
Timber Log Climber



All Play Frames are supplied with steel feet as standard

## Summit

L: 6356 W: 6025 H: 2600mm  
FFH: 1777mm

Safety Surface Area: 81.77m<sup>2</sup>

Min Space: 8.94 x 9.39m

Safety Surface Area Splits (mm)

FFH 1500 > 1777mm = 20.82m<sup>2</sup>  
FFH 1500 > 2190mm = 60.95m<sup>2</sup>


## Pinnacle

L: 9475 W: 5925 H: 2600mm  
FFH: 2190mm

Safety Surface Area: 107.58m<sup>2</sup>  
Min Space: 12.4 x 8.92m

Safety Surface Area Split (mm)

FFH < 600mm = 25.25m<sup>2</sup>  
FFH 600 > 1500mm = 58.34m<sup>2</sup>  
FFH 1500 > 2190mm = 23.99m<sup>2</sup>



### Consists of:

Jigsaw Traverse Panels  
Rope Weave  
Traverse Net  
Log Rope  
Rope Walk  
Timber Log Climber  
Tarzan Traverse  
Cross Rope  
Balance Beam  
Log Roll  
Tarzan Ring Beam



### Consists of:

Jigsaw Traverse Panels	Tarzan Traverse
Rope Weave	Spider Web Net
Traverse Net	Drop Rope Traverse
Log Rope	Cross Rope
Rope Walk	Balance Beam
Timber Log Climber	Log Roll

All Play Frames are supplied with steel feet as standard




## Tri Play Challenge 1

Product Size - L: 1842 W: 1599 H: 2445mm  
Safety Surface Area: 17.94m<sup>2</sup>  
Minimum Space Required: 5.3 x 4.6m




### Option 1

FFH: 595mm  
Consists Of:  
Beam Traverse  
Steel Slalom  
Rope Traverse



### Option 2

FFH: 1163mm  
Consists Of:  
Rope Traverse  
Weave Traverse  
Net Traverse



### Option 3

FFH: 594mm  
Consists Of:  
Beam Traverse  
Weave Traverse  
Drop Rope Traverse



### Option 4

FFH: 690mm  
Consists Of:  
Drop Rope Traverse  
Steel Slalom  
Jigsaw Traverse Wall

All Tri Play Challenges are supplied with steel feet as standard


## Tri Play Challenge 2

Product Size - L: 3279 W: 1842 H: 2520mm  
Safety Surface Area: 23.8m<sup>2</sup>  
Minimum Space Required: 6.28 x 4.84m



### Option 2

FFH: 759mm  
Consists Of:  
Drop Rope Traverse  
Steel Slalom  
Jigsaw Traverse Wall  
Log Roll With Drop Ropes




### Option 1

FFH: 1203mm  
Consists Of:  
Beam Traverse  
Net Traverse  
Weave Traverse  
Drop Rope Traverse




### Option 3

FFH: 1163mm  
Consists Of:  
Jigsaw Traverse Wall  
Weave Traverse  
Net Traverse  
Rope Traverse



### Option 4

FFH: 718mm  
Consists Of:  
Beam Traverse  
Rope Traverse  
Steel Slalom  
Drop Rope Traverse



All Tri Play Challenges are supplied with steel feet as standard




## Tri Play Challenge 3

Product Size - L: 4139 W: 2275 H: 2445mm

Safety Surface Area: 30.2m<sup>2</sup>

Minimum Space Required: 7.14 x 5.28m



### Option 1

FFH: 1163mm

Consists Of:

Beam Traverse  
Jigsaw Traverse Wall  
Rope Traverse (x2)  
Net Traverse  
Weave Traverse  
Steel Slalom.




### Option 2

FFH: 760mm

Consists Of:

Beam Traverse  
Weave Traverse  
Log Roll With Drop Ropes  
Jigsaw Traverse Wall  
Steel Slalom  
Rope Traverse  
Drop Rope Traverse



### Option 3

FFH: 1203mm

Consists Of:

Beam Traverse  
Jigsaw Traverse Wall  
Rope Traverse  
Net Traverse  
Weave Traverse  
Steel Slalom  
Drop Rope Traverse



All Tri Play Challenges are supplied with steel feet as standard

## Tri Play Challenge 4

Product Size - L: 5573 W: 2446 H: 2470mm

Safety Surface Area: 36.7m<sup>2</sup>

Minimum Space Required: 8.57 x 5.45m



### Option 1

FFH: 1178mm

Consists Of:

Net Traverse  
Beam Traverse  
Weave Traverse  
Log Roll With Drop Ropes  
Jigsaw Traverse Wall  
Steel Slalom  
Drop Rope Traverse  
Rope Traverse



### Option 2

FFH: 1163mm

Consists Of:

Drop Rope Traverse  
Beam Traverse  
Net Traverse  
Steel Slalom  
Rope Traverse (X2)  
Jigsaw Traverse Wall  
Weave Traverse



### Option 3

FFH: 1203mm

Consists Of:

Log Roll With Drop Ropes  
Rope Traverse  
Jigsaw Traverse Wall  
Net Traverse  
Drop Rope Traverse  
Weave Traverse  
Beam Traverse  
Steel Slalom

All Tri Play Challenges are supplied with steel feet as standard



## Steel Elevate

L: 3968 W: 2922 H: 2500mm



FFH: 575mm

Safety Surface Area: 38.56m<sup>2</sup>

Min Space: 6.96 x 5.92m

Consists of:

Wobble Bridge  
Balance Beam  
Rope Walk  
Log Rope



## Rowton

L: 4700 W: 1660 H: 2110mm



FFH: 2110mm

Safety Surface Area: 43.8m<sup>2</sup>

Min Space: 5.58 x 8.62m

Consists of:

Climb Net  
Rope Walk  
Climb Ladder  
Chin Up Bars  
Monkey Bar Frame



Different paint colour options available on request

## Farndon

L: 3220 W: 3100 H: 2329mm



FFH: 2050mm

Safety Surface Area: 47.49m<sup>2</sup>

Min Space: 7.14 x 7.02m

Consists of:

Climb Wall  
Climb Net  
Climb Ladder  
Vertical Climb Rings  
Roll Over Bars/Chin Up Bars  
Staggered Ladder  
Tarzan Rings Beam  
Cross Rope  
Rope Walk



## Octagonal Farndon

L: 3864 W: 3864 H: 2350mm



FFH: 2031mm

Safety Surface Area: 50.16m<sup>2</sup>

Min Space: 7.8 x 7.8m

Consists of:

Tarzan Ring Beam  
Climb Wall  
Ring Climber  
Climb Net  
Vertical Climb Rings  
Chin Up Bars



Different paint colour options available on request





The ability to offer unrivalled value for money whilst still ensuring exceptional quality and longevity is key.

The Playframes range accommodates all ages, budgets and play scheme sizes. Our uncompromising approach to safety during the design and manufacturing process is paramount. With this in mind all the Playframes range are designed to meet the requirements of BS EN 1176.

In order to ensure the highest level of accuracy, all units are produced on a custom made, state of the art, 6 Axis CNC machine. This technology allows us to offer unparalleled accuracy in the field of play timber production.