


# SEGUIN DRIVELINE SERVICES

612 E. KINGSBURY STREET, SEGUIN, TX 78155 – SEGUINDRIVELINE.COM

## 2 Piece Shaft- Flange Type Trans & Pinion Yoke

**Important: Suspension must be at Normal Ride Height.**  
**Wheels on Ground or Diff. Loaded (wheels not hanging on lift)**

Please take all length dimensions from vehicle - NOT the old driveshaft



\_\_\_\_\_ **Front Length** from flat edge flange to center of carrier bolt holes.

\_\_\_\_\_ **Rear Length** from center of carrier bolt holes to flat edge of pinion yoke.

Center of Carrier Bearing Bolt Holes. When measuring the frame of truck, most carrier bolt holes are slotted for some flex. **Go to middle of slots.**

Note: OE Ford 8" and 9" Pinion yokes can use either a 1 1/16 or 1 1/8 cap diameter. This is only 1/16 different but is critical that this is checked carefully. Call if you have any question on this.

Vehicle Type: \_\_\_\_\_

Differential Type if known \_\_\_\_\_

\_\_\_\_\_ UJ Series of Pinion Yoke. See UJ Identification for assistance or call us for assistance.

Pinion Yoke UJ Width: \_\_\_\_\_ Cap Diameter \_\_\_\_\_

Name \_\_\_\_\_ Phone \_\_\_\_\_

Address \_\_\_\_\_

Email \_\_\_\_\_ or Fax \_\_\_\_\_

Fill out all form fields and email to [service@seguintdriveline.com](mailto:service@seguintdriveline.com)  
Or call us at (830) 372-5356 for assistance.