


2022 Luxury Vinyl & Wood Offering



A man and a woman are lying on a wooden floor, smiling and looking at each other. The man is on the right, wearing a light blue button-down shirt, and the woman is on the left, wearing a white button-down shirt. They are both looking towards the center of the frame.

Power Dekor Worldwide

For over two decades, Power Dekor has been providing customers at home and abroad with state-of-the-art products & caring home experiences.



Company Overview

Founded in 1995 as an importer of German laminate flooring into the Chinese market, Power Dekor has grown into one of the world's most well-respected flooring brands. As a subsidiary company of Power Dekor Group, Home Legend is the exclusive distributor for the brand in the U.S. market.

Today, Power Dekor is the largest flooring manufacturer in China by sales volume—known for their premium quality and product innovation. Power Dekor has over 20,000 employees world-wide, owns 3,700 specialty stores in China, 5 overseas subsidiaries, and has established strategic cooperation with partners in North and South America, Europe and South Asia.

For over two decades, Power Dekor has been providing customers with state-of-the-art products and professional service. Power Dekor Group is committed to creating the highest quality, most beautiful, innovative flooring in order to best serve our customers, our employees and our partners.



Power Dekor

Production

As Asia's largest flooring company, Power Dekor Group Co. Ltd., has its own production units in China and strategic OEM/ODM production units in Vietnam, Malaysia, Indonesia and Cambodia

18 Factories Owned

3,700 Power Dekor Branded Retail Stores



R&D Factory

As a grand influence in the flooring industry we strive for only the best. We prove this by dedicating a factory exclusively to research & development.



Intellectual Property

200+ Owns more than 200 patents.

40+ Patents for Invention

100+ Application Patents



Complete Supply Chain


A complete product supply chain enables us to maintain stable supplies. To conserve natural resources & improve efficiencies, we own and control 10,000 hectares of fast-growing wood and bamboo forests, which are scattered along the Yangtze River or its tributaries for convenient and efficient transportation.

We also purchase lumber from North America and Europe.



Relentless

SCRATCH-RESISTANT SPC



PDSPC018 Gabriel

Diamond Gard™ MAX

7 LAYERS
of proprietary
anti-scratch coating



WATERPROOF



LIFETIME
WARRANTY



ATTACHED PAD



SLIP RESISTANT



DENT RESISTANT



ANTIMICROBIAL
PROPERTIES



MAXIMUM SCRATCH
RESISTANCE



Mornings Marble / PDSPC038



Charles / PDSPC019



Diamond Gard™

Next Generation Coating System

Diamond Gard™ is a proprietary acrylic-based coating that solves the main problem with typical vinyl products: scuffs and scratches.

All Power Dekor vinyl products are coated with Diamond Gard™ as standard, however there are some products that have multiple coats for added protection.

Relentless Collection

Relentless is coated 7 layers of Diamond Gard™, so there is no need for a wear layer.

This means clearer and crisper visuals, because there is no hazy wear layer between you and the HD printed graphics layer.



RELENTLESS

THE PET friendliest FLOOR




Diamond Gard™ MAX
7 LAYERS
of proprietary
anti-scratch coating

High-Res Printing

SPC Core

Välinge 5G-i™ & 5G®
Locking System

1mm Attached Pad




Carter / PDSPC017



Atlas / PDSPC020







Relentless

SCRATCH-RESISTANT SPC

Construction:

Rigid Core SPC Vinyl Tile

Sizes: 12-1/4" x 24-3/8"

Total Thickness:

6 mm (5 mm Core + 1 mm Attached IXPE Pad)

IIC Rating: 69 db

Texture: Smooth

Edge Profile: V-Bevel

Finish: Diamond Gard™ Max
(7 Layers of Anti-Scratch Coating)

Installation Method: Floating

Click System: Välinge 5G®

Installation Level:

On | Above | Below Grade

Three Season Room: Yes

Sq. Ft./Carton: 20.69

Cases/Pallet: 48

Sq. Ft./Pallet: 993

Warranties:

Lifetime Residential
20-Year Commercial
10-Year Scratch
10-Year Pet

Coordinating Moldings Available



Greenguard Gold
Certified



5G® locking
systems

Diamond Gard™ MAX
7 LAYERS
of proprietary
Anti-Scratch
Coating


High-Resolution Printing

SPC Core

Välinge 5G®


Locking System

1mm Attached Pad



PDSPC018 Gabriel

12-1/4" x 24-3/8"



PDSPC038 Mornings Marble

12-1/4" x 24-3/8"



PDSPC019 Charles

12-1/4" x 24-3/8"



PDSPC017 Carter

12-1/4" x 24-3/8"



PDSPC037 Wise Marble

12-1/4" x 24-3/8"



PDSPC020 Atlas

12-1/4" x 24-3/8"



Logan / PDSPC013



Mason / PDSPC014





Veiled Pine / PDSPC044



Jackson / PDSPC016



Woods Oak / PDSPC040



RELENTLESS COLLECTION

Captain Oak / PDSPC039



Easton / PDSPC011









Relentless

SCRATCH-RESISTANT SPC

Construction:

Rigid Core SPC Vinyl Plank

Sizes: 7-1/16" x 48"

Total Thickness:

6 mm (5 mm Core + 1 mm Attached IXPE Pad)

IIC Rating: 69 db

Texture: Smooth[†] | Embossed[‡]

Edge Profile: V-Bevel

Finish: Diamond Gard™ Max
(7 Layers of Anti-Scratch Coating)

Installation Method: Floating

Click System:

Välinge 5G-i[†] | Unipush[‡]

Installation Level:

On | Above | Below Grade

Three Season Room: Yes

Sq. Ft./Carton: 23.64

Cases/Pallet: 48

Sq. Ft./Pallet: 1,064


Warranties:

- Lifetime Residential
- 20-Year Commercial
- 10-Year Scratch
- 10-Year Pet

Coordinating Moldings Available



PDSPC013 Logan 7-1/16" x 48"



PDSPC042 Peak Oak 7-1/16" x 48"



PDSPC014 Mason 7-1/16" x 48"



PDSPC043 Range Pine 7-1/16" x 48"



PDSPC044 Veiled Pine 7-1/16" x 48"



PDSPC016 Jackson 7-1/16" x 48"



PDSPC040 Woods Oak 7-1/16" x 48"



PDSPC039 Captain Oak 7-1/16" x 48"



PDSPC011 Easton 7-1/16" x 48"



PDSPC041 Café Acacia 7-1/16" x 48"



PDSPC012 Harris 7-1/16" x 48"



PDSPC015 Noah 7-1/16" x 48"



Greenguard Gold Certified



5G-i™ locking systems



Unipush™ locking systems

Diamond Gard™ MAX

7 LAYERS
of proprietary
Anti-Scratch
Coating

High-Resolution Printing

SPC Core

Click Locking System

1mm Attached Pad

[†]PDSPC011, PDSPC012, PDSPC013, PDSPC014, PDSPC015, PDSPC016

[‡]PDSPC046, PDSPC047, PDSPC048, PDSPC049, PDSPC050, PDSPC051

Bellevue

EMBOSSED IN-REGISTER SPC



PDSPC010 Avondale



WATERPROOF



ATTACHED PAD



**EMBOSSED
IN-REGISTER**



**LIFETIME
WARRANTY**



**CLICK
INSTALLATION**



**STAIN
RESISTANT**



**HEATED SUBFLOOR
COMPATIBLE**



Gordon / PDSPC002



Valentine / PDSPC004





Ramsey / PDSPC003



Shallowford / PDSPC001



Prescott / PDSPC005



Kensey / PDSPC007







Bellevue

EMBOSSED IN-REGISTER SPC

Construction:

Rigid Core SPC Vinyl Plank

Total Thickness: 5.3 mm
(4.3mm with 1mm Attached IXPE Pad Plank)

IIC Rating: 69 db

Texture: Embossed in Register

Wear Layer: 20 mil Wear Layer

Edge Profile: Micro V-Bevel

Finish: Diamond Gard™ Plus
(2 Layers of Anti-Scratch Coating)

Installation Method: Floating

Click System: Välinge 5G-i™

Installation Level:

On | Above | Below Grade

Three Season Room: Yes

Sq. Ft./Carton: 23.64

Cases/Pallet: 60

Sq. Ft./Pallet: 1,418

Warranties:

Lifetime Residential

20 Year Commercial

Coordinating Moldings Available



PDSPC004 Valentine

7-1/16" x 48"



PDSPC001 Shallowford

7-1/16" x 48"




PDSPC010 Avondale

7-1/16" x 48"




PDSPC002 Gordon

7-1/16" x 48"




PDSPC008 Hamilton

7-1/16" x 48"




PDSPC005 Prescott

7-1/16" x 48"




PDSPC006 Monroe

7-1/16" x 48"




PDSPC007 Kensey

7-1/16" x 48"




PDSPC009 Lancaster

7-1/16" x 48"



PDSPC003 Ramsey

7-1/16" x 48"



Grandiose

LUXURIOUS, OVER-SIZED WPC PLANKS



PDWPC008 Cambria



WATERPROOF



ATTACHED PAD



EMBOSSD
IN-REGISTER



LIFETIME
WARRANTY



CLICK
INSTALLATION



NOISE
REDUCTION



Alpine / PDWPC001



Buford / PDWPC010



Bartow / PDWPC005



Conway / PDWPC006







Clayton / PDWPC003



Biltmore / PDWPC002





Grandiose

LUXURIOUS, OVER-SIZED
WPC PLANKS

Construction:

Rigid Core WPC Vinyl

Sizes:

8-7/8" x 59-7/8"

9-3/8" x 59-7/8"

Thickness:

12 mm (10.5mm Core + 1.5mm
Attached EVA Pad)

IIC Rating: 73 db

Texture:

Embossed in Register | Hand
Scraped | Random Embossed

Wear Layer: 20 mil

Edge Profile: V-Bevel

Finish: Diamond Gard™ Plus
(3 Layers of Anti-Scratch Coating)

Installation Method: Floating

Click System: Välinge 5G®

Installation Level:

On | Above | Below Grade

Three Season Room: Yes

Sq. Ft./Carton: 22.12 | 23.39

Cases/Pallet: 44

Sq. Ft./Pallet:

973 (8-7/8" W) / 1,029 (9-3/8" W)

Warranties:

Lifetime Residential

25 Year Commercial

Coordinating Moldings Available




PDWPC009 Boston

8-7/8" x 59-7/8"




PDWPC010 Buford

8-7/8" x 59-7/8"




PDWPC008 Cambria

8-7/8" x 59-7/8"




PDWPC002 Biltmore

9-3/8" x 59-7/8"




PDWPC007 Frisco

9-3/8" x 59-7/8"




PDWPC003 Clayton

8-7/8" x 59-7/8"




PDWPC001 Alpine

9-3/8" x 59-7/8"




PDWPC006 Conway

8-7/8" x 59-7/8"



PDWPC004 Aurora

8-7/8" x 59-7/8"



PDWPC005 Bartow

8-7/8" x 59-7/8"

Diamond Gard™ PLUS

3 LAYERS
of proprietary
anti-scratch coating

Wear Layer (20 mil)

High-Res Printing

Vinyl Top Layer

WPC Core

Välinge 5G® Locking System

1.5mm Attached Pad

Pivotal

EMBOSSED SPC PLANKS



PDSPC021 Oglethorpe



WATERPROOF



ATTACHED PAD



LIFETIME
WARRANTY



CLICK
INSTALLATION



STAIN
RESISTANT



HEATED SUBFLOOR
COMPATIBLE



Newnan / PDSPC025



Stockton / PDSPC026





Downton / PDSPC022



Garcia / PDSPC024



Navarre / PDSPC027



Overland / PDSPC028







Pivotal

EMBOSSED SPC PLANKS

Construction:

Rigid Core SPC Vinyl Plank

Size: 7" x 48"

Total Thickness: 5.3 mm
(4.3mm with 1mm Attached IXPE Pad Plank)

IIC Rating: 65 db

Texture: Embossed

Wear Layer: 20 mil Wear Layer

Edge Profile: Micro-Bevel

Finish: Diamond Gard™ Anti-Scratch Coating

Installation Method: Floating

Click System: Välinge 5G-i™

Installation Level:
On | Above | Below Grade

Three Season Room: Yes

Sq. Ft./Carton: 23.37


Cases/Pallet: 65

Sq. Ft./Pallet: 1,519


Warranties:

Lifetime Residential
20 Year Commercial

Coordinating Moldings Available



PDSPC021 Oglethorpe




PDSPC022 Downton




PDSPC023 Johannesburg




PDSPC024 Garcia




PDSPC025 Newnan




PDSPC026 Stockton




PDSPC027 Navarre




PDSPC028 Overland



PDSPC029 Newberry



PDSPC030 Stableton



Sales Tools




All sales tools can be customized to fit your specific needs. Our marketing team and sample supplier partners can help you develop the perfect tools for your business.



Displays

- 24" x 27" sample boards
- Flexible display with 12 slots
- 24" x 33" base foot print
- Header graphic available

Handboards



- SPC 22" x 30" / WPC 25" x 30"

Strapsets



- Plank Width x 11.5"

Sell Sheets



- 8.5" x 11"
- 2-Sided
- Packs of 50

Scratch Demo Kit



Demostration tool to show customers scratch resistance. Comes with 2 competitive products and a wire brush.



2022 Wood Offering

A dining room featuring a white, ornate table and chairs. The floor is covered in dark, wide-plank engineered wood flooring. A large window with a chandelier is in the background, and a mirror is mounted on the wall.

Engineered Wood Flooring


Natural, durable, beautiful—hardwood by Power Dekor is engineered to last for decades. Installation is a breeze using the integrated tongue and groove locking system.

Ansley

ENGINEERED HARDWOOD




PDH001 Coventry



2MM REAL WOOD
TOP LAYER



1/2" THICKNESS



TONGUE AND
GROOVE



RESIDENTIAL WARRANTY



ABOVE, BELOW, OR
ON GRADE



Bedford / PDH002



Essex / PDH003





Chandler / PDH005



Dayton / PDH006



Farmington / PDH007



Garner / PDH008







Ansley

ENGINEERED HARDWOOD

Texture:

Hand Scraped | Wire Brushed

Construction:

Engineered T&G Hardwood Plank

Total Thickness:

1/2"

Veneer:

2mm

Species:

Hickory | Maple | Oak

Edge Profile:

V-Bevel

Finish:

Diamond Gard™

Installation Method:

Glue | Nail | Staple

Installation Level:

On | Above | Below Grade



Sq. Ft./Carton:

22.38 | 25.77 | 31.09 | 37.40 | 41.20


Warranty:

40 Year Residential


Coordinating Moldings Available



PDH009 Helena




PDH001 Coventry




PDH010 Kingston




PDH002 Bedford




PDH007 Farmington




PDH003 Essex




PDH005 Chandler



PDH004 Anderson



PDF006 Dayton




PDH008 Garner

Lake Forest

ENGINEERED HARDWOOD



PDH011 Lafayette



1.2MM REAL WOOD
TOP LAYER



3/8" THICKNESS



TONGUE AND
GROOVE



RESIDENTIAL WARRANTY



ABOVE, BELOW, OR
ON GRADE



Macon / PDH012



Northfield / PDH013





Pelham / PDH015



Raymond / PDH016



Smithfield / PDH017



Townsend / PDH018







Lake Forest

ENGINEERED HARDWOOD

Texture:

Hand Scraped | Wire Brushed

Construction:

Engineered T&G Hardwood Plank

Total Thickness:

3/8"

Veneer:

1.2mm

Species:

Birch

Edge Profile:

V-Bevel

Finish:

Diamond Gard™

Installation Method:

Glue | Nail | Staple

Installation Level:

On | Above | Below Grade



Sq. Ft./Carton:

26.15

Warranty:

40 Year Residential

Coordinating Moldings Available



PDH012 Macon




PDH011 Lafayette




PDH020 Wilson




PDH018 Townsend




PDH017 Smithfield




PDH016 Raymond




PDH015 Pelham



PDH013 Northfield



PDH019 Vincent




PDH014 Ontario

Concord


MULTI-PLYWOOD HARDWOOD




PDH021 Walston




GENUINE
HARDWOOD




1.2MM REAL WOOD
TOP LAYER



MULTIPLE
THICKNESS



TONGUE AND
GROOVE



MULTIPLE RESIDENTIAL
WARRANTIES



ABOVE, BELOW, OR
ON GRADE



Pickmere / PDH022



Reynolds / PDH023





Eaglesham / PDH025



Washford / PDH026







Clarkston / PDH029



CONCORD COLLECTION

Concord

MULTI-PLYWOOD HARDWOOD

Texture:

Hand Scraped | Smooth

Construction:

- Ⓟ Multi-Plywood Core
- Ⓜ HDF Core
- Ⓢ Solid Core

Total Thickness:

- Ⓟ 1/2"
- Ⓜ 3/8"
- Ⓢ 3/4"

Veneer: 1.2mm

Species: Birch | Sapele

Edge Profile: V-Bevel

Finish:

UV Cured Polyurethane with Aluminum Oxide

Click System (HDF): Välinge 2G™

Installation Method:

Glue Down | Floating | Nail Down | Staple

Installation Level:

On | Above | Below Grade

Warranty:

- Ⓟ 40 Year Residential
- Ⓜ 30 Year Residential
- Ⓢ 50 Year Residential


Coordinating Moldings Available




PDH026 Washford




PDH028 Camberley




PDH025 Eaglesham




PDH021 Walston




PDH024 Marden




PDH023 Reynolds




PDH029 Clarkston



PDH027 Chathill



PDH022 Pickmere





(877) 690-9663 | powersource.com

ower dekor

owerdekorgroup.com