


RelentlessSCRATCH-RESISTANT SPC



Diamond Gard™

Next Generation Coating System

Diamond Gard[™] is a proprietary acrylic-based coating that solves the main problem with typical vinyl products: scuffs and scratches.


All Power Dekor vinyl products are coated with Diamond Gard[™] as standard, however there are some products that have multiple coats for added protection.


Relentless Collection

Relentless is coated 7 layers of Diamond Gard[™], so there is no need for a wear layer.

This means clearer and crisper visuals, because there is no hazy wear layer between you and the HD printed graphics layer.








Relentless

SCRATCH-RESISTANT SPC





















Mornings Marble / PDSPC038



Charles / PDSPC019



Carter / PDSPC017



Atlas / PDSPC020




Wise Marble / PDSPC037



RELENTLESS COLLECTION

Gabriel / PDSPC018



Relentless

SCRATCH-RESISTANT SPC

Construction:

Rigid Core SPC Vinyl Tile

Sizes: 12-1/4" x 24-3/8"

Total Thickness:

6 mm (5 mm Core + 1 mm Attached IXPE Pad)

IIC Rating: 69 db

Texture: Smooth

Edge Profile: V-Bevel

Finish: Diamond Gard™ Max (7 Layers of Anti-Scratch Coating)

Installation Method: Floating

Click System: Fold Down Locking

Installation Level: On | Above | Below Grade

Three Season Room: Yes

Sq. Ft./Carton: 20.69

Cases/Pallet: 48

Sq. Ft./Pallet: 993


Warranties:

Lifetime Residential 20-Year Commercial 10-Year Scratch 10-Year Pet

Coordinating Moldings Available



Greenguard Gold Certified









PDSPC017 Carter



12-1/4" x 24-3/8"

PDSPC019 Charles 12-1/4" x 24-3/8"



PDSPC037 Wise Marble 12-1/4" x 24-3/8"



PDSPC020 Atlas

RELENTLESS COLLECTION

Peak Oak / PDSPC042




Logan / PDSPC013



Mason / PDSPC014



Range Pine / PDSPC043



Veiled Pine / PDSPC044



Jackson / PDSPC016



RELENTLESS COLLECTION

Woods Oak / PDSPC040



Captain Oak / PDSPC039



Easton / PDSPC011



RELENTLESS COLLECTION

Café Acacia / PDSPC041



Harris / PDSPC012



Noah / PDSPC015



Relentless

SCRATCH-RESISTANT SPC

Construction:

Rigid Core SPC Vinyl Plank

Sizes: 7-1/16" x 48"

Total Thickness:

6 mm (5 mm Core + 1 mm

Attached IXPE Pad)

IIC Rating: 69 db

Texture: Smooth† | Embossed ‡

Edge Profile: V-Bevel

Finish: Diamond Gard[™] Max (7 Layers of Anti-Scratch Coating)

Installation Method: Floating

Click System: Drop Lock

Installation Level: On | Above | Below Grade

Three Season Room: Yes

Sq. Ft./Carton: 23.64

Cases/Pallet: 48

Sq. Ft./Pallet: 1,064

Warranties:

Lifetime Residential 20-Year Commercial 10-Year Scratch

10-Year Pet

Coordinating Moldings Available



Greenguard Gold Certified









PDSPC013 Logan

PDSPC042 Peak Oak

7-1/16" x 48" PDSPC014 Mason







PDSPC043 Range Pine 7-1/16" x 48" PDSPC044 Veiled Pine 7-1/16" x 48" PDSPC016 Jackson







PDSPC040 Woods Oak 7-1/16" x 48" PDSPC039 Captain Oak 7-1/16" x 48" PDSPC011 Easton







PDSPC041 Café Acacia 7-1/16" x 48" PDSPC012 Harris

7-1/16" x 48"



