

Pet Name:	Product:
Pet Name:	Product:

Date	Time	With or W/O Food	Dose (mg)	Dose (ml)	Effect 1 - 10	Stool 1 - 5	Side Effects? (Drowsy/Nauseous /Anxious eg)	Notes

Scales: Effect (1–10): 1= no change, 10=excellent improvement.

Stool (1-5): 1 = Very loose, 3 = normal, 5 = very firm.

Adjust in small doses after 3-4 days if needed. If drowsiness or nausea occur, scale back dose Questions? Email info@SerenityBowWow.com



Date	Time	With or W/O Food	Dose (mg)	Dose (ml)	Effect 1 - 10	Stool 1 - 5	Side Effects? (Drowsy/Nauseous /Anxious eg)	Notes

Scales: Effect (1–10): 1= no change, 10=excellent improvement.

Stool (1-5): 1 = Very loose, 3 = normal, 5 = very firm.



Pet Name:	Product:
-----------	----------

Time	With or W/O Food	Dose (mg)	Dose (ml)	Effect 1 - 10	Stool 1 - 5	Side Effects? (Drowsy/Nauseous /Anxious eg)	Notes
	Time		lime	lima	lima	lima	Time W/O Food (mg) (ml) 1-10 1-5 (Drowsy/Nauseous

Scales: Effect (1–10): 1= no change, 10=excellent improvement.

Stool (1-5): 1 = Very loose, 3 = normal, 5 = very firm.



Notes / Questions / Concerns:

Scales: Effect (1–10): 1= no change, 10=excellent improvement. Stool (1-5): 1 = Very loose, 3 = normal, 5 = very firm.