Basic Life Support

Infant CPR Skills Testing Checklist (1 of 2)



Student Name	Date of Test			
shouts, 'Help me! My baby's not be emergency response system and	ng in a hospital or clinic when a woman runs through the door, carrying an infant. She reathing.' You have gloves and a pocket mask. You send your coworker to activate the to get the emergency equipment."			
	on the scene for an infant who is not breathing. No bystander CPR has been provided. Ire that it is safe. Demonstrate what you would do next."			
Assessment and Activation				
☐ Checks responsiveness☐ Checks breathing	☐ Shouts for help/Activates emergency response system☐ Checks pulse			
Once student shouts for help, inst	tructor says, "Here's the barrier device."			
-	eedback devices are preferred for accuracy			
Infant Compressions ☐ Performs high-quality comp	pressions*:			
Placement of 2 fingers or 2 thumbs in the center of the chest, just below the nipple line				
• 30 compressions in no less than 15 and no more than 18 seconds				
• Compresses at least one third the depth of the chest, approximately 1½ inches (4 cm)				
Complete recoil after each	compression			
Infant Breaths ☐ Gives 2 breaths with a barrie	or dovice:			
Each breath given over 1 se				
Visible chest rise with each breath				
Resumes compressions in I	less than 10 seconds			
Cycle 2 of CPR (repeats steps ☐ Compressions ☐ Breat	s in Cycle 1) Only check box if step is successfully performed ths Resumes compressions in less than 10 seconds			
	device and begins ventilation while Rescuer 1 continues compressions with 2 thumb–			
Cycle 3 of CPR				
Rescuer 1: Infant Compression	ons			
☐ Performs high-quality comp				
· ·	umb-encircling hands technique			
The state of the s	than 7 and no more than 9 seconds are the chest, approximately 1½ inches (4 cm)			
Complete recoil after each				
Rescuer 2: Infant Breaths				
This rescuer is not evaluated				

(continued)

© 2020 American Heart Association

Basic Life Support

Infant CPR Skills Testing Checklist (2 of 2)



Student Name	Date of Test			
(continued)				
Cycle 4 of CPR				
Rescuer 2: Infant Compressions				
This rescuer is not evaluated.				
Rescuer 1: Infant Breaths				
☐ Gives 2 breaths with a bag-mask device:				
Each breath given over 1 second				
Visible chest rise with each breath				
Resumes compressions in less than 10 seconds				
STOP TEST				
Instructor Notes				
 Place a check in the box next to each step the student completes successfully. If the student does not complete all steps successfully (as indicated by at least 1 blank check box), the student must receive remediation. Make a note here of which skills require remediation (refer to instructor manual for information about remediation). 				
Test Results Check PASS or NR to indicate pass or needs remediation	on:	□ PASS	□ NR	
Instructor Initials Instructor Number	Date			

© 2020 American Heart Association