

ARBARR ELECTRONICS PORTABLE CCTV SOLAR TRAILER PRODUCT GUIDE

PORTABLE CCTV SOLAR TRAILER PRODUCT OVERVIEW

- The Mobile CCTV Trailer is comprised of its Camera System, Lifting System, Transmission System and the Trailer Body with its all in one integrated design making it easy to operate.
- The camera setting is equipped with 360° rotation, supports 3G / 4G wireless IP signal transmission and the built in battery can last for over 48 hours following a full charge.
- Functions can be customised and include expanded function support flow control, temperature and humidity monitoring and dust monitoring.
- No disassembly required, simple to use and operate.
- Automatic lift mast gives full coverage at high and low levels eliminating the potential for monitoring blindspots.
- The thickened metal body and galvanised rust proof bracket make the system extremely durable.
- Automatically downloads data functions and images / videos can be sent to other devices for viewing and playback.



PORTABLE CCTV SOLAR TRAILER SPECIFICATIONS

Power Supply:	200AH Rechargeable lithium battery Solar Power 3* 120W - Total 360w
Height:	6m (Can be customised to suit customer requirements.)
Wind Resistance:	Class 8 to Class 12 Winds
Low Temp. Storage:	-55°C
Low Temperature Working:	-40°C
High Temperature Storage:	70°C
High Temperature Working:	55°C
Humidity:	Less than 90% (temperature 25°C)
Rain:	6mm / minute - Continuous 1hr
Rated Load:	Lifting ≤ 120N
Lifting Speed:	Average Speed - 4m / minute
Safety:	Self-locking at any height



**Unit 3, Aghanloo Industrial Estate,
Limavady, BT49 0HE**

028 7776 6611

www.arbarr.co.uk
enquiries@arbarr.co.uk