
Flexon Industries Corporation
Div. of U.S. Wire & Cable Corp.
Newark, NJ 07114
Tel: 973.824.5530 • Fax: 973.824.1208
Toll Free: 1.800.327.HOSE (4673)
flexonhose.com



Flexon carries a complete line of garden hoses for *EVERY* category!



MEDIUM DUTY





CONTRACTOR









MARINE & RV



...and many more!



For over 60 years, Flexon Industries has maintained a standard of quality, performance and durability within our product line of lawn & garden hoses.

Flexon carries a wide range of hoses suited for homeowners and professional gardeners alike.

We also carry a wide range of specialty items including boat & camper hoses, sprinkler/soaker hoses as well as rubber hoses for hot water usage.

CONTENTS

LIFETIME HOSES		. 4
HEAVY DUTY		. 5
CONTRACTOR GRADE		6-7
MEDIUM DUTY		. 8
DECOR		. 9
LIGHT DUTY		10
SPECIALTY HOSES	. .	.11
SPRINKLER/SOAKER HOSES		12
MARINE & RV HOSES		13
COIL HOSES		1/

Flexon Industries reserves the right to modify, change or discontinue any and all products / specifications contained in this catalog at any time and without prior notice.

LIFETIME

HEAVY DUTY



Flexon quality means our hoses are built to last!
Flexon hoses are constructed of only the finest
quality materials and rigorously tested
to guarantee maximum strength and durability
year after year.

LIFETIME HOSE

LIFETIME

Flexon's patented

Guard-N-Grip connector

offers leak proof connectivity

from the faucet to the hose.

For Greater Flexibility and Lifetime Use

- Forever-Flow design allows for a continuous water flow
- Guard-N-Grip connector
- Crush-proof couplings

U.S. Patent No. 5367925 CAN. Patent No. 2099225 MEX. Patent No. 406395

6-ply construction

		PE	R CAI	TRAN		
Stock No.	I.D.	Length	Pack	Wt	Cube	UPC No.
BLF5850	5/8"	50'	5	42	2.8'	0 44882 11112 6
BLF58100	5/8"	100'	3	50	2.9'	0 44882 11113 3





Flexon's Lifetime Hose features a 6-ply construction to guarantee a continuous water flow:

2-Ply Outer Jacket

Heavy Duty Crush-Proof Couplings

Flexon's Patented Guard-N-Grip Connector



HEAVY DUTY KINA AND CHASTRECTION SHAWLING S

Flexon's patented Guard-N-Grip connector protects the hose coupling from becoming damaged while making it easier to connect and disconnect the hose from any faucet _ or spigot!

FOREVER-FLOW PREMIUM HOSE

LIFETIME

For Lasting Value and Proven Performance

- Forever-flow construction
- Guard-N-Grip connector*
- High burst strength
- Double nylon-reinforcement
- Crush-proof couplings

				ARANT		
		PE	R CAI	J.A.		
Stock No.	I.D.	Length	Pack	Wt	Cube	UPC No.
FXG5825	5/8"	25'	5	23	1.4'	0 44882 30501 3
FXG5850	5/8"	50'	5	42	2.8'	0 44882 30502 0
FXG5875	5/8"	75'	3	38	2.5'	0 44882 30504 4
FXG58100	5/8"	100'	3	50	2.9'	0 44882 30506 8
FXG3450	3/4"	50'	5	63	2.9'	0 44882 30508 2
FXG3475	3/4"	75'	5	58	2.6'	0 44882 30510 5
FXG34100	3/4"	100'	2	50	2.5'	0 44882 30511 2
FXG5850 FXG5875 FXG58100 FXG3450 FXG3475	5/8" 5/8" 5/8" 3/4" 3/4"	50' 75' 100' 50' 75'	5 3 3 5 5	42 38 50 63 58	2.8' 2.5' 2.9' 2.9' 2.6'	0 44882 30502 0 0 44882 30504 4 0 44882 30506 8 0 44882 30508 2 0 44882 30510 5

*Not available on 3/4" hoses.





CONTRACTOR GRADE



CONTRACTOR GRADE RUBBER & VINYL

Superior Strength in the Toughest Applications

- · Ideal for commercial use
- Withstands hot water up to 180° F
- · High burst strength
- Heavy-duty couplings

		LIFETIME
0	N	GARANTIA
/t	Cube	UPC No.
3	1.4'	0 44882 44011 0

		PE	IK CAI	MAIL		
Stock No.	I.D.	Length	Pack	Wt	Cube	UPC No.
CG5825	5/8"	25'	5	23	1.4'	0 44882 44011 0
CG5850	5/8"	50'	5	42	2.8'	0 44882 44013 4
CG5860	5/8"	60'	5	39	3.4'	0 44882 44014 1
CG58100	5/8"	100'	3	32	2.9'	0 44882 44012 7



PROFESSIONAL RUBBER & VINYL

Superior Strength in the Toughest Applications

- Radial double-reinforcement
- · Superior burst strength
- · Commercial-grade performance & durability
- Machined crush-proof couplings



		PE	IR CAI			
Stock No.	I.D.	Length	Pack	Wt	Cube	UPC No.
CX5850	5/8"	50'	5	40	2.7'	0 44882 68042 4
CX5875	5/8"	75'	3	36	2.5'	0 44882 68032 5
CX3450	5/8"	50'	3	55	2.9'	0 44882 68045 5
CX3475	3/4"	75'	3	45	2.9'	0 44882 68046 2
CX34100	3/4"	100'	2	50	2.5'	0 44882 68071 4



JOB MASTER

Great Promotional Length and Value!

- · Added value 80' length fits most consumer needs
- · Guard-N-Grip connector
- Rubber/Vinyl construction for durability
- 4-ply construction



CONTRACTOR GRADE



COMMERCIAL PREMIUM RUBBER HOSE

Tough Under Rugged Conditions

- · Ideal for commercial use
- · High burst strength
- · Available in black, red and green*

	((IU)
	YEARS/AÑOS GARANTIA
ı	

		PE	R CAI	AAI		
Stock No.	I.D.	Length	Pack	Wt	Cube	UPC No.
PH5825	5/8"	25'	5	26	2.0'	0 44882 66485 1
PH5850	5/8"	50'	5	47	3.7'	0 44882 66486 8
PH5875	5/8"	75'	3	42	2.6'	0 44882 66487 5
PH58100	5/8"	100'	3	54	2.9'	0 44882 66489 9

^{*}Please contact Flexon for stock #'s, sizes and availability.



HOT WATER PREMIUM RUBBER HOSE

Hot Water Premium Rubber

- 3/4" for greater water flow
- Withstands hot water to 180° F
- Stays flexible in cold temperatures



		PE	R CA	NAI		
Stock No.	I.D.	Length	Pack	Wt	Cube	UPC No.
FAR3450	3/4"	50'	2	36	2.2'	0 44882 67302 0



FARM & RANCH

Contractor Grade Rubber/Vinyl

- Deluxe nylon reinforcement
- Machined crush-proof couplings
- · Durable jacket for tough applications
- · Bonus 10' length




		PE	IR CA			
Stock No.	I.D.	Length	Pack	Wt	Cube	UPC No.
FA58110	5/8"	110'	2	41	2.47'	0 44882 67300 6

MEDIUM DUTY

DECOR

ALL-WEATHER RUBBER & VINYL HOSE

Clear Value Under Any Conditions



- · High burst strength
- · All-season flexibility
- Crush-resistant couplings



		PE	:R CA	- AAU		
Stock No.	I.D.	Length	Pack	Wt	Cube	UPC No.
FAW5825	5/8"	25'	5	20	1.4'	0 44882 66423 3
FAW5850	5/8"	50'	5	35	2.8'	0 44882 66437 0
FAW5875	5/8"	75'	3	32	2.5'	0 44882 66441 7
FAW58100	5/8"	100'	3	42	2.9'	0 44882 66448 6
FAW58150	5/8"	150'	2	42	2.8'	0 44882 66449 3
FAW3450	3/4"	50'	5	45	2.9'	0 44882 66455 4
FAW3475	3/4"	75'	3	40	2.6'	0 44882 66463 9
FAW34100	3/4"	100'	2	45	2.5'	0 44882 66464 6

*Not available on 150' or 3/4" hoses.

WEATHER BEATER

The Best Choice for Trouble-Free Watering



- High burst strength
- · Heavy-duty coupling
- · Radial belted, double reinforcement



		PE	ER CA	NAN		
Stock No.	I.D.	Length	Pack	Wt	Cube	UPC No.
WB5825	5/8"	25'	5	21	1.4'	0 44882 31020 8
WB5850	5/8"	50'	5	35	2.8'	0 44882 31016 1
WB5875	5/8"	75'	3	39	2.5'	0 44882 31018 5
WB58100	5/8"	100'	2	41	2.9'	0 44882 31029 1

YEAR ROUND RUBBER & WINYL HOSE **All Season Reliability**

- High burst strength
- · Durable, lightweight handling
- Features EZ Gripper for easy connection



		PE	ER CA			
Stock No.	I.D.	Length	Pack	Wt	Cube	UPC No.
YR5860	5/8"	60'	5	46	3.4'	0 44882 66588 9
YR5890	5/8"	90'	3	42	2.6'	0 44882 66589 6
YR58120	5/8"	120'	2	38	2.5'	0 44882 66590 2








ALL-WEATHER MEDIUM DUTY HOSE

COPPER

The Perfect Accent To Any Lawn, Patio or Deck

- Guard-N-Grip connector
- · Clear-cover jacket over nylon-reinforcement
- · High burst strength
- All-season flexibility
- · Crush-resistant couplings



ALL-WEATHER MEDIUM DUTY HOSE

RED

- Guard-N-Grip connector
- · Clear-cover jacket over nylon-reinforcement
- · High burst strength
- All-season flexibility
- · Crush-resistant couplings

		PE	R CA			
Stock No.	I.D.	Length	Pack	Wt	Cube	UPC No.
CRC5850R	5/8"	50'	5	35	2.8'	0 44882 31013 0
CRC5875R	5/8"	75'	3	39	2.5'	0.44882.31010.9

ALL-WEATHER MEDIUM DUTY HOSE

BLUE

- Guard-N-Grip connector
- Clear-cover jacket over nylon-reinforcement
- High burst strength
- · All-season flexibility
- · Crush-resistant couplings

-	YEARS/AROS GARANTIP
	UDC No

		PE	IR CA	RIU	N	
Stock No.	I.D.	Length	Pack	Wt	Cube	UPC No.
CRC5850B	5/8"	50'	5	35	2.8'	0 44882 31012 3
CRC5875B	5/8"	75'	3	39	2.5'	0 44882 31009 3




FLEXON

ALL-WEATHER

LIGHT DUTY

SPECIALTY



Flexon's light duty hoses are ideal for maintaining plants, lawns and gardens around your home.

Best of all, our light duty hoses offer year-round flexibility even under tough weather conditions.

REINFORCED LIGHT DUTY HOSE

For Everyday Versatility & Value

- Knitted-nylon-reinforcement
- Tough, weather-resistant vinyl cover
- Excellent handling, even in cold weather



		PE	R CA			
Stock No.	I.D.	Length	Pack	Wt	Cube	UPC No.
FR1225	1/2"	25'	10	23	1.9'	0 44882 66592 6
FR1250	1/2"	50'	5	23	1.9'	0 44882 66593 3
FR1275	1/2"	75'	3	21	1.7'	0 44882 66595 7
FR12100	1/2"	100'	3	27	2.3'	0 44882 66596 4
FR5825	5/8"	25'	10	32	3.4'	0 44882 66599 5
FR5850	5/8"	50'	5	31	2.8'	0 44882 66605 3
FR5875	5/8"	75'	3	28	2.5'	0 44882 66627 5
FR58100	5/8"	100'	3	36	2.9'	0 44882 66633 6



Flexon's Light Duty Hose features a 3-ply construction and all-season flexibility:

Nylon Reinforcement ————————————————————————————————————	



Flexon's Specialty hoses feature an extended variety of lengths and colors within our product line. They offer added value to our consumers as well as set us apart from our competition.

HIGH VISIBILITY HOSES

Vibrant, Eye-Catching Colors, Flexible and Durable for All Seasons

- Bright-colored cover for easy visibility
- High burst strength, all-season flexibility
- Solid brass couplings



		PE	R CAI	MAN			
Stock No.	I.D.	Length	Pack	Wt	Cube	UPC No.	
BL5860	5/8"	60'	5	46	3.4'	0 44882 66450 9	
YE5860	5/8"	60'	5	46	3.4'	0 44882 66450 9	



Flexon proudly offers our Splash series of water hoses. Designed with outdoor fun in mind, Splash hoses are drinking water safe and ideal for use with kiddie pools and children's water toys.

SPLASH FOR KIDSI®

Multi-Purpose Activity Hose

- Drinking water safe; non toxic
- Made from FDA approved materials
- Ideal for children's outdoor water toys
- · Available in Pink and Blue



		PE	R CA	ARAN		
Stock No.	I.D.	Length	Pack	Wt	Cube	UPC No.
SPL5850P	5/8"	50'	5	34	2.8'	0 44882 66944 3
SPL5850B	5/8"	50'	5	34	2.8'	0 44882 66945 0

10

SPRINKLER / SOAKER

MARINE & RV



WEEP & SOAK The Ultimate Rubber Slow Soaker

- Non-clogging porous design
- Provides even soaking action above or below ground
- · Builds stronger, healthier roots

WS5850

bullus stil	YEARS/ANOS					
		PE	R CA	GARANTIA		
Stock No.	I.D.	Length	Pack	Wt	Cube	UPC No.
WS1225	1/2"	25'	10	21	1.8'	0 44882 30110 7
WS50	1/2"	50'	5	19	1.8'	0 44882 30115 2
WS1275	1/2"	75'	4	22	2.0'	0 44882 30117 6
WS5825	5/8"	25'	10	26	2.5'	0 44882 51009 7




3-TUBE SPRINKLER

2.8' 0 44882 30115 2

Flexibility for Sprinkling & Soaking

- Three tube configuration provides average 40' wide spray pattern
- White stripes can be positioned up for sprinkling, down for soaking
- Removable cap used for adding length or flushing mineral particles

		PE	RCA			
Stock No.	I.D.	Length	Pack	Wt	Cube	UPC No.
FS25	CAPPED	25'	10	16	0.96'	0 44882 67121 7
FS50	CAPPED	50'	10	31	1.4'	0 44882 67137 8









Flexon's Marine & RV / Boat & Camper series hoses are lightweight and perfect for travel. These hoses are designed to offer drinking water safe connectivity from any faucet aboard your boat or mobile home.

MARINE & RV Drinking Water Safe

- Special inner tube material for safe use with potable water
- Patented Guard-N-Grip Connector
- Double Nylon Reinforcement

		PE	R CA	GARANTIA		
Stock No.	I.D.	Length	Pack	Wt	Cube	UPC No.
RVM1225	1/2"	25'	5	15	1.4'	0 44882 66948 1
RVM1250	1/2"	50'	5	26	1.9'	0 44882 66949 8
RVM5825	5/8"	25'	5	21	1.4'	0 44882 66946 7
RVM5850	5/8"	50'	5	34	2.8'	0 44882 66947 4

RECREATIONAL

Drinking Water Safe


- Special inner tube material for safe use with potable water
- Double nylon-reinforcement

		PE	R CA	PANT		
Stock No.	I.D.	Length	Pack	Wt	Cube	UPC No.
FAD1225	1/2"	25'	5	12	1.4'	0 44882 66909 2
FAD1250	1/2"	50'	5	23	1.9'	0 44882 66923 8
FAD5825	5/8"	25'	5	18	1.4'	0 44882 66941 2
FAD5850	5/8"	50'	5	34	2.8'	0 44882 66957 3






COIL HOSES









Crush Resistant Couplings Expandable & Retractable

Flexon coil hoses save you time and energy in your everyday household chores. Their unique design eliminates the need for hauling, lugging and storing. They rebound after each use and are incredibly easy to handle and store. Each coil hose is equipped with crush resistant couplings and made with a special blend of materials to give it spring coiling action.

Ideal for:







Household Uses Boats & RV's Gardening For more information about our complete line of lawn & garden hoses, please call toll free: 1.800.327.HOSE (4673) or visit us online at *flexonhose.com*