



Chain & Accessories



Table of Contents

Merchandising 4

KINGCHAIN® Packaging	4
Chain & Accessories Color Coding and Rating	5
Chain Color Coding	5
Accessories Color-Coding	5
Chain Merchandising	6
Display Header	6
Chain and Accessories Planogram	6
Chain Cutter	7
Replacement Teeth	7
Bolt Cutter	7
Mounting Plate	7
Swaging Tool	7
Breadbox Chain Merchandiser	8
Chain Trough Rack with Slider	8
Wire Front with Clip Covers	9
Square Buckets	9
Chain Accessories	10
Bulk Chace Bin Planogram	10
Carded Accessories	10
Chain Point of Purchase Signage	11
Headers	11
Buyer's Guides	11

Heavy Duty Chain 12

Proof Coil Grade 30 – Zinc	12
Proof Coil Grade 30 – Self-Colored	14
Log Chain Grade 30 – Self-Colored	15
Harrow Chain Grade 30 – Zinc	16
Proof Coil Grade 30 – Galvanized	17
High Test Grade 43 – Zinc	18
High Test Grade 43 – Self Colored	19
Tow Chain Grade 43 – Zinc	20
Transport Grade 70 – Chromate Gold	21
Alloy Chain Grade 80 – Black Oxide	22
Load Binders – Lever Type	23
Load Binders – Ratchet Type	24
Passing Link	25
Coil Chain Straight Link – Zinc	26
Proof Coil – Stainless Steel	27

Medium Duty Chain 28

Machine Chain – Straight Link	28
Machine Chain – Twist Link	29
Tenso Chain – Zinc Plated	30
Tenso Chain – PVC Coated	32

Light Duty Chain 33

Jack Chain – Zinc Plated	33
Jack Chain – Brass	34
Sash Chain – Zinc Plated	35
Safety Chain – Brass	36
Furnace Chain – Zinc Plated	37
Bead Chain	38
Decorative Chain	39
Plastic Chain	41
Wire	42
Dog Accessories	44

Wire / Aircraft Cable 33

Aircraft Cable (Wire Rope) – Galvanized	45
Aircraft Cable (Wire Rope) – PVC Coated	47
Winch Cable – Galvanized	49
Wire Rope Sling – with eyes on both ends	50

Wire / Aircraft Cable Accessories 33

Aircraft Cable (Wire Rope) Accessories	52
Aluminum Cable Stops	52
Aluminum Sleeves	52
24" Swaging Tool	53
Wire Rope Clips – Zinc	53
Wire Rope Clips – Stainless Steel	54
Wire Rope Thimbles – Zinc	55
Wire Rope Thimble – Stainless Steel	56
Double Wire Rope Clamp – Zinc	58
Double Wire Rope Clamp – Stainless Steel	58

Turnbuckles 59

Eye and Hook - Short - Zinc	59
Hook and Eye - Long - Hot Dipped Galvanized	59
Hook and Hook - Long - Hot Dipped Galvanized	60
Eye and Eye - Long - Hot Dipped Galvanized	60
Jaw and Jaw - Long - Hot Dipped Galvanized	61

Hooks & Shackles 62

Eye Grab Hook – Grade 43 – Zinc	62
Eye Slip Hook – Grade 43 – Zinc	63
Eye Slip Hook with Latch - Grade 43 - Painted	63
Clevis Grab Hook – Grade 43 / Grade 70	64
Clevis Slip Hook – Grade 43	65
Clevis Slip Hook with Safety Latch – Grd 43 / Grd 70	66
Heavy Duty Slip Hook – Swivel Eye	67
Heavy Duty Slip Hook – Fixed Eye	67
Anchor Shackle – Zinc	68
Anchor Shackle – Galvanized	69
Anchor Shackle – Stainless Steel	70
Heavy Duty Anchor Shackle	71
Chain Shackle – Galvanized	71
Grade 70 Safety Lanyard Hook – Single Latch	72
Grade 70 Safety Lanyard Hook – Double Latch	72
Grade 43 Mid Link Double Clevis	73
Ceiling Hook with Toggle Bolt and Screw	73
"S" Hook – Zinc	74

Connecting Links 75

Couplings	75
End Links and Couplings	75
Bead Chain, End Link and Coupling	75
Quick Link - Zinc	76
Quick Link – Stainless Steel	77
Missing Link	78
Split Repair Link - Zinc	79
Cold Shut - Zinc	80
U Bolt – Zinc	81
Square U Bolt – Zinc	81

Plastic Accessories 82

Connecting Links	82
"S" Hooks	83
Quick Links	84
Posts	85

Snaps 86

Aluminum Snaps	86
Baby Snap - Square Eye – Nickel Plated	88
Baby Snap - Round Eye – Nickel Plated	88
Baby Snap - Swivel Eye – Bronze	89
Baby Spring Snap - Swivel Eye – Nickel Plated	89
Baby Spring Snap - Open Swivel – Nickel Plated	90
Bolt Snap - Round Swivel – Bronze Nickel Plated	90

Table of Contents

Bolt Snap - Round Swivel – Bronze.....	91
Bolt Snap - Round Swivel – Nickel Plated	92
Bolt Snap - Round Swivel – Stainless Steel	93
Bolt Snap - Round Swivel – Nickel Plated	93
Bolt Snap - Fixed Eye – Bronze.....	94
Bolt Snap - Square Swivel – Nickel Plated	94
Bolt Snap - Loop Eye – Nickel Plated.....	95
Bolt Snap - Round Swivel - Large Eye – Nickel Plated	95
Bolt Snap Open Eye – Nickel Plated	96
Double Bolt Snap – Nickel Plated.....	96
Champion Snap – Nickel Plated	97
Security Snap – Galvanized	98
Security Snap – Stainless Steel	99
Security Snap - Fixed Eye – Nickel	100
Security Snap - Swivel Eye – Nickel.....	100
Security Mooring Snap – Nickel	101
Security Mooring Snap – Stainless Steel	101
Simplex Snap – Swivel Eye – Zinc	102
Scissor Snap – Nickel Plated.....	103
Scissor Snap – Stainless Steel.....	104
Lever Snap – Nickel Plated	105
Open Chain Snap – Zinc	106
Rope Snap – Zinc.....	106
Panic Snap - Fixed Eye – Nickel.....	107
Panic Snap - Swivel Eye – Brass.....	107
Boat Snap - Fixed Eye – Bronze	108
Boat Snap - Fixed Eye – Stainless Steel.....	109
Boat Snap - Swivel Eye – Bronze.....	110
Boat Snap - Swivel Eye – Nickel Plated	111
Boat Snap - Swivel Eye – Stainless Steel	111
Malleable Swivel – Nickel Plated	112
Double Swivel – Die Cast Zinc	113
Double Swivel – Ductile Cast Iron	113
Animal Snap – Bronze.....	114
Animal Snap - Forged Steel – Bronze	114

Eyebolts.....	115
Eyebolt - Wire Formed – Zinc.....	115
Lagscrew Eyebolt – Zinc.....	115
Shoulder Eyebolt - Forged – Zinc.....	116
Mounting Ring – Zinc.....	116

Hooks & Rings.....	117
J - Hook – Zinc	117
Tarp / Rope Binding Hook – Zinc.....	117
D Ring – Nickel.....	118
Key Ring - Split Round – Nickel.....	119
Harness Ring – Nickel	120
Harness Ring – Stainless Steel.....	120

Rope Accessories	121
Rope Clamp – Zinc.....	121
Rope Cleat – Nickel.....	122
Rope Cleat – Brass	123
Rope Cleat - Hollow Base – Chrome Plated	123
Rope Pulley - Single Sheave, Fixed Eye – Zinc	124
Rope Pulley - Single Sheave, Swivel Eye – Zinc.....	125
Rope Pulley - Double Sheave, Swivel Eye – Zinc	126
Rope Pulley - Double Sheave, Fixed Eye – Zinc	127
Heavy Duty Rope Pulley - Single Sheave – Fixed Eye – Zinc.....	127
Heavy Duty Rope Pulley - Single Sheave - Swivel Eye – Zinc	128
Heavy Duty Rope Pulley - Wall – Zinc.....	128
Rope Pulley - Single Sheave - Double Hooks – Zinc	129

Heavy Duty Accessories.....	130
Heavy Duty Block Pulley.....	130
Heavy Duty Snatch Block	130

Chain Accessories Stainless Steel.....	132
Wire Rope Clips – Stainless Steel.....	132
Wire Rope Thimble – Stainless Steel	132
Double Wire Rope Clamp – Stainless Steel	133
Anchor Shackle – Stainless Steel.....	134
Quick Link – Stainless Steel	135
Bolt Snap – Round Swivel – Stainless Steel	136
Security Snap – Stainless Steel	137
Security Mooring Snap – Stainless Steel	138
Scissor Snap – Stainless Steel.....	138
Boat Snap – Fixed Eye – Stainless Steel	139
Boat Snap – Swivel Eye – Stainless Steel.....	140
Harness Ring – Stainless Steel.....	140

Farm Hardware.....	142
Hair Pin Clips - External	142
Hair Pin Clips - Internal	142
Hitch Pin - Premium Quality	143
Hitch Pin - Foldover Handle with Chain	143
Lift Arm Pins - Adjustable	144
Lift Arm Pins - Forged	144
Top Link Pin	144
Tractor Drawbar Hook.....	145
Bushings - Top Link	145
Bushings - Lift Arm	145
Clevis Pin.....	146
Universal Clevis Pin.....	147
Cotter Pin.....	147
Lynch Pin.....	148
Quick Pin - Round	148
Quick Pin - Square	149
Safety Pin - Industrial	149
Grease Fittings - S.A.E.....	150
Grease Fittings - Metric	150
Grease Fittings - Drive In.....	150
Stake Hook - Gate Hardware	151
Stake Eye - Gate Hardware.....	151
Gravity Tailgate Hook - Gate Hardware	151

Decimal Equivalents of Regular Sizes.....	152
Best Value Commitments	160
Terms & Conditions	161

KINGCHAIN® Packaging

MIBRO®'s KingChain® program is available in a variety of packaging options to allow you to create a dynamic but consistent planogram. We have options for cash desk promos, end-of-aisle floor bins, or various other opportunities to ensure your assortment is easily shoppable by the consumer. If you're looking for a solution to meet your assortment needs, MIBRO® has the answer.

Square Buckets



Round Half Pail



Reel



Wire Holder

Tubs



Bag



Clamshell



Tent Card with Poly Bag



Skincard



Floor Bin



Clear Plastic Sleeve Dispenser



Bulk with UPC Tag



Cash Desk



Wing Display

Chain & Accessories Color Coding and Rating

Chain Color Coding

MIBRO®'s KingChain® reels have been color-coded to help retailers and consumers simply and quickly identify the Safe Workload of a chain. Yellow reels are for Aircraft Cable. Light Blue reels are used for chains with Safe Workloads under 100lbs, Medium Blue reels are used for Safe Workloads from 100-400lbs and Dark Blue reels are used for Safe Workloads of chain over 400lbs. Color coding can also be accentuated by adding one of MIBRO®'s Chain Headers or a Buyer's Guide, as seen on page 11.




Chain Finishing Guide

Finish	Weather Resistant Rating	
Self Colored	★	
Zinc	★ ★	
Chromate Gold	★ ★	
Black Oxide	★ ★ ★	
Polycoated	★ ★ ★	
Galvanized	★ ★ ★ ★	
Stainless Steel	★ ★ ★ ★ ★	

Accessories Color-Coding

MIBRO®'s KingChain® Accessories are color-coded by category to allow consumers to shop your assortment effortlessly. The color coding can also be accentuated by adding MIBRO®'s KingChain® headers or buyer's guide, as seen on page 51.



Chain Merchandising


MIBRO®'s KingChain® merchandising options make it easy to ensure customers are purchasing the right chain or chain accessories for their needs with our color-coded packaging that is reinforced with our merchandising tools.

Our headers, reels, trough racks and clip covers all work together to help keep the display neat, easy to shop and easy to re-stock.

Display Header



Chain and Accessories Planogram



Chain Merchandising


Chain Cutter

Product#	Description
517560	Model 88 chain cutter will cut: Grade 70 up to 3/8" Grade 43 up to 1/2"




Mounting Plate

Product#	Description
515650	Included in Kit: (1) Shelf Plate (4) #14 x 4" Sheet Metal Screws (1) #10 - 24 x 22" Machine Screw (1) Aluminum Clamping Angle (4) 3" - 20 x 12" Machine Screws (4) 3" - 20 Locking Nuts (2) Steel Clamping Plates



Replacement Teeth

Product#	Description
517570	For model 88 chain cutter



Bolt Cutter

Product#	Description
136250	14" Bolt Cutter
136330	18" Bolt Cutter
136410	24" Bolt Cutter
136680	30" Bolt Cutter



Swaging Tool


Product#	Size (in.)	Description
112230	24"	(USAGE: The swaging tool is used to crimp aluminum sleeves onto wire rope or cable. Do not use on coated cables unless coating is removed from the area that sleeves are being placed. For use on sleeves from 1/16" to 3/16")



Chain Merchandising

Breadbox Chain Merchandiser

Merchandising chain in a compact, neat and orderly manner can often be a challenging task. MIBRO®'s Breadbox chain merchandiser is a perfect solution for merchandising longer lengths of chain on plastic reels. The merchandiser has a small footprint and is easy to recharge with product: simply lift and fold down the front to insert a fresh reel of chain. The merchandiser has a large clearly visible front to display important point-of-purchase information allowing consumers to make a quick and informed decision on the right product to purchase. The merchandiser also has a small trough to capture loose tails of chain, which keeps the display neat and safe by preventing chain ends from cluttering up the display or causing a tripping hazard on the floor in front of the display.



Product#	Description
997110	Bread box – Chain trough rack kit



Chain Trough Rack with Slider

Trough Rack is a simple, easy-to-use system that presents the product well and is easy to restock. Our easy to read color coded labels make it simple to find what your looking for and our individual grommet holes allow the product to align with the correct label. All labels are customized to your assortment.



Product#	Description
539030	4 ft. Trough Rack with nine sliders
599940	Grommets replacement
312120	Slider for 4' Trough Rack - Gray

Chain Merchandising

Wire Front with Clip Covers

Wire fronts with clip covers allows for clear product identification on a shelf. The labels are large, clear and consistent with the rest of the KingChain® look, creating a unified look for your assortment.



Product#	Description
507831	Interlocking Wire Front 3"H 4"L x 3"H Front
507841	Interlocking Wire Divider 3"H 16"L x 3"H Front
507851	Interlocking Wire Divider 5"H 16"L x 5"H Front
517022	2-3/4" x 3-1/2"H Transparent Label Cover Clip
517021	5-1/2" x 3-1/2"H Transparent Label Cover Clip



Square Buckets

Our durable buckets offer a great solution for heavy chain in longer lengths with clean, clear graphics and color call outs. It's easy for consumers to find what they are looking for.




Chain Accessories

Bulk Chace Bin Planogram



Product#	Description
555280	Small Chace Bin
555290	Large Chace Bin

* Labels ordered custom



Carded Accessories



* Find carded accessories on pages 51.

Chain Point of Purchase Signage

Headers

MIBRO®'s KingChain® headers can be customized for your needs; we offer a variety of looks that are best suited for your store. Each header can be sized according to your needs.



Buyer's Guides

We can produce an informative Buyer's Guide to help consumers who are trying to figure out what chain best suits their needs.

A Buyer's Guide will be customized to your assortment.




Proof Coil Grade 30 – Zinc

Grade 30 chain is an excellent general purpose, low carbon utility chain. The chain is manufactured to NACM standards. Each link is proof tested two times and the break load is 4 times the Safe Workload (design factor 4:1).

It is recommended for applications that do not require high strength-to-weight ratios. It is often used on farms, in industry and at home for general purpose applications, such as pulling stumps, lashing cargo, truck tailgates and guard rails.

Chain is zinc plated for a bright, attractive finish with moderate corrosion resistance.

⚠ Warning: Do not use for overhead lifting and never exceed the working load limit.



Corrosion Resistance



Specifications



Size		Material Diameter		Inside Dimensions		Safe Workload (lbs.)	Weight per 100 Feet (lbs.)
in.	mm.	in.	mm.	Length (in.)	Width (in.)		
1/8	4.0	0.156	4.0	0.94	0.25	400	22
3/16	5.5	0.217	5.5	0.98	0.30	800	39
1/4	7.0	0.276	7.0	1.24	0.38	1300	63
5/16	8.0	0.331	8.4	1.29	0.44	1900	85
3/8	10.0	0.394	10.0	1.38	0.55	2650	140
7/16	11.9	0.488	11.9	1.64	0.65	3700	210
1/2	13.0	0.512	13.0	1.79	0.72	4500	240

Bulk Drum - non stock item - special order only MOQ apply



Product#	Size (in.)	Length		Finish	Safe Workload	
		ft.	m.		lbs.	kg.
523290	3/16	787	240	Zinc	800	363
523370	1/4	394	120	Zinc	1300	590
523450	5/16	300	91	Zinc	1900	862
523530	3/8	150	46	Zinc	2650	1202
524340	7/16	164	50	Zinc	3700	1678
523610	1/2	131	40	Zinc	4500	2041

Proof Coil Grade 30 – Zinc

Square Bucket



Product#	Size (in.)	Length		Finish	Safe Workload	
		ft.	m.		lbs.	kg.
540721	3/16	150	46	Zinc	800	363
540881	1/4	90	27	Zinc	1300	590
540981	5/16	70	21	Zinc	1900	862
541101	3/8	45	14	Zinc	2650	1202

Reel



Product#	Size (in.)	Length		Finish	Safe Workload	
		ft.	m.		lbs.	kg.
530512	1/8	100	30	Zinc	400	181
530522	3/16	100	30	Zinc	800	363
530532	1/4	65	20	Zinc	1300	590
530542	5/16	60	18	Zinc	1900	862
530552	3/8	45	14	Zinc	2650	1202


Packaged Chain



Product#	Size (in.)	Length		Finish	Descriptions	Safe Workload	
		ft.	m.			lbs.	kg.
522125	1/8	15	5	Zinc	Clamshell (LG), Includes 1/8" Quick link	400	181
503191	1/8	15	5	Zinc	Tub, Includes 1/8" Quick link	400	181
698335	3/16	10	3	Zinc	Clamshell (LG), Includes 3/16" Quick link	800	363
698341	3/16	12	4	Zinc	Tub, Includes 3/16" Quick link	800	363
699495	1/4	10	3	Zinc	Clamshell (XL), Includes 1/4" Quick link	1300	590
530591	1/4	25	7.6	Zinc	Bag	1300	590
503211	1/8	20	6	Zinc	Tub, Includes 3/16" Quick link	400	182
698351	3/16	15	5	Zinc	Tub, Includes 1/4" Quick link	800	363
699481	1/4	10	3	Zinc	Tub, Includes 1/4" Quick link	1300	590
699471	1/4	10	3	Zinc	Tub, Includes 5/16" Quick link	1300	590
699021	5/16	8	2	Zinc	Tub, Includes 5/16" Quick link	1900	862
699041	5/16	10	3	Zinc	Tub, Includes 3/8" Quick link	1900	862
525221	5/16	20	6	Zinc	Bag	1900	862
541121	3/8	15	5	Zinc	Bag	2650	1202



Square Bucket



Reel



Clamshell



Tub



Bag


Proof Coil Grade 30 – Self-Colored

Grade 30 chain is an excellent general purpose, low carbon utility chain. The chain is manufactured to NACM standards. Each link is proof tested two times and the break load is 4 times the Safe Workload (design factor 4:1).

It is recommended for applications that do not require high strength-to-weight ratios. It is often used on farms, in industry and at home for general purpose applications, such as pulling stumps, lashing cargo, truck tailgates and guard rails.

Chain is self-colored which provides minimal corrosion resistance.

⚠ Warning: Do not use for overhead lifting and never exceed the working load limit.



Specifications



Size		Material Diameter		Inside Dimensions		Safe Workload (lbs.)	Weight per 100 Feet (lbs.)
in.	mm.	in.	mm.	Length (in.)	Width (in.)		
3/16	5.5	0.217	5.5	0.98	0.30	800	39
1/4	7.0	0.276	7.0	1.24	0.38	1300	72
5/16	8.0	0.331	8.4	1.29	0.55	1900	106
3/8	10.0	0.394	10.0	1.31	0.65	2650	156

Square Bucket



Product#	Size (in.)	Length		Finish	Safe Workload	
		ft.	m.		lbs.	kg.
541050	3/16	150	46	Self colored	800	363
530431	1/4	90	27	Self colored	1300	590
530441	5/16	70	21	Self colored	1900	862
530451	3/8	45	14	Self colored	2650	1202



Square Bucket

Log Chain Grade 30 – Self-Colored

Grade 30 Log Chains are fitted with a grab hook at one end and a slip hook on the other. Used for logging, towing, and load securement. The chain is manufactured to NACM standards. Each link is proof tested two times and the break load is 4 times the Safe Workload (design factor 4:1).

⚠ Warning: Do not use for overhead lifting and never exceed the working load limit.



Corrosion Resistance



Specifications



Size		Material Diameter		Inside Dimensions		Safe Workload (lbs.)	Weight per 100 Feet (lbs.)
in.	mm.	in.	mm.	Length (in.)	Width (in.)		
5/16	8.0	0.331	8.4	1.29	0.55	1900	233
3/8	10.0	0.394	10.0	1.31	0.65	2650	343

Round 1/2 Pail



Product#	Size (in.)	Length		Finish	Safe Workload	
		ft.	m.		lbs.	kg.
426151	5/16	14	4	Self colored	1900	862
426161	3/8	14	4	Self colored	2650	1202



Round Half Pail

Harrow Chain Grade 30 – Zinc

Harrow Chain is used in agricultural applications as an attachment to a harrow mat. The mat is used for breaking up and smoothing out the surface of soil. The chain is used to attachment the mat to the vehicle. We do not supply the harrow mats.

⚠ Warning: Do not use for overhead lifting and never exceed the working load limit.



Corrosion Resistance



Specifications



Size		Material Diameter		Inside Dimensions		Safe Workload (lbs.)	Weight per 100 Feet (lbs.)
in.	mm.	in.	mm.	Length (in.)	Width (in.)		
5/16	8.7	0.311	7.9	2.12	0.9	1900	80

Square Bucket



Product#	Size (in.)	Length		Finish	Safe Workload	
		ft.	m.		lbs.	kg.
541040	5/16	70	21	Zinc	1900	862



Square Bucket

Proof Coil Grade 30 - Galvanized

Grade 30 chain is an excellent general purpose, low carbon utility chain. The chain is manufactured to NACM standards. Each link is proof tested two times and the break load is 4 times the Safe Workload (design factor 4:1).

It is recommended for applications that do not require high strength-to-weight ratios. It is often used on farms, in industry and at home for general purpose applications, such as pulling stumps, lashing cargo, truck tailgates and guard rails.

Chain is galvanized which provides excellent corrosion resistance.

⚠ Warning: Do not use for overhead lifting and never exceed the working load limit.

Corrosion Resistance



Specifications



Size		Wire Diameter		Inside Dimensions		Safe Workload (lbs.)	Weight per 100 Feet (lbs.)
in.	mm.	in.	mm.	Length (in.)	Width (in.)		
3/16	5.5	0.22	5.5	0.98	0.37	800	39
1/4	7.0	0.28	7.0	1.24	0.50	1300	63
5/16	8.0	0.32	8.0	1.29	0.45	1900	85
3/8	10.0	0.40	10.0	1.38	0.59	2650	140

Square Bucket



Product#	Size (in.)	Length		Finish	Safe Workload	
		ft.	m.		lbs.	kg.
540711	3/16	150	46	Galvanized	800	363
559891	1/4	90	27	Galvanized	1300	590
559651	5/16	70	21	Galvanized	1900	862
559491	3/8	45	14	Galvanized	2650	1202

Packaged Chain



Product#	Size (in.)	Length		Finish	Descriptions	Safe Workload	
		ft.	m.			lbs.	kg.
559871	1/4	10	3	Galvanized	Tub, Includes 5/16" Quick link	1300	590
559881	1/4	25	7.6	Galvanized	Bag	1300	590



Square Bucket



Tub



Bag

High Test Grade 43 – Zinc


Grade 43 high carbon steel chains provide higher tensile strength and greater wear resistance than Grade 30 chains. The chain is manufactured to NACM standards. Each link is proof tested two times and the break load is 3 times the Safe Workload (design factor 3:1).

Grade 43 chain is recommended for applications that do require higher strength-to-weight ratios. It is a better choice for heavy duty trucking, towing, logging, and more demanding construction activities.

Chain is zinc plated for a bright, attractive finish with moderate corrosion resistance.

⚠ Warning: Do not use for overhead lifting and never exceed the working load limit.

Corrosion Resistance



Specifications



Size		Material Diameter		Inside Dimensions		Safe Workload (lbs.)	Weight per 100 Feet (lbs.)
in.	mm.	in.	mm.	Length (in.)	Width (in.)		
1/4	7.0	0.28	7.0	1.24	0.38	2600	63
5/16	8.7	0.34	8.7	1.29	0.44	3900	85
3/8	10.0	0.40	10.3	1.38	0.55	5400	140

Square Bucket



Product#	Size (in.)	Length		Finish	Safe Workload	
		ft.	m.		lbs.	kg.
543531	1/4	90	27	Zinc	2600	1179
543541	5/16	70	21	Zinc	3900	1769
543551	3/8	45	14	Zinc	5400	2449



Square Bucket

High Test Grade 43 – Self Colored


Grade 43 high carbon steel chains provide higher tensile strength and greater wear resistance than Grade 30 chains. The chain is manufactured to NACM standards. Each link is proof tested two times and the break load is 3 times the Safe Workload (design factor 3:1).

Grade 43 chain is recommended for applications that do require higher strength-to-weight ratios. It is a better choice for heavy duty trucking, towing, logging, and more demanding construction activities.

Chain is self-colored which provides minimal corrosion resistance.

⚠ Warning: Do not use for overhead lifting and never exceed the working load limit.

Corrosion Resistance



Specifications



Size		Wire Diameter		Inside Dimensions		Safe Workload (lbs.)	Weight per 100 Feet (lbs.)
in.	mm.	in.	mm.	Length (in.)	Width (in.)		
1/4	7.0	0.28	7.0	1.24	0.38	2600	63
5/16	8.7	0.34	8.7	1.29	0.44	3900	85
3/8	10.0	0.40	10.3	1.38	0.55	5400	140

Square Bucket



Product#	Size (in.)	Length		Finish	Safe Workload	
		ft.	m.		lbs.	kg.
559661	5/16	70	21	Self Colored	3900	1769
559501	3/8	45	14	Self Colored	5400	2449



Square Bucket

Tow Chain Grade 43 – Zinc

Grade 43 tow chains have forged Grade 43 clevis grab hooks at both ends. Used to tie down or “bind” loads for transportation. May be used in accordance with the latest D.O.T. regulations.

Chain and hooks are zinc plated for a bright, visible finish with moderate corrosion resistance.

⚠ Warning: Do not use for overhead lifting and never exceed the working load limit.



Corrosion Resistance



Specifications



Size		Wire Diameter		Inside Dimensions		Safe Workload (lbs.)
in.	mm.	in.	mm.	Length (in.)	Width (in.)	
1/4	7.0	0.28	7.0	1.24	0.38	2600
5/16	8.7	0.34	8.7	1.29	0.44	3900
3/8	10.0	0.40	10.3	1.38	0.55	5400

Round 1/2 Pail



Product#	Size (in.)	Length		Finish	Descriptions	Safe Workload	
		ft.	m.			lbs.	kg.
426170	1/4	16	5	Zinc	Includes 1/4 Clevis Grab Hooks	2600	1179
426760	5/16	16	5	Zinc	Includes 5/16 Clevis Grab Hooks	3900	1769
426920	3/8	16	5	Zinc	Includes 3/8 Clevis Grab Hooks	5400	2449
427140	1/4	20	6	Zinc	Includes 1/4 Clevis Grab Hooks	2600	1179
427300	5/16	20	6	Zinc	Includes 5/16 Clevis Grab Hooks	3900	1769
427490	3/8	20	6	Zinc	Includes 3/8 Clevis Grab Hooks	5400	2449



Round Half Pail

Transport Grade 70 – Chromate Gold


Grade 70 high carbon steel chains have the best strength-to-weight ratio because of their exceptional hardness, which also provides superior wear resistance. The chain is manufactured to NACM standards. Each link is proof tested two times and the break load is 4 times the Safe Workload (design factor 4:1).

Used primarily by the trucking industry for load binding, this chain is light-weight for its strength and easy to handle. Used extensively on farms, in logging and construction.

Chain is zinc electroplated with a yellow chromate conversion coating, which provides very good corrosion resistance.

⚠ Warning: Do not use for overhead lifting and never exceed the working load limit.

Corrosion Resistance



Specifications



Size		Wire Diameter		Inside Dimensions		Safe Workload (lbs.)	Weight per 100 Feet (lbs.)
in.	mm.	in.	mm.	Length (in.)	Width (in.)		
1/4	7.0	0.28	7.0	1.24	0.38	3,150	63
5/16	8.7	0.34	8.7	1.29	0.44	4,700	85
3/8	10.0	0.41	10.3	1.38	0.55	6,600	140

Square Bucket



Product#	Size (in.)	Length		Finish	Safe Workload	
		ft.	m.		lbs.	kg.
570731	1/4	90	27	Chromate Gold	3,150	1,429
570741	5/16	70	21	Chromate Gold	4,700	2,132
541871	3/8	45	14	Chromate Gold	6,600	2,994

Bulk with Tag



Product#	Size (in.)	Length		Finish	Descriptions	Safe Workload	
		ft.	m.			lbs.	kg.
426111	5/16	14	4	Chromate Gold	Includes Grade 70 Clevis Grab Hook & Grade 70 Slip Hook with Latch	4,700	2,132
426121	1/4	5	1.5	Chromate Gold	Grade 70 Agricultural Safety Chain with Hooks	3,150	1,429
426131	5/16	14	4	Chromate Gold	Includes 2 Grade 70 Clevis Grab Hooks	4,700	2,132
426181	3/8	5	1.5	Chromate Gold	Grade 70 Agricultural Safety Chain with Hooks	6,600	2,994
426141	1/2	5	1.5	Chromate Gold	Grade 70 Agricultural Safety Chain with Hooks	11,300	5,125



www.mibro.com

[Back to Table of Contents](#)

Alloy Chain Grade 80 – Black Oxide

Grade 80 chain is a rugged, high-strength chain manufactured from special alloy steel. Each link is proof tested two times and the break load is 4 times the Safe Workload (design factor 4:1). Designated links are marked “P8” to identify the chain as Grade 80. Chain has a protective black oxide finish for exceptional corrosion resistance.

Used in a variety of sling and tie down applications, Grade 80 chain is specifically designed for overhead lifting.

Grade 80 is the strongest chain by weight offered by MIBRO®.

⚠ Warning: Never exceed the working load limit.



Corrosion Resistance



Specifications



Size		Wire Diameter		Inside Dimensions		Safe Workload (lbs.)
in.	mm.	in.	mm.	Length (in.)	Width (in.)	
9/32	7.2	0.28	7.0	0.90	0.375 – 0.430	3500
3/8	9.6	0.40	10.0	1.26	0.512 – 0.600	7100
1/2	12.7	0.51	13.0	1.64	0.688 – 0.768	12000

Square Bucket



Product#	Size (in.)	Length		Finish	Safe Workload	
		ft.	m.		lbs.	kg.
541701	9/32	75	22	Black Oxide	3500	1570
541711	3/8	37	11	Black Oxide	7100	3200
541721	1/2	25	7	Black Oxide	12000	5400

Load Binders – Lever Type



Used to tighten chain, typically for cargo securement on transport trucks. Strong and durable drop-forged construction which meets U.S. D.O.T. 393.100-393.102 requirements for use with chain. Includes grab hooks at both ends, which swivel 360° for easy attachment. Painted safety yellow for high visibility.

Lever type binder allows for quicker application of load compared to ratchet type load binders.

⚠ Warning: Do not use for overhead lifting and never exceed the working load limit.

Specifications Lever

Chain Size (min - max in.)	Safe Workload (lbs.)	Weight per 100 Feet (lbs.)
1/4 - 5/16	2200	4400
5/16 - 3/8	5400	10800
3/8 - 1/2	9200	18400



Mechanical Advantage: Lever 25:1

Product#	Chain Size (min - max in.)	Weight each (lbs.)	Handle length (in.)	Take up (in.)	Dimensions						
					A	B	C	D	E	F	G
100140	1/4-5/16	3.52	11.42	3.13	18.50	17.30	14.17	11.42	8.27	8.07	0.35
100730	5/16-3/8	7.02	16.00	4.50	24.13	22.13	17.88	16.00	10.38	10.38	0.50
101110	3/8-1/2	12.47	18.69	4.50	28.75	25.75	21.25	18.69	12.31	12.38	0.63

Load Binders – Ratchet Type


Used to tighten chain, typically for cargo securement on transport trucks. Strong and durable drop-forged construction which meets U.S. D.O.T. 393.100-393.102 requirements for use with chain. Includes clevis grab hooks at both ends, which swivel 360° for easy attachment. Painted safety yellow for high visibility.

Ratchet type binders allow for easier adjustment of tension and greater range of take-up compared to lever type load binders.

⚠ Warning: Do not use for overhead lifting and never exceed the working load limit.

Specifications Ratchet

Chain Size (min - max in.)	Safe Workload (lbs.)	Barrel Length (in.)
1/4 - 5/16	2200	6.30
5/16 - 3/8	5400	9.92
3/8 - 1/2	9200	9.92



Mechanical Advantage: Ratchet 50:1

Product Number	Min - Max Chain Size (in.)	Safe Workload (lbs.)	Proof Load (lbs.)	Minimum Ultimate Strength (lbs.)	Weight Each (lbs.)	Handle Length (in.)	Barrel Length (in.)	Take Up (in.)	Dimensions							
									A	B	C	E	E1	F	F1	G
102840	1/4 - 5/16	2200	4400	7800	3.52	7.16	6.30	4.65	7.16	0.89	1.77	17.40	22.04	19.20	23.84	0.35
102860	5/16 - 3/8	5400	13200	19000	11.23	13.42	9.92	8.00	13.92	1.30	2.60	23.78	31.78	26.14	34.14	0.47
102880	3/8 - 1/2	9200	18400	33000	12.20	13.92	9.92	8.00	13.92	1.30	2.60	23.82	31.82	26.93	34.93	0.63

Passing Link

Passing Link chain is an excellent general purpose, low carbon utility chain. The wide link design allows the links to easily pass one another, reducing the chance of binding or kinking. The chain is manufactured to NACM standards. Each link is proof tested two times and the break load is 4 times the Safe Workload (design factor 4:1).

Passing Link is recommended for applications that do not require high strength-to-weight ratios. It is often used on farms with livestock and at home for general purpose applications.

Chain is zinc plated for a bright, attractive finish with moderate corrosion resistance.

⚠ Warning: Do not use for overhead lifting and never exceed the working load limit.



Corrosion Resistance



Specifications



Size		Wire Diameter		Inside Dimensions		Safe Workload (lbs.)	Weight per 100 Feet (lbs.)
trade	in.	in.	mm.	Length (in.)	Width (in.)		
2/0	3/16	1.92	4.9	0.75	0.47	450	30

Reel




Product#	Size		Length		Finish	Safe Workload	
	trade	in.	ft.	m.		lbs.	kg.
525742	2/0	3/16	98	30	Zinc	450	204
514532	2/0	3/16	100	30.5	Bright Polished	450	204

Packaged Chain



Product#	Size		Length		Finish	Descriptions	Safe Workload	
	trade	in.	ft.	m.			lbs.	kg.
514525	2/0	3/16	6	2	Zinc	Medium Clamshell, Includes 3/16" Quick Link	450	204
506121	2/0	3/16	10	3	Zinc	Tub Includes 3/16" Quick Link	450	204
507121	2/0	3/16	10	3	Zinc	Tub Includes 1/4" Quick Link	450	204



Reel



Clamshell



Tub



www.mibro.com

[Back to Table of Contents](#)

Coil Chain Straight Link – Zinc

Straight Link Coil Chain is an excellent general purpose, low carbon utility chain that is easily identified by its link design. The chain is manufactured to NACM standards. Each link is proof tested two times and the break load is 4 times the Safe Workload (design factor 4:1).

Straight Link Coil Chain is recommended for applications that do not require high strength-to-weight ratios. It is typically used for tailgates, barrier guards, swing sets, hanging light fixtures and animal chains.

Chain is zinc plated for a bright, attractive finish with moderate corrosion resistance.

⚠ Warning: Do not use for overhead lifting and never exceed the working load limit.



Corrosion Resistance



Specifications



Size (trade)	Wire Diameter		Inside Dimensions		Safe Workload	
	in.	mm.	Length (in.)	Width (in.)	lbs.	kg.
1/0	0.177	4.5	1.25	0.31	440	199
2/0	0.19	4.9	1.26	0.34	520	236
4/0	0.28	5.5	1.39	0.38	670	304

Square Bucket



Product#	Size (trade)	Length		Finish	Safe Workload	
		ft.	m.		lbs.	kg.
520531	2/0	100	30.5	Zinc	520	236

Reel



Product#	Size (trade)	Length		Finish	Safe Workload	
		ft.	m.		lbs.	kg.
527381	1/0	100	30	Zinc	440	199
519182	2/0	98	30	Zinc	520	236
527391	4/0	100	30	Zinc	670	304
527401	#2	65	19	Zinc	310	140


Packaged Chain



Product#	Size trade	Length		Finish	Descriptions	Safe Workload	
		ft.	m.			lbs.	kg.
527481	1/0	20	6	Zinc	Tub, Includes 3/16" Quick Link	440	200
519171	2/0	15	4.5	Zinc	Tub, Includes 1/4" Quick Link	520	236



Square Bucket



Reel



Tub

Proof Coil

Stainless Steel

For performance in corrosive, marine or outdoor environments, stainless steel proof coil chain is the product of choice.

The chain is made from 304 Stainless Steel. It is manufactured to NACM standards. Each link is proof tested two times and the break load is 4 times the Safe Workload (design factor 4:1).

It is recommended for applications where electrically welded, corrosion resistant chain is needed. This typically includes food processing, chemical and marine and general outdoor applications.

Stainless steel provides an attractive finish with the best corrosion resistance available.

⚠ Warning: Do not use for overhead lifting and never exceed the working load limit.

Corrosion Resistance



Specifications



Size		Wire Diameter		Inside Dimensions		Safe Workload (lbs.)	Weight per 100 Feet (lbs.)
in.	mm.	in.	mm.	Length (in.)	Width (in.)		
1/8	3.2	0.16	3.9	0.94	0.25	440	19
3/16	4.8	0.22	5.5	0.98	0.30	930	46

Square Bucket

Stainless Steel



Product#	Size (in.)	Length		Finish	Safe Workload	
		ft.	m.		lbs.	kg.
558640	1/8	100	30	Stainless	440	200
558750	3/16	100	30	Stainless	930	420

Reel

Stainless Steel



Product#	Size (in.)	Length		Finish	Safe Workload	
		ft.	m.		lbs.	kg.
557862	1/8	100	30	Stainless	440	200
558242	3/16	100	30	Stainless	930	420
▲ 558312	1/4	100	30	Stainless	1570	710

▲ Please check with Sales Representative for availability



Square Bucket

Reel



www.mibro.com

[Back to Table of Contents](#)

Machine Chain – Straight Link

Machine Chain is a low carbon steel, electronically welded chain that is not heat-treated. It has shorter links that make it very flexible and particularly well suited for agricultural applications, guard rails, tailgate chains, door chain and playground equipment.

Corrosion Resistance



Warning: Do not use for overhead lifting and never exceed the working load limit.



Specifications



Size		Wire Diameter		Inside Dimensions		Safe Workload (lbs.)
trade	in.	in.	mm.	Length (in.)	Width (in.)	
#4	1/8	0.120	3.0	0.55	0.21	215
#3	9/64	0.135	3.4	0.59	0.24	270
#2	5/32	0.148	3.8	0.61	0.26	325
2/0	3/16	0.192	4.9	0.98	0.34	545

Reel



Product#	Size		Length		Finish	Safe Workload	
	trade	in.	ft.	m.		lbs.	kg.
527021	#4	1/8	100	30	Zinc	215	98
517312	#4	1/8	100	30	Nickel	215	98
501731	#3	9/64	80	30	Brass	270	122
527872	#2	5/32	98	30	Zinc	325	147
519092	2/0	3/16	100	30	Zinc	545	247

Packaged Chain



Product#	Size		Length		Finish	Descriptions	Safe Workload	
	trade	in.	ft.	m.			lbs.	kg.
517395	#4	1/8	10	3	Nickel	Clamshell - Includes 1/8" Quick Link (MED)	215	98
502005	#4	1/8	10	3	Zinc	Clamshell - Includes 1/8" Quick Link (MED)	215	98
517995	#3	9/64	10	3	Zinc	Clamshell - Includes 2" Galvanized Security Snap (MED)	270	122
501971	#2	5/32	10	3	Zinc	Tub - Includes 2" Galvanized Security Snap	325	147
517351	#2	5/32	10	3	Zinc	Tub - Includes 3/16" Quick Link	325	147
501985	2/0	3/16	10	3	Zinc	Clamshell - Includes 1/4" Quick Link (LG)	545	247



Reel



Clamshell



Tub

Machine Chain – Twist Link

Machine chain is a low carbon steel, electronically welded chain that is not heat-treated. It has shorter links that make it very flexible and particularly popular as pet chain because the twisted links allow the chains to lay flat. Standard finishes are nickel plated or zinc plated.

⚠ Warning: Do not use for overhead lifting and never exceed the working load limit.



Corrosion Resistance



Specifications



Size		Wire Diameter		Inside Dimensions		Safe Workload (lbs.)
trade	in.	in.	mm.	Length (in.)	Width (in.)	
#5	3/32	0.10	2.5	0.41	0.16	66
#4	1/8	0.12	3.0	0.55	0.21	205
2/0	3/16	0.13	3.4	1.20	0.20	520

Reel




Product#	Size		Length		Finish	Safe Workload	
	trade	in.	ft.	m.		lbs.	kg.
526412	#5	3/32	100	30	Nickel	66	30
526732	#4	1/8	100	30	Nickel	205	93
526721	#4	1/8	100	30	Zinc	205	93
526012	2/0	3/16	100	30	Zinc	520	235

Packaged Chain



Product#	Size		Length		Finish	Descriptions	Safe Workload	
	trade	in.	ft.	m.			lbs.	kg.
505805	#4	1/8	10	3	Nickel	Clamshell (MED), Includes 3/8" Baby Spring Snap - Open Swivel	205	93
505811	2/0	3/16	10	3	Zinc	Tub - Includes 1/4" Quick Link	520	235



Reel



Clamshell




Tub

Tenso Chain – Zinc Plated

Tenso chain, also known as double loop, lion or knotted chain, is made from low carbon steel, is not heat-treated and has a standard zinc plated finish. It is considered a weldless chain. This type of chain is frequently used on playground and gym equipment, as cattle ties on farms and in kennels. It is also used in many general applications such as on gates, doors, porch swings and tie out chains.

⚠ Warning: Do not use for overhead lifting and never exceed the working load limit.



Corrosion Resistance



Specifications



Size		Wire Diameter		Inside Dimensions		Safe Workload (lbs.)	Weight per 100 Feet (lbs.)
trade	in.	in.	mm.	Length (in.)	Width (in.)		
#4	0.072	0.07	1.8	1.0	0.170	70	5
#3	0.080	0.08	2.0	1.1	0.187	90	6
#2	0.091	0.09	2.3	1.33	0.212	115	8
#1	0.105	0.11	2.7	1.54	0.270	155	10
1/0	0.120	0.12	3.0	1.78	0.315	200	13
2/0	0.135	0.13	3.4	1.82	0.343	255	17
3/0	0.145	0.148	3.8	2.17	0.370	305	20

Square Bucket



Product#	Size		Length		Finish	Safe Workload	
	trade	in.	ft.	m.		lbs.	kg.
515591	1/0	0.120	100	30	Zinc	200	91
515531	2/0	0.135	100	30	Zinc	255	116

Reel



Product#	Size		Length		Finish	Safe Workload	
	trade	in.	ft.	m.		lbs.	kg.
515512	#4	0.012	100	30	Zinc	70	32
527362	#3	0.080	98	30	Zinc	90	41
527182	#2	0.091	100	30	Zinc	115	52
527522	#1	0.105	98	30	Zinc	155	70
515572	1/0	0.120	100	30	Zinc	200	91
515522	2/0	0.135	100	30	Zinc	255	116
527351	3/0	0.148	100	30	Zinc	305	138

Tenso Chain – Zinc Plated


Packaged Chain



Product#	Size		Length		Finish	Descriptions	Safe Workload	
	trade	in.	ft.	m.			lbs.	kg.
516665	#4	0.072	12	4	Zinc	Clamshell (SM), Includes 3-1/8" Chain Snap Open Swivel & 1/8" S-Hook	70	32
501125	#3	0.080	20	6	Zinc	Clamshell (LG), Includes 3-1/8" Chain Snap Open Swivel & 5/32" S-Hook	90	41
514805	#1	0.105	6	2	Zinc	Clamshell (MED), Includes 3-1/8" Chain Snap Open Swivel & 5/32" S-Hook	155	70
514811	#1	0.105	20	6	Zinc	Tub, Includes 1/8" Quick Link	155	70
527221	3/0	0.148	15	4.5	Zinc	Tub, Includes 3/16" Quick Link	305	138



Square Bucket



Reel



Clamshell




Tub

Tenso Chain – PVC Coated

PVC coated Tenso chain is made from low carbon steel, is not heat-treated and has a standard zinc plated finish. This type of chain is used in applications where added weather resistance is needed. It is also used in many general applications such as on gates, doors, porch swings and tie out chains.

⚠ Warning: Do not use for overhead lifting and never exceed the working load limit.



Corrosion Resistance



Specifications



Size		Wire Diameter		Inside Dimensions		Safe Workload (lbs.)	Weight per 100 Feet (lbs.)
trade	in.	in.	mm.	Length (in.)	Width (in.)		
1/0	11/64	0.12	3.0	1.8	0.315	200	13
2/0	3/16	0.13	3.4	1.8	0.343	255	17
1/0L	0.120	0.12	3.0	2.24	0.315	200	13

Reel




Product#	Size		Length		Finish	Safe Workload	
	trade	in.	ft.	m.		lbs.	kg.
557432	1/0	11/64	98	30	Red PVC	200	91
557512	2/0	3/16	98	30	Yellow PVC	255	116
▲ 527371	1/0L	11/64	100	30	Vinyl Coated Blue	200	91


▲ Please check with Sales Representative for availability



Reel



Reel



Reel

Jack Chain – Zinc Plated

Jack chain is unique in that each link features two eyes 90° out of plane to each other. Jack chain is not heat-treated and is made with low carbon steel and has a bright finish. It is well suited for hanging fixtures such as fluorescent lights, children's toys, and general utility applications where high strength is not required.

⚠ Warning: Do not use for overhead lifting and never exceed the working load limit.



Specifications


Size (trade)	Wire Diameter		Inside Dimensions Length (in.)	Weight per 100 Feet (lbs.)
	in.	mm.		
#16	0.062	1.6	0.50	3
#14	0.08	2.0	0.63	5
#12	0.105	2.7	0.75	9

Reel

Product#	Size (trade)	Length		Finish
		ft.	m.	
538382	#16	150	46	Zinc
538072	#14	100	30	Zinc
520281	#12	100	30	Zinc

Packaged Chain

Product#	Size (trade)	Length		Finish	Descriptions
		ft.	m.		
502705	#16	20	6	Zinc	Clamshell, Includes 1/8" S-Hook x4 (MED)
513595	#14	15	5	Zinc	Clamshell, Includes 1/8" S-Hook x4 (SM)
502915	#12	20	6	Zinc	Clamshell, Includes 5/32" S-Hook x4 (LG)
502615	#12	10	3	Zinc	Clamshell, Includes 5/32" S-Hook x3 (SM)



Reel



Clamshell

Jack Chain – Brass

Jack chain is unique in that each link features two eyes 90° out of plane to each other. Jack chain is made with brass. It is well suited for hanging fixtures such as fluorescent lights, children's toys, and general utility applications where high strength is not required.

⚠ Warning: Do not use for overhead lifting and never exceed the working load limit.



Specifications

Size (trade)	Wire Diameter		Inside Dimensions Length (in.)	Weight per 100 Feet (lbs.)
	in.	mm.		
#16	0.062	1.6	0.50	3
#14	0.08	2.0	0.63	5
#12	0.105	2.7	0.75	9

Reel

Product#	Size (trade)	Length		Finish
		ft.	m.	
520782	#16	148	46	Brass
520422	#14	100	9	Brass
520212	#12	100	9	Brass

Packaged Chain

Product#	Size (trade)	Length		Finish	Descriptions
		ft.	m.		
502805	#16	20	6	Brass	Clamshell, Includes 1/8" S-hook x 4 (MED)



Reel



Clamshell

Sash Chain – Zinc Plated

Sash chain is a stamped flat linked chain that runs very smoothly over pulleys. It is most frequently used as a counterbalance chain for double hung windows as well as in arc lamps and pet chains. The chain is made from low carbon steel and is not heat-treated.

⚠ Warning: Do not use for overhead lifting and never exceed the working load limit.




Specifications

Size (trade)	Wire Diameter		Weight per 100 Feet (lbs.)
	in.	mm.	
#8	0.035	0.9	4
#35	0.035	0.9	5

Reel



Product#	Size (trade)	Length		Finish	Safe Workload	
		ft.	m.		lbs.	kg.
525842	#8	100	30	Zinc	75	29
525831	#35	100	30	Zinc	106	48



Reel

Safety Chain – Brass

Safety chain, also known as plumber's chain is specifically designed for use with plumbing fixtures. It is a stamped, flat link pattern chain that is particularly well suited for traveling over pulleys. Safety chain is made from solid brass and is not heat-treated.

⚠ Warning: Do not use for overhead lifting and never exceed the working load limit.



Specifications

Size (trade)	Wire Diameter		Inside Dimensions		Weight per 100 Feet
	in.	mm.	Length (in.)	Width (in.)	
1/0	0.023	0.6	0.06	15.3	3

Reel




Product#	Size (trade)	Length		Finish	Safe Workload	
		ft.	m.		lbs.	kg.
529242	1/0	200	61	Brass	30	14

Packaged Chain



Product#	Size (trade)	Length		Finish	Descriptions	Safe Workload	
		ft.	m.			lbs.	kg.
502885	1/0	15	5	Brass	Clamshell (LG)	30	14



Reel



Clamshell

Furnace Chain – Zinc Plated

Furnace chain is a light duty chain that is particularly well suited for applications such as retainer.




Specifications

Size (trade)	Length	
	ft.	m.
#91	200	61

Reel

Product#	Size (trade)	Length		Finish
		ft.	m.	
525721	#91	200	61	Zinc



Reel

Bead Chain

Bead chain is commonly used in sinks and tubs with rubber drain stoppers or as pull cords for ceiling fans and light fixtures. Available in solid brass or chrome plated solid brass finishes. This non-weight bearing chain must be used with couplings and/or clips.



Specifications


Size trade	Weight per 100 Feet (lbs.)
#10	4
#6	2

Reel


Product#	Size (trade)	Length		Finish
		ft.	m.	
529652	#10	196	60	Chrome
531472	#6	196	60	Brass

Packaged Chain

Product#	Size (trade)	Length		Finish	Descriptions
		ft.	m.		
502551	#10	10	3.0	Chrome	Clamshell (SM), Includes End Link x 2, Bead Chain x 2
520511	#10	2	0.6	Chrome	Tentcard, Includes End Link x 2, Bead Coup x 2
698911	#6	10	3.0	Brass	Clamshell (SM), Includes End Link x 2, Bead Coup x 2



Reel



Reel



Clamshell

Decorative Chain

Available in an assortment of styles and finishes these popular lightweight chains are sure to complement any décor. These chains are designed for hanging light fixtures and planters, for tying back drapes and other decorative applications.



Specifications

Chain type			Wire Diameter		Inside Dimensions		Weight per 100 Feet (lbs.)
			in.	mm.	Length (in.)	Width (in.)	
Florentine Antique Brass			0.11	2.7	1.57	0.56	10
Florentine Brass			0.08	2.0	1.00	0.39	5
Hammered Oval Nickel			0.11	2.7	1.10	0.35	10
Hammered Oval Black			0.11	2.7	0.75	0.39	7
Spiral Oval Brass			0.16	3.9	1.57	0.47	13
Modern Relief Brass			0.13	3.1	1.34	0.43	10
Open Oval White			0.12	3.0	1.27	0.57	12
Open Oval Gold			0.12	3.0	1.27	0.57	12
Open Oval Black			0.12	3.0	1.27	0.57	12

Decorative Chain

Reel

Product#	Size (trade)	Length		Chain Type
		ft.	m.	
539302	2.7 mm	100	30	Florentine Antique Brass
540642	2.0 mm	100	30	Florentine Brass
540032	2.7 mm	65	20	Hammered Oval Nickel
538812	2.7 mm	100	30	Hammered Oval Black
540542	3.9 mm	65	20	Spiral Oval Antique Brass
539612	3.1 mm	65	20	Modern Relief Brass
536791	#10	50	15	Open Oval White
518381	#10	50	15	Open Oval Gold
536521	#10	50	15	Open Oval Black
536532	#10	100	30	Open Oval White
536802	#10	100	30	Open Oval Gold
518392	#10	100	30	Open Oval Black

Packaged Chain

Product#	Length		Chain Type	Descriptions
	ft.	m.		
502295	7	3	Hammered Oval Nickel	Clamshell (SM), Includes Toggle Bolt Hooks Nickel
504195	10	3	Hammered Oval Nickel	Clamshell (MED), Includes Toggle Bolt Hooks Nickel
504205	10	3	Open Oval White	Clamshell (MED), Includes Toggle Bolt Hooks White
504065	10	3	Hammered Oval Black	Clamshell (MED), Includes Toggle Bolt Hooks Black
504445	10	3	Spiral Oval Antique Brass	Clamshell (MED), Includes Toggle Bolt Hooks Antique Brass
502381	5	1.5	Spiral Oval Antique Brass	Clamshell (MED), Includes Toggle Bolt Hooks Antique Brass
504325	10	3	Florentine Brass	Clamshell (SM), Includes Toggle Bolt Hooks Brass



Clamshell




Clamshell



Clamshell

Plastic Chain

Available in black or white this maintenance free and ultra violet light resistant chain is perfect for interior and exterior applications. Common uses include directing crowds and line-ups, protecting landscaping, identifying dangerous areas and hanging light plants or other objects for decorative purpose.



Specifications

Size		Wire Diameter		Inside Dimensions	
trade	in.	in.	mm.	Length (in.)	Width (in.)
#6	1-1/2	1/4	6.3	1.01	0.298
#8	2	5/16	8.0	1.37	0.496

Reel

Product#	Size		Length		Finish
	trade	in.	ft.	m.	
544292	#6	1-1/2	125	38	White
544372	#6	1-1/2	125	38	Black
544452	#8	2	65	20	White
544532	#8	2	65	20	Black
544462	#8	2	65	20	Yellow

Packaged Chain

Product#	Size		Length		Finish	Descriptions
	trade	in.	ft.	m.		
698415	#6	1-1/2	20	6	White	Clamshell (XL), Includes Plastic Quick Link White
698765	#6	1-1/2	20	6	Black	Clamshell (XL), Includes Plastic Quick Link Black
698421	#6	1-1/2	15	4.5	Yellow	Tub Includes Yellow Plastic S-hook



Reel



Clamshell



Tub

Wire

Wire is available in several different materials, gauges and varying lengths to complete almost any project. Materials available include lightweight aluminum wire, durable galvanized wire, decorative brass wire and black steel wire.

Products are reeled on a self-storage holder for added convenience when not in use.



Stainless Steel

Product#	Gauge	Length		Finish
		ft.	m.	
509742	20	23	7	Stainless Steel



Copper

Product#	Gauge	Length		Finish
		ft.	m.	
509752	20	24	7.5	Copper



Aluminum

Product#	Gauge	Length		Finish
		ft.	m.	
508732	20	98	30	Aluminum
509032	20	160	50	Aluminum



Wire

Brass

Product#	Gauge	Length		Finish
		ft.	m.	
508812	20	80	25	Brass
509112	20	160	50	Brass



Black

Product#	Gauge	Length		Finish
		ft.	m.	
509382	19	160	50	Black Paint



Galvanized

Product#	Gauge	Length		Finish
		ft.	m.	
509462	20	98	30	Galvanized
509542	18	98	30	Galvanized
509622	16	50	15	Galvanized
509702	14	50	15	Galvanized



PVC Coated

Product#	Gauge	Length		Finish
		ft.	m.	
510392	18-14	50	15	Green PVC Coated



Dog Accessories

Dog Accessories are a great way to allow your dog the freedom to roam outdoors safely. The strong coated cable is available in both heavy duty for large dogs and light duty for small dogs. Use the spiral or straight stakes to secure the tie. They are quick and easy to install and provide a no tangle swivel for the safety of your pet.



Packaged

Product#	Length		Finish	Dog Weight (lbs.)
	ft.	m.		
644101	15	4.6	Red Vinyl coated light duty	up to 50lbs.
644181	20	6.1	Red Vinyl coated light duty	up to 50lbs.
643191	20	6.1	Red Vinyl coated heavy duty	85 lbs.



Stakes

Product#	Length		Descriptions
	in.	m.	
643421	16	4.9	Spiral Stake
643411	20	6.1	Straight


Spiral Stake

Straight Stake



Aircraft Cable (Wire Rope) – Galvanized

Aircraft cable is wire rope that consists of 7 or 19 individual hot dipped galvanized steel wires that are laid in a spiral around a center or “king” wire to form a strand. The strands are then twisted together to form a cable. If a larger number of thinner wires are used to make a strand, such as 19 in a 7 x 19 cable, the finished cable is more flexible, stronger and more expensive. Typical uses include garage door cables, tie downs, dog runs, hanging signs and guy wires for antennas and flagpoles.



⚠ Warning: Do not use for overhead lifting and never exceed the working load limit.



Specifications



Size		Construction	Safe Workload (lbs.)
in.	mm.		
1/16	1.6	7 x 7	95
3/32	2.4	7 x 7	184
1/8	3.2	7 x 7	340
3/16	4.8	7 x 7	740
1/8	3.2	7 x 19	400
3/16	4.8	7 x 19	850
1/4	6.3	7 x 19	1400
5/16	7.9	7 x 19	1960
3/8	9.5	7 x 19	2880
1/2	12.7	6 x 19	3852
5/8	15.8	6 x 19	6000

Reel



Product#	Size (in.)	Construction	Length		Descriptions	Safe Workload	
			ft.	m.		lbs.	kg.
500082	1/16	7 x 7	500	152	Wire Rope	95	43
500162	3/32	7 x 7	500	152	Wire Rope	184	83
503692	1/8	7 x 7	250	76	Wire Rope	340	154
503772	1/8	7 x 7	500	152	Wire Rope	340	154
503852	3/16	7 x 7	250	76	Wire Rope	740	336
504662	1/8	7 x 19	250	76	Wire Rope	400	181
504742	3/16	7 x 19	250	76	Wire Rope	850	386
504902	1/4	7 x 19	250	76	Wire Rope	1400	635
507922	5/16	7 x 19	500	152	Wire Rope	1960	889
508142	3/8	7 x 19	500	152	Wire Rope	2880	1306
508302	1/2	6 x 19	500	152	Fibre Core	3852	1941
508492	5/8	6 x 19	100	30	Fibre Core	6000	2086

Aircraft Cable (Wire Rope) – Galvanized

Coil



Product#	Size (in.)	Construction	Length		Descriptions	Safe Workload	
			ft.	m.		lbs.	kg.
505661	5/16	7 x 19	50	8	Wire Rope	1960	891
505671	5/16	7 x 19	100	30	Wire Rope	1960	891
505681	3/8	7 x 19	50	15	Wire Rope	2880	1306
505691	3/8	7 x 19	100	30	Wire Rope	2880	1306
505721	1/2	7 x 19	50	15	Wire Rope	4840	2200

Packaged



Product#	Size (in.)	Construction	Length		Descriptions	Safe Workload	
			ft.	m.		lbs.	kg.
500105	1/16	7 x 7	50	15	Wire Rope	95	43
500205	3/32	7 x 7	30	9	Wire Rope	184	83
500185	3/32	7 x 7	50	15	Wire Rope with Aluminum Sleeve	184	83
363781	1/8	7 x 7	50	15	Wire Rope	340	154
504705	1/8	7 x 19	50	15	Wire Rope with Wire Rope Thimble and Wire Rope Clip	400	181
363801	3/16	7 x 19	50	15	Wire Rope with Wire Rope Thimble and Wire Rope Clip	850	385
500111	1/16	7 x 7	100	30	Tub, Wire Rope with (4x) 1/16" Aluminum Sleeves	95	43
500191	3/32	7 x 7	50	15	Tub, Wire Rope with (2x) 1/8" Wire Rope Thimble and (4x) 1/8" Wire Rope Clip	184	83
504711	1/8	7 x 19	50	15	Tub, Wire Rope with (2x) 1/8" Wire Rope Thimble and (4x) 1/8" Wire Rope Clip	400	181
363811	3/16	7 x 19	25	7	Tub, Wire Rope with (2x) 3/16" Wire Rope Thimble and (4x) 3/16" Wire Rope Clip	850	385

Packaged

Stainless Steel



Product#	Size (in.)	Construction	Length		Finish	Packaging	Safe Workload	
			ft.	m.			lbs.	kg.
558401	1/8	7 x 19	25	8	Stainless	Clamshell	400	181
558411	3/16	7 x 19	25	8	Stainless	Clamshell	850	385
558441	3/16	7 x 19	50	15	Stainless	Clamshell	850	385
558421	1/4	7 x 19	25	8	Stainless	Clamshell	1400	635
558431	1/8	7 x 19	50	15	Stainless	Clamshell	2400	1088



Reel



Clamshell




Tub


Aircraft Cable (Wire Rope) – PVC Coated

Aircraft cable is wire rope that consists of 7 or 19 individual hot dipped galvanized steel wires that are laid in a spiral around a center or “king” wire to form a strand. The strands are then twisted together to form a cable. If a larger number of thinner wires are used to make a strand, such as 19 in a 7 x 19 cable, the finished cable is more flexible, stronger and more expensive. Typical uses include garage door cables, tie downs, dog runs, hanging signs and guy wires for antennas and flagpoles. PVC coating offers added corrosion resistance.

⚠ Warning: Do not use for overhead lifting and never exceed the working load limit.



7 x 7



7 x 19

Specifications



Size - Wire Coating		Construction Limit	Safe Workload	Weight per 100 Feet (lbs.)
in.	mm.	lbs.	(lbs.)	
1/16 x 3/32	1.6 x 2.4	7 x 7	95	4.8
3/32 x 1/8	2.4 x 3.2	7 x 7	184	4.7
1/8 x 3/16	3.2 x 4.8	7 x 7	340	9.0
3/16 x 1/4	4.8 x 6.3	7 x 7	740	19.4
3/32 x 1/8	2.4 x 3.2	7 x 19	216	5.0
3/16 x 1/4	4.8 x 6.3	7 x 19	850	19.4

Reel



Product#	Size	Construction	Length		Descriptions	Safe Workload	
			ft.	m.		lbs.	kg.
505042	1/16 x 3/32	7 x 7	500	152	PVC Coated Wire Rope	95	43
505122	3/32 x 1/8	7 x 7	250	76	PVC Coated Wire Rope	184	83
505202	1/8 x 3/16	7 x 7	250	76	PVC Coated Wire Rope	340	154
505392	3/16 x 1/4	7 x 7	250	76	PVC Coated Wire Rope	740	335
505472	3/32 x 1/8	7 x 19	250	76	PVC Coated Wire Rope	216	98
505552	3/16 x 1/4	7 x 19	250	76	PVC Coated Wire Rope	850	385

Aircraft Cable (Wire Rope) – PVC Coated

Packaged



Product#	Size	Construction	Length		Descriptions	Safe Workload	
			ft.	m.		lbs.	kg.
505335	1/16 x 3/32	7 x 7	30	9	Clamshell, PVC Coated Wire Rope	95	43
505145	3/32 x 1/8	7 x 7	50	15	Clamshell, PVC Coated Wire Rope with Wire Rope Thimble and Wire Rope Clip	184	83
363771	1/8 x 3/16	7 x 7	50	15	Clamshell, PVC Coated Wire Rope	340	154
505151	3/32 x 1/8	7 x 7	50	15	Tub, PVC Coated Wire Rope with (2x) 1/8" Wire Rope Thimble and (4x) 1/8" Wire Rope Clip	184	83
463771	1/8 x 3/16	7 x 7	50	15	Tub, PVC Coated Wire Rope with (2x) 1/8" Wire Rope Thimble and (4x) 1/8" Wire Rope Clip	340	154



Reel



Clamshell




Tub

Winch Cable – Galvanized

Flexible (7 x 19 wire construction) galvanized winch cable has a Grade 70 slip hook with latch swaged into place ready for installation on a winch drum

⚠ Warning: Do not use for overhead lifting and never exceed the working load limit.



7 x 19



Grade 70 Hook

Specifications



Size		Construction	Safety Working Load
in.	mm.		
3/16	4.7	7 x 19	2000 lbs
1/4	6.3	7 x 19	3450 lbs

Reel



Product#	Size	Construction	Length		Descriptions	Safe Workload	
			ft.	m.		lbs.	kg.
505561	3/16	7 x 19	50	15	Includes Hook with Safety Latch	2000	907
505571	3/16	7 x 19	100	30	Includes Hook with Safety Latch	2000	907
505581	1/4	7 x 19	50	15	Includes Hook with Safety Latch	3450	1565

Wire Rope Sling – with eyes on both ends

Single body rope sling features 6 x 19 construction using Extra Improved Plow Steel (EPIS) grade wire rope with an independent wire rope core (IWRC). Eyes are formed using the Flemish eye splice which are then secured by pressing a metal sleeve over the ends of the strands of the splice.

⚠ Warning: Never exceed the working load limit.



Specifications



Size		Construction	Safety Working Load
in.	mm.		
1/4	6.3		2600 lbs
3/8	9.5		5800 lbs
1/2	12.7		5.1 ton
3/4	19.0		11 ton

Reel



Product#	Size (in.)	Length		Descriptions	Safety Working Load					
		ft.	m.		Vertical		Choker		Basket	
505591	1/4	4	1	Wire Rope Sling with loop on both ends	1300 lbs	590 kg	960 lbs	435 kg	2600 lbs	1180 kg
505601	1/4	8	2	Wire Rope Sling with loop on both ends	1300 lbs	590 kg	960 lbs	435 kg	2600 lbs	1180 kg
505611	3/8	8	2	Wire Rope Sling with loop on both ends	2800 lbs	1270 kg	2200 lbs	998 kg	5800 lbs	2630 kg
505621	1/2	4	1	Wire Rope Sling with loop on both ends	5000 lbs	2268 kg	3798 lbs	1723 kg	5.1 ton	4626 kg
505641	1/2	8	2	Wire Rope Sling with loop on both ends	5000 lbs	2268 kg	3798 lbs	1723 kg	5.1 ton	4626 kg
505651	3/4	6	1.5	Wire Rope Sling with loop on both ends	5.6 ton	5080 kg	8199 lbs	3719 kg	11 ton	9979 kg

Accessories



Aircraft Cable (Wire Rope) Accessories

Aluminum Cable Stops



Tent Card

Product#	Size		Package Quantity	Inner Pack Quantity
	in.	mm.		
954860	1/16	1	20 per tent card	12
954940	3/32	2	16 per tent card	12
955080	1/8	3	14 per tent card	12
956130	5/32	4	13 per tent card	12
956210	3/16	5	12 per tent card	12
956480	1/4	6	6 per tent card	12

Aluminum Sleeves



Tent Card

Product#	Size		Package Quantity	Inner Pack Quantity
	in.	mm.		
451700	1/16	1	10 per tent card	12
451800	3/32	2	8 per tent card	12
451900	1/8	3	6 per tent card	12
452000	5/32	4	6 per tent card	12
452100	3/16	5	4 per tent card	12
452200	1/4	6	2 per tent card	12
452300	5/16	8	1 per tent card	12



Carded

Product#	Size		Package Quantity	Inner Pack Quantity
	in.	mm.		
459181	1/16	1	10 per card	12
459261	3/32	2	8 per card	12
459341	1/8	3	6 per card	12
459421	5/32	4	6 per card	12
459501	3/16	5	4 per card	12
459691	1/4	6	2 per card	12
459711	3/8	9	1 per card	12




Multi Pack

Product#	Size		Package Quantity	Inner Pack Quantity
	in.	mm.		
478800	1/16	1	65 per clam	2
482830	3/32	2	55 per clam	2
487710	1/8	3	42 per clam	2
497860	3/16	5	20 per clam	2

Aircraft Cable (Wire Rope) Accessories

Aluminum Sleeves & Cable Stops



Plastic Poly Bags

Product#	Size		Package Quantity	Inner Pack Quantity
	in.	mm.		
174500	1/16	1	2 each per bag	1
174690	3/32	2	2 each per bag	1
174930	1/8	3	2 each per bag	1
175070	3/16	5	2 each per bag	1
176390	1/4	6	2 each per bag	1

24" Swaging Tool



Product#	Size		Package Quantity	Inner Pack Quantity
	in.	mm.		
112230	24	600	Bulk with tag	1

USAGE: The swaging tool is used to crimp aluminum sleeves onto wire rope or cable. Do not use on coated cables unless coating is removed from the area that sleeves are being placed. For use on sleeves from 1/16" to 3/16".

Wire Rope Clips - Zinc



Bulk with UPC tag

Product#	Size		Packaging	Inner Pack Quantity	Chase Bin Max. Qty.
	in.	mm.			
117030	1/8	3	Bulk with tag	20	40
117110	3/16	5	Bulk with tag	20	40
117700	1/4	6	Bulk with tag	20	40
118270	5/16	8	Bulk with tag	20	40
118350	3/8	9	Bulk with tag	10	20
118430	7/16	11	Bulk with tag	10	20
118510	1/2	13	Bulk with tag	10	20
118780	5/8	16	Bulk with tag	5	10
118860	3/4	19	Bulk with tag	5	10



Carded

Product#	Size		Package Quantity	Inner Pack Quantity
	in.	mm.		
466121	1/8	3	3 per card	12
466122	1/8	3	2 per card	12
466201	3/16	5	2 per card	12
466391	1/4	6	1 per card	12
466392	1/4	6	2 per card	12
466471	5/16	8	1 per card	12
466551	3/8	9	1 per card	12
466631	7/16	11	1 per card	12
466711	1/2	13	1 per card	6
467871	5/8	16	1 per card	6

Aircraft Cable (Wire Rope) Accessories

Wire Rope Clips Stainless Steel



Bulk with UPC tag

Product#	Size		Packaging	Inner Pack Quantity	Chase Bin Max. Qty.
	in.	mm.			
159380	1/8	3	Bulk with tag	20	40
159460	3/16	5	Bulk with tag	20	40
159540	1/4	6	Bulk with tag	20	40
159620	5/16	8	Bulk with tag	20	40
159700	3/8	9	Bulk with tag	10	20



Carded

Product#	Size		Package Quantity	Inner Pack Quantity
	in.	mm.		
952491	1/8	3	3 per card	6
952571	3/16	5	2 per card	6
952651	1/4	6	1 per card	6
952731	5/16	8	1 per card	6
952811	3/8	9	1 per card	6

Wire Rope Clips - Zinc



Multi Pack

Product#	Size		Package Quantity	Inner Pack Quantity
	in.	mm.		
479450	1/8	3	20 per clam	6
479530	3/16	5	10 per clam	4

Aircraft Cable (Wire Rope) Accessories

Wire Rope Thimbles - Zinc



Bulk with UPC tag

Product#	Size		Packaging	Inner Pack Quantity	Chase Bin Max. Qty.
	in.	mm.			
118940	1/8	3	Bulk with tag	20	40
119080	3/16	5	Bulk with tag	20	40
119750	1/4	6	Bulk with tag	20	40
120090	5/16	8	Bulk with tag	20	40
120170	3/8	10	Bulk with tag	20	40
120330	1/2	13	Bulk with tag	10	20
120840	9/16	14	Bulk with tag	10	20
121140	5/8	16	Bulk with tag	10	20
121300	3/4	19	Bulk with tag	5	10
121570	7/8	22	Bulk with tag	5	10
122030	1	25	Bulk with tag	5	10



Carded

Product#	Size		Package Quantity	Inner Pack Quantity
	in.	mm.		
444581	1/8	3	2 per card	12
444661	3/16	5	2 per card	12
445631	1/4	6	2 per card	12
445711	5/16	8	1 per card	12
445981	3/8	10	1 per card	12
446011	1/2	13	1 per card	12
446281	9/16	14	1 per card	6
446361	5/8	16	1 per card	12
446528	7/8	22	1 per card	12
446600	1	25	1 per card	12

Aircraft Cable (Wire Rope) Accessories

Wire Rope Thimble Stainless Steel



Bulk with UPC tag

Product#	Size		Packaging	Inner Pack Quantity	Chase Bin Max. Qty.
	in.	mm.			
162680	1/8	3	Bulk with tag	20	40
162760	3/16	5	Bulk with tag	20	40
164540	1/4	6	Bulk with tag	20	40
164620	5/8	8	Bulk with tag	20	40
164970	3/8	9	Bulk with tag	20	40



Carded

Product#	Size		Package Quantity	Inner Pack Quantity
	in.	mm.		
953701	1/8	3	1 per card	6
953891	3/16	5	1 per card	6
953971	1/4	6	1 per card	6
954001	5/16	8	1 per card	3
954191	3/8	9	1 per card	3

Wire Rope Clips & Thimbles - Zinc



Carded

Product#	Size		Package Quantity	Inner Pack Quantity
	in.	mm.		
701651	1/8	3	2 wire rope clips & 1 thimble per card	6
701811	3/16	5	2 wire rope clips & 1 thimble per card	6
702112	1/4	6	2 wire rope clips & 1 thimble per card	6
702111	1/4	6	1 wire rope clip & 1 thimble per card	6
174420	3/8	9	1 wire rope clip & 1 thimble per card	6

Aircraft Cable (Wire Rope) Accessories

Wire Rope Clips & Thimbles Stainless Steel



Carded

Product#	Size		Package Quantity	Inner Pack Quantity
	in.	mm.		
449391	1/8	3	2 wire rope clips & 1 thimble per card	3
449401	3/16	5	2 wire rope clips & 1 thimble per card	3

Wire Rope Clips & Thimbles - Zinc



Multi Pack

Product#	Size		Package Quantity	Inner Pack Quantity
	in.	mm.		
448140	1/8	3	14 wire rope clips & 7 thimbles per clam	6
449380	3/16	5	12 wire rope clips & 6 thimbles per clam	6

Aircraft Cable (Wire Rope) Accessories

Double Wire Rope Clamp - Zinc



Bulk with UPC tag

Product#	Size		Packaging	Inner Pack Quantity	Chase Bin Max. Qty.
	in.	mm.			
122110	1/8	3	Bulk with tag	20	40
122380	3/16	5	Bulk with tag	20	40
122460	1/4	6	Bulk with tag	10	20
122540	5/16	8	Bulk with tag	10	20



Carded

Product#	Size		Package Quantity	Inner Pack Quantity
	in.	mm.		
965631	1/8	3	2 per card	12
965711	3/16	5	2 per card	12
965981	1/4	6	2 per card	12
966011	5/16	8	1 per card	12

Double Wire Rope Clamp Stainless Steel



Bulk with UPC tag

Product#	Size		Packaging	Inner Pack Quantity	Chase Bin Max. Qty.
	in.	mm.			
159890	1/8	3	Bulk with tag	20	40
159970	3/16	5	Bulk with tag	20	40
162330	1/4	6	Bulk with tag	10	20
162410	5/16	8	Bulk with tag	10	20




Carded

Product#	Size		Package Quantity	Inner Pack Quantity
	in.	mm.		
957291	1/8	3	1 per card	6
957451	3/16	5	1 per card	6
957531	1/4	6	1 per card	3
957961	5/16	8	1 per card	6

Turnbuckles

Eye and Hook - Short - Zinc



Bulk with UPC tag



Product#	Thread Diameter (in.)	Dimensions (in.)		Safe Workload		Packaging	Inner Pack Quantity	Chase Bin Max. Qty.
		A (Closed)	B	lbs	kg			
276690	3/16	3-3/4	1-1/4	28	13	Bulk with tag	10	20
276770	1/4	4-1/2	—	40	18	Bulk with tag	10	20
302600	1/4	6	2-3/4	40	18	Bulk with tag	10	20
604060	5/16	5-3/4	1-5/8	99	45	Bulk with tag	10	20
311940	5/16	6-3/4	—	99	45	Bulk with tag	10	20




Carded



Product#	Dimensions (in.)		Safe Workload		Package Quantity	Inner Pack Quantity
	A Closed (in.)	A Closed (mm.)	lbs	kg		
417771	3/16 x 3-3/4	5 x 95	28	13	1 per card	12
417851	1/4 x 4-1/2	6 x 108	40	18	1 per card	12
417931	1/4 x 6	6 x 152	40	18	1 per card	12
418071	5/16 x 5-3/4	8 x 146	99	45	1 per card	6
418151	5/16 x 6-3/4	8 x 171	99	45	1 per card	6

Hook and Eye - Long - Hot Dipped Galvanized



Bulk with UPC tag




Product#	Thread Diameter (in.)	Dimensions (in.)		Safe Workload		Packaging	Inner Pack Quantity
		A (Closed)	B	lbs	kg		
180660	1/4	8	4	400	181	Bulk with tag	1
180740	5/16	9-1/4	4-1/4	700	318	Bulk with tag	1
180820	3/8	11-3/4	6	1000	454	Bulk with tag	1
180900	1/2	13-1/2	6	1500	680	Bulk with tag	1

Hot dipped galvanized. Meets Fed. Spec FF-T791b, Type 1, Form 1, Class 6

Turnbuckles

Hook and Hook - Long - Hot Dipped Galvanized




Bulk with UPC tag



Product#	Thread Diameter	Dimensions (in.)		Safe Workload		Packaging	Inner Pack Quantity
		A (Closed)	B	lbs	kg		
179650	1/4	8	4	400	181	Bulk with tag	1
179730	5/16	9-1/4	4-1/2	700	318	Bulk with tag	1
179810	3/8	11-3/4	6	1000	454	Bulk with tag	1
180150	1/2	13-1/2	6	1500	680	Bulk with tag	1

Hot dipped galvanized. Meets Fed. Spec FF-T791b, Type 1, Form 1, Class 5

Eye and Eye - Long - Hot Dipped Galvanized



Bulk with UPC tag




Product#	Thread Diameter	Dimensions (in.)		Safe Workload		Packaging	Inner Pack Quantity
		A (Closed)	B	lbs	kg		
181550	1/4	8-1/4	4	500	227	Bulk with tag	1
181630	5/16	9-1/2	4-1/2	800	363	Bulk with tag	1
181980	3/8	12-1/4	6	1200	544	Bulk with tag	1
182010	1/2	14	6	2200	998	Bulk with tag	1
115950	1/2	-	9	2200	998	Bulk with tag	1
115960	5/8	-	9	3500	1588	Bulk with tag	1

Hot dipped galvanized. Meets Fed. Spec FF-T791b, Type 1, Form 1, Class 4

Turnbuckles

Jaw and Jaw - Long - Hot Dipped Galvanized



Bulk with UPC tag



Product#	Thread Diameter	Dimensions (in.)		Safe Workload		Packaging	Inner Pack Quantity
		A (Closed)	B	lbs	kg		
183330	1/4	8	4	500	227	Bulk with tag	1
183680	5/16	9-1/2	4-1/2	800	363	Bulk with tag	1
183920	3/8	11-3/8	6	1200	544	Bulk with tag	1
184060	1/2	13	6	2200	998	Bulk with tag	1


Hot dipped galvanized. Meets Fed. Spec FF-T791b, Type 1, Form 1, Class 7

Hooks & Shackles

Eye Grab Hook – Grade 43 – Zinc

Dimensions

Size (in.)	Dimensions									
	A (in.)	B (in.)	C (in.)	D (in.)	E (in.)	G (in.)	K (in.)	L (in.)	N (in.)	R (in.)
1/4	0.53	0.31	1.18	0.34	0.88	1.09	0.47	3.05	1.75	1.88
5/16	0.62	.38	2.12	0.44	0.97	1.31	0.59	3.59	2.06	2.28
3/8	0.75	0.44	2.53	0.50	1.17	1.56	0.72	4.28	2.34	2.69
1/2	0.88	0.53	3.56	0.66	1.53	1.94	0.78	4.55	2.97	3.38



Grade 43

Bulk with UPC tag



Product#	Size		Safe Workload		Packaging	Inner Pack Quantity	Chace Bin Max. Qty.
	in.	mm.	lbs	kg			
115250	1/4	6	2600	1179	Bulk with tag	2	4
115330	5/16	8	3900	1769	Bulk with tag	2	4
115410	3/8	10	5400	2449	Bulk with tag	2	4
115680	1/2	13	9200	4173	Bulk with tag	2	4

⚠ WARNING DO NOT EXCEED SAFE WORKLOAD.



Grade 43

Carded



Product#	Size		Safe Workload		Package Quantity	Inner Pack Quantity
	in.	mm.	lbs	kg		
436641	1/4	6	2600	1179	1 per card	6
436721	5/16	8	3900	1769	1 per card	6
436801	3/8	10	5400	2449	1 per card	6


⚠ WARNING DO NOT EXCEED SAFE WORKLOAD.

Hooks & Shackles

Eye Slip Hook – Grade 43 – Zinc

Dimensions

Size (in.)	Dimensions											
	A (in.)	B (in.)	C (in.)	D (in.)	E (in.)	F (in.)	G (in.)	H (in.)	K (in.)	L (in.)	N (in.)	R (in.)
1/4	1.06	0.50	0.28	2.75	0.94	1.19	0.81	0.88	0.50	3.66	2.13	2.56
5/16	1.25	0.63	0.34	3.06	1.06	1.25	0.94	1.00	0.56	4.23	2.25	2.95
3/8	1.53	0.72	0.41	3.63	1.31	1.50	1.13	1.19	0.66	4.89	2.56	3.36
1/2	1.94	0.94	0.50	4.81	1.69	1.94	1.56	1.63	0.91	6.34	3.44	4.28



Grade 43

Bulk with UPC tag



Product#	Size		Safe Workload		Packaging	Inner Pack Quantity	Chace Bin Max. Qty.
	in.	mm.	lbs	kg			
116140	1/4	6	1950	885	Bulk with tag	2	4
116220	5/16	8	2875	1305	Bulk with tag	2	4
116300	3/8	10	4000	1814	Bulk with tag	2	4
116490	1/2	13	6500	2948	Bulk with tag	2	4

WARNING DO NOT EXCEED SAFE WORKLOAD.



Grade 43 Carded




Product#	Size		Safe Workload		Package Quantity	Inner Pack Quantity
	in.	mm.	lbs	kg		
436991	1/4	6	1950	885	1 per card	6
437021	5/16	8	2875	1305	1 per card	6
437101	3/8	10	4000	1814	1 per card	6

WARNING DO NOT EXCEED SAFE WORKLOAD.

Eye Slip Hook with Latch - Grade 43 - Painted

Dimensions

Size (in.)	Dimensions													
	A (in.)	B (in.)	C (in.)	D (in.)	F (in.)	G (in.)	H (in.)	J (in.)	K (in.)	M (in.)	O (in.)	P (in.)	Q (in.)	T (in.)
5/16	5.07	1.75	3.81	3.11	1.38	0.82	0.94	0.93	0.71	0.63	0.91	2.24	0.91	0.98
3/8	5.64	2.13	4.14	3.53	1.50	1.00	1.16	1.00	0.88	0.75	1.00	2.50	1.13	1.03



Bulk with UPC tag



Product#	Size		Safe Workload		Packaging	Inner Pack Quantity	Chace Bin Max. Qty.
	in.	mm.	lbs	kg			
358600	5/16	8	2205	1000	Bulk with tag	2	4
358610	3/8	10	3307	1500	Bulk with tag	2	4


WARNING DO NOT EXCEED SAFE WORKLOAD.

Hooks & Shackles

Clevis Grab Hook - Grade 43 / Grade 70

Dimensions - Clevis Grab Hook Grade 43 & Grade 70

Size (in.)	Dimensions											
	A (in.)	B (in.)	C (in.)	D (in.)	E (in.)	G (in.)	H (in.)	K (in.)	L (in.)	N (in.)	P (in.)	R (in.)
1/4	1.00	0.32	0.31	1.81	0.34	0.88	0.72	0.47	3.05	1.75	0.31	1.64
5/16	1.22	0.43	0.36	2.12	0.44	0.44	0.9	0.59	3.66	2.06	0.38	2.02
3/8	1.42	0.48	0.49	2.53	0.50	0.50	1.00	0.72	4.42	2.34	0.44	2.41
7/16	1.66	0.66	0.62	3.09	0.56	0.56	1.13	0.69	4.94	2.66	0.56	2.75
1/2	1.88	0.57	0.51	3.56	0.66	0.66	1.25	0.78	5.72	2.97	0.63	3.19



Grade 43

Bulk with UPC tag



Product#	Size		Safe Workload		Packaging	Inner Pack Quantity	Chace Bin Max. Qty.
	in.	mm.	lbs	kg			
115760	1/4	6	2600	1179	Bulk with tag	2	4
115840	5/16	8	3900	1769	Bulk with tag	2	4
115920	3/8	10	4700	2132	Bulk with tag	2	4
115930	7/16	11	7200	3266	Bulk with tag	2	4
116060	1/2	13	9200	4173	Bulk with tag	2	4

WARNING DO NOT EXCEED SAFE WORKLOAD.



Grade 43

Carded



Product#	Size		Safe Workload		Package Quantity	Inner Pack Quantity
	in.	mm.	lbs	kg		
435161	1/4	6	2600	1179	1 per card	6
435241	5/16	8	3900	1769	1 per card	6
435321	3/8	10	4700	2132	1 per card	6

WARNING DO NOT EXCEED SAFE WORKLOAD.

Grade 70

Bulk with UPC tag



Product#	Size		Safe Workload		Packaging	Inner Pack Quantity	Chace Bin Max. Qty.
	in.	mm.	lbs	kg			
115770	1/4	6	3500	1587	Bulk with tag	2	4
115660	5/16	8	4700	2132	Bulk with tag	2	4
115560	3/8	10	7100	3220	Bulk with tag	2	4


WARNING DO NOT EXCEED SAFE WORKLOAD.

Hooks & Shackles

Clevis Slip Hook - Grade 43

Dimensions

Size (in.)	Dimensions													
	A (in.)	B (in.)	C (in.)	D (in.)	E (in.)	F (in.)	G (in.)	H (in.)	K (in.)	L (in.)	N (in.)	P (in.)	R (in.)	T (in.)
1/4	1.06	0.32	0.29	2.75	0.94	1.19	0.81	0.88	0.50	3.95	2.13	0.38	2.58	0.81
5/16	1.22	0.43	0.34	3.06	1.06	1.25	0.94	1.00	0.56	4.52	2.25	0.44	2.87	0.97
3/8	1.38	0.45	0.44	3.63	1.31	1.50	1.13	1.19	0.66	5.15	2.56	0.47	3.25	1.06
7/16	1.73	0.59	0.60	4.34	1.56	1.81	1.38	1.44	0.81	5.97	3.06	0.56	3.70	1.19
1/2	1.88	0.57	0.53	4.81	1.69	1.94	1.56	1.63	0.91	6.53	3.44	0.63	4.00	1.31



Grade 43

Bulk with UPC tag



Product#	Size		Safe Workload		Packaging	Inner Pack Quantity	Chace Bin Max. Qty.
	in.	mm.	lbs	kg			
116570	1/4	6	1950	885	Bulk with tag	2	4
116650	5/16	8	2875	1304	Bulk with tag	2	4
116730	3/8	10	4000	1814	Bulk with tag	2	4
116740	7/16	11	5000	2268	Bulk with tag	2	4
116810	1/2	13	6500	2948	Bulk with tag	2	4

⚠ WARNING DO NOT EXCEED SAFE WORKLOAD.



Grade 43

Carded



Product#	Size		Safe Workload		Package Quantity	Inner Pack Quantity
	in.	mm.	lbs	kg		
438181	1/4	6	1950	885	1 per card	6
438261	5/16	8	2875	1304	1 per card	6
438341	3/8	10	4000	1814	1 per card	6


⚠ WARNING DO NOT EXCEED SAFE WORKLOAD.

Hooks & Shackles

Clevis Slip Hook with Safety Latch - Grade 43 / Grade 70

Dimensions - Clevis Slip Hook with Safety Latch Grade 43 & Grade 70

Size (in.)	Dimensions				
	B (in.)	E (in.)	P (in.)	R (in.)	T (in.)
1/4	0.44	0.79	0.38	2.56	0.79
5/16	0.50	0.93	0.44	2.87	0.79
3/8	0.59	1.14	0.47	3.25	1.02
1/2	0.75	1.42	0.63	4.00	1.38



Grade 43

Bulk with UPC tag



Product#	Size		Safe Workload		Packaging	Inner Pack Quantity	Chace Bin Max. Qty.
	in.	mm.	lbs	kg			
224700	1/4	6	1950	885	Bulk with tag	2	4
224890	5/16	8	2875	1304	Bulk with tag	2	4
224970	3/8	10	4000	1814	Bulk with tag	2	4
225000	1/2	13	6500	2948	Bulk with tag	2	4

WARNING DO NOT EXCEED SAFE WORKLOAD.



Grade 43

Carded



Product#	Size		Safe Workload		Package Quantity	Inner Pack Quantity
	in.	mm.	lbs	kg		
433031	1/4	6	1950	885	1 per card	6
433111	5/16	8	2875	1304	1 per card	6

WARNING DO NOT EXCEED SAFE WORKLOAD.

Grade 70

Bulk with UPC tag



Product#	Size		Safe Workload		Packaging	Inner Pack Quantity	Chace Bin Max. Qty.
	in.	mm.	lbs	kg			
229500	1/4	6	2750	1247	Bulk with tag	2	4
237280	5/16	8	4300	1950	Bulk with tag	2	4
237360	3/8	10	5250	2381	Bulk with tag	2	4
239490	1/2	13	9000	4082	Bulk with tag	2	4

WARNING DO NOT EXCEED SAFE WORKLOAD.



Grade 70

Carded



Product#	Size		Safe Workload		Package Quantity	Inner Pack Quantity
	in.	mm.	lbs	kg		
444741	1/4	6	2750	1247	1 per card	6
444821	5/16	8	4300	1950	1 per card	6
446871	3/8	10	5250	2381	1 per card	10


WARNING DO NOT EXCEED SAFE WORKLOAD.

Hooks & Shackles

Heavy Duty Slip Hook - Swivel Eye

Dimensions

Size (ton)	Dimensions									
	A (in.)	B (in.)	C (in.)	D (in.)	E (in.)	F (in.)	G (in.)	H (in.)	I (in.)	J (in.)
3/4	2.02	1.24	5.56	4.34	0.96	0.63	0.82	0.39	0.88	2.78
1	2.5	1.45	6.38	5.25	1.29	0.7	0.87	0.54	0.93	3.15
2	2.9	1.69	7.88	6.75	1.7	0.86	1.25	0.65	1.04	3.72
3	-	-	-	-	-	-	-	-	-	-



Bulk with UPC tag




Product#	Size (ton)	Safe Workload		Packaging	Inner Pack Quantity	Chace Bin Max. Qty.
		lbs	kg			
239500	3/4	1500	680	Bulk with tag	2	-
239510	1	2000	907	Bulk with tag	2	-
239520	2	4000	1814	Bulk with tag	2	-
239530	3	6000	2721	Bulk with tag	1	-

⚠ WARNING DO NOT EXCEED SAFE WORKLOAD.

Heavy Duty Slip Hook - Fixed Eye

Dimensions

Size (ton)	Dimensions									
	A (in.)	B (in.)	C (in.)	D (in.)	E (in.)	F (in.)	G (in.)	H (in.)	K (in.)	L (in.)
3/4	1.47	0.73	4.37	3.12	0.73	0.6	0.92	0.4	0.8	2.84
1	1.73	0.89	4.92	3.59	0.87	0.72	0.96	0.44	0.97	3.27
2	2.4	1.2	11.47	4.86	1.2	0.83	1.13	0.62	1.26	3.92
3	2.92	1.51	7.96	5.58	1.5	1.16	1.66	0.72	1.26	4.69



Bulk with UPC tag



Product#	Size (ton)	Safe Workload		Packaging	Inner Pack Quantity	Chace Bin Max. Qty.
		lbs	kg			
358620	3/4	1500	680	Bulk with tag	2	-
358630	1	2000	907	Bulk with tag	2	-
358640	2	4000	1814	Bulk with tag	2	-
358650	3	6000	2721	Bulk with tag	1	-

⚠ WARNING DO NOT EXCEED SAFE WORKLOAD.


Hooks & Shackles

Anchor Shackle - Zinc

Dimensions



Size (in.)	Dimensions				
	A (in.)	B (in.)	C (in.)	D (in.)	E (in.)
3/16	0.76	0.59	0.39	0.19	0.19
1/4	0.94	0.71	0.47	0.23	0.23
5/16	1.26	0.94	0.63	0.31	0.31
3/8	1.57	1.18	0.79	0.39	0.39
7/16	1.75	1.30	0.86	0.43	0.43
1/2	1.90	1.42	0.98	0.47	0.47
5/8	2.52	1.89	1.26	0.63	0.63
3/4	3.15	2.36	1.50	0.75	0.75
1	3.94	2.95	1.97	0.98	0.98



Bulk with UPC tag



Product#	Size		Safe Workload		Packaging	Inner Pack Quantity	Chace Bin Max. Qty.
	in.	mm.	lbs	kg			
114440	3/16	5	175	79	Bulk with tag	20	40
114520	1/4	6	220	100	Bulk with tag	20	40
114600	5/16	8	440	200	Bulk with tag	20	40
114790	3/8	10	705	320	Bulk with tag	10	20
114800	7/16	11	900	408	Bulk with tag	10	20
114870	1/2	13	1146	520	Bulk with tag	5	10
114950	5/8	16	1763	800	Bulk with tag	5	10
115090	3/4	19	2425	1100	Bulk with tag	5	10
115170	1	25	4629	2100	Bulk with tag	5	10



Carded



Product#	Size		Safe Workload		Package Quantity	Inner Pack Quantity
	in.	mm.	lbs	kg		
430281	3/16	5	175	79	2 per card	12
430361	1/4	6	220	100	2 per card	6
430441	5/16	8	440	200	1 per card	12
430521	3/8	10	705	320	1 per card	6
430601	1/2	13	1146	520	1 per card	6


Hooks & Shackles

Anchor Shackle - Galvanized

Dimensions



Size (in.)	Dimensions				
	A (in.)	B (in.)	C (in.)	D (in.)	E (in.)
1/4	0.94	0.71	0.47	0.23	0.23
5/16	1.26	0.94	0.63	0.31	0.31
3/8	1.57	1.18	0.79	0.39	0.39
7/16	1.75	1.30	0.86	0.43	0.43
1/2	1.90	1.42	0.98	0.47	0.47
5/8	2.52	1.89	1.26	0.63	0.63



Bulk with UPC tag



Product#	Size		Safe Workload		Packaging	Inner Pack Quantity	Chace Bin Max. Qty.
	in.	mm.	lbs	kg			
114620	1/4	6	220	100	Bulk with tag	10	20
114630	5/16	8	440	200	Bulk with tag	5	10
114640	3/8	10	705	320	Bulk with tag	5	10
186190	7/16	11	900	408	Bulk with tag	5	10
114650	1/2	13	1146	520	Bulk with tag	5	10
114660	5/8	16	1763	800	Bulk with tag	5	10


Hooks & Shackles

Anchor Shackle Stainless Steel



Dimensions

Size (in.)	Dimensions				
	A (in.)	B (in.)	C (in.)	D (in.)	E (in.)
1/8	-	-	-	-	-
3/16	0.76	0.59	0.39	0.19	0.19
1/4	0.94	0.71	0.47	0.23	0.23
5/16	1.26	0.94	0.63	0.31	0.31
3/8	1.57	1.18	0.79	0.39	0.39



Bulk with UPC tag



Product#	Size		Safe Workload		Packaging	Inner Pack Quantity	Chace Bin Max. Qty.
	in.	mm.	lbs	kg			
158140	1/8	3	90	41	Bulk with tag	20	40
158220	3/16	5	175	79	Bulk with tag	20	40
158810	1/4	6	220	100	Bulk with tag	20	40
159030	5/16	8	440	200	Bulk with tag	10	20
159110	3/8	10	705	320	Bulk with tag	10	20



Carded



Product#	Size		Safe Workload		Package Quantity	Inner Pack Quantity
	in.	mm.	lbs	kg		
955161	1/8	3	90	41	1 per card	6
955241	3/16	5	175	79	1 per card	6
955321	1/4	6	220	100	1 per card	6
955401	5/16	8	440	200	1 per card	6
955591	3/8	10	705	320	1 per card	6


Hooks & Shackles

Heavy Duty Anchor Shackle



Dimensions

Size	Dimensions				
	A (in.)	B (in.)	C (in.)	D (in.)	E (in.)
GB 2 ton, 2 in.	2.37	1.7	0.73	1.09	0.63
GB 3-1/4 ton, 5/8 in.	1.85	1.29	0.62	0.84	0.54
GB 4-3/4 ton, 3/4 in.	-	-	-	-	-
GB 8-1/2 ton, 1 in.	3.76	2.64	1.13	1.73	1



Bulk with UPC tag




Product#	Size	Safe Workload		Packaging	Inner Pack Quantity	Chace Bin Max. Qty.
		lbs	kg			
114670	GB 2 ton, 2 in.	4000	1814	Bulk with tag	5	-
114680	GB 3-1/4 ton, 5/8 in.	6500	2948	Bulk with tag	5	-
114690	GB 4-3/4 ton, 3/4 in.	9500	4309	Bulk with tag	2	-
114700	GB 8-1/2 ton, 1 in.	17000	7711	Bulk with tag	1	-

Chain Shackle – Galvanized



Dimensions

Size (in.)	Dimensions			
	A (in.)	B (in.)	C (in.)	D (in.)
1/4	0.86	0.47	0.23	0.31
5/16	1.02	0.51	0.31	0.37
3/8	1.26	0.67	0.39	0.48
1/2	1.61	0.78	0.51	0.62



Bulk with UPC tag



Product#	Size		Safe Workload		Packaging	Inner Pack Quantity	Chace Bin Max. Qty.
	in.	mm.	lbs	kg			
117520	1/4	6	220	100	Bulk with tag	10	20
117600	5/16	8	440	200	Bulk with tag	5	10
117790	3/8	10	705	320	Bulk with tag	5	10
117870	1/2	13	1146	520	Bulk with tag	5	10


Hooks & Shackles

Grade 70 Safety Lanyard Hook – Single Latch



Dimensions

Size (in.)	Dimensions		
	A (in.)	B (in.)	C (in.)
1-1/6	5.3	0.97	0.7



Bulk with UPC tag




Product#	Size		Safe Workload		Packaging	Inner Pack Quantity	Chace Bin Max. Qty.
	in.	mm.	lbs	kg			
185460	1-1/16	27			Bulk with tag	2	4

Grade 70 Safety Lanyard Hook – Double Latch



Dimensions

Size (in.)	Dimensions		
	A (in.)	B (in.)	C (in.)
1-1/6	5.23	1.07	0.66



Bulk with UPC tag



Product#	Size		Safe Workload		Packaging	Inner Pack Quantity	Chace Bin Max. Qty.
	in.	mm.	lbs	kg			
185540	1-1/16	27	5000	2268	Bulk with tag	2	4


Hooks & Shackles

Grade 43 Mid Link Double Clevis



Dimensions

Size (in.)	Dimensions			
	A (in.)	B (in.)	C (in.)	D (in.)
1/4 - 5/16	2.6	0.41	0.8	0.4
3/8	3	0.46	0.97	0.47
7/16 - 1/2	3.64	0.67	1.32	0.67



Bulk with UPC tag



Product (#)	Size		Safe Workload		Packaging	Inner Pack Qty.	Chace Bin Max. Qty.	Dimension (in.)	Pin Diameter
	in.	mm.	lbs	kg					
185890	1/4 - 5/16	6 - 8	4700	2132	Bulk w/ tag	10	20	7/16	3/8
185970	3/8	10	6600	2994	Bulk w/ tag	10	20	1/2	7/16
186000	7/16 - 1/2	11 - 13	11250	5103	Bulk w/ tag	10	20	5/8	9/16

Ceiling Hook with Toggle Bolt and Screw



Carded



Product#	Size in.	Package Quantity	Inner Pack Quantity
455511	Black	2 per card	6
455781	Antique Brass	2 per card	6
455861	Brass	2 per card	6
455941	Nickel	2 per card	6
456081	White	2 per card	6


Hooks & Shackles

"S" Hook – Zinc



Dimensions

Size (in.)	Dimensions			
	A (in.)	B (in.)	C (in.)	D (in.)
1/8	1.19	0.32	0.22	0.11
5/32	1.63	0.46	0.45	0.15
3/16	2.05	0.6	0.4	0.19
1/4	2.35	0.63	0.48	0.23
5/16	3.22	0.94	0.5	0.3



Bulk with UPC tag



Product#	Size		Safe Workload		Packaging	Inner Pack Quantity	Chace Bin Max. Qty.
	in.	mm.	lbs	kg			
153930	1/8	3	22	10	Bulk with tag	20	40
154070	5/32	4	35	16	Bulk with tag	20	40
154150	3/16	5	55	25	Bulk with tag	20	40
154230	1/4	6	77	35	Bulk with tag	20	40
154310	5/16	8	128	58	Bulk with tag	20	40



Carded



Product#	Size		Safe Workload		Package Quantity	Inner Pack Quantity
	in.	mm.	lbs	kg		
454111	1/8	3	22	10	5 per card	6
454381	5/32	4	35	16	4 per card	6
454461	3/16	5	55	25	3 per card	6
454541	1/4	6	77	35	2 per card	12
454621	5/16	8	128	58	1 per card	12



Multi Pack



Product#	Size		Safe Workload		Package Quantity	Inner Pack Quantity
	in.	mm.	lbs	kg		
478720	1/8	3	22	10	40 per clam	2
482160	5/32	4	35	16	30 per clam	2
487630	3/16	5	55	25	20 per clam	2

Connecting Links

Couplings



Tent Card



Product#	Size Trade	Finish	Package Quantity	Inner Pack Quantity
529731	#10	Chrome	5 per tent card	12
531551	#6	Brass	5 per tent card	12

End Links & Couplings



Tent Card



Product#	Size Trade	Finish	Package Quantity	Inner Pack Quantity
535891	#10	Chrome	End Link (x3) & Coupling per tent card (x3)	12
535701	#6	Brass	End Link (x3) & Coupling per tent card (x3)	12
526471	#10 & #6	Chrome and Brass	#6 End Link (x2), #6 Coupling - Chrome (x2); & #10 End Link (x2), #10 Coupling - Chrome (x2) per tent card	12
526391	#10 & #6	Chrome and Brass	#6 End Link (x2), #6 Coupling - Brass (x2); & #10 End Link (x2), #10 Coupling - Brass (x2) per tent card	12

Bead Chain, End Link & Coupling



Tent Card

Product#	Size Trade	Finish	Package Quantity	Inner Pack Quantity
520511	#10	Chrome	2 feet #10 Bead Chain with #10 End Link (x2) & #10 Coupling (x2) per tent card	3
521161	#6	Brass	2 feet #6 Bead Chain with #6 End Link (x2) & #6 Coupling (x2) per tent card	3


Connecting Links

Quick Link - Zinc



Dimensions

Size (in.)	Dimensions			
	A (in.)	B (in.)	C (in.)	D (in.)
1/8	1.31	0.4	0.13	0.24
3/16	1.65	0.5	0.18	0.31
1/4	1.84	0.52	0.22	0.33
5/16	2.3	0.67	0.3	0.45
3/8	2.61	0.77	0.34	0.53
7/16	2.87	0.84	0.39	0.51
1/2	3.35	0.94	0.46	0.62



Bulk with UPC tag



Product#	Size		Safe Workload		Packaging	Inner Pack Quantity	Chace Bin Max. Qty.
	in.	mm.	lbs	kg			
106500	1/8	3	220	100	Bulk with tag	20	40
106690	3/16	5	400	181	Bulk with tag	20	40
106770	1/4	6	640	290	Bulk with tag	20	40
120920	5/16	8	1550	703	Bulk with tag	10	20
107070	3/8	10	1800	816	Bulk with tag	10	20
107150	7/16	11	2200	998	Bulk with tag	10	20
107230	1/2	13	3250	1474	Bulk with tag	10	20



Carded



Product#	Size		Safe Workload		Package Quantity	Inner Pack Quantity
	in.	mm.	lbs	kg		
428381	1/8	3	220	100	1 per card	6
428382	1/8	3	220	100	2 per card	12
428461	3/16	5	400	181	1 per card	6
428462	3/16	5	400	181	2 per card	12
428541	1/4	6	640	290	1 per card	6
428542	1/4	6	640	290	2 per card	12
428621	5/16	8	1550	703	1 per card	12
428701	3/8	10	1800	816	1 per card	12
428891	7/16	11	2200	998	1 per card	6
455191	1/2	13	3250	1474	1 per card	12



Multi Pack



Product#	Size		Safe Workload		Package Quantity	Inner Pack Quantity
	in.	mm.	lbs	kg		
469140	1/8	3	220	100	16 per clam	2
476000	3/16	5	400	181	14 per clam	2
477240	1/4	6	640	290	10 per clam	2
477000	5/16	8	1550	703	4 per clam	2


Connecting Links

Quick Link Stainless Steel



Dimensions

Size (in.)	Dimensions			
	A (in.)	B (in.)	C (in.)	D (in.)
1/8	1.31	0.4	0.13	0.24
3/16	1.65	0.5	0.18	0.31
1/4	1.84	0.52	0.22	0.33
5/16	2.3	0.67	0.3	0.45
3/8	2.61	0.77	0.34	0.53



Bulk with UPC tag



Product#	Size		Safe Workload		Packaging	Inner Pack Quantity	Chace Bin Max. Qty.
	in.	mm.	lbs	kg			
157680	1/8	3	220	100	Bulk with tag	20	40
157760	3/16	5	400	181	Bulk with tag	20	40
157840	1/4	6	640	290	Bulk with tag	20	40
157920	5/16	8	1550	703	Bulk with tag	10	20
158060	3/8	10	1800	816	Bulk with tag	10	20



Carded



Product#	Size		Safe Workload		Package Quantity	Inner Pack Quantity
	in.	mm.	lbs	kg		
951411	1/8	3	220	100	1 per card	6
951681	3/16	5	400	181	1 per card	6
951761	1/4	6	640	290	1 per card	6
951841	5/16	8	1550	703	1 per card	6
951921	3/8	10	1800	816	1 per card	6


Connecting Links

Missing Link



Dimensions

Size (in.)	Dimensions		
	A (in.)	B (in.)	C (in.)
3/16	0.55	0.28	0.22
1/4	0.86	0.47	0.28
3/8	—	—	—



Carded

Product#	Size		Package Quantity	Inner Pack Quantity
	in.	mm.		
440161	3/16	5	1 per card	6
440241	1/4	6	1 per card	6
440401	3/8	10	1 per card	6


Connecting Links

Split Repair Link - Zinc



Dimensions

Size (in.)	Dimensions		
	A (in.)	B (in.)	C (in.)
1/8	0.65	0.32	0.1
3/16	0.84	0.46	0.19
1/4	0.92	0.52	0.23
5/16	1.41	0.67	0.3
3/8	1.78	0.79	0.35
1/2	—	—	—



Bulk with UPC tag



Product#	Size		Safe Workload		Packaging	Inner Pack Quantity	Chace Bin Max. Qty.
	in.	mm.	lbs	kg			
109600	1/8	3	24	11	Bulk with tag	20	40
110450	3/16	5	85	39	Bulk with tag	20	40
110530	1/4	6	114	52	Bulk with tag	20	40
112580	5/16	8	224	102	Bulk with tag	20	40
113630	3/8	10	500	227	Bulk with tag	10	20
113710	1/2	13	516	234	Bulk with tag	10	20



Carded



Product#	Size		Safe Workload		Package Quantity	Inner Pack Quantity
	in.	mm.	lbs	kg		
457131	1/8	3	24	11	2 per card	12
457211	3/16	5	85	39	2 per card	12
457481	1/4	6	114	52	2 per card	6
457561	5/16	8	224	102	1 per card	6
457641	3/8	10	500	227	1 per card	12
457991	1/2	13	516	234	1 per card	6


Connecting Links

Cold Shut - Zinc



Dimensions

Size (in.)	Dimensions	
	A (in.)	B (in.)
3/16	—	—
1/4	0.81	0.38
5/16	1.38	0.44
3/8	0.5	0.625
7/16	1.56	0.69
1/2	1.88	0.75



Bulk with UPC tag



Product#	Size		Safe Workload		Packaging	Inner Pack Quantity	Chace Bin Max. Qty.
	in.	mm.	lbs	kg			
109000	3/16	5	53	24	Bulk with tag	10	20
109010	1/4	6	88	40	Bulk with tag	10	20
109280	5/16	8	220	100	Bulk with tag	10	20
109360	3/8	10	330	150	Bulk with tag	10	20
109440	7/16	11	315	143	Bulk with tag	10	20
109520	1/2	13	440	200	Bulk with tag	10	20




Carded



Product#	Size		Safe Workload		Package Quantity	Inner Pack Quantity
	in.	mm.	lbs	kg		
445121	1/4	6	88	40	2 per card	12
445201	5/16	8	220	100	1 per card	12
445391	3/8	10	330	150	1 per card	12
445471	7/16	11	315	143	1 per card	12
445551	1/2	13	440	200	1 per card	12

Connecting Links

U Bolt – Zinc



Bulk with UPC tag


Product#	Size		Packaging	Inner Pack Quantity	Chace Bin Max. Qty.	Dimensions (in.)			
	in.	mm.				A	B	C	D
176630	1/4	6	Bulk with tag	10	20	1/4	1-1/8	2-3/8	1-1/4
176710	1/4	6	Bulk with tag	10	20	1/4	1-3/8	2-3/4	1-3/4
176980	1/4	6	Bulk with tag	10	20	1/4	2	3-1/2	1-3/4
177010	5/16	8	Bulk with tag	10	20	5/16	1-3/8	2-1/2	1
177280	5/16	8	Bulk with tag	10	20	5/16	1-3/8	3-11/16	2-3/8
177360	5/16	8	Bulk with tag	10	20	5/16	1-3/4	3	1-1/2
177440	5/16	8	Bulk with tag	10	20	5/16	1-3/4	4-3/16	2-3/4
177520	5/16	8	Bulk with tag	10	20	5/16	2	3	1-1/2
177600	5/16	8	Bulk with tag	10	20	5/16	2	4-11/16	2-7/8
177790	5/16	8	Bulk with tag	10	20	5/16	2-1/2	3-1/2	1-1/2
177870	5/16	8	Bulk with tag	10	20	5/16	2-1/2	4-3/16	2-3/8
177950	3/8	10	Bulk with tag	10	20	3/8	2-1/2	3-5/8	1-3/4
178090	3/8	10	Bulk with tag	10	20	3/8	3	4-1/8	1-3/4
178170	3/8	10	Bulk with tag	10	20	3/8	3-1/2	4-5/8	2



Carded

Product#	Size		Package Quantity	Inner Pack Quantity	Dimensions (in.)			
	in.	mm.			A	B	C	D
404521	1-1/8	6	1 per card	12	1/4	1-1/8	2-3/8	1-1/4
404951	1-3/8	6	1 per card	12	1/4	1-3/8	2-3/4	1-3/4
405251	2	6	1 per card	12	1/4	2	3-1/2	1-3/4

Square U Bolt – Zinc



Bulk with UPC tag

Product#	Size		Packaging	Inner Pack Quantity	Chace Bin Max. Qty.	Dimensions (in.)			
	in.	mm.				A	B	C	D
178680	3/8	10	Bulk with tag	10	20	3/8	2	3	1-1/2
178760	3/8	10	Bulk with tag	10	20	3/8	2	5	3
178840	3/8	10	Bulk with tag	10	20	3/8	4	3	3
178920	3/8	10	Bulk with tag	10	20	3/8	4	5	3
179060	3/8	10	Bulk with tag	5	10	3/8	6	5	3
179140	3/8	10	Bulk with tag	5	10	3/8	6	7	3-3/4


Plastic Accessories

Connecting Links



Dimensions

Size (in.)	Dimensions		
	A (in.)	B (in.)	C (in.)
1-1/2	1.08	0.35	0.26
2	1.23	0.52	0.3



Bulk with UPC tag

Product#	Size		Color	Packaging	Inner Pack Quantity	Chace Bin Max. Qty.
	in.	mm.				
156600	1-1/2	38	White	Bulk with tag	20	40
156790	2	51	White	Bulk with tag	20	40
157170	1-1/2	38	Black	Bulk with tag	20	40
157250	2	51	Black	Bulk with tag	20	40



Carded

Product#	Size		Color	Package Quantity	Inner Pack Quantity
	in.	mm.			
545341	1-1/2	38	White	2 per card	12
545421	2	51	White	2 per card	12
545501	1-1/2	38	Black	2 per card	12
545691	2	51	Black	2 per card	12


Plastic Accessories

"S" Hooks



Dimensions

Size (in.)	Dimensions		
	A (in.)	B (in.)	C (in.)
1-1/2	1.67	0.45	0.24
2	2.08	0.52	0.3



Bulk with UPC tag

Product#	Size		Color	Packaging	Inner Pack Quantity	Chace Bin Max. Qty.
	in.	mm.				
155200	1-1/2	38	White	Bulk with tag	20	40
155390	2	51	White	Bulk with tag	20	40
156280	1-1/2	38	Black	Bulk with tag	20	40
156360	2	51	Black	Bulk with tag	20	40



Carded

Product#	Size		Color	Package Quantity	Inner Pack Quantity
	in.	mm.			
544611	1-1/2	38	White	2 per card	12
544961	2	51	White	2 per card	6
545181	1-1/2	38	Black	2 per card	12
545261	2	51	Black	2 per card	12


Plastic Accessories

Quick Links



Dimensions

Size (in.)	Dimensions			
	A (in.)	B (in.)	C (in.)	D (in.)
2-3/8	1.95	0.5	0.22	0.38



Bulk with UPC tag

Product#	Size		Color	Packaging	Inner Pack Quantity	Chace Bin Max. Qty.
	in.	mm.				
157330	2-3/8	60	White	Bulk with tag	20	40
157410	2-3/8	60	Black	Bulk with tag	20	40



Carded

Product#	Size		Color	Package Quantity	Inner Pack Quantity
	in.	mm.			
545771	2-3/8	60	White	2 per card	12
545851	2-3/8	60	Black	2 per card	12

Plastic Accessories

Posts



Tent Card

Product#	Size		Color	Package Quantity	Inner Pack Quantity
	in.	cm.			
546581	24	61	White	1 per tent card	40
546661	24	61	Black	1 per tent card	40



Snaps


Aluminum Snaps



Reduced Eye Snap


Dimensions - Reduced Eye Snap

Size (in.)	Dimensions				
	A (in.)	B (in.)	C (in.)	D (in.)	E (in.)
2-3/4	2.73	2.23	0.83	0.39	0.45



Dimensions - Elongated Eye Snap

Size (in.)	Dimensions				
	A (in.)	B (in.)	C (in.)	D (in.)	E (in.)
2-3/4	2.65	2.14	0.86	0.56	0.5



Elongated Eye Snap

Bulk with UPC tag

Product#	Size		Description	Package Quantity
	in.	mm.		
550420	2-3/4	70	Assorted, Reduced eye	Bulk with UPC tag
550550	Assorted		Assorted, Novelty with Key Ring	Bulk with UPC tag
550430	2-3/4	70	2 Toned Reduced eye	Bulk with UPC tag
560450	2-3/4	70	2 Toned Reduced eye, Camouflage	Bulk with UPC tag
551580	2-3/4	70	2 Toned Elongated eye, Camouflage	Bulk with UPC tag

Tent Card



Product#	Size		Description	Package Quantity	Chace Bin Max. Qty.
	in.	mm.			
510632	2-3/4	70	Reduced Eye	3	6
510712	2-3/4	70	Elongated Eye	3	6
550452	2-3/4	70	Reduced Eye, Camouflage	3	6

Bright Aluminum Spring Link – Carded



Product#	Size		Description	Package Quantity
	in.	mm.		
510401	3	76	Assorted 3 per card	6

Snaps

Aluminum Snaps



Clear Plastic Sleeve Dispenser - 80 pcs. per sleeve with UPC tag

Product#	Size		Description	Package Quantity
	in.	mm.		
550550SL	2-3/4	70	Reduced eye	80 per dispenser
550430SL	2-3/4	70	Elongated	100 per dispenser



Wing Display - 300 per display with UPC Tag

Product#	Size		Description	Package Quantity	Inner Pack Quantity
	in.	mm.			
550420WD	2-3/4	70	Reduced eye	300 per display	1
551580WD	2-3/4	70	Elongated	300 per display	1



Cash Desk - 40 pcs. per cash desk with UPC Tag

Product#	Size		Description	Package Quantity
	in.	mm.		
550550CD	Assorted		Assorted: Novelty with Key Ring	Bulk with UPC tag



Floor Bin - 1000 pc. per bin with UPC Tag

Product#	Size		Description	Package Quantity	Inner Pack Quantity
	in.	mm.			
550420FB	2-3/4	70	Reduced eye	1000 per bin	1
551580FB	2-3/4	70	Elongated	1000 per bin	1


Snaps

Baby Snap - Square Eye - Nickel Plated



Dimensions

Size (in.)	Dimensions			
	A (in.)	B (in.)	C (in.)	D (in.)
5/8	1.82	0.6	0.35	0.2



Bulk with UPC tag

Product#	Size		Packaging	Inner Pack Quantity	Chace Bin Max. Qty.
	in.	mm.			
136170	5/8	16	Bulk with tag	20	40



Carded


Product#	Size		Package Quantity	Inner Pack Quantity
	in.	mm.		
485181	5/8	16	1 per card	4

Baby Snap - Round Eye - Nickel Plated



Dimensions

Size (in.)	Dimensions		
	A (in.)	B (in.)	C (in.)
3/8	1.97	0.44	0.21



Bulk with UPC tag

Product#	Size		Packaging	Inner Pack Quantity	Chace Bin Max. Qty.
	in.	mm.			
146480	3/8	10	Bulk with tag	20	40



Carded

Product#	Size		Package Quantity	Inner Pack Quantity
	in.	mm.		
485341	3/8	10	1 per card	12


Snaps

Baby Snap - Swivel Eye - Bronze



Dimensions

Size (in.)	Dimensions		
	A (in.)	B (in.)	C (in.)
3/8	1.97	0.44	0.21



Bulk with UPC tag

Product#	Size		Packaging	Inner Pack Quantity	Chace Bin Max. Qty.
	in.	mm.			
149740	3/8	10	Bulk with tag	20	40



Carded


Product#	Size		Package Quantity	Inner Pack Quantity
	in.	mm.		
486821	3/8	10	1 per card	12

Baby Spring Snap - Swivel Eye - Nickel Plated



Dimensions

Size (in.)	Dimensions		
	A (in.)	B (in.)	C (in.)
3/8 x 2	1.98	0.44	0.22
3/8 x 2-1/2	2.5	0.4	0.28



Bulk with UPC tag

Product#	Size		Packaging	Inner Pack Quantity	Chace Bin Max. Qty.
	in.	mm.			
146560	3/8 x 2	10	Bulk with tag	20	40
146720	3/8 x 2-1/2	10	Bulk with tag	20	40



Carded

Product#	Size		Package Quantity	Inner Pack Quantity
	in.	mm.		
485261	3/8 x 2	10	1 per card	12
485501	3/8 x 2-1/2	10	1 per card	6


Snaps

Baby Spring Snap - Open Swivel - Nickel Plated



Dimensions

Size (in.)	Dimensions		
	A (in.)	B (in.)	C (in.)
3/8	2.46	0.58	0.28



Bulk with UPC tag

Product#	Size		Packaging	Inner Pack Quantity	Chace Bin Max. Qty.
	in.	mm.			
146640	3/8	10	Bulk with tag	20	40



Carded


Product#	Size		Package Quantity	Inner Pack Quantity
	in.	mm.		
485421	3/8	10	1 per card	12

Bolt Snap - Round Swivel - Bronze Nickel Plated



Dimensions

Size (in.)	Dimensions		
	A (in.)	B (in.)	C (in.)
3/4	3.2	0.84	0.47



Bulk with UPC tag



Product#	Size		Safe Workload		Packaging	Inner Pack Quantity	Chace Bin Max. Qty.
	in.	mm.	lbs	kg			
150160	3/4	19	26	12	Bulk with tag	10	20



Carded



Product#	Size		Safe Workload		Package Quantity	Inner Pack Quantity
	in.	mm.	lbs	kg		
488281	3/4	19	26	12	1 per card	12


Snaps

Bolt Snap - Round Swivel - Bronze



Dimensions

Size (in.)	Dimensions		
	A (in.)	B (in.)	C (in.)
1/2	2.98	0.84	0.28
3/4	3.2	0.84	0.47
1	3.83	1.14	0.63



Bulk with UPC tag



Product#	Size		Safe Workload		Packaging	Inner Pack Quantity	Chace Bin Max. Qty.
	in.	mm.	lbs	kg			
149820	1/2	13	22	10	Bulk with tag	10	20
149900	3/4	19	26	12	Bulk with tag	10	20
150080	1	25	33	15	Bulk with tag	10	20



Carded



Product#	Size		Safe Workload		Package Quantity	Inner Pack Quantity
	in.	mm.	lbs	kg		
487121	1/2	13	22	10	1 per card	12
487391	3/4	19	26	12	1 per card	6
487471	1	25	33	15	1 per card	6


Snaps

Bolt Snap - Round Swivel - Nickel Plated



Dimensions

Size (in.)	Dimensions		
	A (in.)	B (in.)	C (in.)
3/8	2.6	0.45	0.32
1/2	3.1	0.56	0.42
5/8	3.2	0.77	0.47
3/4	3.5	0.82	0.45
1	4	1	0.5



Bulk with UPC tag



Product#	Size		Safe Workload		Packaging	Inner Pack Quantity	Chace Bin Max. Qty.
	in.	mm.	lbs	kg			
126960	3/8	10	31	14	Bulk with tag	10	20
127180	1/2	13	35	16	Bulk with tag	10	20
127260	5/8	16	35	16	Bulk with tag	10	20
127340	3/4	19	53	24	Bulk with tag	10	20
127420	1	25	53	24	Bulk with tag	10	20



Carded



Product#	Size		Safe Workload		Package Quantity	Inner Pack Quantity
	in.	mm.	lbs	kg		
480111	3/8	10	31	14	1 per card	6
480381	1/2	13	35	16	1 per card	12
480461	5/8	16	35	16	1 per card	12
480541	3/4	19	53	24	1 per card	6
480621	1	25	53	24	1 per card	12

Snaps


Bolt Snap – Round Swivel

Stainless Steel



Dimensions

Size (in.)	Dimensions		
	A (in.)	B (in.)	C (in.)
3/8	2.6	0.45	0.32
1/2	3.1	0.56	0.42



Bulk with UPC tag



Product#	Size		Safe Workload		Packaging	Inner Pack Quantity	Chace Bin Max. Qty.
	in.	mm.	lbs	kg			
165780	3/8	10	44	20	Bulk with tag	10	20
165860	1/2	13	66	30	Bulk with tag	10	20



Carded



Product#	Size		Safe Workload		Package Quantity	Inner Pack Quantity
	in.	mm.	lbs	kg		
962371	3/8	10	44	20	1 per card	6
962451	1/2	13	66	30	1 per card	6

Bolt Snap - Round Swivel - Nickel Plated



Multi Pack



Product#	Size		Safe Workload		Package Quantity	Inner Pack Quantity
	in.	mm.	lbs	kg		
431250	3/8	10	34	15	6 per clam	6
475970	5/8	16	35	16	5 per clam	2
431330	3/4	19	53	24	5 per clam	6


Snaps

Bolt Snap - Fixed Eye - Bronze



Dimensions

Size (in.)	Dimensions		
	A (in.)	B (in.)	C (in.)
5/8	3.38	0.66	0.5



Bulk with UPC tag




Product#	Size		Safe Workload		Packaging	Inner Pack Quantity	Chace Bin Max. Qty.
	in.	mm.	lbs	kg			
178250	5/8	15	44	20	Bulk with tag	10	20

Bolt Snap - Square Swivel - Nickel Plated



Dimensions

Size (in.)	Dimensions		
	A (in.)	B (in.)	C (in.)
3/4	2.98	0.77	0.48
1	2.9	0.99	0.43



Bulk with UPC tag



Product#	Size		Safe Workload		Packaging	Inner Pack Quantity	Chace Bin Max. Qty.
	in.	mm.	lbs	kg			
128820	3/4	19	35	16	Bulk with tag	10	20
129200	1	25	35	16	Bulk with tag	10	20



Carded



Product#	Size		Safe Workload		Package Quantity	Inner Pack Quantity
	in.	mm.	lbs	kg		
480701	3/4	19	35	16	1 per card	12
480891	1	25	35	16	1 per card	6

Snaps

Bolt Snap - Loop Eye - Nickel Plated



Dimensions

Size (in.)	Dimensions		
	A (in.)	B (in.)	C (in.)
1-1/4	-	-	-



Bulk with UPC tag



Product#	Size		Safe Workload		Packaging	Inner Pack Quantity	Chace Bin Max. Qty.
	in.	mm.	lbs	kg			
129390	1-1/4	32	66	30	Bulk with tag	10	20



Carded




Product#	Size		Safe Workload		Package Quantity	Inner Pack Quantity
	in.	mm.	lbs	kg		
494681	1-1/4	32	66	30	1 per card	6

Bolt Snap - Round Swivel - Large Eye Nickel Plated



Dimensions

Size (in.)	Dimensions		
	A (in.)	B (in.)	C (in.)
1-1/8	4.35	1.13	0.6



Bulk with UPC tag



Product#	Size		Safe Workload		Packaging	Inner Pack Quantity	Chace Bin Max. Qty.
	in.	mm.	lbs	kg			
129980	1-1/8	26	55	25	Bulk with tag	10	20



Carded



Product#	Size		Safe Workload		Package Quantity	Inner Pack Quantity
	in.	mm.	lbs	kg		
480971	1-1/8	26	55	25	1 per card	6


Snaps

Bolt Snap Open Eye - Nickel Plated



Dimensions

Size (in.)	Dimensions			
	A (in.)	B (in.)	C (in.)	D (in.)
3-1/4	3.36	0.68	0.29	0.3



Bulk with UPC tag



Product#	Size		Safe Workload		Packaging	Inner Pack Quantity	Chace Bin Max. Qty.
	in.	mm.	lbs	kg			
131530	3-1/4	95	66	30	Bulk with tag	10	20



Carded




Product#	Size		Safe Workload		Package Quantity	Inner Pack Quantity
	in.	mm.	lbs	kg		
481351	3-1/4	95	66	30	1 per card	6

Double Bolt Snap - Nickel Plated



Dimensions

Size (in.)	Dimensions		
	A (in.)	B (in.)	C (in.)
3-1/2	3.45	0.34	0.4
4	3.98	0.48	3.8



Bulk with UPC tag



Product#	Size		Safe Workload		Packaging	Inner Pack Quantity	Chace Bin Max. Qty.
	in.	mm.	lbs	kg			
130990	3-1/2	89	42	19	Bulk with tag	10	20
131290	4	102	60	27	Bulk with tag	10	20



Carded



Product#	Size		Safe Workload		Package Quantity	Inner Pack Quantity
	in.	mm.	lbs	kg		
481001	3-1/2	89	42	19	1 per card	2
481191	4	102	60	27	1 per card	6


Snaps

Champion Snap - Nickel Plated



Dimensions

Size (in.)	Dimensions			
	A (in.)	B (in.)	C (in.)	D (in.)
3/4	3.04	0.81	0.44	0.54
1	3.01	1.05	0.42	0.52
1-1/4	3.1	1.36	0.41	0.27



Bulk with UPC tag



Product#	Size		Safe Workload		Packaging	Inner Pack Quantity	Chace Bin Max. Qty.
	in.	mm.	lbs	kg			
131610	3/4	19	24	11	Bulk with tag	10	20
131880	1	25	24	11	Bulk with tag	10	20
132340	1-1/4	32	36	16	Bulk with tag	10	20



Carded



Product#	Size		Safe Workload		Package Quantity	Inner Pack Quantity
	in.	mm.	lbs	kg		
482081	3/4	19	24	11	1 per card	6
482241	1	25	24	11	1 per card	6
482401	1-1/4	32	36	16	1 per card	6


Snaps

Security Snap - Galvanized



Dimensions

Size (in.)	Dimensions			
	A (in.)	B (in.)	C (in.)	D (in.)
2	1.99	0.66	0.32	0.27
2-3/8	2.41	0.81	0.38	0.33
2-3/4	—	—	—	—
3-1/8	3.16	1.04	0.47	0.44
4	4.02	1.33	0.65	0.55



Bulk with UPC tag



Product#	Size		Safe Workload		Packaging	Inner Pack Quantity	Chace Bin Max. Qty.
	in.	mm.	lbs	kg			
148930	2	51	110	50	Bulk with tag	20	40
149070	2-3/8	60	132	60	Bulk with tag	20	40
149160	2-3/4	70	160	73	Bulk with tag	20	40
149230	3-1/8	79	353	160	Bulk with tag	10	20
149580	4	102	507	230	Bulk with tag	5	10



Carded



Product#	Size		Safe Workload		Package Quantity	Inner Pack Quantity
	in.	mm.	lbs	kg		
491151	2	51	110	50	1 per card	6
491231	2-3/8	60	165	75	1 per card	12
491741	2-3/4	70	160	73	1 per card	12
491581	3-1/8	79	315	143	1 per card	6
491661	4	102	507	230	1 per card	6



Multi Pack



Product#	Size		Safe Workload		Package Quantity	Inner Pack Quantity
	in.	mm.	lbs	kg		
477160	2-3/8	60	132	60	5 per clam	2
491591	3-1/8	80	352	160	5 per clam	2

Snaps


Security Snap

Stainless Steel



Dimensions

Size (in.)	Dimensions			
	A (in.)	B (in.)	C (in.)	D (in.)
2	1.99	0.66	0.32	0.27
2-3/8	2.41	0.81	0.38	0.33
3-1/8	3.16	1.04	0.47	0.44
4	4.02	1.33	0.65	0.55



Bulk with UPC tag



Product#	Size		Safe Workload		Packaging	Inner Pack Quantity	Chace Bin Max. Qty.
	in.	mm.	lbs	kg			
165000	2	51	110	50	Bulk with tag	20	40
165190	2-3/8	60	132	60	Bulk with tag	20	40
165270	3-1/8	79	353	160	Bulk with tag	10	20
165350	4	102	507	230	Bulk with tag	10	20



Carded



Product#	Size		Safe Workload		Package Quantity	Inner Pack Quantity
	in.	mm.	lbs	kg		
518531	2	51	110	50	1 per card	6
518611	2-3/8	60	132	60	1 per card	6
518881	3-1/8	79	353	160	1 per card	6
518961	4	102	507	230	1 per card	6


Snaps

Security Snap - Fixed Eye - Nickel



Dimensions

Size (in.)	Dimensions		
	A (in.)	B (in.)	C (in.)
7/8	3.82	0.84	0.54



Bulk with UPC tag



Product#	Size		Safe Workload		Packaging	Inner Pack Quantity	Chace Bin Max. Qty.
	in.	mm.	lbs	kg			
147450	7/8	22	229	104	Bulk with tag	10	20



Carded




Product#	Size		Safe Workload		Package Quantity	Inner Pack Quantity
	in.	mm.	lbs	kg		
483801	7/8	22	229	104	1 per card	12

Security Snap - Swivel Eye - Nickel



Dimensions

Size (in.)	Dimensions		
	A (in.)	B (in.)	C (in.)
1	4.1	1.11	0.65



Bulk with UPC tag



Product#	Size		Safe Workload		Packaging	Inner Pack Quantity	Chace Bin Max. Qty.
	in.	mm.	lbs	kg			
147530	1 x 4	25 x 102	60	27	Bulk with tag	10	20



Carded



Product#	Size		Safe Workload		Package Quantity	Inner Pack Quantity
	in.	mm.	lbs	kg		
484021	1 x 4	25 x 102	60	27	1 per card	6


Snaps

Security Mooring Snap - Nickel



Dimensions

Size (in.)	Dimensions		
	A (in.)	B (in.)	C (in.)
5/8	3.57	0.83	0.55
3/4	3.46	0.68	0.47



Bulk with UPC tag



Product#	Size		Safe Workload		Packaging	Inner Pack Quantity	Chace Bin Max. Qty.
	in.	mm.	lbs	kg			
147610	5/8	16	238	108	Bulk with tag	5	10
147880	3/4	19	238	108	Bulk with tag	5	10



Carded




Product#	Size		Safe Workload		Package Quantity	Inner Pack Quantity
	in.	mm.	lbs	kg		
484371	5/8	16	238	108	1 per card	6
484291	3/4	19	238	108	1 per card	6

Security Mooring Snap Stainless Steel



Dimensions

Size (in.)	Dimensions		
	A (in.)	B (in.)	C (in.)
3/4 x 4	3.88	0.76	0.62



Bulk with UPC tag



Product#	Size		Safe Workload		Packaging	Inner Pack Quantity	Chace Bin Max. Qty.
	in.	mm.	lbs	kg			
165940	3/4 x 4	19 x 102	353	160	Bulk with tag	5	10



Carded



Product#	Size		Safe Workload		Package Quantity	Inner Pack Quantity
	in.	mm.	lbs	kg		
962961	3/4 x 4	19 x 102	353	160	1 per card	6


Snaps

Simplex Snap – Swivel Eye – Zinc



Dimensions

Size (in.)	Dimensions		
	A (in.)	B (in.)	C (in.)
1-1/8	1.0	0.28	0.14
1-1/4	1.16	0.44	0.16
1-5/8	1.56	0.46	0.27
2	1.93	0.64	0.28



Bulk with UPC tag

Product#	Size		Packaging	Inner Pack Quantity	Chace Bin Max. Qty.
	in.	mm.			
148340	1-1/8	25	Bulk with tag	20	40
148420	1-1/4	32	Bulk with tag	20	40
148500	1-5/8	41	Bulk with tag	20	40
148690	2	51	Bulk with tag	20	40



Carded

Product#	Size		Package Quantity	Inner Pack Quantity
	in.	mm.		
481511	1-1/8	25	2 per card	12
482911	1-1/4	32	2 per card	12
483051	1-5/8	41	2 per card	12
483131	2	51	2 per card	12


Snaps

Scissor Snap – Nickel Plated



Dimensions

Size (in.)	Dimensions				
	A (in.)	B (in.)	C (in.)	D (in.)	E (in.)
1/2	2.65	1.02	0.61	0.2	0.43
5/8	2.72	1.13	0.74	0.2	0.41
3/4	–	–	–	–	–



Bulk with UPC tag



Product#	Size		Safe Workload		Packaging	Inner Pack Quantity	Chace Bin Max. Qty.
	in.	mm.	lbs	kg			
146990	1/2	13	40	18	Bulk with tag	10	20
147020	5/8	16	44	20	Bulk with tag	10	20
184300	3/4	19	37	17	Bulk with tag	10	20



Carded



Product#	Size		Safe Workload		Package Quantity	Inner Pack Quantity
	in.	mm.	lbs	kg		
486071	1/2	13	40	18	1 per card	6
486151	5/8	16	44	20	1 per card	12

Snaps


Scissor Snap

Stainless Steel



Dimensions

Size (in.)	Dimensions				
	A (in.)	B (in.)	C (in.)	D (in.)	E (in.)
1/2	2.65	1.02	0.61	0.2	0.43
5/8	2.72	1.13	0.74	0.2	0.41



Bulk with UPC tag



Product#	Size		Safe Workload		Packaging	Inner Pack Quantity	Chace Bin Max. Qty.
	in.	mm.	lbs	kg			
166400	1/2	13	62	28	Bulk with tag	20	40
166590	5/8	16	66	30	Bulk with tag	20	40



Carded



Product#	Size		Safe Workload		Package Quantity	Inner Pack Quantity
	in.	mm.	lbs	kg		
964071	1/2	13	62	28	1 per card	3
964151	5/8	16	66	30	1 per card	3


Snaps

Lever Snap - Nickel Plated



Dimensions

Size (in.)	Dimensions		
	A (in.)	B (in.)	C (in.)
5/8	3.34	0.73	0.32
3/4	3.53	0.85	0.33
1	3.67	1	0.34
1-1/8	4.2	1.15	0.47



Bulk with UPC tag



Product#	Size		Safe Workload		Packaging	Inner Pack Quantity	Chace Bin Max. Qty.
	in.	mm.	lbs	kg			
132420	5/8	16	53	24	Bulk with tag	10	20
132770	3/4	19	53	24	Bulk with tag	10	20
135870	1	25	53	24	Bulk with tag	10	20
136090	1-1/8	29	57	26	Bulk with tag	10	20



Carded



Product#	Size		Safe Workload		Package Quantity	Inner Pack Quantity
	in.	mm.	lbs	kg		
483481	5/8	16	53	24	1 per card	12
483561	3/4	19	53	24	1 per card	6
483641	1	25	53	24	1 per card	12
483721	1-1/8	29	57	26	1 per card	12

Snaps

Open Chain Snap - Zinc



Dimensions

Size (in.)	Dimensions		
	A (in.)	B (in.)	C (in.)
3-1/8	-	-	-



Bulk with UPC tag

Product#	Size		Packaging	Inner Pack Quantity	Chace Bin Max. Qty.
	in.	mm.			
148770	3-1/8	79	Bulk with tag	10	20



Carded


Product#	Size		Package Quantity	Inner Pack Quantity
	in.	mm.		
492551	3-1/8	79	1 per card	12

Rope Snap - Zinc



Dimensions

Size (in.)	Dimensions		
	A (in.)	B (in.)	C (in.)
2-7/8	4.3	0.98	0.3



Bulk with UPC tag

Product#	Size		Packaging	Inner Pack Quantity	Chace Bin Max. Qty.
	in.	mm.			
148850	2-7/8	73	Bulk with tag	10	20



Carded

Product#	Size		Package Quantity	Inner Pack Quantity
	in.	mm.		
492711	2-7/8	73	1 per card	12


Snaps

Panic Snap - Fixed Eye - Nickel



Dimensions

Size (in.)	Dimensions		
	A (in.)	B (in.)	C (in.)
1/2	4.02	0.52	0.69



Bulk with UPC tag



Product#	Size		Safe Workload		Packaging	Inner Pack Quantity	Chace Bin Max. Qty.
	in.	mm.	lbs	kg			
147960	1/2	12	53	24	Bulk with tag	10	20



Carded




Product#	Size		Safe Workload		Package Quantity	Inner Pack Quantity
	in.	mm.	lbs	kg		
484531	1/2	12	53	24	1 per card	6

Panic Snap - Swivel Eye - Brass



Dimensions

Size (in.)	Dimensions		
	A (in.)	B (in.)	C (in.)
3/4	3.57	0.83	0.39



Bulk with UPC tag



Product#	Size		Safe Workload		Packaging	Inner Pack Quantity	Chace Bin Max. Qty.
	in.	mm.	lbs	kg			
148180	3/4	19	53	24	Bulk with tag	10	20



Carded



Product#	Size		Safe Workload		Package Quantity	Inner Pack Quantity
	in.	mm.	lbs	kg		
484611	3/4	19	53	24	1 per card	12


Snaps

Boat Snap - Fixed Eye - Bronze



Dimensions

Size (in.)	Dimensions		
	A (in.)	B (in.)	C (in.)
7/16	2.12	0.43	0.28
5/8	2.83	0.64	0.39
11/16	3.15	0.74	0.46
3/4	3.70	0.74	0.52



Bulk with UPC tag



Product#	Size		Safe Workload		Packaging	Inner Pack Quantity	Chace Bin Max. Qty.
	in.	mm.	lbs	kg			
150240	7/16	11	40	18	Bulk with tag	10	20
150320	5/8	16	55	25	Bulk with tag	10	20
150400	11/16	17	71	32	Bulk with tag	10	20
150590	3/4	19	93	42	Bulk with tag	10	20



Carded



Product#	Size		Safe Workload		Package Quantity	Inner Pack Quantity
	in.	mm.	lbs	kg		
488521	7/16	11	40	18	1 per card	6
488601	5/8	16	55	25	1 per card	6
488791	11/16	17	71	32	1 per card	6
488871	3/4	19	93	42	1 per card	6


Snaps

Boat Snap – Fixed Eye Stainless Steel



Dimensions

Size (in.)	Dimensions		
	A (in.)	B (in.)	C (in.)
5/8	2.83	0.64	0.39
3/4	3.70	0.74	0.52



Bulk with UPC tag



Product#	Size		Safe Workload		Packaging	Inner Pack Quantity	Chace Bin Max. Qty.
	in.	mm.	lbs	kg			
166080	5/8	16	77	35	Bulk with tag	10	20
166240	3/4	19	101	46	Bulk with tag	10	20



Carded



Product#	Size		Safe Workload		Package Quantity	Inner Pack Quantity
	in.	mm.	lbs	kg		
963421	5/8	16	77	35	1 per card	6
963691	3/4	19	101	46	1 per card	6


Snaps

Boat Snap - Swivel Eye - Bronze



Dimensions

Size (in.)	Dimensions		
	A (in.)	B (in.)	C (in.)
3-3/8	3.38	0.79	0.39
3-3/4	3.59	0.84	0.48
4-1/2	4.55	0.93	0.55



Bulk with UPC tag



Product#	Size		Safe Workload		Packaging	Inner Pack Quantity	Chace Bin Max. Qty.
	in.	mm.	lbs	kg			
150670	3-3/8	86	40	18	Bulk with tag	10	20
150750	3-3/4	95	44	20	Bulk with tag	10	20
150830	4-1/2	114	88	40	Bulk with tag	10	20



Carded



Product#	Size		Safe Workload		Package Quantity	Inner Pack Quantity
	in.	mm.	lbs	kg		
489841	3-3/8	86	40	18	1 per card	12
489921	3-3/4	95	44	20	1 per card	6
490181	4-1/2	114	88	40	1 per card	12


Snaps

Boat Snap - Swivel Eye - Nickel Plated



Dimensions

Size (in.)	Dimensions		
	A (in.)	B (in.)	C (in.)
3-1/4	3.4	0.77	0.39
4-1/2	4.54	0.95	0.57



Bulk with UPC tag



Product#	Size		Safe Workload		Packaging	Inner Pack Quantity	Chace Bin Max. Qty.
	in.	mm.	lbs	kg			
150910	3-1/4	89	40	18	Bulk with tag	10	20



Carded




Product#	Size		Safe Workload		Package Quantity	Inner Pack Quantity
	in.	mm.	lbs	kg		
490501	3-1/4	83	40	18	1 per card	6
490771	4-1/2	114	88	40	1 per card	12

Boat Snap – Swivel Eye Stainless Steel



Dimensions

Size (in.)	Dimensions		
	A (in.)	B (in.)	C (in.)
5/8	3.4	0.83	0.5



Bulk with UPC tag



Product#	Size		Safe Workload		Packaging	Inner Pack Quantity	Chace Bin Max. Qty.
	in.	mm.	lbs	kg			
166320	5/8	16	71	32	Bulk with tag	10	20



Carded



Product#	Size		Safe Workload		Package Quantity	Inner Pack Quantity
	in.	mm.	lbs	kg		
963771	5/8	16	71	32	1 per card	3


Snaps

Malleable Swivel - Nickel Plated



Dimensions

Size (in.)	Dimensions		
	A (in.)	B (in.)	C (in.)
1-3/4	1.91	0.32	0.6
2-3/8	2.41	0.4	0.7
2-3/4	2.75	0.53	0.66
3-1/8	3.37	0.45	1.03



Bulk with UPC tag



Product#	Size		Safe Workload		Packaging	Inner Pack Quantity	Chace Bin Max. Qty.
	in.	mm.	lbs	kg			
126290	1-3/4	44	132	60	Bulk with tag	10	20
126370	2-3/8	60	172	78	Bulk with tag	10	20
126450	2-3/4	69	238	108	Bulk with tag	10	20
126530	3-1/8	79	331	150	Bulk with tag	10	20



Carded



Product#	Size		Safe Workload		Package Quantity	Inner Pack Quantity
	in.	mm.	lbs	kg		
470231	1-3/4	44	132	60	1 per card	12
470311	2-3/8	60	172	78	1 per card	12
470581	2-3/4	69	238	108	1 per card	12
470661	3-1/8	79	331	150	1 per card	12


Snaps

Double Swivel - Die Cast Zinc



Dimensions

Size (in.)	Dimensions				
	A (in.)	B (in.)	C (in.)	D (in.)	E (in.)
5/8	2.28	1.01	0.6	0.2	0.53
3/4	2.44	1.17	0.77	0.19	0.6



Bulk with UPC tag



Product#	Size		Safe Workload		Packaging	Inner Pack Quantity	Chace Bin Max. Qty.
	in.	mm.	lbs	kg			
126610	5/8	16	53	24	Bulk with tag	10	20
126880	3/4	19	53	24	Bulk with tag	10	20



Carded




Product#	Size		Safe Workload		Package Quantity	Inner Pack Quantity
	in.	mm.	lbs	kg		
470901	5/8	16	53	24	1 per card	12
471041	3/4	19	53	24	1 per card	12

Double Swivel - Ductile Cast Iron



Dimensions

Size (in.)	Dimensions				
	A (in.)	B (in.)	C (in.)	D (in.)	E (in.)
3/16	2.68	1.3	0.55	0.36	0.59
1/4	2.94	1.44	0.67	0.33	0.58
5/16	4.13	1.87	0.87	0.48	0.86
3/8	5.48	2.28	0.81	0.62	1.19
1/2	5.55	2.55	1	0.63	1.12



Bulk with UPC tag



Product#	Size		Safe Workload		Packaging	Inner Pack Quantity	Chace Bin Max. Qty.
	in.	mm.	lbs	kg			
186350	3/16	5	591	269	Bulk with tag	10	20
186430	1/4	6	851	386	Bulk with tag	10	20
186510	5/16	8	1252	568	Bulk with tag	10	20
186780	3/8	10	2255	1023	Bulk with tag	10	20
186860	1/2	13	3607	1636	Bulk with tag	10	20

Snaps

Animal Snap - Bronze



Dimensions

Size (in.)	Dimensions				
	A (in.)	B (in.)	C (in.)	D (in.)	E (in.)
1 x 4	—	—	—	—	—

Bulk with UPC tag



Product#	Size		Safe Workload		Packaging	Inner Pack Quantity	Chace Bin Max. Qty.
	in.	mm.	lbs	kg			
200020	1 x 4	24 x 102	440	200	Bulk with tag	5	10

Carded




Product#	Size		Safe Workload		Package Quantity	Inner Pack Quantity
	in.	mm.	lbs	kg		
301011	1 x 4	24 x 102	440	200	3 per card	6

Animal Snap - Forged Steel - Bronze



Dimensions

Size (in.)	Dimensions			
	A (in.)	B (in.)	C (in.)	D (in.)
1 x 6-3/8	6.76	3.94	0.8	0.86



Bulk with UPC tag



Product#	Size		Safe Workload		Packaging	Inner Pack Quantity	Chace Bin Max. Qty.
	in.	mm.	lbs	kg			
200030	1 x 6-3/8	25 x 162	715	324	Bulk with tag	5	10


Carded



Product#	Size		Safe Workload		Package Quantity	Inner Pack Quantity
	in.	mm.	lbs	kg		
301031	1 x 6-3/8	25 x 162	440	200	1 per card	6

Eyebolts


Eyebolt - Wire Formed - Zinc



Bulk with UPC tag

Product#	Packaging	Inner Pack Quantity	Chace Bin Max. Qty.	Dimensions (in.)				
				A	B	C	D	E
121490	Bulk with tag	10	20	3/16	1-3/8	1	2	3/8
121650	Bulk with tag	10	20	3/16	1-3/4	1-5/8	2-1/2	3/8
121730	Bulk with tag	10	20	1/4	1	7/8	2	9/16
121810	Bulk with tag	10	20	1/4	1-1/2	1-3/8	2-1/2	9/16
129710	Bulk with tag	10	20	1/4	2	1-3/4	3	9/16
131020	Bulk with tag	10	20	1/4	3	2-3/4	4	9/16
131100	Bulk with tag	10	20	1/4	4	3	5	9/16
131960	Bulk with tag	10	20	1/4	5	3	6	9/16
131450	Bulk with tag	10	20	5/16	2	1-3/4	3-1/4	3/4
132180	Bulk with tag	10	20	5/16	2-1/2	2-1/4	4	3/4
132500	Bulk with tag	10	20	5/16	3-1/2	3	5	3/4
134040	Bulk with tag	10	20	5/16	4-1/2	3	6	3/4
134550	Bulk with tag	10	20	3/8	2-1/4	2	4	1
134630	Bulk with tag	10	20	3/8	3-1/4	3	5	1
134980	Bulk with tag	10	20	3/8	4-1/4	3	6	1
135440	Bulk with tag	10	20	3/8	6-1/4	3	8	1
135600	Bulk with tag	10	20	1/2	3-3/4	3	6	1-1/4
168880	Bulk with tag	10	20	1/2	5-3/4	3	8	1-1/4

Lagscrew Eyebolt - Zinc



Bulk with UPC tag

Product#	Packaging	Inner Pack Quantity	Chace Bin Max. Qty.	Dimensions (in.)				
				A	B	C	D	E
172800	Bulk with tag	10	20	1/4	1-5/16	2-3/4	3-3/4	1/2
172990	Bulk with tag	10	20	1/4	1-7/8	4	5	1/2
173020	Bulk with tag	10	20	5/16	1-7/8	2-3/4	4	5/8
173880	Bulk with tag	10	20	5/16	1-7/8	4-3/4	6	5/8
173960	Bulk with tag	10	20	3/8	1-15/16	3	4-1/2	3/4
174340	Bulk with tag	10	20	3/8	2-7/8	6-1/2	8	3/4



Carded

Product#	Package Quantity	Inner Pack Quantity	Dimensions (in.)				
			A	B	C	D	E
913242	2 per card	10	1/4	1-5/16	2-3/4	3-3/4	1/2


Eyebolts

Shoulder Eyebolt - Forged - Zinc



Bulk with UPC tag

Product#	Packaging	Inner Pack Quantity	Chace Bin Max. Qty.	Dimensions (in.)				
				A	B	C	D	E
171080	Bulk with tag	10	20	1/4	1-1/2	2	3	1/2
171240	Bulk with tag	10	20	5/16	1-1/2	2-1/4	3-1/2	5/8
171320	Bulk with tag	10	20	3/8	1-1/2	2-1/2	4	3/4
171590	Bulk with tag	10	20	1/2	1-1/2	3-1/4	5-1/4	1
171830	Bulk with tag	10	20	5/8	1-3/4	4	6-1/2	1-1/4
171910	Bulk with tag	10	20	1/4	2-1/2	4	5	1/2
172130	Bulk with tag	10	20	5/16	2-1/2	4-1/4	5-1/2	5/8
172210	Bulk with tag	10	20	3/8	2-1/2	6	7-1/2	3/4
172480	Bulk with tag	10	20	1/2	3	6	7-3/4	1



Mounting Ring - Zinc

Bulk with UPC tag



Mounting Ring - Eyebolt



Mounting Ring - Lagscrew Eyebolt

Product#	Size in.	Packaging	Inner Pack Quantity	Chace Bin Max. Qty.
174770	2" Ring x 2-1/2" Eyebolt	Bulk with tag	10	20
174850	2" ring x 4-1/2" Lagscrew Eyebolt	Bulk with tag	10	20


Hooks & Rings

J - Hook - Zinc



Dimensions

Size (in.)	Dimensions	
	A (in.)	B (in.)
1/4" x 4-1/2"	4.87	0.26



Carded


Product#	Size in.	Package Quantity	Inner Pack Quantity
407132	1/4 x 4	2 per card	6

Tarp / Rope Binding Hook - Zinc



Dimensions

Size (in.)	Dimensions		
	A (in.)	B (in.)	C (in.)
2-1/4" x 5/8"	2.2	0.73	0.24
3-1/8" x 7/8"	3.88	1.4	0.3
4-3/4" x 1-3/16"	4.97	1.52	0.4



Bulk with UPC tag

Product#	Size		Packaging	Inner Pack Quantity	Chace Bin Max. Qty.
	in.	mm.			
113980	2-1/4 x 5/8	57 x 16	Bulk with tag	10	20
114010	3-1/8 x 7/8	79 x 22	Bulk with tag	10	20
114280	4-3/4 x 1-3/16	121 x 30	Bulk with tag	10	20



Carded

Product#	Size		Package Quantity	Inner Pack Quantity
	in.	mm.		
405841	2-1/4 x 5/8	57 x 16	1 per card	12
405842	2-1/4 x 5/8	57 x 16	2 per card	12
405921	3-1/8 x 7/8	79 x 22	1 per card	12
405922	3-1/8 x 7/8	79 x 22	2 per card	12
407031	4-3/4 x 1-3/16	121 x 30	1 per card	12


Hooks & Rings

D Ring - Nickel

Dimensions



Size (in.)	Dimensions			
	A (in.)	B (in.)	C (in.)	D (in.)
5/8	0.85	0.58	0.12	0.42
3/4	1.03	0.76	0.14	0.64
1	1.22	1	0.12	0.89
1-1/8	1.33	1.13	0.12	0.95
1-5/16	1.64	1.34	0.16	1
1-5/8	1.97	1.67	0.15	1.4
2	2.36	2.02	0.17	1.33
2	2.6	2	0.3	1.79



Bulk with UPC tag

Product#	Size		Packaging	Inner Pack Quantity	Chace Bin Max. Qty.
	in.	mm.			
175230	5/8	16	Bulk with tag	10	20
175310	3/4	25	Bulk with tag	10	20
175580	1	29	Bulk with tag	10	20
175660	1-1/8	29	Bulk with tag	10	20
175740	1-5/16	33	Bulk with tag	10	20
175820	1-5/8	33	Bulk with tag	10	20
175900	2	51	Bulk with tag	10	20
176040	2	51	Bulk with tag	10	20


Hooks & Rings

Key Ring - Split Round - Nickel



Dimensions

Size (in.)	Dimensions		
	A (in.)	B (in.)	C (in.)
5/8	0.79	0.67	0.06
3/4	0.89	0.75	0.07
1	1	0.85	0.07
1-1/4	—	—	—
1-1/2	1.48	1.31	0.1



Bulk with UPC tag

Product#	Size		Packaging	Inner Pack Quantity	Chace Bin Max. Qty.
	in.	mm.			
993330	5/8	16	Bulk with tag	10	20
993410	3/4	19	Bulk with tag	10	20
993760	1	25	Bulk with tag	10	20
996840	1-1/4	32	Bulk with tag	10	20
994060	1-1/2	38	Bulk with tag	10	20


Hooks & Rings

Harness Ring - Nickel



Dimensions

Size (in.)	Dimensions		
	A (in.)	B (in.)	C (in.)
1	1.34	1.02	0.15
1-1/4	1.67	1.31	0.19
1-3/8	1.81	1.4	0.2
1-1/2	1.96	1.49	0.23
2	2.48	2.05	0.23



Bulk with UPC tag

Product#	Size		Packaging	Inner Pack Quantity	Chace Bin Max. Qty.
	in.	mm.			
154580	1	25	Bulk with tag	10	20
154660	1-1/4	32	Bulk with tag	10	20
154740	1-3/8	35	Bulk with tag	10	20
154820	1-1/2	38	Bulk with tag	10	20
154900	2	51	Bulk with tag	10	20



Carded

Product#	Size		Package Quantity	Inner Pack Quantity
	in.	mm.		
463611	1	25	2 per card	12
463881	1-1/4	32	2 per card	12
463961	1-3/8	35	2 per card	12
464181	1-1/2	38	1 per card	12
464261	2	51	1 per card	12

Harness Ring Stainless Steel



Bulk with UPC tag

Product#	Size		Packaging	Inner Pack Quantity	Chace Bin Max. Qty.
	in.	mm.			
166750	1	25	Bulk with tag	10	20
167050	2	51	Bulk with tag	10	20

Rope Accessories

Rope Clamp - Zinc



Bulk with UPC tag

Product#	Size		Packaging	Inner Pack Quantity	Chace Bin Max. Qty.
	in.	mm.			
124590	3/8	10	Bulk with tag	10	20
125800	1/2	13	Bulk with tag	10	20
126100	5/8	16	Bulk with tag	10	20



Carded

Product#	Size		Package Quantity	Inner Pack Quantity
	in.	mm.		
955671	3/8	10	2 per card	6
955751	1/2	13	2 per card	12
955911	5/8	16	1 per card	12


Rope Accessories

Rope Cleat - Nickel



Dimensions

Size (in.)	Dimensions				
	A (in.)	B (in.)	C (in.)	D (in.)	E (in.)
2-1/2	2.6	0.9	0.5	0.38	0.15
4-1/2	4.4	1.55	0.8	0.77	0.32
6	—	—	—	—	—



Bulk with UPC tag

Product#	Size		Packaging	Inner Pack Quantity	Chace Bin Max. Qty.
	in.	mm.			
122700	2-1/2	64	Bulk with tag	5	10
124080	4-1/2	114	Bulk with tag	5	10
124400	6	152	Bulk with tag	10	20



Carded

Product#	Size		Package Quantity	Inner Pack Quantity
	in.	mm.		
966361	2-1/2	64	2 per card	12
966521	4-1/2	114	1 per card	6


Rope Accessories

Rope Cleat - Brass



Dimensions

Size (in.)	Dimensions				
	A (in.)	B (in.)	C (in.)	D (in.)	E (in.)
2-1/2	2.6	0.9	0.5	0.38	0.15
4-1/2	4.4	1.55	0.8	0.77	0.32



Bulk with UPC tag

Product#	Size		Packaging	Inner Pack Quantity	Chace Bin Max. Qty.
	in.	mm.			
123940	2-1/2	64	Bulk with tag	5	10



Carded



Product#	Size		Package Quantity	Inner Pack Quantity
	in.	mm.		
966441	2-1/2	64	2 per card	12
966791	4-1/2	114	1 per card	6

Rope Cleat - Hollow Base - Chrome Plated



Dimensions

Size (in.)	Dimensions			
	A (in.)	B (in.)	C (in.)	D (in.)
4-1/2	4.5	1.63	2.18	1



Bulk with UPC tag

Product#	Size		Packaging	Inner Pack Quantity	Chace Bin Max. Qty.
	in.	mm.			
986470	4-1/2	114	Bulk with tag	5	10


Rope Accessories

Rope Pulley - Single Sheave, Fixed Eye - Zinc



Dimensions

Size (in.)	Dimensions				
	A (in.)	B (in.)	C (in.)	D (in.)	E (in.)
1/2	1.45	0.37	0.17	0.28	0.5
3/4	1.6	0.56	0.17	0.26	0.52
1	2.04	0.75	0.24	0.37	0.58
1-1/4	2.87	1	0.38	0.46	0.68
1-1/2	2.98	1.15	0.37	0.46	0.72
2	3.79	1.6	0.48	0.46	0.8
2-1/2	—	—	—	—	—
3	4.9	2.24	0.61	0.52	0.92



Bulk with UPC tag



Product#	Size		Safe Workload		Packaging	Inner Pack Quantity	Chace Bin Max. Qty.
	in.	mm.	lbs	kg			
147290	1/2	13	110	50	Bulk with tag	20	40
147370	3/4	19	110	50	Bulk with tag	20	40
149150	1	25	110	50	Bulk with tag	20	40
149310	1-1/4	32	176	80	Bulk with tag	20	40
151130	1-1/2	38	176	80	Bulk with tag	20	40
151210	2	64	220	100	Bulk with tag	5	10
151560	2-1/2	64	220	100	Bulk with tag	5	10
151640	3	76	264	120	Bulk with tag	5	10



Carded



Product#	Size		Safe Workload		Package Quantity	Inner Pack Quantity
	in.	mm.	lbs	kg		
532602	1/2	13	110	50	1 per card	6
532601	1/2	13	110	50	2 per card	12
532792	3/4	19	110	50	1 per card	12
532791	3/4	19	110	50	2 per card	12
532871	1	25	110	50	1 per card	12
532951	1-1/4	32	176	80	1 per card	6
533091	1-1/2	38	176	80	1 per card	6
533171	2	51	220	80	1 per card	6


Rope Accessories

Rope Pulley - Single Sheave, Swivel Eye - Zinc



Dimensions

Size (in.)	Dimensions				
	A (in.)	B (in.)	C (in.)	D (in.)	E (in.)
3/4	1.86	0.58	0.45	0.25	0.5
1	2.33	0.75	0.45	0.35	0.62
1-1/4	3.39	0.99	0.83	0.46	0.7
1-1/2	3.48	1.15	0.81	0.46	0.72
2	4.1	1.63	0.83	0.46	0.79



Bulk with UPC tag



Product#	Size		Safe Workload		Packaging	Inner Pack Quantity	Chace Bin Max. Qty.
	in.	mm.	lbs	kg			
151720	3/4	19	88	40	Bulk with tag	20	40
151800	1	25	88	40	Bulk with tag	20	40
151990	1-1/4	32	132	60	Bulk with tag	20	40
152020	1-1/2	38	132	60	Bulk with tag	10	20
152100	2	51	132	60	Bulk with tag	5	10



Carded



Product#	Size		Safe Workload		Package Quantity	Inner Pack Quantity
	in.	mm.	lbs	kg		
533332	3/4	19	88	40	1 per card	6
533331	3/4	19	88	40	2 per card	3
533411	1	25	88	40	1 per card	6
533681	1-1/4	32	132	60	1 per card	6
533761	1-1/2	38	132	60	1 per card	6


Rope Accessories

Rope Pulley - Double Sheave, Swivel Eye - Zinc



Dimensions

Size (in.)	Dimensions				
	A (in.)	B (in.)	C (in.)	D (in.)	E (in.)
3/4	1.88	0.56	0.45	0.27	0.89
1	2.31	0.76	0.45	0.36	1.08
1-1/4	3.28	0.99	0.82	0.46	1.39
1-1/2	3.47	1.14	0.82	0.46	1.35



Bulk with UPC tag



Product#	Size		Safe Workload		Packaging	Inner Pack Quantity	Chace Bin Max. Qty.
	in.	mm.	lbs	kg			
152290	3/4	19	88	40	Bulk with tag	10	20
152370	1	25	88	40	Bulk with tag	10	20
152450	1-1/4	32	132	60	Bulk with tag	10	20
152530	1-1/2	38	132	60	Bulk with tag	10	20



Carded



Product#	Size		Safe Workload		Package Quantity	Inner Pack Quantity
	in.	mm.	lbs	kg		
534731	3/4	19	88	40	1 per card	6
534811	1	25	88	40	1 per card	6
536001	1-1/4	32	132	60	1 per card	6
536191	1-1/2	38	132	60	1 per card	6


Rope Accessories

Rope Pulley - Double Sheave, Fixed Eye - Zinc



Dimensions

Size (in.)	Dimensions			
	A (in.)	B (in.)	C (in.)	D (in.)
1-1/2	3.3	1.65	0.53	0.5



Bulk with UPC tag




Product#	Size		Safe Workload		Packaging	Inner Pack Quantity	Chace Bin Max. Qty.
	in.	mm.	lbs	kg			
152380	1-1/2	38	400	181	Bulk with tag	6	12

Heavy Duty Rope Pulley - Single Sheave - Fixed Eye - Zinc



Dimensions

Size (in.)	Dimensions			
	A (in.)	B (in.)	C (in.)	D (in.)
1-1/2	3.09	1.6	0.52	0.74
2-1/2	4.2	1.98	0.51	0.49



Bulk with UPC tag



Product#	Size		Safe Workload		Packaging	Inner Pack Quantity	Chace Bin Max. Qty.
	in.	mm.	lbs	kg			
152960	1-1/2	38	330	150	Bulk with tag	2	4
153180	2-1/2	64	551	250	Bulk with tag	2	4



Carded



Product#	Size		Safe Workload		Package Quantity	Inner Pack Quantity
	in.	mm.	lbs	kg		
530151	1-1/2	38	330	150	1 per card	6


Rope Accessories

Heavy Duty Rope Pulley - Single Sheave - Swivel Eye - Zinc



Dimensions

Size (in.)	Dimensions				
	A (in.)	B (in.)	C (in.)	D (in.)	E (in.)
1-1/2	3.83	0.91	0.4	0.49	0.79
2-1/2	4.8	1.98	0.4	0.48	0.79
3	5.35	2.17	0.4	0.64	1.02



Bulk with UPC tag



Product#	Size		Safe Workload		Packaging	Inner Pack Quantity	Chace Bin Max. Qty.
	in.	mm.	lbs	kg			
152610	1-1/2	38	440	200	Bulk with tag	2	4
152880	2-1/2	64	551	250	Bulk with tag	2	4
152360	3	76	650	294	Bulk with tag	6	10



Carded




Product#	Size		Safe Workload		Package Quantity	Inner Pack Quantity
	in.	mm.	lbs	kg		
530311	1-1/2	38	440	200	1 per card	6

Heavy Duty Rope Pulley - Wall - Zinc



Dimensions

Size (in.)	Dimensions			
	A (in.)	B (in.)	C (in.)	D (in.)
1-1/2	2.78	1.1	0.26	0.4



Bulk with UPC tag



Product#	Size		Safe Workload		Packaging	Inner Pack Quantity	Chace Bin Max. Qty.
	in.	mm.	lbs	kg			
152390	1-1/2	38	420	191	Bulk with tag	2	4


Rope Accessories

Rope Pulley - Single Sheave - Double Hooks - Zinc



Dimensions

Size (in.)	Dimensions			
	A (in.)	B (in.)	C (in.)	D (in)
2	—	—	—	—
3	6.86	3.13	0.55	0.7



Bulk with UPC tag



Product#	Size		Safe Workload		Packaging	Inner Pack Quantity	Chace Bin Max. Qty.
	in.	mm.	lbs	kg			
153260	2	51	440	200	Bulk with tag	2	4
153340	3	76	661	300	Bulk with tag	2	4



Carded



Product#	Size		Safe Workload		Package Quantity	Inner Pack Quantity
	in.	mm.	lbs	kg		
529141	2	51	440	200	1 per card	6


Heavy Duty Accessories

Heavy Duty Block Pulley



Dimensions

Size (in.)	Dimensions				
	A (in.)	B (in.)	C (in.)	D (in.)	E (in.)
4	8.5	3.32	1	0.7	2.16
5	10	4	1.62	0.92	2.52
6	14	6	1.72	1.1	2.9



Bulk with UPC label




Product#	Size		Safe Workload		Packaging	Inner Pack Quantity	Chace Bin Max. Qty.
	in.	mm.	lbs	kg			
153360	4	101	6000 lbs	2721	Bulk with label	1	
153370	5	127	9000 lbs	4082	Bulk with label	1	
153380	6	152	6 ton	5443	Bulk with label	1	

Heavy Duty Snatch Block



Dimensions

Size (ton)	Dimensions						
	A (in.)	B (in.)	C (in.)	D (in.)	E (in.)	F (in.)	G (in.)
1	8.5	3.32	1	0.7	2.16		



Bulk with UPC label



Product#	Size	Safe Workload		Packaging	Inner Pack Quantity	Chace Bin Max. Qty.
		lbs	kg			
153350	1 ton	2000	907	Bulk with label	1	

Stainless Steel Accessories



Chain Accessories **Stainless Steel**

Wire Rope Clips **Stainless Steel**



Bulk with UPC tag

Product#	Size		Packaging	Inner Pack Quantity	Chase Bin Max. Qty.
	in.	mm.			
159380	1/8	3	Bulk with tag	20	40
159460	3/16	5	Bulk with tag	20	40
159540	1/4	6	Bulk with tag	20	40
159620	5/16	8	Bulk with tag	20	40
159700	3/8	9	Bulk with tag	10	20



Carded

Product#	Size		Package Quantity	Inner Pack Quantity
	in.	mm.		
952491	1/8	3	3 per card	6
952571	3/16	5	2 per card	6
952651	1/4	6	1 per card	6
952731	5/16	8	1 per card	6
952811	3/8	9	1 per card	6

Wire Rope Thimble **Stainless Steel**



Bulk with UPC tag

Product#	Size		Packaging	Inner Pack Quantity	Chase Bin Max. Qty.
	in.	mm.			
162680	1/8	3	Bulk with tag	20	40
162760	3/16	5	Bulk with tag	20	40
164540	1/4	6	Bulk with tag	20	40
164620	5/8	8	Bulk with tag	20	40
164970	3/8	9	Bulk with tag	20	40



Carded

Product#	Size		Package Quantity	Inner Pack Quantity
	in.	mm.		
953701	1/8	3	1 per card	6
953891	3/16	5	1 per card	6
953971	1/4	6	1 per card	6
954001	5/16	8	1 per card	3
954191	3/8	9	1 per card	3

Chain Accessories

Stainless Steel

Wire Rope Clips & Thimbles

Stainless Steel



Carded

Product#	Size		Package Quantity	Inner Pack Quantity
	in.	mm.		
449391	1/8	3	2 wire rope clips & 1 thimble per card	3
449401	3/16	5	2 wire rope clips & 1 thimble per card	3

Double Wire Rope Clamp

Stainless Steel



Bulk with UPC tag

Product#	Size		Packaging	Inner Pack Quantity	Chase Bin Max. Qty.
	in.	mm.			
159890	1/8	3	Bulk with tag	20	40
159970	3/16	5	Bulk with tag	20	40
162330	1/4	6	Bulk with tag	10	20
162410	5/16	8	Bulk with tag	10	20



Carded

Product#	Size		Package Quantity	Inner Pack Quantity
	in.	mm.		
957291	1/8	3	1 per card	6
957451	3/16	5	1 per card	6
957531	1/4	6	1 per card	3
957961	5/16	8	1 per card	6

Chain Accessories

Stainless Steel


Anchor Shackle

Stainless Steel



Dimensions

Size (in.)	Dimensions				
	D (mm.)	d (mm.)	b (mm.)	h (mm.)	r (mm.)
1/8	—	—	—	—	—
3/16	5	5	10	20	15
1/4	6	6	12	24	18
5/16	8	8	16	32	24
3/8	10	10	20	40	30



Bulk with UPC tag



Product#	Size		Safe Workload		Packaging	Inner Pack Quantity	Chace Bin Max. Qty.
	in.	mm.	lbs	kg			
158140	1/8	3	90	41	Bulk with tag	20	40
158220	3/16	5	175	79	Bulk with tag	20	40
158810	1/4	6	220	100	Bulk with tag	20	40
159030	5/16	8	440	200	Bulk with tag	10	20
159110	3/8	10	705	320	Bulk with tag	10	20



Carded



Product#	Size		Safe Workload		Package Quantity	Inner Pack Quantity
	in.	mm.	lbs	kg		
955161	1/8	3	90	41	1 per card	6
955241	3/16	5	175	79	1 per card	6
955321	1/4	6	220	100	1 per card	6
955401	5/16	8	440	200	1 per card	6
955591	3/8	10	705	320	1 per card	6

Chain Accessories

Stainless Steel


Quick Link

Stainless Steel



Dimensions

Size (in.)	Dimensions			
	A (in.)	B (in.)	C (in.)	D (in.)
1/8	1.31	0.4	0.13	0.24
3/16	1.65	0.5	0.18	0.31
1/4	1.84	0.52	0.22	0.33
5/16	2.3	0.67	0.3	0.45
3/8	2.61	0.77	0.34	0.53



Bulk with UPC tag



Product#	Size		Safe Workload		Packaging	Inner Pack Quantity	Chace Bin Max. Qty.
	in.	mm.	lbs	kg			
157680	1/8	3	220	100	Bulk with tag	20	40
157760	3/16	5	400	181	Bulk with tag	20	40
157840	1/4	6	640	290	Bulk with tag	20	40
157920	5/16	8	1550	703	Bulk with tag	10	20
158060	3/8	10	1800	816	Bulk with tag	10	20



Carded



Product#	Size		Safe Workload		Package Quantity	Inner Pack Quantity
	in.	mm.	lbs	kg		
951411	1/8	3	220	100	1 per card	6
951681	3/16	5	400	181	1 per card	6
951761	1/4	6	640	290	1 per card	6
951841	5/16	8	1550	703	1 per card	6
951921	3/8	10	1800	816	1 per card	6


Bolt Snap – Round Swivel

Stainless Steel



Dimensions

Size (in.)	Dimensions		
	A (in.)	B (in.)	C (in.)
3/8	2.6	0.45	0.32
1/2	3.1	0.56	0.42



Bulk with UPC tag



Product#	Size		Safe Workload		Packaging	Inner Pack Quantity	Chace Bin Max. Qty.
	in.	mm.	lbs	kg			
165780	3/8	10	44	20	Bulk with tag	10	20
165860	1/2	13	66	30	Bulk with tag	10	20



Carded



Product#	Size		Safe Workload		Package Quantity	Inner Pack Quantity
	in.	mm.	lbs	kg		
962371	3/8	10	44	20	1 per card	6
962451	1/2	13	66	30	1 per card	6

Chain Accessories

Stainless Steel


Security Snap

Stainless Steel



Dimensions

Size (in.)	Dimensions			
	A (in.)	B (in.)	C (in.)	D (in.)
2	1.99	0.66	0.32	0.27
2-3/8	2.41	0.81	0.38	0.33
3-1/8	3.16	1.04	0.47	0.44
4	4.02	1.33	0.65	0.55



Bulk with UPC tag



Product#	Size		Safe Workload		Packaging	Inner Pack Quantity	Chace Bin Max. Qty.
	in.	mm.	lbs	kg			
165000	2	51	110	50	Bulk with tag	20	40
165190	2-3/8	60	132	60	Bulk with tag	20	40
165270	3-1/8	79	353	160	Bulk with tag	10	20
165350	4	102	507	230	Bulk with tag	10	20



Carded



Product#	Size		Safe Workload		Package Quantity	Inner Pack Quantity
	in.	mm.	lbs	kg		
518531	2	51	110	50	1 per card	6
518611	2-3/8	60	132	60	1 per card	6
518881	3-1/8	79	353	160	1 per card	6
518961	4	102	507	230	1 per card	6

Chain Accessories

Stainless Steel


Security Mooring Snap

Stainless Steel



Dimensions

Size (in.)	Dimensions		
	A (in.)	B (in.)	C (in.)
3/4 x 4	3.88	0.76	0.62



Bulk with UPC tag



Product#	Size		Safe Workload		Packaging	Inner Pack Quantity	Chace Bin Max. Qty.
	in.	mm.	lbs	kg			
165940	3/4 x 4	19 x 102	353	160	Bulk with tag	5	10



Carded



Product#	Size		Safe Workload		Package Quantity	Inner Pack Quantity
	in.	mm.	lbs	kg		
962961	3/4 x 4	19 x 102	353	160	1 per card	6


Scissor Snap

Stainless Steel



Dimensions

Size (in.)	Dimensions				
	A (in.)	B (in.)	C (in.)	D (in.)	E (in.)
1/2	2.65	1.02	0.61	0.2	0.43
5/8	2.72	1.13	0.74	0.2	0.41



Bulk with UPC tag



Product#	Size		Safe Workload		Packaging	Inner Pack Quantity	Chace Bin Max. Qty.
	in.	mm.	lbs	kg			
166400	1/2	13	62	28	Bulk with tag	20	40
166590	5/8	16	66	30	Bulk with tag	20	40



Carded



Product#	Size		Safe Workload		Package Quantity	Inner Pack Quantity
	in.	mm.	lbs	kg		
964071	1/2	13	62	28	1 per card	3
964151	5/8	16	66	30	1 per card	3

Chain Accessories

Stainless Steel


Boat Snap – Fixed Eye

Stainless Steel



Dimensions

Size (in.)	Dimensions		
	A (in.)	B (in.)	C (in.)
5/8	2.83	0.64	0.39
3/4	3.70	0.74	0.52



Bulk with UPC tag



Product#	Size		Safe Workload		Packaging	Inner Pack Quantity	Chace Bin Max. Qty.
	in.	mm.	lbs	kg			
166080	5/8	16	77	35	Bulk with tag	10	20
166240	3/4	19	101	46	Bulk with tag	10	20



Carded



Product#	Size		Safe Workload		Package Quantity	Inner Pack Quantity
	in.	mm.	lbs	kg		
963421	5/8	16	77	35	1 per card	6
963691	3/4	19	101	46	1 per card	6


Chain Accessories **Stainless Steel**

Boat Snap – Swivel Eye **Stainless Steel**



Dimensions

Size (in.)	Dimensions		
	A (in.)	B (in.)	C (in.)
5/8	3.4	0.83	0.5



Bulk with UPC tag



Product#	Size		Safe Workload		Packaging	Inner Pack Quantity	Chace Bin Max. Qty.
	in.	mm.	lbs	kg			
166320	5/8	16	71	32	Bulk with tag	10	20



Carded




Product#	Size		Safe Workload		Package Quantity	Inner Pack Quantity
	in.	mm.	lbs	kg		
963771	5/8	16	71	32	1 per card	3

Harness Ring **Stainless Steel**



Dimensions

Size (in.)	Dimensions		
	A (in.)	B (in.)	C (in.)
1	1.34	1.02	0.15
2	0.86	0.47	0.28




Bulk with UPC tag

Product#	Size		Packaging	Inner Pack Quantity	Chace Bin Max. Qty.
	in.	mm.			
166750	1	25	Bulk with tag	10	20
167050	2	51	Bulk with tag	10	20




Farm Hardware



[Back to Table of Contents](#)

Farm Hardware

Hair Pin Clips - External




Bag with label on outside

Product#	Size	Diameter	Dimensions		Unit per Package
	trade	in.	A (Overall length)	B Eye (I.D.)	
938310	1x	1/32	15/32	3/32	19 / bag
938580	2x	1/16	1	3/16	13 / bag
938660	3x	1/16	11/16	1/8	12 / bag
938740	4x	3/64	7/8	1/8	13 / bag
938820	5x	1/32	1/2	1/8	15 / bag
938900	6x	3/64	15/16	3/16	12 / bag
940050	7xx	7/64	2-1/16	7/16	12 / bag
940130	10x	11/64	2-5/8	3/4	5 / bag

Sold in multi-pack bags

Hair Pin Clips - Internal



Bag with label on outside

Product#	Size	Diameter	Dimensions		Unit per Package
	trade	in.	A (Overall length)	B Eye (I.D.)	
939120	3	3/32	1-11/16	7/16	11 / bag
940210	4	11/16	3	5/8	6 / bag
940480	5	11/64	2-5/8	7/8	6 / bag
939200	6	3/16	3-1/4	7/8	7 / bag
939390	7	3/32	2-5/16	5/8	15 / bag
939470	8	3/16	3-3/4	7/8	7 / bag
939550	9	5/32	3-5/16	3/4	9 / bag
943150	10	5/32	2-15/16	3/4	7 / bag
939630	11	1/8	2-5/8	9/16	13 / bag
942770	12	11/64	3-7/16	7/8	5 / bag
943230	13	3/32	1-3/16	1/4	16 / bag
943310	14	3/32	2-1/2	5/8	8 / bag
940560	15	1/8	1-9/16	7/16	12 / bag
939710	16	1/8	2	1/2	17 / bag
940640	17	3/32	1-9/16	5/16	19 / bag
942420	18	1/16	1-9/16	5/16	18 / bag
939980	19	1/4	4-1/4	3/4	4 / bag
942500	20	5/16	4	7/8	3 / bag
942690	21	3/64	9/16	1/8	16 / bag
939040	22	1/16	1-3/8	1/4	11 / bag
942850	23	3/64	1	1/4	13 / bag
942930	24	3/64	1-9/16	5/16	13 / bag
943070	25	5/64	1-3/32	9/64	13 / bag

Sold in multi-pack bags

Farm Hardware

Hitch Pin - Premium Quality - measured from under the shoulder to top of head



Bulk with UPC tag

Product#	Diameter	Usable length	Packaging
	in.	in.	
193480	1/2	3-5/8	Bulk with tag
193560	5/8	4	Bulk with tag
193640	3/4	4-1/2	Bulk with tag
193720	7/8	4-1/2	Bulk with tag
193800	1	4-1/2	Bulk with tag
193990	5/8	5-1/2	Bulk with tag
194020	3/4	6-1/2	Bulk with tag
194100	7/8	6-1/2	Bulk with tag
194370	1	7-1/2	Bulk with tag
194530	1-1/8	8-1/2	Bulk with tag
194610	1-1/4	8-1/2	Bulk with tag

Sold as eaches with tag

Hitch Pin - Foldover Handle with Chain - measured from under the Collar to Lynch Pin



Bulk with UPC tag

Product#	Diameter	Usable length	Packaging
	in.	in.	
195260	1/2	4-1/4	Bulk with tag
195420	5/8	4-1/4	Bulk with tag
195500	5/8	6-1/4	Bulk with tag
195690	3/4	4-1/4	Bulk with tag
195770	3/4	6-1/4	Bulk with tag
195850	7/8	6-1/4	Bulk with tag
195930	1	6-1/4	Bulk with tag
196070	1-1/8	6-1/4	Bulk with tag
196150	1-1/4	6-1/4	Bulk with tag

Sold as eaches with tag

Farm Hardware

Lift Arm Pins - Adjustable



Bulk with UPC tag

Product#	Category	Pin diameter	Thread diameter	Usable length	Overall length	Packaging
		in.	in.	in.	in.	
209660	1	7/8	7/8	Adjustable	6-1/4	Bulk with tag
210160	1 to 2	1-1/8	7/8	Adjustable	5-3/16	Bulk with tag
210670	2	1-1/8	1-1/8	Adjustable	6-1/4	Bulk with tag
211050	1	7/8	7/8	Adjustable	5-5/16	Bulk with tag

Sold as eaches with tag

Lift Arm Pins - Forged - measured from under the collar to top of hole



Bulk with UPC tag

Product#	Category	Pin diameter	Thread diameter	Usable length	Overall length	Packaging
		in.	in.	in.	in.	
209580	1	7/8	7/8	1-3/4	5-1/2	Bulk with tag
209900	1	7/8	7/8	2-1/4	6-1/2	Bulk with tag
210240	1 to 2	1-1/8	7/8	1-3/4	5-1/4	Bulk with tag
210320	2 to 1	7/8	1-1/8	1-3/4	5-3/4	Bulk with tag
210400	2	1-1/8	1-1/8	1-3/4	6-1/4	Bulk with tag

Sold as eaches with tag

Top Link Pin - measured from under the collar to top of hole



Bulk with UPC tag

Product#	Category	Pin diameter	Usable length	Overall length	Packaging
		in.	in.	in.	
208500	1	3/4	2-3/4	4-1/2	Bulk with tag
208690	1	3/4	3-7/8	5-1/2	Bulk with tag
208930	2	1	3-9/16	5-1/4	Bulk with tag
209070	2	1	4-5/16	6	Bulk with tag

Sold as eaches with tag

Farm Hardware

Tractor Drawbar Hook




Bulk with UPC tag

Product#	Chain size	Jaw	Pin (dia. x length)	Overall length	Packaging
		in.	in.	in.	
188130	5/16 - 1/2	1-5/8	3/4 x 3	7	Bulk with tag

Sold as eaches with tag

Bushings - Top Link




Bulk with UPC tag

Product#	Category	Dimensions			Packaging
		A	B	C	
212370	1 to 2	2	1	3/4	Bulk with tag
215550	2 to 3	2	1-1/4	1	Bulk with tag

Sold as eaches with tag

Bushings - Lift Arm



Bulk with UPC tag

Product#	Category	Dimensions			Packaging
		A	B	C	
221600	1 to 2	1-3/4	1-1/8	7/8	Bulk with tag
221790	2 to 3	1-3/4	1-7/16	1-1/8	Bulk with tag
221870	2 to 3	2-1/2	1-7/16	1-1/8	Bulk with tag

Sold as eaches with tag

Farm Hardware

Clevis Pin



Bulk with UPC tag - Sold in bags

Product#	Dimensions			Packaging
	A (Pin diameter)	B	C	
197710	1/4	1	1-1/4	10 / bag with tag
197980	1/4	1-1/2	1-3/4	10 / bag with tag
198010	1/4	2	2-1/4	10 / bag with tag
198870	5/16	1	1-1/4	10 / bag with tag
198950	5/16	1-1/2	1-3/4	10 / bag with tag
199090	5/16	2	2-1/4	10 / bag with tag
199170	3/8	1	1-1/4	10 / bag with tag
199250	3/8	1-1/2	1-3/4	10 / bag with tag
199330	3/8	2	2-1/4	10 / bag with tag
199410	7/16	1	1-1/4	10 / bag with tag
199680	7/16	1-1/2	1-3/4	10 / bag with tag
199760	7/16	2	2-1/4	10 / bag with tag
199840	1/2	1	1-1/4	10 / bag with tag
200790	1/2	1-1/2	1-3/4	10 / bag with tag
201330	1/2	2	2-1/4	10 / bag with tag

Sold with individual UPC tags


Bag with label on outside - No individual tags

Product#	Dimensions			Unit per Package
	A (Pin diameter)	B	C	
985230	1/4	1	1-1/4	10 / bag
985310	1/4	1-1/2	1-3/4	10 / bag
985580	1/4	2	2-1/4	10 / bag
985660	5/16	1	1-1/4	10 / bag
985740	5/16	1-1/2	1-3/4	10 / bag
985900	5/16	2	2-1/4	10 / bag
986040	3/8	1	1-1/4	10 / bag
986120	3/8	1-1/2	1-3/4	10 / bag
986200	3/8	2	2-1/4	10 / bag
986390	7/16	1	1-1/4	10 / bag
986710	7/16	1-1/2	1-3/4	10 / bag
986980	7/16	2	2-1/4	10 / bag
987280	1/2	1	1-1/4	10 / bag
987360	1/2	1-1/2	1-3/4	10 / bag
987440	1/2	2	2-1/4	10 / bag

Sold in multi-pack bags

Farm Hardware

Universal Clevis Pin



Bulk with UPC tag - Sold in bags

Product#	Dimensions		Package Description
	A	B	
196580	1/4	2	10 / bag with tag
196660	5/16	2	10 / bag with tag
196740	3/8	2	10 / bag with tag
196820	7/16	2	10 / bag with tag
196900	1/2	2	10 / bag with tag
197120	1/2	3	10 / bag with tag
197200	5/8	3	10 / bag with tag
197470	3/4	3	10 / bag with tag

Sold with individual UPC tags

Bag with tag on outside of Inner Pack

Product#	Dimensions		Unit per Package
	A	B	
979260	1/4	2	10 / bag
979340	5/16	2	10 / bag
979420	3/8	2	10 / bag
979500	7/16	2	10 / bag
979690	1/2	2	10 / bag
979770	1/2	3	10 / bag
979850	5/8	3	10 / bag
979930	3/4	3	10 / bag

Sold in multi-pack bags

Cotter Pin




Bag with label on outside - No individual tags

Product#	Dimensions		Unit per Package
	A	B	
987870	1/16	1	110 / bag
987950	3/32	1	100 / bag
988680	1/8	1	100 / bag
988840	1/8	1-1/2	75 / bag
988920	1/8	2	60 / bag
989060	5/32	1	75 / bag
989140	5/32	1-1/2	55 / bag
989220	5/32	2	45 / bag
989300	3/16	1	40 / bag
989490	3/16	1-1/2	35 / bag
989570	3/16	2	30 / bag
989650	1/4	1-1/2	20 / bag
989730	1/4	2	17 / bag
989810	5/16	1-1/2	12 / bag
991630	5/16	2	10 / bag

Sold in multi-pack bags

Farm Hardware

Lynch Pin



Bulk with UPC tag - Sold in bags

Product#	Pin diameter	Dimensions			Package Description
	in.	A	B	C	
188640	3/16	1-1/4	1-9/16	1-3/8	10 / bag with tag
188720	1/4	1-1/4	1-9/16	1-3/8	10 / bag with tag
188800	5/16	1-3/8	1-3/4	1-5/8	10 / bag with tag
188990	3/8	1-3/8	1-3/4	1-5/8	10 / bag with tag
189020	7/16	1-1/2	1-9/16	1-5/8	10 / bag with tag
189100	7/16	1-1/2	1-3/4	1-5/8	10 / bag with tag


Sold with individual UPC tags

Bag with label on outside - No individual tags

Product#	Pin diameter	Dimensions			Unit per Package
	in.	A	B	C	
933430	3/16	1-1/4	1-9/16	1-3/8	10 / bag
933510	1/4	1-1/4	1-9/16	1-3/8	10 / bag
933780	5/16	1-3/8	1-3/4	1-5/8	10 / bag
933860	3/8	1-3/8	1-3/4	1-5/8	10 / bag
933940	7/16	1-1/2	1-9/16	1-5/8	10 / bag
934080	7/16	1-1/2	1-3/4	1-5/8	10 / bag

Sold in multi-pack bags

Quick Pin - Round



Bulk with UPC tag - Sold in bags

Product#	Pin diameter	Dimensions		Package Description
	in.	A	B	
190110	1/4	1-5/8	1-3/8	5 / bag with tag
190620	1/4	2	1-3/4	5 / bag with tag
191000	5/16	1-5/8	1-3/8	5 / bag with tag
191190	5/16	2	1-3/4	5 / bag with tag
191350	3/8	1-5/8	1-3/8	5 / bag with tag



Sold with individual UPC tags

Bag with label on outside - No individual tags

Product#	Pin diameter	Dimensions		Unit per Package
	in.	A	B	
944040	1/4	1-5/8	1-3/8	5 / bag
944120	1/4	2	1-3/4	5 / bag
944390	5/16	1-5/8	1-3/8	5 / bag
944470	5/16	2	1-3/4	5 / bag
944630	3/8	1-5/8	1-3/8	5 / bag

Farm Hardware

Quick Pin - Square



Bulk with UPC tag - Sold in bags

Product#	Pin diameter	Dimensions		Package Description
	in.	A	B	
190890	1/4	2-3/4	2-1/2	5 / bag with tag
191270	5/16	2-3/4	2-1/2	5 / bag with tag
191430	3/8	1-1/2	2-1/4	5 / bag with tag
191780	3/8	2-3/4	2-1/2	5 / bag with tag


Sold with individual UPC tags

Bag with label on outside - No individual tags

Product#	Pin diameter	Dimensions		Unit per Package
	in.	A	B	
944200	1/4	2-3/4	2-1/2	5 / bag
944550	5/16	2-3/4	2-1/2	5 / bag
944710	3/8	1-1/2	2-1/4	5 / bag
944980	3/8	2-3/4	2-1/2	5 / bag

Sold in multi-pack bags

Safety Pin - Industrial



Bulk with UPC tag - Sold in bags

Product#	Pin diameter	Dimensions		Package Description
	in.	A	B	
192320	1/8	3-1/8	1-1/16	5 / bag with tag
192400	3/16	3-3/8	1-1/2	5 / bag with tag
192670	1/4	5-1/4	1-3/4	5 / bag with tag

Sold with individual UPC tags

Bag with label on outside - No individual tags

Product#	Pin diameter	Dimensions		Unit per Package
	in.	A	B	
945440	1/8	3-1/8	1-1/16	5 / bag
945520	3/16	3-3/8	1-1/2	5 / bag
945600	1/4	5-1/4	1-3/4	5 / bag

Sold in multi-pack bags

Farm Hardware

Grease Fittings - S.A.E.



Bag with label on outside of bag

Product#	Size	Descriptions	Unit per Package
	in. / trade		
956990	1/8	NPT straight	14 / bag
957020	1/8	NPT 45 degrees	9 / bag
957100	1/8	NPT 90 degrees	8 / bag
957370	1/4	28 straight	14 / bag
957610	1/4	28 long straight	9 / bag
957880	1/4	28 45 degrees	8 / bag
958180	1/4	28 90 degrees	7 / bag
958260	1/4	NPT straight	14 / bag
958340	5/16	24 straight	14 / bag
959230	3/8	24 straight	14 / bag
968060	10 - 32	Straight	14 / bag

Sold in multi-pack bags

Grease Fittings - Metric



Bag with label on outside of bag

Product#	Size	Descriptions	Unit per Package
	mm.		
968570	M6 x 1	Straight	14 / bag
968650	M6 x 1	45 degrees	9 / bag
968810	M6 x 1	90 degrees	8 / bag
969030	M8 x 1	Straight	14 / bag
969110	M8 x 1	45 degrees	9 / bag
969890	M8 x 1	90 degrees	8 / bag
971280	M10 x 1	Straight	14 / bag
973300	M10 x 1	45 degrees	9 / bag
973730	M10 x 1	90 degrees	8 / bag

Sold in multi-pack bags

Grease Fittings - Drive In



Bag with label on outside of bag

Product#	Size		Descriptions	Unit per Package
	in.	mm.		
975430	3/16	5	Straight	11 / bag
976080	1/4	6	Straight	11 / bag
976590	5/16	8	Straight	11 / bag
978100	3/8	9	Straight	11 / bag

Sold in multi-pack bags

Farm Hardware

Stake Hook - Gate Hardware



Bulk with tag

Product#	Size		Descriptions	Unit per Package
	in.	mm.		
187590	3	76	Left Handed	Bulk with tag
187670	3	76	Right Handed	Bulk with tag
187750	6	152	Left Handed	Bulk with tag
187830	6	152	Right Handed	Bulk with tag

Sold as eaches with tag

Stake Eye - Gate Hardware



Bulk with tag

Product#	Size		Descriptions	Unit per Package
	in.	mm.		
187910	5/8	15	Stake Eye	Bulk with tag

Sold as eaches with tag

Gravity Tailgate Hook - Gate Hardware



Bulk with tag

Product#	Size		Descriptions	Inner Pack
	in.	mm.		
188050	5/16	8	Gravity Tailgate Hook	Bulk with tag

Sold as eaches with tag

Decimal Equivalents of Regular Sizes

Fraction	Decimal	Millimeters	Fraction	Decimal	Millimeters
1/64	.0156	.3969	33/64	.5156	13.0969
1/32	.0313	.7938	17/32	.5313	13.4938
3/64	.0469	1.1906	35/64	.5499	13.8906
1/16	.0625	1.5875	9/16	.5625	14.2875
5/64	.0781	1.9844	37/64	.5781	14.6844
3/32	.0938	2.3813	19/32	.5938	15.0813
7/64	.1094	2.7781	39/64	.6094	15.4781
1/8	.125	3.1750	5/8	.625	15.8750
9/64	.1406	3.5719	41/64	.6406	16.2719
5/32	.1563	3.9688	21/32	.6563	16.6688
11/64	.1719	4.3656	43/64	.6719	17.0656
3/16	.1875	4.7625	11/16	.6875	17.4625
13/64	.2031	5.1594	45/64	.7031	17.8594
7/32	.2188	5.5563	23/32	.7188	18.2563
15/64	.2344	5.9531	47/64	.7344	18.6531
1/4	.250	6.3500	3/4	.750	19.0500
17/64	.2656	6.7469	49/64	.7656	19.4469
9/32	.2813	7.1438	25/32	.7813	19.8438
19/64	.2969	7.5406	51/64	.7969	20.2406
5/16	.3125	7.9375	13/16	.8125	20.6375
21/64	.3281	8.3344	53/64	.8281	21.0344
11/32	.3438	8.7313	27/32	.8438	21.4313
23/64	.3594	9.1281	55/64	.8594	21.8281
3/8	.375	9.5250	7/8	.875	22.2250
25/64	.3906	9.9219	57/64	.8906	22.6219
13/32	.4063	10.3188	29/32	.9063	23.0188
27/64	.4219	10.7156	59/64	.9219	23.4156
7/16	.4375	11.1125	15/16	.9375	23.8125
29/64	.4531	11.5094	61/64	.9531	24.2094
15/32	.4688	11.9063	31/32	.9688	24.6063
31/64	.4844	12.3031	63/64	.9844	25.0031
1/2	.500	12.7000	1	1.00	25.4000

Index

Part #	Page	UPC
100140	23	066366100143
100730	23	066366100730
101110	23	066366101119
102840	24	066366102840
102860	24	066366102864
102880	24	066366102888
106500	76	066366106503
106690	76	066366106695
106770	76	066366106770
107070	76	066366107074
107150	76	066366107159
107230	76	066366107234
109000	80	066366109009
109010	80	066366109016
109280	80	066366109283
109360	80	066366109368
109440	80	066366109443
109520	80	066366109528
109600	79	066366109603
110450	79	066366110456
110530	79	066366110531
112230	7, 53	066366112238
112580	79	066366112580
113630	79	066366113631
113710	79	066366113716
113980	117	066366113983
114010	117	066366114010
114280	117	066366114287
114440	68	066366114447
114520	68	066366114522
114600	68	066366114607
114620	69	066366114621
114630	69	066366114638
114640	69	066366114645
114650	69	066366114652
114660	69	066366114669
114670	71	066366114676
114680	71	066366114683
114690	71	066366114690
114700	71	066366114706
114790	68	066366114799
114800	68	066366114805
114870	68	066366114874
114950	68	066366114959
115090	68	066366115093
115170	68	066366115178
115250	62	066366115253
115330	62	066366115338
115410	62	066366115413
115560	64	066366115567
115660	64	066366115666
115680	62	066366115680
115760	64	066366115765
115770	64	066366115772
115840	64	066366115840

Part #	Page	UPC
115920	64	066366115925
115930	64	066366115932
115950	60	066366115956
115960	60	066366115963
116060	64	066366116069
116140	63	066366116144
116220	63	066366116229
116300	63	066366116304
116490	63	066366116496
116570	65	066366116571
116650	65	066366116656
116730	65	066366116731
116740	65	066366116748
116810	65	066366116816
117030	53	066366117035
117110	53	066366117110
117520	71	066366117523
117600	71	066366117608
117700	53	066366117707
117790	71	066366117790
117870	71	066366117875
118270	53	066366118278
118350	53	066366118353
118430	53	066366118438
118510	53	066366118513
118780	53	066366118780
118860	53	066366118865
118940	55	066366118940
119080	55	066366119084
119750	55	066366119756
120090	55	066366120097
120170	55	066366120172
120330	55	066366120332
120840	55	066366120844
120920	76	066366120929
121140	55	066366121148
121300	55	066366121308
121490	115	066366121490
121570	55	066366121575
121650	115	066366121650
121730	115	066366121735
121810	115	066366121810
122030	55	066366122039
122110	58	066366122114
122380	58	066366122381
122460	58	066366122466
122540	58	066366122541
122700	122	066366122701
123940	123	066366123944
124080	122	066366124088
124400	122	066366124408
124590	121	066366124590
125800	121	066366125801
126100	121	066366126105
126290	112	066366126297

Part #	Page	UPC
126370	112	066366126372
126450	112	066366126457
126530	112	066366126532
126610	113	066366126617
126880	113	066366126884
126960	92	066366126969
127180	92	066366127188
127260	92	066366127263
127340	92	066366127348
127420	92	066366127423
128820	94	066366128826
129200	94	066366129205
129390	95	066366129397
129710	115	066366129717
129980	95	066366129984
130990	96	066366130997
131020	115	066366131024
131100	115	066366131109
131290	96	066366131291
131450	115	066366131451
131530	96	066366131536
131610	97	066366131611
131880	97	066366131888
131960	115	066366131963
132180	115	066366132182
132340	97	066366132342
132420	105	066366132427
132500	115	066366132502
132770	105	066366132779
134040	115	066366134049
134550	115	066366134551
134630	115	066366134636
134980	115	066366134988
135440	115	066366135442
135600	115	066366135602
135870	105	066366135879
136090	105	066366136098
136170	88	066366136173
136250	7	066366136258
136330	7	066366136333
136410	7	066366136418
136680	7	066366136685
146480	88	066366146486
146560	89	066366146561
146640	90	066366146646
146720	89	066366146721
146990	103	066366146998
147020	103	066366147025
147290	124	066366147292
147370	124	066366147377
147450	100	066366147452
147530	100	066366147537
147610	101	066366147612
147880	101	066366147889
147960	107	066366147964

Index

Part #	Page	UPC	Part #	Page	UPC	Part #	Page	UPC
148180	107	066366148183	154150	74	066366154153	167050	120, 140	066366167054
148340	102	066366148343	154230	74	066366154238	168880	115	066366168884
148420	102	066366148428	154310	74	066366154313	171080	116	066366171082
148500	102	066366148503	154580	120	066366154580	171240	116	066366171242
148690	102	066366148695	154660	120	066366154665	171320	116	066366171327
148770	106	066366148770	154740	120	066366154740	171590	116	066366171594
148850	106	066366148855	154820	120	066366154825	171830	116	066366171839
148930	98	066366148930	154900	120	066366154900	171910	116	066366171914
149070	98	066366149074	155200	83	066366155204	172130	116	066366172133
149150	124	066366149159	155390	83	066366155396	172210	116	066366172218
149160	98	066366149166	156280	83	066366156287	172480	116	066366172485
149230	98	066366149234	156360	83	066366156362	172800	115	066366172805
149310	124	066366149319	156600	82	066366156607	172990	115	066366172997
149580	98	066366149586	156790	82	066366156799	173020	115	066366173024
149740	89	066366149746	157170	82	066366157178	173880	115	066366173888
149820	91	066366149821	157250	82	066366157253	173960	115	066366173963
149900	91	066366149906	157330	84	066366157338	174340	115	066366174342
150080	91	066366150087	157410	84	066366157413	174420	56	066366174427
150160	90	066366150162	157680	77, 135	066366157680	174500	53	066366174502
150240	108	066366150247	157760	77, 135	066366157765	174690	53	066366174694
150320	108	066366150322	157840	77, 135	066366157840	174770	116	066366174779
150400	108	066366150407	157920	77, 135	066366157925	174850	116	066366174854
150590	108	066366150599	158060	77, 135	066366158069	174930	53	066366174939
150670	110	066366150674	158140	70, 134	066366158144	175070	53	066366175073
150750	110	066366150759	158220	70, 134	066366158229	175230	118	066366175233
150830	110	066366150834	158810	70, 134	066366158816	175310	118	066366175318
150910	111	066366150919	159030	70, 134	066366159035	175580	118	066366175585
151130	124	066366151138	159110	70, 134	066366159110	175660	118	066366175660
151210	124	066366151213	159380	54, 132	066366159387	175740	118	066366175745
151560	124	066366151565	159460	54, 132	066366159462	175820	118	066366175820
151640	124	066366151640	159540	54, 132	066366159547	175900	118	066366175905
151720	125	066366151725	159620	54, 132	066366159622	176040	118	066366176049
151800	125	066366151800	159700	54, 132	066366159707	176390	53	066366176391
151990	125	066366151992	159890	58, 133	066366159899	176630	81	066366176636
152020	125	066366152029	159970	58, 133	066366159974	176710	81	066366176711
152100	125	066366152104	162330	58, 133	066366162332	176980	81	066366176988
152290	126	066366152296	162410	58, 133	066366162417	177010	81	066366177015
152360	128	066366152364	162680	56, 132	066366162684	177280	81	066366177282
152370	126	066366152371	162760	56, 132	066366162769	177360	81	066366177367
152380	127	066366152388	164540	56, 132	066366164541	177440	81	066366177442
152390	128	066366152395	164620	56, 132	066366164626	177520	81	066366177527
152450	126	066366152456	164970	56, 132	066366164978	177600	81	066366177602
152530	126	066366152531	165000	99, 137	066366165005	177790	81	066366177794
152610	128	066366152616	165190	99, 137	066366165197	177870	81	066366177879
152880	128	066366152883	165270	99, 137	066366165272	177950	81	066366177954
152960	127	066366152968	165350	99, 137	066366165357	178090	81	066366178098
153180	127	066366153187	165780	93, 136	066366165784	178170	81	066366178173
153260	129	066366153262	165860	93, 136	066366165869	178250	94	066366178258
153340	129	066366153347	165940	101, 138	066366165944	178680	81	066366178685
153350	130	066366153354	166080	109, 139	066366166088	178760	81	066366178760
153360	130	066366153361	166240	109, 139	066366166248	178840	81	066366178845
153370	130	066366153378	166320	111, 140	066366166323	178920	81	066366178920
153380	130	066366153385	166400	104, 138	066366166408	179060	81	066366179064
153930	74	066366153934	166590	104, 138	066366166590	179140	81	066366179149
154070	74	066366154078	166750	120, 140	066366166750	179650	60	066366179651

Index

Part #	Page	UPC	Part #	Page	UPC	Part #	Page	UPC
179730	60	066366179736	193720	143	066366193725	212370	145	066366212372
179810	60	066366179811	193800	143	066366193800	215550	145	066366215557
180150	60	066366180152	193990	143	066366193992	221600	145	066366221602
180660	59	066366180664	194020	143	066366194029	221790	145	066366221794
180740	59	066366180749	194100	143	066366194104	221870	145	066366221879
180820	59	066366180824	194370	143	066366194371	224700	66	066366224702
180900	59	066366180909	194530	143	066366194531	224890	66	066366224894
181550	60	066366181555	194610	143	066366194616	224970	66	066366224979
181630	60	066366181630	195260	143	066366195262	225000	66	066366225006
181980	60	066366181982	195420	143	066366195422	229500	66	066366229509
182010	60	066366182019	195500	143	066366195507	237280	66	066366237283
183330	61	066366183337	195690	143	066366195699	237360	66	066366237368
183680	61	066366183689	195770	143	066366195774	239490	66	066366239492
183920	61	066366183924	195850	143	066366195859	239500	67	066366239508
184060	61	066366184068	195930	143	066366195934	239510	67	066366239515
184300	103	066366184303	196070	143	066366196078	239520	67	066366239522
185460	72	066366185461	196150	143	066366196153	239530	67	066366239539
185540	72	066366185546	196580	147	066366196580	276690	59	066366276695
185890	73	066366185898	196660	147	066366196665	276770	59	066366276770
185970	73	066366185973	196740	147	066366196740	301011	114	066366301014
186000	73	066366186000	196820	147	066366196825	301031	114	066366301038
186190	69	066366186192	196900	147	066366196900	302600	59	066366302608
186350	113	066366186352	197120	147	066366197129	311940	59	066366311945
186430	113	066366186437	197200	147	066366197204	312120	8	066366312126
186510	113	066366186512	197470	147	066366197471	358600	63	066366358605
186780	113	066366186789	197710	146	066366197716	358610	63	066366358612
186860	113	066366186864	197980	146	066366197983	358620	67	066366358629
187590	151	066366187595	198010	146	066366198010	358630	67	066366358636
187670	151	066366187670	198870	146	066366198874	358640	67	066366358643
187750	151	066366187755	198950	146	066366198959	358650	67	066366358650
187830	151	066366187830	199090	146	066366199093	363771	48	066366363777
187910	151	066366187915	199170	146	066366199178	363781	46	066366363784
188050	151	066366188059	199250	146	066366199253	363801	46	066366363807
188130	145	066366188134	199330	146	066366199338	363811	46	066366363814
188640	148	066366188646	199410	146	066366199413	404521	81	066366404524
188720	148	066366188721	199680	146	066366199680	404951	81	066366404951
188800	148	066366188806	199760	146	066366199765	405251	81	066366405255
188990	148	066366188998	199840	146	066366199840	405841	117	066366405842
189020	148	066366189025	200020	114	066366200027	405842	117	066366405842
189100	148	066366189100	200030	114	066366200034	405921	117	066366405927
190110	148	066366190113	200790	146	066366200799	405922	117	066366405927
190620	148	066366190625	201330	146	066366201338	407031	117	066366407037
190890	149	066366190892	208500	144	066366208504	407132	117	066366407136
191000	148	066366191004	208690	144	066366208696	417771	59	066366417777
191190	148	066366191196	208930	144	066366208931	417851	59	066366417852
191270	149	066366191271	209070	144	066366209075	417931	59	066366417937
191350	148	066366191356	209580	144	066366209587	418071	59	066366418071
191430	149	066366191431	209660	144	066366209662	418151	59	066366418156
191780	149	066366191783	209900	144	066366209907	426111	21	066366426113
192320	149	066366192322	210160	144	066366210163	426121	21	066366426120
192400	149	066366192407	210240	144	066366210248	426131	21	066366426137
192670	149	066366192674	210320	144	066366210323	426141	21	066366426144
193480	143	066366193480	210400	144	066366210408	426151	15	066366426151
193560	143	066366193565	210670	144	066366210675	426161	15	066366426168
193640	143	066366193640	211050	144	066366211054	426170	20	066366426175

Index

Part #	Page	UPC	Part #	Page	UPC	Part #	Page	UPC
426181	21	066366426182	446600	55	066366446609	470311	112	066366470314
426760	20	066366426762	446871	66	066366446876	470581	112	066366470581
426920	20	066366426922	448140	57	066366448146	470661	112	066366470666
427140	20	066366427141	449380	57	066366449389	470901	113	066366470901
427300	20	066366427301	449391	57, 133	066366449396	471041	113	066366471045
427490	20	066366427493	449401	57, 133	066366449402	475970	93	066366475975
428381	76	066366428384	451700	52	066366451702	476000	76	066366476002
428382	76	066366428384	451800	52	066366451801	477000	76	066366477009
428461	76	066366428469	451900	52	066366451900	477160	98	066366477160
428462	76	066366428469	452000	52	066366452006	477240	76	066366477245
428541	76	066366428544	452100	52	066366452105	478720	74	066366478723
428542	76	066366428544	452200	52	066366452204	478800	52	066366478808
428621	76	066366428629	452300	52	066366452303	479450	54	066366479454
428701	76	066366428704	454111	74	066366454116	479530	54	066366479539
428891	76	066366428896	454381	74	066366454383	480111	92	066366480115
430281	68	066366430288	454461	74	066366454468	480381	92	066366480382
430361	68	066366430363	454541	74	066366454543	480461	92	066366480467
430441	68	066366430448	454621	74	066366454628	480541	92	066366480542
430521	68	066366430523	455191	76	066366455199	480621	92	066366480627
430601	68	066366430608	455511	73	066366455519	480701	94	066366480702
431250	93	066366431254	455781	73	066366455786	480891	94	066366480894
431330	93	066366431339	455861	73	066366455861	480971	95	066366480979
433031	66	066366433036	455941	73	066366455946	481001	96	066366481006
433111	66	066366433111	456081	73	066366456080	481191	96	066366481198
435161	64	066366435160	457131	79	066366457131	481351	96	066366481358
435241	64	066366435245	457211	79	066366457216	481511	102	066366481518
435321	64	066366435320	457481	79	066366457483	482081	97	066366482089
436641	62	066366436648	457561	79	066366457568	482160	74	066366482164
436721	62	066366436723	457641	79	066366457643	482241	97	066366482249
436801	62	066366436808	457991	79	066366457995	482401	97	066366482409
436991	63	066366436990	459181	52	066366459180	482830	52	066366482836
437021	63	066366437027	459261	52	066366459265	482911	102	066366482911
437101	63	066366437102	459341	52	066366459340	483051	102	066366483055
438181	65	066366438185	459421	52	066366459425	483131	102	066366483130
438261	65	066366438260	459501	52	066366459500	483481	105	066366483482
438341	65	066366438345	459691	52	066366459692	483561	105	066366483567
440161	78	066366440164	459711	52	066366459715	483641	105	066366483642
440241	78	066366440249	463611	120	066366463613	483721	105	066366483727
440401	78	066366440409	463771	48	066366463774	483801	100	066366483802
444581	55	066366444582	463881	120	066366463880	484021	100	066366484021
444661	55	066366444667	463961	120	066366463965	484291	101	066366484298
444741	66	066366444742	464181	120	066366464184	484371	101	066366484373
444821	66	066366444827	464261	120	066366464269	484531	107	066366484533
445121	80	066366445121	466121	53	066366466126	484611	107	066366484618
445201	80	066366445206	466122	53	066366466126	485181	88	066366485189
445391	80	066366445398	466201	53	066366466201	485261	89	066366485264
445471	80	066366445473	466391	53	066366466393	485341	88	066366485349
445551	80	066366445558	466392	53	066366466393	485421	90	066366485424
445631	55	066366445633	466471	53	066366466478	485501	89	066366485509
445711	55	066366445718	466551	53	066366466553	486071	103	066366486070
445981	55	066366445985	466631	53	066366466638	486151	103	066366486155
446011	55	066366446012	466711	53	066366466713	486821	89	066366486827
446281	55	066366446289	467871	53	066366467871	487121	91	066366487121
446361	55	066366446364	469140	76	066366469141	487391	91	066366487398
446528	55	066366446524	470231	112	066366470239	487471	91	066366487473

Index

Part #	Page	UPC	Part #	Page	UPC	Part #	Page	UPC
487630	74	066366487633	504742	45	066366504743	514811	31	066366514810
487710	52	066366487718	504902	45	066366504903	515512	30	066366515510
488281	90	066366488289	505042	47	066366505047	515522	30	066366515527
488521	108	066366488524	505122	47	066366505122	515531	30	066366515534
488601	108	066366488609	505145	48	066366505146	515572	30	066366515572
488791	108	066366488791	505151	48	066366505153	515591	30	066366515596
488871	108	066366488876	505202	47	066366505207	515650	7	066366515657
489841	110	066366489842	505335	48	066366505337	516665	31	066366516661
489921	110	066366489927	505392	47	066366505399	517021	9	066366517026
490181	110	066366490183	505472	47	066366505474	517022	9	066366517026
490501	111	066366490503	505552	47	066366505559	517312	28	066366517316
490771	111	066366490770	505561	49	066366505566	517351	28	066366517354
491151	98	066366491159	505571	49	066366505573	517395	28	066366517392
491231	98	066366491234	505581	49	066366505580	517560	7	066366517569
491581	98	066366491586	505591	50	066366505597	517570	7	066366517576
491591	98	066366491593	505601	50	066366505603	517995	28	066366517996
491661	98	066366491661	505611	50	066366505610	518381	40	066366518382
491741	98	066366491746	505621	50	066366505627	518392	40	066366518399
492551	106	066366492552	505641	50	066366505641	518531	99, 137	066366518535
492711	106	066366492712	505651	50	066366505658	518611	99, 137	066366518610
494681	95	066366494686	505661	46	066366505665	518881	99, 137	066366518887
497860	52	066366497861	505671	46	066366505672	518961	99, 137	066366518962
500082	45	066366500080	505681	46	066366505689	519092	28	066366519099
500105	46	066366500103	505691	46	066366505696	519171	26	066366519174
500111	46	066366500110	505721	46	066366505726	519182	26	066366519181
500162	45	066366500165	505805	29	066366505801	520212	34	066366520217
500185	46	066366500189	505811	29	066366505818	520281	33	066366520286
500191	46	066366500196	506121	25	066366506129	520422	34	066366520422
500205	46	066366500202	507121	25	066366507126	520511	38, 75	066366520514
501125	31	066366501124	507831	9	066366507836	520531	26	066366520538
501731	28	066366501735	507841	9	066366507843	520782	34	066366520781
501971	28	066366501971	507851	9	066366507850	521161	75	066366521160
501985	28	066366501988	507922	45	066366507928	522125	13	066366522129
502005	28	066366502008	508142	45	066366508147	523290	12	066366523294
502295	40	066366502299	508302	45	066366508307	523370	12	066366523379
502381	40	066366502381	508492	45	066366508499	523450	12	066366523454
502551	38	066366502558	508732	42	066366508734	523530	12	066366523539
502615	33	066366502619	508812	43	066366508819	523610	12	066366523614
502705	33	066366502701	509032	42	066366509038	524340	12	066366524345
502805	34	066366502800	509112	43	066366509113	525221	13	066366525229
502885	36	066366502886	509382	43	066366509380	525721	37	066366525724
502915	33	066366502916	509462	43	066366509465	525742	25	066366525748
503191	13	066366503197	509542	43	066366509540	525831	35	066366525830
503211	13	066366503210	509622	43	066366509625	525842	35	066366525847
503692	45	066366503692	509702	43	066366509700	526012	29	066366526011
503772	45	066366503777	509742	42	066366509748	526391	75	066366526394
503852	45	066366503852	509752	42	066366509755	526412	29	066366526417
504065	40	066366504064	510392	43	066366510393	526471	75	066366526479
504195	40	066366504194	510401	86	066366510409	526721	29	066366526721
504205	40	066366504200	510632	86	066366510638	526732	29	066366526738
504325	40	066366504323	510712	86	066366510713	527021	28	066366527025
504445	40	066366504446	513595	33	066366513592	527182	30	066366527186
504662	45	066366504668	514525	25	066366514520	527221	31	066366527223
504705	46	066366504705	514532	25	066366514537	527351	30	066366527353
504711	46	066366504712	514805	31	066366514803	527362	30	066366527360

Index

Part #	Page	UPC	Part #	Page	UPC	Part #	Page	UPC
527371	32	066366527377	540642	40	066366540642	558431	46	066366558432
527381	26	066366527384	540711	17	066366540710	558441	46	066366558449
527391	26	066366527391	540721	13	066366540727	558640	27	066366558647
527401	26	066366527407	540881	13	066366540888	558750	27	066366558753
527481	26	066366527483	540981	13	066366540987	559491	17	066366559491
527522	30	066366527520	541040	16	066366541045	559501	19	066366559507
527872	28	066366527872	541050	14	066366541052	559651	17	066366559651
529141	129	066366529142	541101	13	066366541106	559661	19	066366559668
529242	36	066366529241	541121	13	066366541120	559871	17	066366559873
529652	38	066366529654	541701	22	066366541700	559881	17	066366559880
529731	75	066366529739	541711	22	066366541717	559891	17	066366559897
530151	127	066366530155	541721	22	066366541724	560450	86	066366560459
530311	128	066366530315	541871	21	066366541878	570731	21	066366570731
530431	14	066366530438	543531	18	066366543537	570741	21	066366570748
530441	14	066366530445	543541	18	066366543544	599940	8	066366599947
530451	14	066366530452	543551	18	066366543551	604060	59	066366604061
530512	13	066366530513	544292	41	066366544299	643191	44	066366643190
530522	13	066366530520	544372	41	066366544374	643411	44	066366643411
530532	13	066366530537	544452	41	066366544459	643421	44	066366643428
530542	13	066366530544	544462	41	066366544466	644101	44	066366644104
530552	13	066366530551	544532	41	066366544534	644181	44	066366644180
530591	13	066366530599	544611	83	066366544619	698335	13	066366698336
531472	38	066366531473	544961	83	066366544961	698341	13	066366698343
531551	75	066366531558	545181	83	066366545180	698351	13	066366698350
532601	124	066366532609	545261	83	066366545265	698415	41	066366698411
532602	124	066366532609	545341	82	066366545340	698421	41	066366698428
532791	124	066366532791	545421	82	066366545425	698765	41	066366698763
532792	124	066366532791	545501	82	066366545500	698911	38	066366698916
532871	124	066366532876	545691	82	066366545692	699021	13	066366699029
532951	124	066366532951	545771	84	066366545777	699041	13	066366699043
533091	124	066366533095	545851	84	066366545852	699471	13	066366699470
533171	124	066366533170	546581	85	066366546583	699481	13	066366699487
533331	125	066366533330	546661	85	066366546668	699495	13	066366699494
533332	125	066366533330	550420	86	066366550429	701651	56	066366701654
533411	125	066366533415	550420FB	87	066366550429	701811	56	066366701814
533681	125	066366533682	550420WD	87	066366550429	702111	56	066366702118
533761	125	066366533767	550430	86	066366550436	702112	56	066366702118
534731	126	066366534733	550430SL	87	066366550436	913242	115	066366913248
534811	126	066366534818	550452	86	066366550450	933430	148	066366933437
535701	75	066366535709	550550	86	066366550559	933510	148	066366933512
535891	75	066366535891	550550CD	87	066366550559	933780	148	066366933789
536001	126	066366536003	550550SL	87	066366550559	933860	148	066366933864
536191	126	066366536195	551580	86	066366551587	933940	148	066366933949
536521	40	066366536522	551580FB	87	066366551587	934080	148	066366934083
536532	40	066366536539	551580WD	87	066366551587	938310	142	066366938319
536791	40	066366536799	555280	10	066366555288	938580	142	066366938586
536802	40	066366536805	555290	10	066366555295	938660	142	066366938661
538072	33	066366538076	557432	32	066366557435	938740	142	066366938746
538382	33	066366538380	557512	32	066366557510	938820	142	066366938821
538812	40	066366538816	557862	27	066366557862	938900	142	066366938906
539030	8	066366539035	558242	27	066366558241	939040	142	066366939040
539302	40	066366539301	558312	27	066366558319	939120	142	066366939125
539612	40	066366539615	558401	46	066366558401	939200	142	066366939200
540032	40	066366540031	558411	46	066366558418	939390	142	066366939392
540542	40	066366540543	558421	46	066366558425	939470	142	066366939477

Index

Part #	Page	UPC	Part #	Page	UPC	Part #	Page	UPC
939550	142	066366939552	955671	121	066366955675	979770	147	066366979770
939630	142	066366939637	955751	121	066366955750	979850	147	066366979855
939710	142	066366939712	955911	121	066366955910	979930	147	066366979930
939980	142	066366939989	956130	52	066366956139	985230	146	066366985238
940050	142	066366940053	956210	52	066366956214	985310	146	066366985313
940130	142	066366940138	956480	52	066366956481	985580	146	066366985580
940210	142	066366940213	956990	150	066366956993	985660	146	066366985665
940480	142	066366940480	957020	150	066366957020	985740	146	066366985740
940560	142	066366940565	957100	150	066366957105	985900	146	066366985900
940640	142	066366940640	957291	58, 133	066366957297	986040	146	066366986044
942420	142	066366942422	957370	150	066366957372	986120	146	066366986129
942500	142	066366942507	957451	58, 133	066366957457	986200	146	066366986204
942690	142	066366942699	957531	58, 133	066366957532	986390	146	066366986396
942770	142	066366942774	957610	150	066366957617	986470	123	066366986471
942850	142	066366942859	957880	150	066366957884	986710	146	066366986716
942930	142	066366942934	957961	58, 133	066366957969	986980	146	066366986983
943070	142	066366943078	958180	150	066366958188	987280	146	066366987287
943150	142	066366943153	958260	150	066366958263	987360	146	066366987362
943230	142	066366943238	958340	150	066366958348	987440	146	066366987447
943310	142	066366943313	959230	150	066366959239	987870	147	066366987874
944040	148	066366944044	962371	93, 136	066366962376	987950	147	066366987959
944120	148	066366944129	962451	93, 136	066366962451	988680	147	066366988680
944200	149	066366944204	962961	101, 138	066366962963	988840	147	066366988840
944390	148	066366944396	963421	109, 139	066366963427	988920	147	066366988925
944470	148	066366944471	963691	109, 139	066366963694	989060	147	066366989069
944550	149	066366944556	963771	111, 140	066366963779	989140	147	066366989144
944630	148	066366944631	964071	104, 138	066366964073	989220	147	066366989229
944710	149	066366944716	964151	104, 138	066366964158	989300	147	066366989304
944980	149	066366944983	965631	58	066366965636	989490	147	066366989496
945440	149	066366945447	965711	58	066366965711	989570	147	066366989571
945520	149	066366945522	965981	58	066366965988	989650	147	066366989656
945600	149	066366945607	966011	58	066366966015	989730	147	066366989731
951411	77, 135	066366951417	966361	122	066366966367	989810	147	066366989816
951681	77, 135	066366951684	966441	123	066366966442	991630	147	066366991635
951761	77, 135	066366951769	966521	122	066366966527	993330	119	066366993332
951841	77, 135	066366951844	966791	123	066366966794	993410	119	066366993417
951921	77, 135	066366951929	968060	150	066366968064	993760	119	066366993769
952491	54, 132	066366952490	968570	150	066366968576	994060	119	066366994063
952571	54, 132	066366952575	968650	150	066366968651	996840	119	066366996845
952651	54, 132	066366952650	968810	150	066366968811	997110	8	066366997118
952731	54, 132	066366952735	969030	150	066366969030			
952811	54, 132	066366952810	969110	150	066366969115			
953701	56, 132	066366953701	969890	150	066366969894			
953891	56, 132	066366953893	971280	150	066366971286			
953971	56, 132	066366953978	973300	150	066366973303			
954001	56, 132	066366954005	973730	150	066366973730			
954191	56, 132	066366954197	975430	150	066366975437			
954860	52	066366954869	976080	150	066366976083			
954940	52	066366954944	976590	150	066366976595			
955080	52	066366955088	978100	150	066366978100			
955161	70, 134	066366955163	979260	147	066366979268			
955241	70, 134	066366955248	979340	147	066366979343			
955321	70, 134	066366955323	979420	147	066366979428			
955401	70, 134	066366955408	979500	147	066366979503			
955591	70, 134	066366955590	979690	147	066366979695			

Best Value Commitments

At MIBRO, we believe that we give our customers the **BEST VALUE** in the marketplace through a commitment to upholding the following seven standards:

Quality

Product that meets or exceeds the expectations of consumers

Appearance

Excellent product appearance reflecting the inherent quality of the product

Packaging and Merchandising

Always customer focused and consumer friendly

Service

Customer driven with on-time delivery and high fill rates as the benchmarks

Flexibility

Listening to our customers and responding to their unique needs

Pricing

Pricing that allows our customers to be more competitive

Innovation

Constantly challenging, evolving, modifying and breaking new ground

Terms & Conditions

Product Guarantee

MIBRO® products are manufactured to precise specifications and rigid quality control standards. Goods are inspected before shipment and are believed to be free from defects in workmanship and materials. We guarantee every product against defects in workmanship or materials and will replace or repair such products without charge. However, we cannot be responsible for products that show excessive wear, misuse or abuse.

Payment Terms

Net 30 days. Special terms printed on customer's purchase orders will not be acknowledged where they differ from our terms. Prices billed will be those in effect at time of shipment. New orders will not be processed or shipped to accounts with significantly past due balances.

Minimum Order

For orders that do not include Chain products, minimum order value is \$500.00 net.
For orders that include Chain products, minimum order value is \$750.00 net.

Prepaid Freight

Freight is F.O.B. our warehouse. When minimum order value is met, freight is prepaid via carrier of our choice. (Outside mainland Canada and US, including Alaska, Hawaii and Puerto Rico, minimum orders must be valued at \$1,500.00 net or more to qualify for prepaid freight).

Shortage or Damage Claims

In the event of any shortage or damage, it is the customer's obligation to notify the delivery carrier within 10 days. We will assist you with your claim. Title to products sold shall pass upon delivery to carrier at point of shipment.

Returns of Merchandise

We require a return goods authorization (RGA) number for all product returns. Any returns not previously authorized in writing will be refused at our warehouse and returned at the sender's expense. All authorized returns to MIBRO® must be shipped prepaid. We do not allow credit for used, obsolete, or shelf-worn merchandise damaged beyond our control. Credit for authorized returns will be issued at prices in effect at the time of purchase, less 15% handling charge and a reasonable charge to recondition and repack the merchandise if necessary.

Standard Packing

Orders will be shipped in standard shelf pack units.

Illustrations

Illustrations are used to show product types and are not necessarily exact.

Notice

The product specifications and dimensions are as accurate as possible at the time of printing. However, because we are constantly improving the quality and design of our products, they can change without notice.

Pricing

Product pricing will be supplied by our sales representatives and verified by our customer care and sales support teams. Prices subject to change without advance notice, due to market place conditions related to fluctuations of currencies and/or raw material prices.



111 Sinnott Road, Toronto, Ontario, M1L 4S6
790 Aero Drive, Buffalo, NY 14225
Tel: 416.285.9000 Fax: 416.285.9500
Email: customerservice@mibro.com
www.mibro.com