

QEP Co., Inc. was founded in 1979 in the New York family garage of Lewis and Susan Gould. The very first QEP branded tiling product was a "Do-It-Yourself" Bathtub Edging Kit. There was nothing like it on the market. As the popularity of tile floors began to rise in the United States, so did the demand for DIY installation tools and accessories. This demand quickly opened the doors of opportunity for the QEP brand throughout the national tile tool market. The QEP brand continued to grow and evolve, eventually expanding into the professional market. In 1984, QEP released the world's first "dual rail" tile cutter, and in 1989 began manufacturing their own professional tile spacers.

In the late 90's, QEP Co., Inc. continued to expand its reach and began selling the QEP brand into Canada, Mexico and South America. Over the next decade, the QEP brand made its way into Australia, New Zealand, England, France and China. Today, QEP has become a recognized professional brand, specializing in installation tools and accessories for tile, porcelain and natural stone. QEP products can be found in all 50 States and in countries throughout the world.

Presenting our QEP branded products in the most professional way possible is a top priority for us. If we look good, you look good. We also realize that as product segments continue to expand, shelf and pegboard space are sometimes limited. In order to help maximize your space we have included icons to indicate the packaging types of each of our installation tools. The products in this catalog will include the respective icon from those listed below.




# ⊞ hang card

Product is individually packaged on a hang card for peg hook placement. Ships in Kraft shipping carton with no perforation.




#### C COLOR CARTON

Product is individually packaged in a full color carton.



# DISPLAY CASE

Packed in a white corrugated case with color display label for shelf placement. Product is individually labeled and ships with a lift-off Kraft cover.



# S SHELF CASE

Packed in a perforated Kraft corrugated case with color display label for shelf placement. Product is individually labeled.

# CONTENTS



# **TILE SAWS & CUTTERS**

**INSTALLATION TOOLS** 

MIXERS. NIPPERS. HOLE SAWS & DRILL BITS. FILES. MALLETS.

TILE LEVELING SYSTEMS, HORSESHOE SHIMS, TRADITIONAL &

**TROWELS & FLOATS** 

**UNDERLAYMENTS & BARRIERS** 

CORK, AQUABAR

**BACKERBOARD & TOOLS** 

BACKERBOARD, KNIVES, CEMENT BOARD SCREWS, SEAM TAPE

**TEAR-OUT TOOLS** 

SCRAPERS







#### **ACCESSORIES INCLUDED**

- Premium porcelain rated 10" blade
- Fold-out stand with heavy duty wheels
- High volume water pump (#61900Q-31)
- Laser cutting guide & LED work area light
- Side extension table
- Full coverage splash guard water containment system
- Rip/Angle cutting guide
- 2 wrenches
- Ideal for cutting large format tile including ceramic, porcelain, granite, stone and marble tile
- Rips up to a 24" tile and can diagonally cut a 18" tile
- Adjustable plunging and pivoting motor head for interior cutting, miter cuts and rip/angle cuts
- One year limited warranty

61900Q-31 High Volume Water Pump (1/cs)

#### **SPECIFICATIONS**

Item No	61900Q
Motor	2.25 HP / 120V-60Hz / 15 Amps
Watts	1750
RPM	3600
Blade Capacity	10"
Arbor	5/8"
Rip Cut	24" Tile
Diagonal Cut	18" Tile
Depth of Cut	3-3/4"
Size	51" L x 33" W x 45" H (w/stand)
Weight	96 lbs (w/stand)







#### 24" Professional Tile Saw



- Powerful 3450 RPM motor cuts the toughest marble, granite, stone, porcelain & masonry products, as well as all types of tile\*
- Rips up to a 24" tile and can diagonally cut a 18" tile
- Adjustable tilting head offers quick and easy 45° to 90° miter cuts
- Plunge cutting for interior cut out of tile
- One year limited warranty
- \* For porcelain and hard tiles, we recommend QEP's Black Widow Blade (#6-1008BW)

#### **SPECIFICATIONS**

Item No	61024BR
Motor	1-1/2 HP / 120 V ~ 60 Hz / 9.5 Amps
Watts	1100
RPM	3450
Blade Capacity	10"
Arbor	5/8"
Rip Cut	24" Tile
Diagonal Cut	18" Tile
Depth of Cut	2-3/8"
Size	40" L x 21.5" W x 48.3" H (w/stand)
Weight	105.8 lbs (w/stand)

#### **ACCESSORIES INCLUDED**

- 10" continuous rim wet diamond blade
- Easy fold-out stand with 3" wheels
- High volume water pump (#60095)
- Side table pull-out extension
- 45° 90° angle/rip guide
- Rear water trav
- 2 wrenches





# 24" Bridge Saw



- Direct drive 1 HP, 3420 RPM brushless motor is ideal for cutting marble, granite, porcelain, stone and tile\*
- Rips up to a 24" tile and can diagonally cut a 18" tile
- Adjustable pivoting rail allows easy angle positioning from 90° to 45° for fast and consistent miter cuts
- One year limited warranty
- \* For porcelain and hard tiles, we recommend QEP's Black Widow (#6-8008BW)

#### **SPECIFICATIONS**

Item No	83200Q
Motor	1 HP / 120 V-60 Hz / 9.5 Amps
Watts	1100
RPM	3420
Blade Capacity	8"
Arbor	5/8"
Rip Cut	24" Tile
Diagonal Cut	18" Tile
Depth of Cut	1-3/8"
Size	43" L x 24" W x 47" H (w/stand)
Weight	106 lbs (w/stand)

#### **ACCESSORIES INCLUDED**

- 8" continuous rim wet diamond blade for porcelain
- Fold-out stand with wheel attachments
- Rear wheel attachments (#63036)
- High volume water pump (#60098)
- Angle/rip cutting guide
- Handles









#### 7" Power Pro 1HP Tile Saw



- Tested and Compliant Exceeds the new OSHA Silica Rule 29 CFR 1926.1153
- Cuts porcelain tile, ceramic tile, marble, slate and stone\*
- · Angle and rip guides for precise cutting
- Non-slip feet and fold-out bench stop keep saw in place during use
- · Locking on/off switch with security key
- Interior water baffle minimize water-spray and reduces refills
- Oversized die cast aluminum table
- Tilt-up cutting table for precision 15°, 30° and 45° miter cuts
- \* For porcelain and hard tiles, we recommend QEP's Black Widow (#6-7008BW)

#### **SPECIFICATIONS**

Item No	22900Q
Motor	1 HP / 120 V ~ 60 Hz. / 6.5 Amps
Watts	750
RPM	3600
Blade Capacity	7"
Arbor	5/8"
Rip Cut	Unlimited
Diagonal Cut	Unlimited
Depth of Cut	1-1/8"
Size	22.5" L x 18" W x 8" H
Weight	29 lbs

#### **ACCESSORIES INCLUDED**

- 7" continuous rim wet diamond blade
- Locking rip guide
- . Angle cutting guide
- Bench stop



#### 7" 750XT Tile Wet Saw



- Tested and Compliant Exceeds the new OSHA Silica Rule 29 CFR 1926.1153
- Unique back extension table to support large format tile during cut
- Powerful 3/4 Peak HP motor for cutting ceramic, slate, marble, granite and porcelain\*
- Interior water baffle minimizes water spray and reduces refills
- Tilt-up cutting table for precision 22.5° and 45° miter cuts
- · Locking adjustable angle and rip guides for accurate cuts
- \* For porcelain and hard tiles, we recommend QEP's Black Widow Blade (#6-7008BW)

#### **SPECIFICATIONS**

Item No	22750Q
Motor	3/4-Peak HP/120 V~60 Hz./4.8 Amps
Watts	550
RPM	3600
Blade Capacity	7"
Arbor	5/8"
Rip Cut	Unlimited
Diagonal Cut	Unlimited
Depth of Cut	1-1/4"
Size	21" L x 22.2" W x 9.5" H
Weight	21.4 lbs

#### **ACCESSORIES INCLUDED**

- 7" continuous rim wet diamond blade
- 45° angle guide
- Blade guard
- Rip guide
- Rear extension table



**TEAR-OUT** 



- Powerful 3/4 Peak HP motor for cutting ceramic, marble, stone, travertine, and porcelain\*
- Water recirculation channel
- · Lock-down rip guide for fast, multiple cuts
- Non-slip feet for stability
- 22.5° and 45° angle guide for diagonal cutting
- Extension side table
- · Deep water tray means no refilling
- \* For porcelain and hard tiles, we recommend QEP's Black Widow Blade (#6-7008BW)

#### **SPECIFICATIONS**

Item No	22700Q
Motor	3/4-Peak HP/120 V~60 Hz./4.8 Amps
Watts	550
RPM	3600
Blade Capacity	7"
Arbor	5/8"
Rip Cut	Unlimited
Diagonal Cut	Unlimited
Depth of Cut	1-1/4"
Size	20.08" L x 15.74" W x 9.88" H
Weight	23 lbs

#### **ACCESSORIES INCLUDED**

- 7" continuous rim diamond blade
- Rip guide
- Angle guide
- Extension table
- Blade wrench



# 4" Torque Master XT Portable Tile Saw



- 3/5 HP, hi-torque geared motor for maximum cutting performance
- Dual extension tables add extra 5" of cutting surface
- Cuts ceramic tile, porcelain tile\*, marble, slate and stone
- Fully adjustable miter guide with unique ratchet mechanism
- Cutting table is hinged to adjust for making 22.5° and 45° miter
- Water recirculation system saves time when replenishing water supply and keep work area drier
- 4" diamond blade (6-4001Q)
- \* For porcelain and hard tiles, we recommend QEP's Black Widow Blade (#6-4008BW)

#### **SPECIFICATIONS**

Item No	22400Q
Motor	3/5-Peak HP / 120 V ~ 60 Hz. / 4 Amps
Watts	450
RPM	4600
Blade Capacity	4"
Arbor	5/8"
Rip Cut	Unlimited
Diagonal Cut	Unlimited
Depth of Cut	3/4"
Size	14.3" L x 15.8" W x 4.6" H
Weight	8 lbs

#### **ACCESSORIES INCLUDED**

- 4" continuous rim diamond blade (#6-4003Q)
- 45° angle guide
- Blade guard
- Rip guide
- Rear extension table



# **TILE SAWS AT A GLANCE**

#### **Standing Saws**

ITEM NO.	DESCRIPTION	SIZE (LxWxH)	WEIGHT (lbs)	BLADE	ARBOR	HP	AMPS	WATTS	RPM	RIP CUT (Tile Size)	DIAGONAL (Tile Size)	CUTTING DEPTH	WATER PUMP	ACCESSORIES INCLUDED
83200Q	24" Bridge Saw	43"x24"x47" (w/stand)	106	8"	5/8"	1	9.5	1100	3420	24"	18"	1-3/8"	#60098	A, B, D, E, G, I, J, K, L
61900Q	10"900XT Pro Tile Saw	45"x51"x33" (w/stand)	96	10"	5/8"	2.25	15	1750	3600	24"	18"	3-3/4"	#61900Q- 31	A,B,D,F,G,I,J, K,L,M
61024BR	24" Professional Tile Saw	40"x21.5"x48.3" (w/stand)	105.8	10"	5/8"	1-1/2	9.5	1100	3450	24"	18"	2-3/8"	#60095	A, B, D, F, G, K, J, L, M

#### **Table Saws**

ITEM NO.	DESCRIPTION	SIZE (LxWxH)	WEIGHT (lbs)	BLADE	ARBOR	HP	AMPS	WATTS	RPM	RIP CUT (Tile Size)	DIAGONAL (Tile Size)	CUTTING DEPTH	WATER PUMP	ACCESSORIES INCLUDED
22900Q	7" Power Pro Tile Saw	22.5"x18"x8"	29	7"	5/8"	1	6.5	750	3600	Unlimited	Unlimited	1-1/8"	N/A	B, G, H, I, K, N
22750Q	7"750XT Tile Wet Saw	21"x22.2"x9.5"	21.4	7"	5/8"	3/4	4.8	550	3600	Unlimited	Unlimited	1-1/4"	N/A	B,F,G,H,I,K,N
22700Q	7"700XT Tile Wet Saw	20"x15.7"x9.8"	23	7"	5/8"	3/4	4.8	550	3600	Unlimited	Unlimited	1-1/4"	N/A	B,F,G,H,K,N
22400Q	4"Torque Master XT Portable Tile Saw	14.3"x15.8"x4.6"	8	4"	5/8"	3/5	4	450	4600	Unlimited	Unlimited	3/4"	N/A	B, F, G, H, N

#### ACCESSORY GUIDE:

A. Water Pump

B. Continuous rim wet diamond blade

C. Heavy duty legs / fold-out stand

D. Folding stand w/ locking wheels

E. Rear wheel attachments

F. Side/rear extension table(s)

G. Angle/rip cutting guide

H. 45° miter cutting guide / block

I. Handle(s)

J. Laser cutting guide

M. Plunge cut capable N. Self contained water reservoir

K. Wrench, wrenches and/or hex keys

L. Tilting head

# **Tile Saw Water Pumps**

#### For 83200Q Tile Saws

- Pumps 60 Gal (227.4 L) per hour using 2' tubing (tubing not included)
- Corrosion resistant plastic housing for increased durability
- · Removable easy-to-clean filter included

#### For 61024BR Tile Saws

- Pumps 54 Gal (203 L) per hour using 2' long tubing (tubing not included)
- Corrosion resistant plastic housing for increased durability
- Extra large intake reservoir with removable easy-to-clean filter

60098 120 V Submersible Tile Saw Water Pump (1/cs) 60095

120 V Submersible Tile Saw Water Pump (1/cs)

#### **Diamond Blades**

The QEP diamond blade line offers a blade for every application and budget. Whether your tile project requires the cutting of ceramic, porcelain, marble, granite, glass, slate, concrete pavers or stone, QEP has a blade that will cut it quickly and efficiently. The high quality of QEP's diamond blades is due to our stringent testing and exact specifications assuring the user a wobble-free blade that produces smooth and precise cuts.

△WARNING: Cancer and Reproductive Harm- www.P65Warnings.ca.gov. See P. 59, \*Prop 65 - 1.



#### **Black Series**

General purpose blade for wet or dry cutting of ceramic tile.



**Gold Series** 

Premium blade for wet or dry cutting of ceramic, porcelain and marble tile.



**Glass Series** 

Premium blade for wet cutting of glass tile.

Item No.	Description	Application	Rim Height	Width	Arbor Size	Max RPM	No. in Case
6-4001Q	4" Continuous Rim	Ceramic tile - Wet/Dry	7 mm	.060	5/8" - 20 mm - 7/8"	15000	4
6-7001Q	7" Continuous Rim	Ceramic tile - Wet/Dry	7 mm	.060	7/8" - 5/8" - DM	8730	4
6-8001Q	8" Continuous Rim	Ceramic tile - Wet/Dry	7 mm	.060	7/8" - 5/8" - DM	7640	4
6-1001Q	10" Continuous Rim	Ceramic tile - Wet/Dry	7 mm	.060	7/8" - 5/8" - DM	6115	4
6-4003Q	4" Continuous Rim	Ceramic, Porcelain, Marble-Wet/Dry	7 mm	.060	5/8" - 20 mm - 7/8"	15000	4
6-7003Q	7" Continuous Rim	Ceramic, Porcelain, Marble - Wet	7 mm	.060	5/8"	8730	4
6-8003Q	8" Continuous Rim	Ceramic, Porcelain, Marble - Wet	7 mm	.060	5/8"	7640	4
6-1003Q	10" Continuous Rim	Ceramic, Porcelain, Marble - Wet	7 mm	.060	5/8"	6115	4
6-4006GLQ	4" Continuous Rim	Glass - Wet	7 mm	.060	5/8" - 20 mm - 7/8"	15000	3
6-7006GLQ	7" Continuous Rim	Glass - Wet	7 mm	.060	5/8"	8730	3
6-7006GLQC	7" Continuous Rim Only available in Canada	Glass - Wet	7 mm	.060	5/8"	8730	3

# **Black Widow® Blades**

The QEP Black Widow® Premium-Grade, thin-rim Diamond Blades quickly cut through the toughest ceramic, porcelain, marble and granite. Independent lab test results have proven Black Widow Blades continuously out perform the competition in durability.



- Premium-grade, thin-rim diamond blade for fast wet cutting of porcelain, ceramic, granite and marble tile
- Ideal for high speed cutting of hard masonry tile
- Unique diamond-shaped laser cutouts prevent blade wobble and keep blade cooler for a longer life
- 7 mm rim height for a longer life and for increased cutting contact with the blade

▲WARNING: Cancer and Reproductive Harm- www.P65Warnings.ca.gov. See P. 59, \*Prop 65 - 1.

Item No.	Description	Application	Rim Height	Width	Arbor Size	Max RPM	No. in Case
6-4008BW	4" Black Widow®	Ceramic, Porcelain, Marble, Granite - Wet/Dry	7 mm	.060	5/8" - 20 mm - 7/8"	15000	5
6-7008BW	7" Black Widow®	Ceramic, Porcelain, Marble, Granite - Wet	7 mm	.060	5/8"	8730	5
6-8008BW	8" Black Widow®	Ceramic, Porcelain, Marble, Granite - Wet	7 mm	.060	5/8"	7640	5
6-1008BW	10" Black Widow®	Ceramic, Porcelain, Marble, Granite - Wet	7 mm	.060	5/8"	6115	5



Only wide light state cut

Only 5-1/2" wide and lighter than standard cutters

- Lightweight and easy to carry from site to site
- Narrow width, less bulky than regular cutters
- Metal rip guide
- Equipped with replaceable tungsten-carbide 7/8" cutting wheel
- Reinforced thick steel base with tile support arms
- Die cast aluminum rail supports

10636Q 36" Slimline Manual Tile Cutter, with 4 legs (1/cs)
Cuts tile up to 36", 25" diagonally, 1/2" thick

106320 30" Slimline Manual Tile Cutter, with 2 legs (1/cs)

Cuts tile up to 30", 21" diagonally, 1/2" thick
106260 24" Slimline Manual Tile Cutter, with 2 legs (1/cs)

106240 24" Slimline Manual Tile Cutter, with 2 legs (1/cs)
Cuts tile up to 24", 18" diagonally, 1/2" thick

21178Q 7/8" Titanium-Coated Tungsten Carbide Cutting Wheel (3/cs)

**SAWS & CUTTERS** 

#### **LFT Manual Tile Cutter**



- Allows thick materials to be easily cut
- Cuts porcelain, floor tile, mosaics, and other materials
- Ball bearings in the cutting head allow for accurate and easy scoring
- Breaking System Lever produces max amount of pressure
- Locking slide to prevent damage in transport
- · Locking swivel angle and measurement bar
- Dual breaker bar for narrow and wide tile
- Handle and wheels for easy mobility
- Breaking pads are mounted on springs for better shock absorption
- Comfort grip handle
- Cut-out under breaking pads allows for tile cuttings to fall through for easy cleaning

10480Q 48" LFT Manual Cutter (1/cs)

Cuts tile up to 48", 34" diagonally, 5/8" thick

21178Q 7/8" Titanium-Coated Tungsten Carbide

Cutting Wheel (3/cs)



# 35" & 24" Professional Tile Cutters



- · Ball bearing slide for smooth scoring
- Multipurpose cutter for most large format tile including ceramic and porcelain
- Side arm extensions to support large format tiles
- Equipped with replaceable 7/8" titanium-coated tungsten carbide ball bearing cutting wheel
- Durable chrome plated steel rails
- Rip/Angle guide for fast multiple cuts

10900Q 35" Professional Tile Cutter (2/cs)

Cuts tile up to 35", 24" diagonally, 1/2" thick

10630Q 24" Professional Tile Cutter (1/cs)

Cuts tile up to 24", 17.5" diagonally, 1/2" thick

21125 7/8" Titanium-Coated Tungsten Carbide

Cutting Wheel (6/cs)



# 27" & 22-1/2" Big Clinker Tile Cutters



- Multipurpose cutter for most tile including ceramic and porcelain
- Height adjustable 4-position wheel for easy snapping in any position on tile
- Equipped with replaceable 7/8" titanium-coated tungsten carbide ball bearing cutting wheel
- Side arm extensions to support large format tiles
- Durable chrome plated steel rails
- Rip/Angle guide for fast multiple cuts
- · Heavy duty cast aluminum base

10800 27" Big Clinker Tile Cutter (1/cs)

Cuts tile up to 27", 20" diagonally, 1/2" thick

10500 22-1/2" Big Clinker Tile Cutter (1/cs)

Cuts tile up to 22-1/2", 16" diagonally, 1/2" thick

21123Q 7/8" Titanium-Coated Tungsten Carbide

Cutting Wheel (1/cs)



#### 25" Big Clinker Tile Cutter



- Cuts wall and floor tile up to 25", 18" diagonally, 5/8" thick
- Height adjustable 4-position wheel for easy snapping in any position on tile
- Equipped with replaceable 7/8" titanium-coated tungsten carbide ball bearing cutting wheel
- Side arm extensions to support large format tiles
- Durable chrome plated steel rails
- Rip/Angle guide for fast multiple cuts
  - · Heavy duty cast aluminum base
  - Extra thick 3/8" padding

10600BR 25" Big Clinker Tile Cutter (1/cs)
211230 7/8" Titanium-Coated Tungsten Carbide Cutting Wheel (1/cs)



# 21" Pro Tile Cutter



- Cuts wall and floor tile up to 21", 15" diagonally, 3/8" thick
- Cuts ceramic, porcelain, and mosaics
- Straight edge adjustable measurement guide
- Dual chrome-plated solid steel rails for smooth scoring
- · Soft grip handle
- Includes replaceable titanium tungsten carbide 7/8" cutting wheel
- · Powder coated steel base with extra reinforcement

10521Q 21" Pro Tile Cutter (2/cs)

21178Q 7/8" Titanium-Coated Tungsten Carbide Cutting Wheel (3/cs)



#### 21" Professional Tile Cutter





- Cuts wall and floor tile up to 21", 15" diagonally, 3/8" thick
- · Cuts ceramic and porcelain tile
- High leverage, padded handle makes cutting easier and reduces fatigue
- Durable chrome-plated solid steel rails for smooth scoring
- Soft grip handle
- Includes replaceable tungsten carbide 10 mm post scoring wheel
- Powder coated steel base with extra reinforcement

102210 21" Professional Tile Cutter (2/cs) 211270 10 mm Post Scoring Wheel (6/cs)



#### 20" Professional Tile Cutter



- Cuts wall and floor tile up to 20", 14" diagonally, 1/2" thick
- Equipped with replaceable 7/8" ball bearing, titaniumcoated tungsten carbide cutting wheel
- Dual chrome-plated rugged steel rails
- Adjustable rip guide designed to help make repetitive cuts faster and easier
- High-leverage handle makes cutting easier with less effort
- Thick, heavy duty rubber pad protects tile
- Ball bearing slides for smooth scoring

106750 20" Professional Tile Cutter (2/cs)
106750-41 7/8" Ball Bearing Titanium-Coated Tungsten Carbide
Cutting Wheel (3/cs)



# 20" & 14" Professional Tile Cutter



- Equipped with replaceable 1/2" titanium-coated tungsten carbide cutting wheel
- Reinforced steel base

10220Q 20" Professional Tile Cutter (4/cs)
Cuts tile up to 20", 14" diagonally, 1/2" thick
10214Q 14" Professional Tile Cutter (6/cs)
Cuts tile up to 14", 10" diagonally, 1/2" thick
10010HD 1/2" Tungsten Carbide Cutting Wheel (12/cs)



# **Replacement Wheels for Tile Cutters**

ITEM NO.	DESCRIPTION	21127Q 10 mm Wheel	10010HD 1/2" Wheel	10675Q-41 7/8" Wheel	21123Q 7/8" Wheel	21125 7/8" Wheel	21178Q 7/8" Wheel
10480Q	48" LFT Manual Tile Cutter						•
10636Q	36" Slimline Tile Cutter						•
10632Q	30" Slimline Tile Cutter						•
10624Q	24" Slimline Cutter						•
10900Q	35" Tile Cutter					•	
10800	27" Big Clinker Tile Cutter				•		
10630Q	24" Tile Cutter					•	
10600BR	24" Big Clinker Tile Cutter				•		
10521Q	21" Pro Tile Cutter						•
10221Q	21" Professional Tile Cutter	•					
10675Q	20" Tile Cutter			•			
10500	22-1/2" Big Clinker Tile Cutter				•		
10220Q	20" QEP Tile Cutter		•				
10214Q	14" QEP Tile Cutter		•				
10268B	13" Tile Cutter		•				



**INSTALLATION TOOLS** 

#### **Power Mixer Pro**



- Mix thinset, grout, mortar, and other viscous materials with minimal effort
- · Strong enough to mix cement
- High quality, powerful 1300 Watt motor
- High torque 2-speed motor: 1st gear: 180-460 RPM 2nd gear: 300-700 RPM
- Male-threaded 2-piece paddle specially designed to completely mix full bucket loads of viscous materials
- Variable speed dial controls RPM's which prevents splashing at start-up
- Includes chuck kit for use with non-threaded mixer paddles


21665Q Power Mixer w/ Paddle (1/cs)
21661 One-piece replacement paddle (1/cs)

#### **SPECIFICATIONS**

Item No	21665Q
Motor	120 V ~ 1300 Watts - 2-speed 1st gear: 180 - 460 RPM, 2nd gear: 300 - 700 RPM
Amps	11
Weight	13 lbs



# **Professional Mixing Paddle**



- Replacement paddle for 21660Q, 21665Q or any mixer that accepts M-14 thread
- Specially designed paddle for fast and effective mixing of thick and dense materials
- M-14 thread design for paddle stability during mixing
- Shaft diameter 1/2", length 24", blade width 5-1/2"

21661 Professional Mixing Paddle (1/cs)



# 30" XL Spiral Pro Mixer



- Preferred by professionals for fast and easy mixing of grouts, thinsets and other setting materials
- · Longer shaft length for more comfort
- Designed to reduce introduction of air into mixture
- Length 30", blade width 5-1/2"

61230 30" XL Spiral Pro Mixer (6/cs)



#### **Thinset and Grout Mixing Paddle**



- Mixes grouts, thinsets and other setting materials with a minimum amount of air
- Length 23-1/2", blade width 8-1/4"

75001Q Thinset and Grout Mixing Paddle (6/cs)



# **Professional Mixing Paddle**



- Preferred by professionals for fast and easy mixing of grouts, thinsets and other setting materials
- Length 23-1/2", blade width 4-7/8"
- Chrome plated steel

61205 Professional Mixing Paddle (8/cs)



# **Universal Mixing Paddle**



- The special design of the blades takes the stress and high torque off the drill, excellent for cordless drills
- The optimal mixing tool for small volumes of thinsets, mortars, cement, plaster and similar viscous materials
- Length 16", blade width 3-1/4"
- Powder coated steel

61210 Universal Mixing Paddle (12/cs)



# **Plastic Mixing Buckets**



- Durable white opaque plastic buckets with handles
- 78200 5 Gallon Plastic Mixing Bucket White (6/cs)
  78208 3-1/2 Gallon Plastic Mixing Bucket White (1/cs)
- 78217 15 Litre Plastic Mixing Bucket White (1/cs)

Only available in Canada

KNEEPADS

# **Compound Tile Nipper**





- Compound mechanism delivers 3 times more force with less effort
- Use to cut irregular shapes in all tile from 1/8" to 1/4" thick
- Durable tungsten carbide tip provides a long cutting life
- Co-molded plastic handle with non-slip, rubber grip for comfortable repeat use

32036 Compound Tile Nipper (6/cs)



# **Tile Nipper**



- 8" carbide tipped nippers with offset jaws
- For cutting irregular shapes in tile from 1/8" to 1/4" thick
- Single piece, drop-forged steel construction for maximum strength

10003 Tile Nipper (12/cs)



# **Glass Tile Nipper**



- Cuts irregular shapes in glass tile and mosaics from 1/32" to 1/4" thick
- Ideal for quickly cutting small mosaic pieces of glass and removing tiny points from glass tile
- Single piece, drop-forged steel construction for maximum strength with comfortable, contoured handles
- Should the cutting wheel become dull, loosen with an Allen wrench, rotate wheels and retighten to use a sharper edge

32010 Glass Tile Nipper (6/cs)



# **Tile Cutter**



- Recommended for manually scoring and cutting ceramic wall tiles up to 6" x 6" and 1/4" thick
- Uses a durable tungsten carbide wheel for scoring and a breaker bar to "snap" ceramic tile

32024 Tile Cutter (6/cs)



# **Diamond Drill Bit** with Water Delivery System



- Ideal for cutting holes when installing towel bars, soap dishes, shelves, cabinets and shower door frames
- Diamond Grit edge drills through ceramic, glass, marble, porcelain and granite
- Convenient, single piece water delivery system keeps hole saw cool for a longer life
- Fits standard 1/2" or 3/8" drill chucks
- Kit includes 6 adhesive pads, water cooling system, drill guide and drill bit
- Only for wet use with cordless drills

10571 5/16" Porcelain Diamond Drill Bit w/Drill Guide and Water Cooling System (6/cs)

10572 1/4" Porcelain Diamond Drill Bit w/Drill Guide and Water

Cooling System (6/cs)







# Diamond Hole Saw with Water Delivery System



- For cutting 1-3/8" diameter holes in glass, ceramic, porcelain, marble and granite
- Special diamond grit edge for faster smoother cuts
- Included drill guide and water cooling cup easily supplies water to drill bit (use wet-only)
- Fits standard 1/2" or 3/8" drill chucks
- Includes 6 adhesive strips, water cooling cup and 1-3/8" diameter x 3" tall drill bit
- Only for wet use with cordless drills

10569 1-3/8" Porcelain Diamond Hole Saw w/Drill Guide and Water Cooling System (6/cs)

REPLACEMENT TAPE:

10570 1-3/8" Hole Saw Mounting Tape (12 pc/bag) (6/cs)



#### wetDRY Diamond Drill Bit / Hole Saw





- For cutting holes in glass, ceramic, porcelain, marble and granite
- Advanced metallurgical technology bonds diamond grit to chrome alloy steel base to produce a long lasting cutting edge
- Extremely durable and built to last longer than conventional diamond drill bits and standard hole saws
- Simply dip in water, no need for a constant water delivery system, for quick and easy use
- 12 times longer lasting than standard hole saws
- Fits standard 1/2" or 3/8" drill chucks

10075 1/4" Diamond Drill Bit (6/cs) 10080 5/16" Diamond Drill Bit (6/cs) 10087 1-3/8" Diamond Hole Saw (6/cs)



# 3" PRO Diamond Jigsaw Blade



- For cutting hard materials, including porcelain and ceramic tile
- Cuts faster and cleaner than standard carbide blades
- Heat treated alloy steel backer for superior strength

10585 3" PRO Diamond Jigsaw Blade (6/cs)





#### 3" Saber Saw Blade



• For cutting shapes in ceramic tile

10014QC 3" Saber Saw Blade (5/cs)
Only available in Canada



# **Tile Scorer**



- Tungsten carbide tip is built to last
- Suitable for scoring both wall and floor tile
- Can be used for ceramic and porcelain tile

10589QC Tile Scorer (10/cs)
Only available in Canada




# **HANDI VICE Portable Clamping Device**





- · Quick and easy hand clamp
- Grips and holds tight while cutting
- Great for stabilizing long, thin pieces like trim, wood and pipe
- Rubber grips on feet
- Adjustable hinge
- Can be screwed into work bench
- Quick to use on any surface edge

100410 HANDI VICE Portable Clamping Device (4/cs)





#### **Multi-Use Trim Shears**



- Easily cuts quarter round, tile trim, PVC piping, tackstrip and other light materials
- Makes fast angle cuts in wood quarter round, tile trim, pvc piping, tackstrip and other materials
- Eliminates the need for a chop or miter saw
- Miter guide is clearly marked at 45, 90 and 120 degrees

10711 Multi-Use Trim Shears (6/cs)





### **Locking Contour Gauge**



Irregular shapes are locked into place

- Easily forms around any shape for a precise template, reducing waste created when guessing the dimension of irregular shapes
- Locking feature holds patterns in place while tracing on any surface
- Great for marking precise cutouts in vinyl, wood, porcelain and ceramic tiles
- Durable plastic teeth will not rust or deform
- Total length: 6"

10038 Locking Contour Gauge (6/cs)





# China Markers







- For marking on hard, glossy, non-porous surfaces such as porcelain, glass, ceramics or polished stone
- Grease type marking material in a mechanical pen mechanism
- Plastic outer material is more durable than standard china markers
- Resistant to moisture and easily wipes off when the job is complete
- Includes 1 red and 1 black marker for use on a variety of surface colors

38778 China Markers (12/cs)

#### **PRO Diamond Grit File**



- The high quality diamond bond strength maintains a tough grit surface for working with the hardest materials, including ceramic, porcelain, glass and stone
- May also be used to smooth other materials, including fiberglass, laminate flooring, cement board and carbon fiber
- Flat/round profiles allow for smoothing both straight and curved edges
- Co-molded plastic handle with non-slip, rubber grip for comfortable repeat use

10586 PRO Diamond Grit File (6/cs)





# **Rubbing Stone**



- Dual grit surfaces smooth rough edges on freshly cut ceramic & porcelain tile, stone, marble and brick
- Medium 60-grit on one side and fine 80-grit on the other
- Ideal for dressing diamond blades by exposing fresh diamonds in the blade rim

10022 Rubbing Stone (6" x 2" x 1") (6/cs)







# **Sharpening Stone**



- For diamond blades
- Exposes fresh diamonds in the blade rim
- Maximizes blade efficiency and quality of cuts

10024Q Sharpening Stone (6/cs)





# **Double Suction Cup**



- Maximum vacuum hold to move smooth, non-porous tile, stone and cultured marble
- Vacuum holds up to 88 lbs
- · Heavy duty, aluminum frame

75003Q Double Suction Cup (3/cs)



# **Suction Cup**



- For easy handling of non-porous tile, marble and glass during installation
- Holds up to 12 lbs
- Suction cup pad is 4-1/2" in diameter
- 3-1/2" wide handle opening easily accommodates large hands

75000 Suction Cup (6/cs)



# Tile Mallet





- Measures 70-75 on the Shore A hardness scale, for a firm hardness with minimum bounce when striking
- Designed for installing both unfinished and prefinished flooring
- Large chamfered mallet head spreads force across the flooring to move it into place during installation
- 16 oz. white rubber head will not mar tile or other surfaces
- Co-molded plastic 11.5" handle with non-slip, rubber grip for comfortable extended use

61625 Tile Mallet (3/cs)



# **White Rubber Mallet**



- 16 oz. non-marring rubber head securely mounted on hardwood handle
- 12-1/2" in length, 2" diameter rubber head

61613 White Rubber Mallet (12/cs)

#### **Pro Grout Saw**



**2 BLADES INCLUDED** 

- Curved heavy duty carbide blades easily remove stubborn grout
- Specially designed handle design provides control and leverage
- Includes 2 blades total, 1 blade on head and 1 blade in handle
- Blade storage in handle can hold up to 2 blades
- Use 1 blade for thinner grout lines and 2 blades for wider grout lines

10093 Pro Grout Saw (6/cs)

#### **REPLACEMENT BLADE:**

75011 Replacement Grout Saw Blades 2 pack (6/cs)







#### **Grout Saw**



**2 BLADES INCLUDED** 

- Strips, cleans and removes old grout and may be used on all grout types
- Includes 1 steel tooth blade for initially removing tough grout and 1 carbide grit blade for finishing and fine removal
- Use both blades for wide grout lines

10057 Grout Saw (12/cs)

REPLACEMENT BLADE:

75011 Replacement Saw Blades 2 pc (6/cs)



# **Grout Saw Blades**



 Replacement blades for QEP's and Pro Grout Saw 10093 and 10057

75011 Replacement Grout Saw Blades 2 pack (6/cs)



# **Grout Saw**



- Removes old and dirty grout
- For grout joints 1/8" or wider
- Curved handle for comfort grip

10001QC Grout Saw (12/cs)
Only available in Canada



#### **Grout Remover**



- For removing unwanted grout, mortar, thinset, calcium, caulking and surface rust
- Double-sided head with 3 durable carbide tips
- Includes 1/16", 1/8" and 3/16" tips
- Co-molded plastic handle with non-slip, rubber grip for comfortable extended use


10020 Grout Remover (12/cs)







#### Thinset Removal Tool



- For removing excess thinset during tile installation
- Durable plastic material will not scratch tile and is easy to clean
- Easy to use with clearly marked tips for 1/16 in., 1/8 in., 3/16. and 1/4 in. grout joints
- Patent pending 4-in-1 flat, compact tool for easy storage and portability

62963 Thinset Removal Tool (10/cs)





# **Grout Brush**



- Multi-purpose cleaning brush with outstanding performance on tile and grout
- Ergonomic handle includes thumb rest for leverage and comfort
- Durable, angled nylon bristles remove grime in creases

20842 Grout Brush (12/cs)







#### **Grout Sealer Applicator**



- Includes (2) roller wheels for multiple grout widths: Use 1/8" wheel for grout joints 1/8" and smaller Use 1/4" wheel for grout joints 1/4" and larger
- · Works with all grout sealers
- Patented roller wheel system provides complete coverage
- Holds 12 oz. (355 ml)

10279 Grout Sealer Applicator (12/cs)

- Great for small projects with narrow grout joints
- Works with all grout sealers
- Plastic bottle holds up to 4 oz. of grout sealer

19999 Grout Sealer Brush Applicator (12/cs)



#### **Tile Installation Kit**



- Complete kit containing all the tools necessary to install ceramic tile on floors
- Kit contains: 1/4" x 1/4" x 1/4" square notch floor trowel, 1/4" x 3/8" x 1/4" square notch floor trowel, rubber grout float, handheld tile cutter, sponge, multipurpose gloves, washable kneepads, and reusable 2.5 gallon plastic bucket with complete installation instructions

78250Q Floor & Wall Tile Installation Kit (1/cs)

S

# **Tile Installation Kit**



- Complete kit containing all the tools necessary to install ceramic tile on floors
- Kit contains: Molded rubber float, 1/4" x 3/8" x 1/4" square notch floor trowel, 8" tile nippers, sponge, disposable gloves and reusable 2.5 gallon plastic bucket with complete installation instructions

78220Q Tile Installation Kit (1/cs)

QEP Canada (English/French Packaging)
78220QC Tile Installation Kit (1/cs)



# **Sponge Sheets**



- Superior strength provides durability for all general purpose cleaning
- Can easily be cut to desired shape or size
- Large size to cover more surface area
- Flexible, thinner- able to roll, fit in odd areas
- 10" x 12" x 1/2"

70004Q-32 Sponge Sheet (32/cs)

#### Microfiber Polishing Sponge



- Microfiber side ideal for cleaning grout, applying sealer and polishing tile
- · Rounded corners prevent digging out or marring of grout joints
- Rounded corners prevent digging out or marring of grout joints
- · For use on sanded and non-sanded grouts
- · Great for washing and polishing cars, boats, countertops and furniture
- 7-1/2" x 5-1/2" x 2"

70010 Microfiber Polishing Sponge (24/cs)



# Scrubbing Sponge



- Designed for removing wet and drying grout during floor and wall tile installation
- · Premium density, heavy duty sponge on one side and scrubbing pad on the other for all in one cleaning
- · Hydrophilic design for high water holding capacity and scrub pad removes tough stains
- · Rounded corner design prevents digging out or marring grout
- · Perfect for residential, commercial, office, car, boat and RV cleaning
- 7-1/2" x 5-1/4" x 1.875"

70007-24 Scrubbing Sponge, Individually bagged (24/cs)



# **Heavy Duty All-Purpose Sponge**



- Professional, heavy duty sponge for grout clean-up during floor and wall tile installation
- · Foam density is engineered for quicker grout pick-up and faster rinse
- Rounded corner design prevents digging out or marring grout
- · Perfect for residential, commercial, drywall, auto and marine cleaning
- 7-1/2" x 5-1/2" x 1.875"

70005-24 Heavy Duty All-Purpose Sponge, Individually bagged (24/cs) 70005Q-144 Heavy Duty All-Purpose Sponge, Individually bagged in dump display (144/cs)

70005Q-6D Heavy Duty All-Purpose Sponge, Value 6 Pack in dump display (24/cs)

70005Q-600 Heavy Duty All-Purpose Sponge, Bulk Bale (600/bale)

QEP Canada (English/French Packaging)

70005 XL All-Purpose Sponge, Bulk Bale (600/bale) 70005QC XL All-Purpose Sponge, Individually bagged (36/cs) 70005QC-144 XL All-Purpose Sponge, Individually bagged in dump display (144/cs)

70005QC-6D XL All-Purpose Sponge, Value 6 Pack in dump

display (24/cs)



# **Microfiber Grout Cleaning Cloth**



- Oversized, microfiber cloth for removing grout haze, as well as general dusting, washing and cleaning
- Soft, yet durable and heavy duty material is great for wet or dry use
- 100 percent microfiber cloth, including double sided edge stitching
- Machine washable, and great for general purpose cleaning on most home surfaces, including cars and boats

70018 Microfiber Grout Cleaning Cloth 18" x 18" (12/cs)



# **Microfiber Surface Cleaning Cloth**



- High absorbency cloth absorbs up to 5 times its weight in water
- Soft microfiber on one side, non-abrasive scrubbing micro-bristles on the other
- Rows of micro-bristles safely scrub away dried grout and tough to remove dirt and grime
- Machine washable
- For maximum cleaning performance

700190 Microfiber Surface Cleaning Cloth 14" x 14" (12/cs)



# **Polishing Cheesecloth**



- For removing grout haze after installation
- 5 square yards (36" x 180")
- Great for polishing most tile surfaces to a bright shiny finish
- 100% cotton, professional grade fine mesh

76030 Polishing Cheesecloth (12/cs)



# **XL Grout Scrubber**



- Ideal for removing dried or hard grout during and after installation
- Non-abrasive pad will not scratch tiles
- Easily cleaned with soap and warm water
- 10-1/4" x 4-1/2"

10076Q XL Grout Scrubber (12/cs)

#### Toilet Installation Kit & Accessories



38229 Toilet Installation Kit with 12" Connector (1/cs)
Includes: Wm Harvey No-Seep® No. 50 Extra Thick Wax Gasket
with Polyethylene Flange, Fluidmaster® 12" SS Braided Toilet
Connector, Bolt Kit - 1/4" x 2-1/4" brass-plated closet bolts
with nuts and washers

38233 No-Seep Wax Ring, No. 50 (1/cs)

### **Heavy Duty Multipurpose Gloves**



- Protects hands from the corrosive action of grout, chemicals and other harsh substances
- 100% heavy duty latex is puncture and tear resistant
- One size fits most
- · Non-slip ribbing on thumb and finger surfaces

21591 Heavy Duty Multipurpose Gloves (24/cs)



# Tiler's Gloves



- Provides excellent grip and dexterity when handling tile and stone
- Patented SureGrip technology provides an over 400 percent better grip in wet conditions than latex and nitrile material
- Durable, lightweight mesh fabric with elastic wrist band to keep gloves in place
- Touchscreen compatible for easy smartphone and tablet use without removing gloves
- 2 pair of gloves per set
- One size fits most

21595 Tiler's Gloves (20 pairs of gloves) (10/cs)

▲WARNING: Cancer and Reproductive Harm- www.P65Warnings.ca.gov. See P. 53, \*Prop 65 - 2.



#### **Grout Bag**



- Reinforced tip for smooth application and long life
- Protects hands from grout and other harsh substances
- Made of puncture and tear resistant coated vinyl

76000 Grout Bag (12/cs)





# made in USA




# For perfect tile-to-tile leveling


LASH® Tile Leveling System

The patented LASH® Tile Leveling system is designed for quick installation and reduces costly call backs by insuring that the finished floor surface is lippage-free. This time-saving system helps adjust the height of the tiles and evenly holds their edges throughout the curing process of the setting material.


- For use with all floor and wall tiles between 1/4" and 7/16" thick.
- Durable nylon construction for a secure installation
- Specially designed break-off point on clips for swift removal
- Produces 1/16" joint spacing
- May be combined with regular tile spacers for wider joints up to 1/4"
- · Wedges are reusable



LASH® Flat Clip with Wedge



LASH® Curved Clip with Wedge



99730	LASH® Flat Slotted Clips, Bag	100 Qty	(8/cs)
99731	LASH® Flat Slotted Clips, Box	300 pc.	(4/cs)
99740	LASH® Flat Slotted Clips, Box	1000 pc.	(1/cs)
99707Q	LASH® Flat Slotted Clips, Box	4800 pc. Contractor Pack	
99724	LASH® Curved Slotted Clips, Bag	100 Qty	(8/cs)
99758	LASH® Curved Slotted Clips, Box	300 pc.	(4/cs)
99726	LASH® Wedges, Bag	100 Qty	(8/cs)
99727	LASH® Wedges, Bag	300 Qty	(4/cs)
99703	LASH® Wedges, Box	3600 pc. Contractor Pack	



# LASH® Pro Pliers





- Speeds installation time
- · Easily adjusts for different tile thickness
- Fully adjustable pliers ensure wedges are set properly in the leveling clips, every time
- Removable jaw protective caps allow pliers to accommodate similar tile leveling systems

99757 LASH® Pro Pliers (6/cs)



#### **Wall & Floor Tile Leveling System**





- For tiles up to 1/2" thick
- Levels, aligns, spaces and holds tiles for an even tile installation
- Extra wide, flat base design is ideal for wall tile installations

997100 1/16" Wall & Floor Tile Leveling Clips, Bags 100 Qty. (8/cs)
997560 1/16" Wall & Floor Tile Leveling Clips, Box 2,000 pc.
(1/cs) (28/bp)

99718Q 1/8" Wall & Floor Tile Leveling Clips, Bags 100 Qty. (8/cs) 99721Q 1/8" Wall & Floor Tile Leveling Clips, Box 1000 Qty.

(1/cs) (60/bp)

99715Q Wall & Floor Tile Leveling Wedges, Bags 100 Qty. (8/cs)







# **Wedge Tile Spacers**



- . Crucial for achieving a level first row of wall tile
- Ideal for maintaining level horizontal grout lines during installation
- Avoids tile slippage on vertical surfaces will not compress
- Can be used for up to 1/8" (3 mm)

10285 Wedge Tile Spacers, Bag 500 Qty (16/cs)



# **Horseshoe Shims**

- Non-compressive
- Ideal for marble, granite, stone, large format tiles and vertical installations.
- Allows user to lift both corners and align the joints from tile to tile


10320Q 10321Q	1/16" Horseshoe Shims, Tub 1/8" Horseshoe Shims, Tub	200 Qty 150 Qtv	(6/cs) (6/cs)
10322Q	3/16" Horseshoe Shims, Tub	100 Qty	(6/cs)
10323Q	1/4" Horseshoe Shims, Tub	75 Qty	(6/cs)











# **Traditional, Flexible Tile Spacers**



- Flexible, soft plastic design for easy maneuvering in tile joints
- Evenly space tiles for uniform grout lines
- For easy removal, use spacers vertically in traditional tombstone-style
- Works with all sizes of ceramic tile, porcelain, stone and marble

10334 10335 10336 10005	1/16" Tile Spacers, Bag 1/8" Tile Spacers, Bag 3/16" Tile Spacers, Bag 1/4" Tile Spacers, Bag	300 Qty 500 Qty 300 Qty 200 Qty	(24/cs) (14/cs) (14/cs) (15/cs)
10027	3/8" Tile Spacers, Bag	100 Qty	(20/cs)
10027	3/8" Tile Spacers, Bag	100 Qty	(20/cs)





# Hard, Leave-in Tile Spacers

- Use as traditional vertical tombstone-style or inset leave-in installation method
- Leave-In design reduces installation time
- Will not compress when setting marble, granite, stone and large format tile
- Easy to handle, extra long prongs assure perfect 90° grout corners

10330-20 10331-18	1/16" Leave-In Spacers, Bag 1/8" Leave-In Spacers, Bag	300 Qty 300 Qty	(20/cs) (18/cs)
10331-16	1/16" Tile Spacers, Bag	200 Qty	(10/cs)
10333	1/4" Leave-In Spacers, Bag	200 Qty	(10/cs)







#### F3 Stabilizer Professional Knee Pads











# **Comfort Wrap Technology**

# with Memory Foam

- · Memory foam conforms to your knee shape for a custom fit
- XL Patella Gel Zone and 5 Layer Comfort System provides extended total knee comfort
- Soft Cap Stabilizer for hard or soft surfaces
- · Micro hook and loop fastening technology on the entire strap length for a perfect fit
- · Convenient side pen loops for pen storage to quickly make marks



79642 F3 Stabilizer Professional Knee Pads (6/cs)



#### **Ultra Fit Professional Knee Pads**







- Comfortable EVA form-fitting foam padding with SBR foam layer for superior cushioning
- Neoprene strap with adjustable hook and loop fasteners hold the knee pads in place
- Convenient side pen loops for pen storage to quickly make marks
- · Washable and fast drying

79639 Ultra Fit Professional Knee Pads (6/cs)



#### **Comfort Grip Knee Pads**







- Comfortable EVA form-fitting foam padding for cushioning
- Soft neoprene inner lining will not adsorb sweat so the knee pads won't develop an odor
- Stretching, neoprene strap with adjustable hook and loop fasteners hold the knee pads in place
- New Convenient side pen loops for pen storage to quickly make marks

79634 Comfort Grip (8/cs)



#### **Washable Knee Pads**





- · Compression molded EVA foam for easy washing with a neoprene liner for comfort
- Economical and lightweight for comfort and easy mobility
- Adjustable hook and loop fastening straps hold the knee pads in place

79640 Washable Knee Pads (14/cs)



# **LONGEST LASTING BLADES IN THE INDUSTRY**

XL Cork Handle Notched Trowels	Comfort Grip Stainless Steel Notched Trowels	Wood Handle Notched Trowels	Economy Notched Trowels
PRO D	D	D	made in USA
QEP XL Cork Series trowels are engineered by the pros for the pros	High quality 11" x 4-1/2" trowel designed for the professional	Quality trowel measuring     11" x 4-1/2" designed for the professional installer	Quality trowel measuring     " x 4"
the pros  Rustproof 12" x 4-1/2"stainless steel blade designed for long lasting durability  New Cork Comfort Grip for better cushion and anti-slippage in the hand  Extra handle-to-shank distance allows maximum hand clearance  Longer shank with reinforced exposed rivets for added strength  No. in case 12	<ul> <li>Professional</li> <li>Rustproof stainless steel blade</li> <li>Large, contoured and cushioned grip handles for comfort</li> <li>Durable 230 mm aluminum die-cast shank</li> <li>Extra handle-to-shank clearance to allow for complete hand rotation</li> <li>Longer shank with 9 rivets</li> <li>First and last rivet reinforced and welded</li> <li>No. in case 12</li> </ul>	Hardened and tempered steel blade, ground and polished for long lasting durability Large wooden handle for an easy grip Aluminum die-cast shank Some notches available in	Hard, cold-rolled steel blade for longer wear High-impact black plastic handle No. in case 30

# For Tile, Marble and Stone

(C) Also available in Canada

Notch Size	Application	Cork Handle (12" Blade)	Comfort Grip (11" Blade)	Wood Handle (11" Blade)	Economy
3/16" x 5/32" V	For plastic, wall, ceramic & metal tile 6" x 6" or smaller and mosaics on drywall. Also for wall base.		49917	49715Q(C)	10115Q
1/4" x 3/16" V	For ceramic, metal & aluminum wall tile 6" x 6" up to 12" x 12"			49716	10116 Canada Only
1/4" x 1/4" x 1/4" SQ	For thinset application of ceramic tile 8" x 8" or smaller, laminated wood plank flooring, flat milled solid & shorts or plywood	49950	49915	49713	10113Q
1/4" x 3/8" x 1/4" SQ	Thinset application of ceramic tile 8" x 8" up to 16" x 16"	49951	49916	49714	10114Q
1/2" x 1/2" x 1/2" SQ	Thinset or medium bed mortar application of natural stone, quarry tile, pavers, saltillo and ceramic tiles 12" x 12" and larger	49952	49919	49720	10120Q

Always check adhesive/mortar manufacturer's trowel recommendations before selecting a trowel notch. All Trowels Measure: Width x Depth x Space Apart





# **Patch & Finishing Trowel**



- For leveling, patching and finishing
- Hardened, tempered, ground and polished steel blade
- Die-cast aluminum shank with wood handle

49708Q Patch & Finishing Trowel 11" x 4-1/2"- No Notch (12/cs)



# **Margin Trowel**



- Enlarged 6 in. x 2 in. blade is made from ground, tempered and hardened steel for flexibility and durability
- Patent pending bucket hook for easy storage on the side of your bucket
- Co-molded plastic handle with non-slip, rubber grip for comfortable repeat use

42112 6" x 2" Comfort Grip Margin Trowel No Notch (12/cs)
42114 6" x 2" Margin Trowel Square Notch 1/4" x 1/4" x 1/4" (12/cs)





# **Bucket Scoop**



- Quickly scoop setting materials, stucco and more
- Large comfort grip, contoured cushion handle
- 33% longer blade to hold more material
- Curved blade fits 5 gallon buckets
- Stainless steel blade

42113Q Bucket Scoop (6/cs)



#### **Stone Grout Float**



- Soft body design provides maximum flex and leverage for working grout into tile joints, with sanded and non-sanded grouts, for textured tile and natural stone
- . For all grout types, including epoxy
- Inner aluminum backing plate offers strength and stability
- Comfortable, contoured and cushioned handle reduces fatigue
- Beveled sides hold edge longer
- Squared corners ensure complete coverage in corners

10069 Stone Grout Float, 10" x 3-1/2" (12/cs)



#### **Gum Rubber Grout Float**





- Non-stick gum rubber ensures smooth application
- 2-rounded corners prevent gouging of grout joints
- 2-square corners ensure complete grout coverage in corners
- Extra thick aluminum backing plate for maximum leverage and applying grout into joints
- Premium gum rubber laminated to lightweight, closed cell core is built to last

10070 Gum Rubber Grout Float, Wood Handle, 10-1/2" x 4" (12/cs)



#### **Universal Grout Float**





- Non-stick gum rubber ensures smooth application for all grout types including epoxy
- · 2-rounded corners prevent gouging of grout joints
- 2-square corners ensure complete grout coverage in corners
- Extra thick aluminum backing plate for maximum leverage and applying grout into joints.
- Comfortable, contoured and cushioned grip handle reduces fatigue

10074 Universal Grout Float 9-1/2" x 4" (8/cs)

KNEEPADS

CEILING

# **Molded Rubber Grout Float**



- Non-stick 5/8 in. molded gum rubber pad prevents absorption of materials
- Aluminum back plate for durability and beveled sides for a smooth application

10060 Molded Rubber Grout Float 9-1/2" x 4" (12/cs)



# **Economy Rubber Grout Float**



 High-impact plastic handle with closed cell foam rubber pad for a smooth application

10062Q Economy Rubber Grout Float 9" x 4" (24/cs)



# **Margin Float**



- Ideal for hard-to-reach areas such as kitchen backsplashes or under bath and kitchen counters
- Enlarged 6"x 2" gum rubber pad with tempered and hardened steel backing plate
- Patent pending bucket hook for easy storage on the side of your bucket
- Co-molded plastic handle with non-slip, rubber grip for comfortable repeat use

42117 6" Margin Float, Comfort Grip (12/cs)







#### **Natural Cork Sheets**



- Reduces sound transmission from both the surface of a floor as well as through the floor to living spaces below
- Use under ceramic tile, stone, marble, engineered hardwood and laminate floors
- Acts as a crack isolation membrane that resists transfer of stress cracks from subfloor through to flooring surfaces
- Reduces thermal transmission, increasing the effectiveness of floor heating systems
- Each sheet: 2' x 3'

72025 2.5 mm Sheets - 696 sq. ft./case, (116/cs)
Only available in Canada
72004 3/16" (4 mm) Sheets - 456 sq. ft./case, (76/cs)
Only available in Canada
72005Q 1/4" (6 mm) Sheets - 30 sq. ft./pack, (5 sh/pk) (8/cs)
72005-25 1/4" (6 mm) Sheets - 150 sq. ft./pack, (25 sh/pk) (1/cs)
72001Q 1/2" (12 mm) Sheets - 150 sq. ft./case, (25 sh/pk) (1/cs)

	Test Results	IIC Rating	STC Rating	△ Rating*
72025	With 6" cement slab and suspended ceiling	60	59	22
72005Q / 72005-25	With 6" cement slab	51	52	22
72005Q	With 6" cement slab and suspended ceiling	61	60	22



#### **Natural Cork Roll**



- Reduces sound transmission from both the surface of a floor as well as through the floor to living spaces below
- Use under ceramic tile, stone, marble, engineered hardwood and laminate floors
- Acts as a crack isolation membrane that resists transfer of stress cracks from subfloor through to flooring surfaces
- Reduces thermal transmission, increasing the effectiveness of floor heating systems


72000Q 1/4" (6 mm) Natural Cork Roll – 200 sq. ft. roll, 48" x 50' (1/cs)
72003Q 1/4" (6 mm) Natural Cork Roll – 100 sq. ft. roll, 48" x 25' (1/cs)
72008Q 1/8" (3 mm) Natural Cork Roll – 200 sq. ft. roll, 48" x 50' (1/cs)

	Test Results	IIC Rating	STC Rating	∆ Rating*
72000Q	With 6" cement slab	51	52	22
72000Q	With 6" cement slab & suspended ceiling	61	60	22
72003Q	With 6" cement slab	51	52	22
72003Q	With 6" cement slab & suspended ceiling	61	60	22

<sup>\*</sup> IIC measures sound such as moving furniture and walking, STC measures sound such as voices and television. Minimum sound rating required by most building codes and architects is 50. \( \triangle Delta \) Rating is the only true measurement of sound reduction from a product (not a floor assembly) in the industry.

**SAWS & CUTTERS** 





- · Acoustical sound control under ceramic tile and stone
- Enhances stress crack suppression
- Reduces thermal transmission, increasing effectiveness of floor heating systems
- Can also be used under laminate and floating floors
- Easy to install on and above grade in both glue-down and floating floor installations

72019 1/4" (6 mm) Sheets - 30 sq. ft./pack, (5 sh/pk) (8/cs)
72019-25 1/4" (6 mm) Sheets - 150 sq. ft./pack, (25/cs)
72002 1/4" (6 mm) Roll - 200 sq. ft. roll, 48" x 50" (1/cs)



1			
	The state of the s		

	Test Results	IIC Rating	STC Rating	△ Rating*	
	Engineered wood on a 6" cement slab	52	51	22	
72019	Ceramic tile on a 6" concrete slab with a suspended ceiling	63	61	22	
72019-	Engineered wood on a 6" 52		51		
25	Ceramic tile on a 6" concrete slab with a suspended ceiling	63	61	22	
	Engineered wood on a 6" cement slab	52	51		
72002	Ceramic tile on a 6" concrete slab with a suspended ceiling	63	61	22	



# Aquabar® "B" Moisture Vapor Barrier



- Sub-floor barrier helps prevent buckling, cupping and cracking
- Ideal for interior installations of: ceramic, porcelain or stone over cement board, plywood or concrete; and, finished or unfinished wood floors over plywood or concrete

70-195 500 sq. ft. roll - 36 in. x 167 ft. (1/cs)



UNDERLAYMENTS

#### X-TREME Cement Backer Board



Ratings				
R-Value	0.493 / in.			
K-Value	2.03 BTU / °F-ft2-H			

# **Available as Full Container Orders Only**

A better environmental alternative and upgrade to replace gypsum and cement backer boards for walls, floors and countertops

- Meets and exceeds International Building Standards
- Contains no silica, no asbestos, no VOCs, no harmful additives
- Contains up to 30% post-industrial recycled content and is recyclable
- Contributes to LEED credits and NAHB Green Building Program Credits
- · Zero fire and smoke rating
- Unaffected by water or water vapor, will not swell, rot, delaminate or disintegrate
- Absorbs sound better than gypsum products
- · Mold and mildew resistant
- Excellent for use with in-floor heat systems

73000 Backerboard, 1/4" Thick, 36" x 60" (50/pallet) 73002 Backerboard, 1/2" Thick, 36" x 60" (50/pallet)

#### **Cement Board Screws**



- For use in the attachment of Durock®, WonderBoard® and HardieBacker® cement board
- No pre-drilling necessary
- · Corrosion resistant coating
- Wafer head with ribbed countersinking profile for flush seating

99602Q 1-1/4" - # 8 High Low Cement Board Screws, (200 screws/pkg) (12/case)



#### **Backerboard Scoring Knife**





- 3-in-1 tool features carbide tips that score the backer board
- 2 tips for straight cuts. 1 chisel point tip for digging
- Dual hooks cut mesh reinforcement to completely separate backer board
- · Rubber handle with non-slip grip for comfortable repeat use

10058 Backerboard Scoring Knife (12/case)



#### **Board Seam Tape**



- For use in seaming all types of cement backerboard and tile underlayment
- Alkali resistant fiberglass mesh, self-adhesive tape – reduces taping time
- Resists tears and will not shrink

99600 Board Seam Tape - 2" x 50' roll (24/cs)
99605Q Cement Board Seam Tape - 2" x 150' roll (18/cs)





## 14" Surface Scraper



- Flexible 14" blade helps remove old floors and cleans up excess debris
- Great for removing vinyl, carpet glue, plaster and popcorn ceilings
- 5' long handle and flex blade made of premium quality carbon steel offer long-lasting durability

209000 14" Surface Scraper with Blade (6/cs) 210000 14" Replacement Blade (3/cs)

QEP Canada (English/French Packaging)

20902QC 14" Surface Scraper with Blade (6/cs) (Made in China)



#### **Demolition Scraper**




- Unique reversible hardened steel blade can easily be converted from 5" to 3" wide (ideal for scraping in tight areas)
- Double angled design offers increased leverage during scraping and prying
- Great for removing tile, wood, laminate, stone, carpet, ice and roofing
- Resharpenable hard steel (use file or grinder)
- Galvanized steel ergonomic handle reduces fatigue

62965Q Demolition Scraper (3/cs)



#### 7" Heavy Duty Floor Scraper



- Thick, professional high-carbon steel 7" blade scrapes up concrete, marble, ceramic tile and wood floors
- All welded construction made of pipe steel with a replaceable rigid blade
- Rips up roofing and vinyl flooring; Chips away cement and plaster
- 4' long handle includes foot peg for better leverage on difficult projects
- Great for ice removal

75006Q 7" Heavy-Duty Floor Scraper with Blade (6/cs)

75007Q 7" Replacement Blade (3/cs)

QEP Canada (English/French Packaging)

75015QC 7" Heavy-Duty Floor Scraper with Blade (6/cs) (Made in China)

# CEILING

#### 8" Adjustable Razor Floor Scraper



- Twist lock adjustable telescoping handle adjusts from 3' to 6' in length
- Removes old adhesive, vinyl, carpet and other floor covering materials
- Deluxe cushioned grip handle provides added comfort
- 15° angled 8" blade head for ease of comfort when scraping
- · Canvas blade guard included

62909Q 8" Adjustable Razor Floor Stripper (6/cs)

#### **REPLACEMENT BLADES:**

629040 8" Stripper Blades (3 on a skincard) (10/cs) 629070 8" Stripper Blades (10 on a skincard) (1/cs)

QEP Canada (English/French Packaging)

62909QC 8" Adjustable Razor Floor Stripper (6/cs)





Includes canvas cover

# Floor and Wall Scraper



- Handle features internal blade storage and built-in screwdriver for easy accessibility
- · Attach handle to a threaded pole for an extended reach
- Metal hammer end for use on stubborn material
- Includes five 4" stainless steel blades
- Co-molded plastic handle core with non-slip, rubber grip

62920 Floor and Wall Scraper (12/cs)

#### REPLACEMENT BLADES:

62901 4" Razor Scraper Replacement Blades

(5 on a skincard) (6/cs)







## **Chisel Scraper**



- Heavy duty 3 in. stainless steel blade
- Attach handle to a threaded pole for an extended reach
- Metal hammer end for use on stubborn material
- · Co-molded plastic handle core with non-slip, rubber grip

62972 Chisel Scraper (6/cs)









# INDEX By Item Number

Itom #	- Description	Dogo
6-1001Q	Description  10" Continuous Rim Diamond Blade- Black Series	Page 10
6-1001Q	Continuous Rim Diamond Blade- Gold Series	10
6-1008BW	10" Black Widow® Blade	10
	4" Continuous Rim Diamond Blade- Black Series	
6-4001Q		10
6-4003Q	4" Continuous Rim Diamond Blade- Gold Series	10
6-4006GLQ	4" Continuous Rim Diamond Blade- Glass Series	10
6-4008BW	4" Black Widow® Blade	10
6-7001Q	7" Continuous Rim Diamond Blade- Black Series	10
6-7003Q	7" Continuous Rim Diamond Blade- Gold Series	10
6-7006GLQ (-C)	7" Continuous Rim Diamond Blade- Glass Series	10
6-7008BW	7" Black Widow® Blade	10
6-8001Q	8" Continuous Rim Diamond Blade- Black Series	10
6-8003Q	8" Continuous Rim Diamond Blade- Gold Series	10
6-8008BW	8" Black Widow® Blade	10
70-195	Aquabar® "B" Moisture Vapor Barrier	43
10001QC	Grout Saw	24
10003	Tile Nipper	18
10005	1/4" Tile Spacers	33
10010HD	Tungsten Carbide Cutting Wheel	14
10014QC	3" Saber Saw Blade	20
10020	Grout Remover	25
10022	Rubbing Stone	22
10024Q	Sharpening Stone	22
10027	3/8" Tile Spacers	33
10038	Locking Contour Gauge	21
10041Q	Handi Vice	20
10057	Grout Saw	24
10058	Backerboard Scoring Knife	45
10060	Molded Rubber Grout Float	40
10062Q	Economy Rubber Grout Float	40
10069	Stone Grout Float	39
10070	Gum Rubber Grout Float, Wood Handle	39
10074	Universal Grout Float	39
10075	1/4" Diamond Drill Bit	19
10076Q	XL Grout Scrubber	29
10080	5/16" Diamond Drill Bit	19
10087	1-3/8" Diamond Hole Saw	19
10093	Pro Grout Saw	24
10113Q	Economy Notched Trowel	37
10114Q	Economy Notched Trowel	37
10115Q	Economy Notched Trowel	37

Item #	Description	Page
10120Q	Economy Notched Trowel	37
10214Q	14" Professional Tile Cutter	14
10220	20" Professional Tile Cutter	13, 14
10221Q	21" Professional Tile Cutter	13, 14
10279	Grout Sealer Applicator	25
10285	Wedge Tile Spacers	32
10320Q	1/16" Horseshoe Shims	32
10321Q	1/8" Horseshoe Shims	32
10322Q	3/16" Horseshoe Shims	32
10323Q	1/4" Horseshoe Shims	32
10330-20	1/16" Leave-In Spacers	33
10331-18	1/8" Leave-In Spacers	33
10332	3/16" Leave-In Spacers	33
10333	1/4" Leave-In Spacers	32
10334	1/16" Tile Spacers	33
10335	1/8" Tile Spacers	33
10336	3/16" Tile Spacers	33
10480Q	48" LFT Manual Cutter	12, 14
10500	22-1/2" Big Clinker Tile Cutter	12, 14
10521Q	21" Pro Tile Cutter	13, 14
10569	1-3/8 Porcelain Diamond Hole Saw w/Drill Guide and Water Cooling System	19
10570	1-3/8 Hole Saw Mounting Tape	19
10571	5/16" Porcelain Diamond Drill Bit w/Drill Guide and Water Cooling System	19
10572	1/4" Porcelain Diamond Drill Bit w/Drill Guide and Water Cooling	19
10585	System 3" PRO Diamond Jiqsaw Blade	20
10586	Pro Diamond Grit File	22
10589QC	Tile Scorer	20
10600BR	25" Big Clinker Tile Cutter	13, 14
10624Q	XTREME Series 24" Slimline Manual Tile Cutter	11, 14
10630Q	24" Professional Tile Cutter	12, 14
10632Q	XTREME Series 30" Slimline Manual Tile Cutter	11, 14
10636Q	XTREME Series 36" Slimline Manual Tile Cutter	11, 14
10675Q	20" Professional Tile Cutter	14
10675Q-41	7/8" Ball Bearing Titanium-Coated Tungsten Carbide	14
10711	Multi-Use Trim Shears	21
10800	27" Big Clinker Tile Cutter	12, 14
10900Q	35" Professional Tile Cutter	12, 14
19999	Grout Sealer Brush Applicator	25
20842	Grout Brush	25
20900Q	14" Surface Scraper with Blade	47
20902QC	14" Surface Scraper with Blade	47
21000Q	14" Replacement Blade	47

# **INDEX** By Item Number Continued

Item #	Description	Page	Item #	Description	Page
21123Q	7/8" Titanium-Coated Tungsten Carbide Cutting Wheel	12 - 14	61625	Tile Mallet	23
21125	7/8" Titanium-Coated Tungsten Carbide Cutting Wheel	12, 14	61900Q	10" 900XT Pro Tile Saw	5, 9
21127Q	10 mm Post Scoring Wheel	13, 14	61900Q-31	61900Q-31 High Volume Water Pump	5, 9
21178Q	7/8" Titanium-Coated Tungsten Carbide Cutting Wheel	12, 13, 14	62901	4" Razor Scraper Replacement Blades	48
21591	Heavy Duty Multipurpose Gloves	29	62904Q	8" Stripper Blade	48
21595	Tiler's Gloves	29	62907Q	8" Stripper Blade	48
21661	Professional Mixing Paddle	16	62909Q (-C)	8" Adjustable Razor Floor Stripper	48
21665Q	Power Mixer Pro	16	62920	Floor and Wall Scraper	48
22400Q	4" Torque Master XT Portable Tile Saw	8, 9	62963	Thinset Removal Tool	25
22700Q	7" 700XT Tile Wet Saw	8, 9	62965Q	Demolition Scraper	47
22750Q	7" 750XT Tile Wet Saw	7, 9	62972	Chisel Scraper	48
22900Q	7" Power Pro 1HP Tile Saw	7, 9	70004Q-32	Sponge Sheet	26
32010	Glass Tile Nipper	18	70005Q-6D	Heavy Duty All-Purpose Sponge	27
32024	Tile Cutter	18	70005Q-24	Heavy Duty All-Purpose Sponge	27
32036	Compound Tile Nipper	18	70005Q-144	Heavy Duty All-Purpose Sponge	27
38229	Toilet Installation Kit	29	70005Q-600	Heavy Duty All-Purpose Sponge	27
38233	No-Seep Wax Ring, No. 50	29	70007-24	Scrubbing Sponge	27
38778	Mechanical China Marker	21	70010	Microfiber Polishing Sponge	27
42112	Comfort Grip Margin Trowel	38	70018	Microfiber Grout Cleaning Cloth	28
42113Q	Bucket Scoop	38	70019Q	Microfiber Surface Cleaning Cloth	28
42114	Margin Trowel Square Notch	38	72000Q	Natural Cork Roll	42
42117	Margin Float, Comfort Grip	40	72001Q	Natural Cork Sheets	42
49708Q	Patch & Finishing Trowel	38	72002	Cork Plus Roll	43
49713	Wood Handle Notched Trowel	37	72003Q	Natural Cork Roll	42
49714	Wood Handle Notched Trowel	37	72004	Natural Cork Sheets	42
49715Q (-C)	Wood Handle Notched Trowel	37	72005-25	Natural Cork Sheets	42
49716	Wood Handle Notched Trowel	37	72005Q	Natural Cork Sheets	42
49720	Wood Handle Notched Trowel	37	72008Q	Natural Cork Roll	42
49915	Comfort Grip Stainless Steel Notched Trowel	37	72019	Cork Plus Sheets	43
49916	Comfort Grip Stainless Steel Notched Trowel	37	72019-25	Cork Plus Sheets	43
49917	Comfort Grip Stainless Steel Notched Trowel	37	72025	Natural Cork Sheets	42
49919	Comfort Grip Stainless Steel Notched Trowel	37	73000	XTREME Board - 1/4", thick, 36" x 60"	45
49950	XTREME Cork Handle Notched Trowel	37	73002	XTREME Board - 1/2", thick, 36" x 60"	45
49951	XTREME Cork Handle Notched Trowel	37	75000	Suction Cup	23
49952	XTREME Cork Handle Notched Trowel	37	75001Q	Thinset and Grout Mixing Paddle	17
60095	120 V Submersible Tile Saw Water Pump	9	75003Q	Double Suction Cup	23
60098	120 V Submersible Tile Saw Water Pump	9	75006Q	7" Heavy-Duty Floor Scraper with Blade	47
61024BR	24" Professional Tile Saw	6, 9	75007Q	7" Replacement Blade	47
61205	Professional Mixing Paddle	17	75011	Replacement Grout Saw Blades 2 pack	24
61210Q	Universal Mixing Paddle	17	75015QC	7" Heavy-Duty Floor Scraper with Blade	47
61230	30" XL Spiral Pro Mixer	16	76000	Grout Bag	29
61613	White Rubber Mallet	23	76030	Polishing Cheesecloth	28

# **INDEX** By Item Number Continued

Item #	Description	Page
78200	5 Gallon Plastic Mixing Bucket	17
78208	3-1/2 Gallon Plastic Mixing Bucket	17
78217	15 Litre Plastic Mixing Bucket	17
78220Q (-C)	Tile Installation Kit	26
78250Q	Floor & Wall Tile Installation Kit	26
79634	Comfort Grip Knee Pads	35
79639	Ultra Fit Professional Knee Pads	35
79640	Washable Knee Pads	35
79642	F3 Stabilizer Professional Knee Pads	35
83200Q	24" Bridge Saw	6, 11
99600	Board Seam Tape	45
99602Q	Cement Board Screws	45
99605Q	Cement Board Drywall Joint Tape	45
99703	LASH® Wedges	31
99707Q	LASH® Flat Slotted Clips	31
99710Q	Wall & Floor Tile Leveling Clips	32
99718Q	Wall & Floor Tile Leveling Clips	32
99721Q	Wall & Floor Tile Leveling Clips	32
99724	LASH® Curved Slotted Clips	31
99726	LASH® Wedges	31
99727	LASH® Wedges	31
99730	LASH® Flat Slotted Clips	31
99731	LASH® Flat Slotted Clips	31
99740	LASH® Flat Slotted Clips	31
99756Q	Wall & Floor Tile Leveling Clips	32
99757	LASH® PRO Pliers	31
99758	LASH® Curved Slotted Clips	31

# **INDEX** By Description

Description	Page
В	
Blades, Diamond	10
Blades, Grout Saw	24
Blades, Jigsaw	20
Blades, Scraper	47-48
Bridge Saws	5,8
Bucket Scoop	38
Buckets	17
C	
Cheesecloth	28
Clamps	20
Contour Gauge	21
Cutting Wheels	12-14
D	
Drill Bits	19
F	
Files	22
Floats	39-40
Flooring Cutters	11-14
G	
Gloves	29
Grout Bag	29
Grout Brush	25
Grout Saw	24-25
Н	
Hole Saws	19
Horseshoe Shims	32
	· ·
I	
Installation Kits	26
K	
Knee Pads	35

Description	Page
M	
Mallets	23
Microfiber Cloth	28
Mixers	17
Mixing Paddle	16-17
Moisture Barriers	43
N	
Nippers	18
PP.	
R	
Rivets	52
S	
Scrapers	47-48
Screws, Cement Board	45
Sealer Applicators	25
Sharpening Stones	22
Sponges	27
Suction Cups	23
T	
Tape, Cement Board	45
Thinset Removal Tool	25
Tile Cutters	11-14
Tile Leveling Systems	31,32
Tile Saws	5-9
Tile Spacers	31-33
Tile Scorer	20
Toilet Installation	29
Trim Shears	21
Trowels	37-38
U	
Underlayment, Cork	42-43
W	
Water Pumps	5-7, 9
X	
XTREME Board	45

# INDUSTRY PARTNERSHIPS















# **About California Proposition 65**

Proposition 65 is a California regulatory law that requires businesses to notify California consumers about specific chemicals in the products they purchase so they can make informed decisions about protecting themselves from exposure to these chemicals. This law requires companies to properly label products that contain chemical(s) above certain threshold levels.

As part of Q.E.P. Co. Inc.'s continued best business practice and compliance program, we comply with Proposition 65 warning requirements and provide product-associated warnings. We are dedicated to meeting consumer product safety requirements applicable to our products and strive to provide high quality and safe products.

For more information on California Proposition 65, go to www.P65Warnings.ca.gov.

- \*Prop 65 1. A WARNING: This product can expose you to chemicals including DEHP which is known to the State of California to cause cancer, birth defects or other reproductive harm.

QEP®, LASH®, Black Widow®, Brutus® and Suspend-It® are registered trademarks of Q.E.P. Co., Inc.

Aquabar® "B" is a registered trademark of Fortifiber LLC.

Durock® is a registered trademark of United States Gypsum Company

Fluidmaster® is a registered trademark of Fluidmaster, Inc.

HardieBacker® is a registered trademark of James Hardie International Finance B.V.

No-Seep® is a registered trademark of William H. Harvey Co.

 $\label{thm:wonderBoard} \textbf{WonderBoard} \textbf{@} \ \textbf{is a registered trademark of Custom Building Products}$ 

The products, specifications, and Prop 65 Warnings listed in this catalog are current as of the printed date of this catalog and are subject to change.

Access product data sheets, technical bulletins, warranties and SDS documents 24 hours a day, 7 days a week through our continuously updated website.

