


ZERQUIT





TOOLS FOR WHEN

QUITTING IS NOT AN OPTION

DRILLS & DRIVERS



SAWS & SANDERS



MULTI-TOOLS



WORK SUPPORT



ROCKWELL® Power Tools

10130 Perimeter Parkway, Suite 300 Charlotte, NC 28216 USA











LONGER MOTOR LIFE

MORE POWER

10% LONGER RUNTIME



STANDARD FEATURES

Brushless motor increases run time up to 50% more per charge over standard brushed motor

Computer-controlled power distribution improves efficiency and durability by reducing heat, friction and wear

Battery fuel gauge tracks charge status anytime



* 20-year limited warranty on tool.

20-year battery replacement with shipping costs paid by purchaser. 2 year over the counter warranty with additional 18 years warranty provided through tool registration on rockwelltools.com.



NiCad Models.*

*Voltage measured without workload. Initial battery voltage reaches maximum of 20V. Nominal voltage is 18V.

20V MaxLithium Brushless Drill/Driver

SPECIFICATIONS

RK2852K2

Voltage	20V max
No-load speed	0-600/0-2000 / min
Max torque	531 in-lbs
Clutch settings	18 + 1
Drilling speeds	High/Low
Drilling capacity wood / steel	1-1/2" / 1/2"
Chuck capacity	1/2"
Battery capacity	2 x 2.0 Ah
Charge time	1 hour
Machine weight w/battery	3.4 lbs
Warranty	20 yrs

INCLUDES

(1) 20V MaxLithium Cordless Drill RK2852	(2) 20V MaxLithium batteries
(1) 1-hour charger	(1) Bit holder
(1) Belt clip	(1) Carry bag
(1) Double end bit	



20V MaxLithium Impact Wrench

SPECIFICATIONS

RK2855K2

the state of the s	
Voltage	20V max
No-load speed	0-1300 / 0-2100 / 2900 rpm
Max torque	885 / 1590 / 2600 in-lbs
Impact rate	0-1600 / 2900 / 3300 bpm
Driving speeds	3
Chuck capacity	1/2"
Battery capacity	2 x 2.0 Ah
Charge time	1 hour
Machine weight w/battery	3.2 lbs
Warranty	20 yrs

(1) 20V MaxLithium Cordless Impact Wrench RK2855	(2) 20V MaxLithium batteries
(1) 1-hour charger	(1) Carry bag
(1) Belt clip	









20V MaxLithium Brushless Hammer Drill

SPECIFICATIONS

RK2853K2

Voltage	20V max
No-load speed	0-600/0-2000 / min
Impact rate	0-9600 / 32000 / min
Max torque	531 in-lbs
Clutch Settings	22+1+1
Drilling speeds	High / Low
Drilling capacity wood / steel / concrete	1-1/2" / 1/2" / 1/2"
Chuck capacity	1/2"
Battery capacity	2 x 2.0 Ah
Charge time	1 hour
Machine weight w/battery	3.5 lbs
Warranty	20 yrs

INCLUDES

(1) 20V MaxLithium Cordless Hammer Drill RK2853	(2) 20V MaxLithium batteries
(1) 1-hour charger	(1) Bit holder
(1) Belt clip	(1) Carry bag
(1) Double end bit	



20V MaxLithium Impact Drivers

SPECIFICATIONS RK2860K2 RK2868K2

Voltage	20V max	20V max
No-load speed	0-2900 rpm	0-1300 / 0-2100 / 2900 rpm
Max torque	1550 in-lbs	530 / 930 / 1550 in-lbs
Impact rate	0-3200 bpm	0-1600 / 2900 / 3300 bpm
Driving speeds	1	3
Battery capacity	2 x 2.0 Ah	2 x 2.0 Ah
Charge time	1 hour	1 hour
Machine weight w/battery	3.0	3.2 lbs
Warranty	20 yrs	20 yrs

(1) 20V MaxLithium Cordless Impact Driver	(2) 20V MaxLithium batteries
(1) 1-hour charger	(1) Bit holder
(1) Belt clip	(1) Carry bag



Brushless Drill/Driver & Impact Driver Combo Kit

RK1807K2
120V~60Hz
20V max
2 x 2.0 Ah
1 hour
20 yrs

INCLUDES

(1) 20V Drill/Driver RK2852	(2) 20V MaxLithium batteries
(1) 20V Impact Driver RK2860	(1) Carry case
(1) 1-hour charger	(1) Double end bit
(2) Relt cline	



Brushless Hammer Drill & Impact Driver Combo Kit

SPECIFICATIONS RK1808K2 Charger voltage 120V~60Hz

Charger voltage	120V~60Hz
Voltage	20V max
Battery capacity	2 x 2.0 Ah
Charge time	1 hour
Warranty	20 yrs

INCLUDES

(1) 20V Hammer Drill RK2853	(2) 20V MaxLithium batteries
(1) 20V Impact Driver RK2860	(1) Carry case
(1) 1-hour charger	(1) Double end bit
(2) Belt clips	



Brushless Drill/Driver & Impact Wrench Combo Kit

SPECIFICATIONS RK1809K2

Charger voltage	120V~60Hz
Voltage	20V max
Battery capacity	2 x 2.0 Ah
Charge time	1 hour
Warranty	20 yrs

(1) 20V Drill/Driver RK2852	(2) 20V MaxLithium batteries	
(1) 20V Impact Wrench RK2855	(1) Carry case	
(1) 1-hour charger	(1) Double end bit	
(2) Belt clip		





20V MaxLithium™ 2Ah Replacement

RW9351

Fuel gauge tracks charge status any time

MaxLithium™ triples the life of the battery

Use with MaxLithium 20V charger (RW9420)

SPECIFICATIONS

Voltage	20V
Warranty	1 yr



Multiple Voltage Battery Charger

RW9420

For use with 20V MaxLithium batteries

Lighted on-board status indicators

Multiple volt charger for voltages 14.4V-20V

SPECIFICATIONS

Voltage	120V-60Hz
Warranty	1 yr



Right Angle Drill Attachment

RW9273

Compact, right angle drive is ideal for tight or hard-to-reach areas

Magnetic holder secures 1/4" hex shank bits

Designed to deliver 100 in-lbs of torque, 400 rpm maximum

SPECIFICATIONS





Keyless Chuck

RW9275


Keyless 3-jaw chuck accepts round shank bits

1/4" hex quick-connect to change from driving to drilling instantly

3/8" capacity

SPECIFICATIONS









4 Amp Versacut® Compact Circular Saw with Laser















SPECIFICATIONS

RK3440K

Voltage	120V~60Hz
Power input	4 Amp
No-load speed	3500 rpm
Blade size	3-3/8"
Arbor size	19/32" (15mm)
Max cut depth	1-1/16"
Machine weight	4 lbs
Warranty	3 yrs

INCLUDES

(1) 4A VersaCut™ with laser RK3440	(1) Parallel edge guide	
(1) No-mar base pad	(1) Carrying bag	
(1) Vacuum adapter	(1) Blade changing key	



(1) Diamond blade for cutting tile RW9228



(1) 24T Carbide-tipped blade for cutting wood **RW9231**



(1) 44T HSS blade for cutting wood, metal, and aluminum RW9229

OPTIONAL ACCESSORIES



Pipe cutting base RW9278



2-piece track guide kit for making over 4' long, straight cuts **RW9234**



COMPACT CIRCULAR SAVI

SPECIFICATIONS

RK3441K

Voltage	120V~60Hz
Power input	5 Amp
No-load speed	3500 rpm
Blade size	4-1/2"
Arbor size	3/8"
Max cut depth	@ 90° = 1 - 11/16"
Bevel capacity	@ 45° = 1 - 1/8"
Machine weight	5 lbs
Warranty	3 yrs

INCLUDES

(1) Compact Circular Saw RK3441	(1) Vacuum adapter
(1) Parallel guide	(1) Hex key
(1) 24T TCT blade	

OPTIONAL ACCESSORIES



4-1/2" 24T TCT Blade - 1PK RW9281



4-1/2" 60T HSS Blade - 1PK RW9282



4-1/2" 60# DiamondBlade -1PK **RW9283**



2-piece track guide kit for making over 4' long, straight cuts **RW9234**










Jobsite Table Saw with Laser







SPECIFICATIONS

Voltage	120V~60Hz
Amps	15 Amp
Rated no-load speed	4800 rpm
Blade size	10"
Max. cutting depth at	90°-3-9/16" / 45°-2-9/16"
Max. rip capacity	right-30" / left-11"
Max. dado width	7/16"
Max. dado blade diameter	6"
Table size	28½" x 19"
Machine weight	73.7 lbs
Warranty	3 yrs

(1) Jobsite Table Saw with Laser RK7241	(1) Blade guard	(1) Rip fence
(1) Miter gauge	(1) Riving knife	(1) Push stick
(1) 10" 24T Carbide-tip blade	(1) Dust bag	(2) Blade wrenches



2.7 Amp 5" Random Orbital Sander

SPECIFICATIONS

RK4247

Voltage	120V~60Hz
Power input	2.7 Amp
No-load speed	12000 rpm
Base size	5".
Orbital diameter	1/8"
Cord length	10 ft
Machine weight	3.3 lbs
Warranty	3 yrs

INCLUDES

(1) 2.7A Random Orbital Sander RK4247	(1) Dust extraction adapter
(1) CDS™ (Cyclonic Dust/air Separator)	(5) 60 grit hook and loop sanding discs
(5) 120 grit hook and loop sanding discs	(5) 180 grit hook and loop sanding discs
(1) Carrying case	







Vibrafree® Sanding Discs

MODEL	PC COUNT	GRIT
RW9211	5	40
RW9212	5	60
RW9213	5	80
RW9214	5	100
RW9215	5	120
RW9216	5	150
RW9223	5	180
RW9217	5	220
RW9218	Each 2	60/120/220

^{*} Exclusively for Vibrafree® random orbit sander





BadeRunner® X2









SPECIFICATIONS

RK7323


THE RESERVE OF THE PARTY OF THE		
Power input		5.5Amp
No-load speed		3000 rpm
Stroke length		3/4"
Table size		17" x 15"
Blade type		T-shank, 4" max
Cutting capacity	wood / PVC pipe / aluminum	1-1/2" / 1-1/4" / 3/8"
	steel / ceramic tile	1/8" / 3/8"
Machine weight		14.7 lbs
Warranty		3 yrs
warranty		3 yis

INCLUDES

(1) Blade Runner® X2 RK7323	(1) Miter gauge
(5) T-shank assorted jigsaw blades	(1) Rip fence
(1) Allen key	(1) Blade holder

OPTIONAL ACCESSORIES







Wall Mount: to save space whether in use or for storage RW9265
















Sonicrafter®









Accepts other brand accessories

Buy/use any brand of blade

- * Works with Black & Decker®, Bosch®, Channellock®, Chicago Electric®, Craftsman®, Dremel®, Fein®, Genesis®, Makita®, Mastercraft®, Milwaukee®, Performax®, Porter Cable®, Ridgid®, Ryobi®, ShopSeries®, Skil®, Tool Shop®, and WORX®. These brands are tradmarks owned by third parties which may be registered by their respective owners.
- * Each accessory also includes spacers for Bosch® & Dremel® Tool-Free and Sonicrafter® Hex interface models.





Sonicrafter® **F**/80 4.2 Amp Multi-Tool with Duotech Oscillation™ Technology



SPECIFICATIONS


RK5151K

Amperage	4.2 Amp
Oscillation speed	10000~19000 opm
Oscillation angle	5° or 3.4°
Cord length	10 ft
Machine weight	4.0 lbs
Warranty	3 years

INCLUDES	10 ACCESSORIES
(1) Sonicrafter F80 oscillating multi-tool RK5151	(1) Sanding pad (A)

(1) 3-1/8" HSS Semicircle saw blade (C) (3) Sanding sheets (B) (1) 1-3/8" wood cut end blade (D) (1) 1-3/8" precision end cut blade (E) (1) 1-3/8" EXTENDED LIFE end cut blade (F) (1) 1-3/8" plunge/saw blade (G)

(1) Flexible scraper blade (H) (1) Hard case (I)



Sonicrafter® F 50 4.0 Amp Multi-1001 With Hyperlock™ Technology

4.0 Amp Multi-Tool with



SPECIFICATIONS	RK5142K
Voltage	120V~60Hz
Oscillation speed	11000-20000 opm
Oscillation angle	5°
Cord length	10 ft
Machine weight	3.3 lbs
Warranty	3 yrs

INCLUDES	32 ACCESSORIES
(1) 3.5A Oscillating Multi-Tool RK5142	(1) Sanding pad (A)
(26) Sanding sheets (B)	(1) 1-3/8" Precision end cut blade (C)
(1) Rigid scraper blade (D)	(1) 3-1/8" HSS semicircle saw Blade (E)
(1) 1-3/8" Wood end cut blade (F)	(1) Carry bag (G)
A B B A	C ROOM



3.5 Amp Multi-Tool with **Hyperlock[™] Technology**



INCLUDES

SPECIFICATIONS	RK5132K
Voltage	120V~60Hz
Oscillation speed	11000-20000 opm
Oscillation angle	4°
Cord length	10 ft
Machine weight	2.9 lbs
Warranty	3 yrs

(1) 3.5A Oscillating Multi-Too	I RK5132	(1) Sanding pad (A)	
(26) Sanding sheets (B)		(2) 1-3/8" Wood end cut blades (C)	
(1) 3-1/8" HSS semicircle sa	w Blade (D)	(1) Carry bag (E)	
A	B A	C E	
D	E		

31 ACCESSORIES


20V Multi-tool with **Sonicrafter**® Hyperlock™ Technology





SPECIFICATIONS	HR2863K
Voltage	20V Max Lithium
Battery capacity	2.0 Ah
No-load speed	5000-20000 opm
Oscillation angle	3.20
Charging time	1 hr
Machine weight	3.1 lbs
Warranty	3 yrs

INCLUDES	27 ACCESSORIES
(1) 3.5A Oscillating Multi-Tool RK2863	(1) 20V MaxLithum battery (A)
(1) Battery charger(B)	(1) Sanding pad (C)
(3) Sanding sheets (D)	(1) 3-1/8" HSS Semicircle saw blade (E)
(1) Rigid scraper blade (F)	(1) 1-1/8" End cut blade (G)
(1) 3/8" Bi-metal end cut blade (H)	(1) 3-1/8" Carbide grit semicircle saw blade (I)
(1) Carry bag (J)	



3.0 Amp Multi-Tool with **Sonicrafter**® Hyperlock™ Technology





SPECIFICATIONS	RK5121K
Voltage	120V~60Hz
Oscillation speed	11000-21000 opm
Oscillation angle	3.2°
Cord length	10 ft
Machine weight	2.9 lbs
Warranty	3 yrs


INCLUDES	30 ACCESSORIES
(1) 3.0A Oscillating Multi-Tool RK5121	(1) Sanding pad (A)
(26) Sanding sheets (B)	(1) 1-1/8" Wood end cut blade (C)
(1) Rigid scraper blade (D)	












	DESCRIPTION	APPLICATIONS	WIDTH	CUTTING DEPTH	MODEL	QTY	
SCRAPING, RASPING, SANDING, POLISHING							
Bernard B. S.	Rigid Scraper Blade	Removing old vinyl, wood or other floor coverings, paint and coatings, adhesives, caulk, residues and separating laminated layers. Cuts carpet.	2"	1"	RW8921	1 Pc	
	Flexible Scraper Blade	Removing elastic sealants, paint, adhesive residues, wall- paper, worn gaskets, etc. Cuts carpet, leather, linoleum and similar materials.	1-3/4"	1-3/4"	RW8922	1 Pc	
#	Triangular Carbide Grit Rasp	Coarse grinding or rasping, aggressive material removal over larger areas of wood hardened adhesives, thin set, and masonry.	3-1/8"	N/A	RW8923	1 Pc	
200	Carbide Grit Rasp (Finger Shaped)	Coarse grinding or rasping, aggressive material removal in small, tight areas.	1-3/8"	N/A	RW8924	1 Pc	
En.	3-1/8" Carbide Grit Semicircle Grout Removal & Rasp	Removing grout, cutting and shaping plaster, porous concrete, and masonry. Coarse grinding or rasping; aggressive material removal over larger areas.	N/A	N/A	RW8956	1 Pc	
	Serrated Slicer & Scraper	Slicing, ripping, or scraping soft materials and adhesives such as old paint, hardened adhesives, caulk, carpet, foam panel insulation, roofing shingles, and cardboard.	2-1/2"	7/8"	RW8957	1 Pc	
	Sanding Pad	For detail sanding in small areas, corners of wood, plastic, hardened fillers. Use with extraction attachment for dust removal. Hook and loop back.	3-1/8″	N/A	RW8938	2 Pcs	
*	20pc Sanding Sheet Set (4 sheets of 40, 80, 120, 180, 220 Grits)	Universal sanding applications of wood, plastic, hardened fillers. Hook and loop back.	3-1/8"	N/A	RW9145	20 Pcs	
En Car	Sanding Pad (Finger Shaped)	Holds sanding sheet for detail sanding in very small areas, corners of wood, plastic, hardened fillers. Thinner so it reaches into small openings. Hook and loop back.	1-3/8"	N/A	RW8941	1 Pc	
	20 pc Sanding Finger Sheet Set (4 sheets of 40, 80, 120, 180, 220 Grits)	Universal sanding applications of wood, plastic, hardened fillers. Hook and loop back.	1-3/8"	N/A	RW9155	20 Pcs	
E.S.	Felt Polishing Pad	For paste application and polishing delicate surfaces. Stainless steel, chrome, gold, silver, brass and similarly plated materials, glazed stone, granite and tile surfaces, finished fiberglass.	3-1/8"	N/A	RW8940	2 Pcs	
U	2-1/2" Diamond-Grit Semicircle Saw Blade	Removing grout, cutting and shaping plaster, porous concrete, backer board, ceramic tile and masonry. Scoring and cutting for precise fit.	2-1/2"	3/8"	RW8926	1 Pc	
	3-1/8" Carbide Grit Semicircle Saw Blade (Grout Removal)	Removing grout, cutting and shaping plaster, porous concrete, and masonry.	3-1/8"	5/8"	RW8946	N/A	

	DESCRIPTION	APPLICATIONS	WIDTH	CUTTING DEPTH	MODEL	QTY
	1-1/8" Wood End Cut Blade	Plunge cutting in non-metal materials such as wood, plastic, and drywall.	1-1/8"	1-7/8"	RW8900	RW8900.3
	1-1/8" Precision Wood End Cut Blade	Precision-ground, beveled tooth design allows for aggressive cuts in wood and plastic.	1-1/8"	1-7/8"	RW8949	RW8949.3
BHUDOG BAMEZAL	3/8" EXTENDED LIFE Wood & Nail End Cut Blade	Plunge cutting in wood, plastic, fiberglass, common nails, non-ferrous metals, thin sheet metal, and hardened fillers.	3/8"	3/4"	RW8965	1 Pc
Tan in the state of the state o	1-3/4" EXTENDED LIFE Precision Wood End Cut Blade	Precision-ground, beveled tooth design allows for aggressive cuts in wood and plastic. Bimetal with hardened teeth for extended life.	1-3/4"	1-7/8"	RW8972	1 Pc
	1-3/4" EXTENDED LIFE Wood & Nail End Cut Blade	Plunge cutting in wood, plastic, fiberglass, common nails, non-ferrous metals, thin sheet metal, and hardened fillers.	1-3/4"	2-1/8"	RW8968	1 Pc
II GL	1-3/8" Wood Plunge & Saw Blade	Allows for general purpose plunge cutting, followed by fast & long sawing in non-metal materials.	1-3/8"	1-3/8"	RW8958	1 Pc
The first find the first	2-1/2" EXTENDED LIFE Wood & Nail End Cut Blade	Wide cuts in wood, plastic, fiberglass, drywall, and hardened fillers.	2-1/2"	1-5/8"	RW8969	1 Pc
MISC. PARTS						
0	Prior Model Sonicrafter® / Sonictool™ Acces- sory Adapter	To fit Universal Fit™ accessories onto Sonicrafter® which do not have Hyperlock™	N/A	N/A	RW8942	N/A
	Vacuum Dust Extractor Kit		N/A	N/A	RW8944	N/A
	27 Piece Accessory Kit	27 piece general purpose assortment for most popular applications. Includes (20) sanding sheets, (3) 1-3/8" wood end cut blades, rigid scraper, 3-1/8" semicircle blade, and (2) adapters.	N/A	N/A	RW9178K	N/A
	5 Piece Accessory Kit	Bimetal blade with specialty teeth for long life in cutting wood, standard nails, sheet metal, plastics and other hardened materials.	N/A	N/A	RW9179K	N/A



JAWHIRSE Workstation

SPECIFICATIONS

RK9003

Clamping range	0" - 37"
Max. clamping force	1 Metric ton
Clamp method	Foot step
Max. load	600 lbs
Footprint (standing)	39" x 39" x 34"
Footprint (folded)	29" x 14" x 13"
Clamp travel	1" Per step
Construction	Solid steel
Machine weight	43 lbs
Warranty	5 yrs








JAWHORSE® Sheetmaster Workstation

SPECIFICATIONS

Clamping range	0" - 49"
Max. clamping force	1 Metric ton
Clamp method	Foot step
Max. load	600 lbs
Footprint (standing)	44" x 38" x 35"
Footprint (folded)	36" x 15" x 14"
Clamp travel	1" Per step
Construction	Solid steel
Machine weight	53 lbs
Warranty	5 yrs







JAWSTAND"

Portable Work Support with Exact Positioning

SPECIFICATIONS

RK9034

Clamping range	1-3/4"
Max load	220 lbs
Height adjustment range	29"- 43"
Exact positioning range	2"
Clamp bevel adjustment range	0-90°
Machine weight	13.5 lbs
Warranty	3 yrs







JAWSTAND[™]

Portable Work Support

SPECIFICATIONS

RK9033

Clamping range	. 1-3/4"
Max load	220 lbs
Height adjustment range	29"- 41"
Exact positioning range	2"
Clamp bevel adjustment range	0-90°
Machine weight	13.2 lbs
Warranty	3 yrs







Product Index

MODEL	DESCRIPTION	PAGE	MODEL	DESCRIPTION	PAGE
RK1807K2	20V MaxLithium Cordless Drill/Impact Driver Combo Kit	8	RW8950.10	Sonicrafter® 1-3/8" Precision Wood End Cut Blade. Ten Pack	23
RK1808K2	20V MaxLithium Hammer Drill/Impact Driver Combo Kit	8	RW8954	Sonicrafter® 4" EXTENDED LIFE Semicircle Saw Blade	23
RK1809K2	20V MaxLithium Cordless Drill/Impact Wrench Combo Kit	8	RW8956	Sonicrafter® 3-1/8" Carbide Grit Semicircle Grout Removal & Rasp	22
RK2852K2	1/2" 20V MaxLithium Brushless Cordless Drill	6	RW8957	Sonicrafter® Serrated Slicer & Scraper	22
RK2853K2	MaxLithium Brushless Hammer Drill	7	RW8958	Sonicrafter® 1-3/8" Standard Wood Plunge & Saw Blade	24
RK2855K2	20V MaxLithium Brushless 3-speed Impact Wrench	6	RW8960	Sonicrafter® 1-3/8" Precision Wood Plunge & Sanding Blade	23
RK2860K2	20V MaxLithium Brushless Impact Driver	7	RW8963	Sonicrafter® 1-3/8" Carbide Tipped End Cut Blade	23
RK2868K2	20V MaxLithium Brushless 3-speed Impact Driver	7	RW8963.2	Sonicrafter® 1-3/8" Carbide Tipped End Cut Blade. Two Pack	23
RK2863K2	Sonicrafter® 20V MaxLithium	20	RW8965	Sonicrafter® 3/8" EXTENDED LIFE Wood & Nail End Cut Blade	24
RK3440K	4A VersaCut® Compact Circular Saw Kit w/ Laser	11	RW8966	Sonicrafter® 1-3/16" EXTENDED LIFE Wood & Nail End Cut Blade	23
RK3441K	5A Compact Circular Saw	12	RW8966.3	Sonicrafter® 1-3/16" EXTENDED LIFE Wood & Nail End Cut Blade. Three Pack	23
RK4247K	Vibrafree® 5" 2.7A Random Orbit Sander	14	RW8967	Sonicrafter® 1-3/8" EXTENDED LIFE Wood & Nail End Cut Blade	23
RK5121K	Sonicrafter® 3.0 Amp	20	RW8967.3	Sonicrafter® 1-3/8" EXTENDED LIFE Wood & Nail End Cut Blade. Three Pack	23
RK5132K	Sonicrafter® F30 3.5 Amp	19	RW8967.5	Sonicrafter® 1-3/8" EXTENDED LIFE Wood & Nail End Cut Blade. Five Pack	23
RK5142K	Sonicrafter® F50 4.0 Amp	19	RW8967.10	Sonicrafter® 1-3/8" EXTENDED LIFE Wood & Nail End Cut Blade. Ten Pack	23
RK5151K	Sonicrafter® F80 w/Duotech Oscillation 4.2 Amp	18	RW8968	Sonicrafter® 1-3/4" EXTENDED LIFE Wood & Nail End Cut Blade	24
RK7241S	Jobsite Table Saw with Laser	13	RW8969	Sonicrafter® 2-1/2" EXTENDED LIFE Wood & Nail End Cut Blade	24
RK7323	BladeRunner® X2	15	RW8970	Sonicrafter® 1-1/8" EXTENDED LIFE End Cut Blade	23
RK9002	JawHorse® Sheetmaster	26	RW8972	Sonicrafter® 1-3/4" EXTENDED LIFE Precision Wood End Cut Blade	24
RK9003	JawHorse® Workstation	26	RW8981K	Sonicrafter® End Cut Blade Set. Six Pack	23
RK9033	JawStand® Portable Work Support	27	RW9145	Sonicrafter® Sanding Sheets, Perf. Twenty Pack (4 sheets of 40, 80, 120, 180, 220 Grits)	22
RK9034	JawStand®XP - portable work support with exact positioning	27	RW9155	Sonicrafter® Sanding Finger Set. Twenty Pack (4 sheets of 40, 80, 120, 180, 220 Grits)	22
RW8900	Sonicrafter® 1-1/8" Wood End Cut Blade	24	RW9178K	Sonicrafter® 27 Piece Accessory Kit	24
RW8900.3	Sonicrafter® 1-1/8" Wood End Cut Blade. Three Pack	24	RW9179	Sonicrafter® 27 Piece Accessory Kit	24
RW8901	Sonicrafter® 1-3/8" Wood End Cut Blade	23	RW9211	Vibrafree® 40# Sanding Discs. 5 Pack	14
RW8901.3	Sonicrafter® 1-3/8" Wood End Cut Blade. Three Pack	23	RW9212	Vibrafree® 60# Sanding Discs. 5 Pack	14
RW8901.5	Sonicrafter® 1-3/8" Wood End Cut Blade. Five Pack	23	RW9213	Vibrafree® 80# Sanding Discs. 5 Pack	14
RW8901.10	Sonicrafter® 1-3/8" Wood End Cut Blade. 10 Pack	23	RW9214	Vibrafree® 100# Sanding Discs. 5 Pack	14
RW8921	Sonicrafter® Rigid Scraper Blade	22	RW9215	Vibrafree® 100# Sanding Discs. 5 Pack	14
RW8922	Sonicrafter® Flexible Scraper Blade	22	RW9216	Vibrafree® 150# Sanding Discs. 5 Pack	14
RW8923	Sonicrafter® Triangular Carbide Grit Rasp	22	RW9217	Vibrafree® 220# Sanding Discs. 5	14
RW8924	Sonicrafter® Carbide Grit Rasp (finger shaped)	22	RW9218	Vibrafree® Sanding Paper 2 ea. 60/120/220	14
RW8926	Sonicrafter® 2-1/2" Diamond-Grit Semicircle Saw Blade	22	RW9223	Vibrafree® 180# Sanding Disc. 5 Pack	14
RW8927	Sonicrafter® 3-1/8" EXTENDED LIFE HSS Semicircle Saw Blade	23	RW9228	Versacut® Tile Cutting Blade (Diamond)	11
RW8928	Sonicrafter® 3-1/8" HSS Semicircle Saw Blade	23	RW9229	Versacut® Smooth Cut HSS Blade 44T (Wood/Metal/Aluminum)	11
RW8928.3	Sonicrafter® 3-1/8" HSS Semicircle Saw Blade. Three Pack	23	RW9231	Versacut® Fast Cut TCT Blade 24T (Wood)	11
RW8938	Sonicrafter® Sanding Pad, Perforated. Two Pack	22	RW9234	Track Guide Kit (2 Pcs)	11,12
RW8940	Sonicrafter® Felt Polishing Pad. Two Pack	22	RW9265	BladeRunner® X2 Wall Mount	15

MODEL	DESCRIPTION	PAGE	MODEL	DESCRIPTION	PAGE
RW8941	Sonicrafter® Sanding Finger Pad	22	RW9266	BladeRunner® X2 Cross Cut Sled	15
RW8942	Sonicrafter® Prior Model Sonicrafter® / Sonictool™ Accessory Adapter	24	RW9273	Right Angle Drill Attachment	9
RW8944	Vacuum Dust Extractor Kit. Three Piece Kit	24	RW9275	Keyless Chuck	9
RW8946	Sonicrafter® 3-1/8" Carbide Grit Semicircle Saw Blade (Grout Removal)	22	RW9278	Pipe Cutting Base	11
RW8948	Sonicrafter® 1-3/8" EXTENDED LIFE Precision Wood Plunge Cut Blade	23	RW9281	4-1/2" 24T TCT Blade	12
RW8949	Sonicrafter® 1-1/8" Precision Wood End Cut Blade	- 24	RW9282	4-1/2" 60T HSS Blade	12
RW8949.3	Sonicrafter® 1-1/8" Precision Wood End Cut Blade. Three Pack	24	RW9283	4-1/2" 60# Diamond Blade	12
RW8950	Sonicrafter® 1-3/8" Precision Wood End Cut Blade	24	RW9351	20V MaxLithium Replacement Battery	9
RW8950.3	Sonicrafter® 1-3/8" Precision Wood End Cut Blade. Three Pack	23	RW9420	Multiple Voltage MaxLithium Battery Charger	9
RW8950.5	Sonicrafter® 1-3/8" Precision Wood End Cut Blade. Five Pack	23			

WARRANTY

All ROCKWELL® products carry a LIMITED 30-DAY EXCHANGE POLICY, LIMITED TWENTY YEAR WARRANTY ON 20V BRUSHLESS PRODUCTS or a LIMITED THREE YEAR WARRANTY unless otherwise noted in catalog. See website for more details. www.rockweltools.com

FREE BATTERY PROGRAM

The 20-Year Replacement Battery Agreement is available for all ROCKWELL® hand-held battery-powered tools featuring MaxLithium, LithiumTech, Compack or Powertank batteries. See website for more details. www.rockwelltools.com.

"Positec Group Ltd." does not accept liability for any errors, omissions or incorrect information contained in this catalog. Always confirm final product specifications and related information prior to placing an order to purchase ROCKWELL® branded products. Any specifications, descriptions, claims or other technical information found in this catalog are subject to change. ROCKWELL® retains the right to modify, improve or change the specifications to any of its products without notice. Actual retail packaging or product merchandising should be consulted for most up-to-date specific ations, descriptions, claims or technical information relating to ROCKWELL® products. Modifications or improvements to products shown in this catalog does not obligate ROCKWELL® or its related companies to make corresponding improvements or changes to previously manufactured products.

All ROCKWELL® products bearing the above symbols have been evaluated and comply with the rigid standards of the respective safety certification agencies.















Technical information and specifications subject to change without notice. No liability can be accepted for printing errors.

Copyright © 2016, Positec. All Rights Reserved.

ROCKWELL® Power Tools Charlotte, NC USA

ROCKWELL® Tools Customer Support

866-514-7625