





## BUILT TO LAST

WORX is committed to developing top-quality tools for home and garden. That is why we provide customers with a 3-Year Limited Warranty and excellent customer service to complement all of your DIY project needs.



Copyright © 2019, Positec USA, Inc. All Rights Reserved. Charlotte, NC USA worx.com

## \*Two years standard warranty + 1 year extended warranty available with product registration. Please visit worx.com/3-year-limited-warranty for details.

## **Table of Contents**



POWER SHARE™ 2



MOWERS 4



ROBOTICS 7



GRASS TRIMMERS 10



BLOWERS/VACS 15



HEDGE TRIMMERS 22



CHAINSAWS 26



JAWSAW 30



GARDEN COMBO KITS 32



HYDROSHOT 34



AEROCART 339





SAWS & MULTI-TOOLS 46



DIY COMBO KITS 60



ACCESSORIES 61



## ONE FOR ALL

Our Power Share family of high-performing tools combines versatility with efficiency, in the form of our popular MAX Lithium batteries. The power of one durable battery, shared among several tools.



# SHARE BATTERIES SAVE MONEY,...

TOOL OPTIONS

**STANDARD TOOLS** 

Battery and charger included with tool.

**TOOL ONLY** 

Use batteries and charger you already own.



Expand your productivity without paying for extra batteries and chargers. The WORX 20V\* MAX Power Share platform provides a product range to cover all your DIY and outdoor power tool needs.





## POWER FOR EVERY NEED

Lightweight but powerful. Long-lasting and efficient. Swaps out in seconds with a simple click. The WORX 20V Max battery gives you the power and flexibility to turn your To Do list into "Done".



**6.0Ah** 3X THE RUN TIME 4.0Ah 2X THE RUN TIME 2.0Ah









### 40V 20" Lawn Mower

Power up with dual 20V 5.0Ah batteries for 40V total power and performance with the WORX 20" cordless mower. Steel cutting deck with premium mulching capabilities. Cuts up to ¼ acre on single charge. Quick single lever cutting height adjustment.

### FEATURES



### **MULCH OR BAG**

Complete control over yard clippings with the 3-in-1 mower that mulches, bags or side discharges.





### NUTRICUT





	WG779	WG744	WG751	WG720
CORDLESS				CORDED
20V Power Share™	•	•	•	
Tool only model no.	WG779.9	WG744.9	WG751.9	
SPECIFICATIONS				
Voltage*/Amperage	40V	40V	40V	12 Amp
Amp hours	4.0 Ah	4.0 Ah	5.0 Ah	
Battery quantity/capacity	2/4.0 Ah	2/4.0 Ah	2/5.0 Ah	
Deck width	14"	17"	20"	20"
Cutting height	1.5"-3.5"	1.5"-3.2"	1.5"-4.25"	1.25"-4"
Cutting height positions	3	6	7	7
Grass collection capacity	.85 bushel	1.1 bushel	1.4 bushel	1.4 bushel
Machine weight (without battery)	26.2 lbs	38.1 lbs	53.6 lbs	45 lbs
FEATURES				
Cutting options	Mulch and rear discharge	Mulch and rear discharge	Mulch, side and rear discharge	Mulch, side and rear discharge
Intellicut	•	•		
Nutricut			•	•
Steel cutting deck			•	•
Folding handles	•	•	•	•
Stand-up			•	•



6 WORX Catalog 2019 worx.com 7

# LANDROID®

All new and fully configurable to meet your needs.

Two sizes to match your yard size. Pair accessories with your Landroid for added technologies that tailor to your needs.















conditions.









### WA0194 **WA0867**

The Landroid Garage Create a bomb proof adds extra protection radio connectivity that extends as much as 0.6 mi against harsh weather from your WiFi router.

### **WA0866**

Track your Landroid with GPS if it gets stolen.

### WA08634

Make certain areas of your lawn off limits.

### **WA0860**

Intelligent obstacle avoidance with ultrasonic sensors.



### YOUR LAWN AT YOUR **FINGER TIPS**

The new app is an integral part of the Worx Landroid system. Not only does it give you key information, it's also packed with features that maximize performance and convenience.







WG140	WG150
-------	-------

SPECIFICATIONS		
Voltage*	20V	20V
Battery capacity	4.0 Ah	4.0 Ah
Charger time (approx.)	90 minutes	90 minutes
Maximum cutting surface	Up to 1/4 acre	Up to 1/2 acre
Cutting width	7"	8.6"
Cutting height	1.5"- 3.1"	1.5"- 4"
Blade type	Rotating disc with 3 blades	Rotating disc with 3 blades
Wheel blade motor	Brushless x 2	Brushless x 2
Noise level	63 dB	63 dB
Weight	21.2 lbs	22.88 lbs
Dimensions	22" W x 15" D x 10" H	22" W x 15" D x 10" H
Warranty	3 years	3 years





### **WEATHER PROOF**

Landroid is 100% weather proof and happy to be outside. Landroid stops mowing when it is raining for optimal results.



### AS LONG AS YOU WANT

Grass length is a matter of personal taste. Adjusting Landroid's cutting height to your favorite length is as easy as turning a dial.



### STEALTH CHARGING

The Landroid charger has a grid that allows grass to grow through it, which Landroid then cuts for a tidy finish.







### 40V 13" Grass Trimmer

Power up with dual 20V Max Power Share batteries for 40V total power and performance with the WORX 13" cordless grass trimmer and wheeled edger. Switch from trimming to in-line wheeled edging in seconds. The Command Feed™ spool system offers instant line feeding at the touch of a button. Adjustable d-grip handle enables smooth, comfortable trimming while the pivoting cutting head allows for trimming hills or sloped terrain.

### **FEATURES**





It's impossible to trim grass without string. Command Feed keeps you running with the push of a button.



### WHEELED VERSATILITY

From trimmer to edger in seconds, literally. Rubberized wheel sets mean, clean, professional-looking lines, every time.











	WG154	WG162	WG163/.2/.4	WG170/.1	WG184
CORDLESS					
20V Power Share™	•	•	•	•	•
Tool only model no.	WG154.9	WG162.9	WG163.9	WG170.9	WG184.9
SPECIFICATIONS					
Voltage*	20V	20V	20V	20V	40V
Battery quantity/ capacity	1/1.5 Ah	1/2.0 Ah	2/2.0 Ah (WG163) 3/2.0 Ah (WG163.2) 2/4.0 Ah (WG163.4)	2/2.0 Ah (WG170) 2/4.0 Ah (WG170.1)	2/2.0 Ah
Cutting diameter	10" or 12"	12"	12"	12"	13"
Line diameter	0.065"	0.065"	0.065"	0.065"	0.08"
Spool quantity	1 (10ft)	1 (10ft)	1(10ft)	3 (10ft)	1 (20ft)
Charger time (approx.)	5 hrs	5 hrs	5 hrs	5 hrs	5 hrs
Machine weight (without battery)	4.2 lbs	5.7 lbs	5.3 lbs	5.5 lbs	8.6 lbs
FEATURES					
Command Feed®			•	•	•
90° Pivoting head		•	•	•	•
Mini mower function				•	
Variable speed					•
Adjustable handle		•	•	•	•
Adjustable shaft		•	•	•	•
Automatic line feed	•	•	•	•	•
Edge function	•	•	•	•	•
Twin wheel guide		•	•	•	•
Flower guard	•	•	•	•	



### FEATURES







**COMMAND™ FEEC** 


It's impossible to trim

grass without string.
Command Feed keeps
you running with the
push of a button.

EDGE, TRIM & MOW

3-in-1 flexibility from Precision string trimmer... to powerful in-line wheeled edger... to easy-to-navigate Mini mower.

**12** WORX Catalog 2019 \*For battery voltage disclaimer information, please see page 60. worx.com **13** 



	Wallo	Wdiis	VVG 124	VV GOOD
CORDED				
SPECIFICATIONS				
Voltage*	120V~60Hz	120V~60Hz	120V~60Hz	120V~60Hz
Power input	4.0A	5.5A	6A	12A
Cutting diameter	12"	15"	15"	7.5"
Line diameter	0.065"	0.065"	0.065"	
Cutting line length	2 x 16 ft	2 x 16 ft	2 x 16 ft	
Machine weight	4.9 lbs	6.4 lbs	6.4 lbs	14.2 lbs
FEATURES				
90° tilting shaft		Multi position	Multi position	
Adjustable handle	•	•	•	•
Telescopic shaft		•	•	
Automatic line feed	•	•	•	
Edge function	•	•	•	Trench
Twin wheel guide			•	
Flower guard	•	•	•	



WG896

# TRIVAC

### 12 Amp Blower/Mulcher/Vac

3 tools-in-one, the WORX TRIVAC 2.0 converts between functions with just the turn of a knob. The patented motor rotates from a blower to a vacuum with mulching. Air siphon design provides high-capacity air volume and extreme suction.



MOTOR ROTATION

### **FEATURES**





### TWO MODES

A super-sized tube and in-line fan deliver a powerful air stream in blower mode. Flip the motor and get maximum results with the mulch/vac mode.

### LARGE BAG CAPACITY

Do more in less time! With an overall capacity of 1.2 bushels and quick release clip, the TRIVAC collection bag makes cleanup easier.

WG514	

CORDED		
SPECIFICATIONS		
Voltage	120V~60Hz	120V~60Hz
Power input	12A	12A
Air speed Air volume	up to 70 mph 650 cfm	up to 70 mph 600 cfm
Collection bag capacity	1.2 bushel	1.2 bushel
Mulch ratio	18:1	16:1
Machine weight	8.8 lbs 9.5lbs (blow/vac)	8.8 lbs 9.5lbs (blow/vac)
FEATURES		
3-in-1 blow/mulch/vac	•	•
Single lever conversion	•	•
Easy clean system	•	•
Metal impeller	•	•
Variable speed		•
2-speed	•	TIM
High-capacity air nozzle	•	•
Shoulder strap		•



		11 00 10		11 0000
CORDED				
SPECIFICATIONS				
Voltage	120V~60Hz	120V~60Hz	120V~60Hz	120V~60Hz
Power input	12A	12A	12A	12A
Air speed Air volume	up to 60 mph up to 525 cfm	250 mph 400 cfm	75 to 210 mph 350 cfm	75 to 210 mph 350 cfm
Collection bag capacity	1 bushel	1.2 bushel	1 bushel	1 bushel
Mulch ratio	24:1	16:1	16:1	18:1
Machine weight	9.3 lbs	8.1 lbs	8.4 lbs	8.6 lbs
FEATURES				
3-in-1 blow/mulch/vac	•		•	•
Tool-less blow to vac switch		•	Single lever conversion	Single lever conversion
Easy clean system	•	•	•	•
Metal impeller	WG518	WG518	•	•
2 stage mulching system	•			•
Variable speed	•			
High-capacity air nozzle	•			

16 WORX Catalog 2019 worx.com 17 Blowers & Mulchers


Blowers & Mulchers



### **TURBINE 40V Blower**

Power up with dual 20V Max Power Share batteries for 40V total power and performance with the WORX cordless TURBINE blower. Two speeds plus turbo boost for various cleaning applications. TURBINE power, brushless motor spins at 430CFM for cleaning more debris faster.

### **FEATURES**



### **TURBINE POWER**

The secret is the all-newTURBINE technology that delivers forceful, high-capacity airflow in a lightweight, ergonomic design that's part of our 20V Power Share platform.











	WG545.1/.4	WG547/.1	WG584
CORDLESS			
20V Power Share™	•	•	•
Tool only model no.	WG545.9	WG547.9	WG584.9
SPECIFICATIONS			
Voltage*	20V	20V	40V
Battery quantity/capacity	1/2.0 Ah(WG545.1) 1/4.0 Ah (WG545.4)	1/2.0 Ah	2/2.5 Ah
Air speed Air volume	60 or 90 mph 225 or 340 cfm	55 or 75 mph 270 or 360 cfm	60, 69, 80, 90 mph (Turbo) 300, 350, 390, 430 cfm (Turbo)
Charger time (approx)	5 hrs	5 hrs	150 min
Machine weight (without battery)	5.7 lbs	3.5/4.4 lbs	5.5 lbs
FEATURES			
Brushless motor			•
Speed control settings	1	2	3 + Turbo
On-board Power Indicator			•
High-capacity air nozzle		•	•

18 WORX Catalog 2019 \*For battery voltage disclaimer information, please see page 60. worx.com 19







W	G506	WG519	WG520

CORDED			
SPECIFICATIONS			
Voltage	120V~60Hz	120V~60Hz	120V~60Hz
Power input	7.5A	7.5A	12A
Air speed Air volume	130 or 160 mph 160 cfm	60-120 mph 360-450 cfm	60-110 mph 320-600 cfm
Machine weight	4.4 lbs	6.61 lbs	6.4 lbs



# **LEAFPRO**<sup>™</sup>

## **Universal Leaf Collection System**

### WG4054.2/WG4058

SPECIFICATIONS	
Hose	4" dia. x 8 ft. long
1 universal hose connector	Fits all models up to 5" diameter (WG4054.2) Fits all models plus WG510, WG512/13/14 (WG4058)
Fits most 32-96 gal. outdoor waste	Adjustable

# **GUTTERPRO**<sup>™</sup>

## **Universal Gutter Cleaning Kit**

	WA4092	WA4094
SPECIFICATIONS		
Suitable for:	Fits up to a 5" diameter connector	Fits up to a 5" diameter connector
Total reach	11'	11'
		Includes WG510/12/13/14/22 adapters

### 13 Amp Electric Leaf Mulcher

### WG430

SPECIFICATIONS	
Voltage	120V~60Hz
Power input	13A
No-load speed	8500 rpm
Mulch ratio	11:1
Machine weight	20 lbs








### 40V 24" Hedge Trimmer

The WORX 24" hedge trimmer combines two 20V batteries to deliver 40V Power and Performance. Whether it's used for shaping tasks or topiary sculpting, the 3/4" cutting capacity, has plenty of power to get the job done. A clear-view, hi-impact hand guard angled in front of the handle provides protection and helps deflect debris.



### **FEATURES**



### THICK CUTTING CAPACITY

Thicker twigs and branches are no match for the increased cutting capacity of over 9/16" found on our 20V trimmer.



### **ROTATING HANDLE**

Quick trigger rotating cutting head allows for easy cutting in any direction.



Hedge Trimmers

Hedge Trimmers



	***************************************	VV G204	WGZIZ	WGZI7
CORDLESS			CORDED	
20V Power Share™	•	•		
Tool only model no.	WG261.9	WG284.9		
SPECIFICATIONS				
Voltage*	20V	40V	120V~60Hz	120V~60Hz
Battery quantity/capacity	1/2.0 Ah	2/2.0 Ah		
Power Input			3.8A	4.5A
No-load speed	2200 spm	2300 spm	2600 spm	1700 spm
Max cutting diameter	9/16"	3/4"	3/4"	3/4"
Max cutting depth	22"	24"	20"	24"
Charger time (approx.)	5 hrs	1 hr		
Machine weight (without battery)	4.5 lbs	9.2 lbs	5.3 lbs	6.4 lbs
FEATURES				
Rotating blade		•		•
Dual-action blade	•	•	•	•
Soft grip handle	•	•	•	
Blade sheath		•	•	•
Blade tip protector		•		
Transparent hand guard	•	•		
Multi-point safety trigger	•	•		•
In-line motor design			•	



20V Shear and Shrub Trimmer	WG801
CORDLESS	
20V Power Share™	•
Tool only model no.	WG801.9
SPECIFICATIONS	
Voltage*	20V
No-load speed	1100/min
Cutting width	4" (with grass shear blade)
Max cutting length	8" (with shrub blade)
Max diameter	0.3" (for shrub blade)
Machine weight (without battery)	2.0 lbs
FEATURES	
Dual action blades for clean	professional trimming
Overmold soft-grip handle for	or comfort and control



**24** WORX Catalog 2019 \*For battery voltage disclaimer information, please see page 60.





### 40V 14" Chainsaw

Power up with dual 20V Max Power Share batteries for 40V total power and performance with the WORX 14" cordless chainsaw. Auto-tension chain tightening system for the most efficient cuts. Auto-lubrication system and brushless motor designed for longer life cycle than traditional chainsaws.



### **FEATURES**



### LARGE CUTTING DIAMETER

Whether felling a tree or cutting logs for a fire, the 16" bar and overmold soft grip handle give you ultimate control.













	WG322/WG323	WG384	WG303.1/WG304.1	WG305/WG305.1	WG309/WG310
CORDLESS			CORDED		
20V Power Share™	•	•			
Tool only model no.	WG322.9/WG323.9	WG384.9			
SPECIFICATIONS					
Voltage*	20V	40V	120V~60Hz	120V~60Hz	120V~60Hz
Battery quantity/ capacity	2.0 Ah	2/2.0 Ah			
Power Input			14.5A / 15A	8A	8A
Bar length	10"	14"	16" / 18"	14"	10"/8"
Chain pitch	3/8"	3/8"	3/8"	3/8"	3/8"
Chain gauge	0.05"	0.05"	0.05"	0.05"	0.05"
Oil tank	4 oz	4.0 oz	6.75 oz	4 oz	4 oz
Machine weight (without battery)	6.4 lbs / 10.4 lbs	10.4 lbs	11 lbs / 11.2 lbs	6.6 lbs	9.5 lbs
FEATURES					
Automatic chain lubrication	•	•	•		•
Safety chain stop		•	•		
Overmold grip handle	•	•	•		
Auto-tension system	•	•	•	•	•
Clear view oil level window	•	•	•	•	•
Includes pole extending reach 10'	WG323				•











	WG320	WG321	W307
CORDLESS			CORDED
20V Power Share™	•	•	
Tool only model no.	WG320.9	WG321.9	
SPECIFICATIONS			
Voltage*/power input	20V	20V	5A
Battery quantity/capacity	1/2.0 Ah	1/2.0 Ah	
Bar length	6"	6"	6"
Max. cutting diameter	4"	4"	4"
Oil tank capacity	1 oz	1 oz	1 oz
Machine weight (without battery)	7.9 lbs	11.6 lbs	8.2 lbs
Length	34"	94"	34"
FEATURES			
Auto-tension	•	•	•
Safety jaw guard	•	•	•
Automatic chain lubrication	•	•	•
Extension pole, quick attach system	Sold separately (WA0169)	•	Sold separately (WA0163)







	WG919	WG921	WG928/.1	
CORDLESS				
20V Power Share™	•	•	•	
SPECIFICATIONS				
Tool combo	WG154/WG545	WG163/WG546	WG163/WG547	
Voltage*	20V	20V	20V	
Battery quantity/capacity	2/1.5 Ah	2/2.0 Ah	2/2.0 Ah(WG928) 3/2.0 Ah (WG928.1)	
Charger type	5 hr	5 hr	1 hr (WG928) 2 hr dual (WG928.1)	



	VVG929/.1	VVG930/.1	Magai
CORDLESS			
20V Power Share	•	•	•
SPECIFICATIONS			
Tool combo	WG162/WG547	WG170/WG547	WG163/WG261/WG547
Voltage*	20V	20V	20V
Battery quantity/capacity	2/2.0 Ah	2/2.0 Ah (WG930) 2/4.0 Ah (WG930.1)	2/2.0 Ah
Charger type	5 hr (WG929) 1 hr (WG929.1)	5 hr (WG930) 1 hr (WG930.1)	1 hr

# HYDROSHCT

### **Portable Power Cleaner**

It's the first truly portable power cleaning tool. Use a small amount of water to quickly and easily clean and maintain your outdoor spaces. Hydroshot connects to any garden hose, or draw from any fresh water source like a bucket, your pool, even the lake. The lance attachment makes sure water goes where you want it, not on you.



### **40V Portable Power Cleaner**

This portable WORX Hydroshot Power Cleaner combines two 20V batteries to deliver 40V Power and Performance. The first-of-its-kind cleaning tool able to draw from any fresh water source for on-the-go usage that easily removes dirt, dust and grime. Dual operation modes allow for remote watering capabilities and converts to a power cleaner delivering up to 450psi.



### FEATURES



### 4-IN-1 NOZZLE

4-in-1 Pressure Nozzle lets you choose from four different spray angles, 0°, 15°, 25°, 40° and rotates for vertical or horizontal spray patterns.



## CONNECTS TO ANY FRESH WATER SOURCE

The Hydroshot uses whatever fresh water source you have available – so grab your bucket and get your clean on.







WORX Catalog 2019





	WG625/.1/.3	WG630	WG644
CORDLESS			
20V Power Share™	•	•	•
Tool only model no.	WG625.9	WG630.9	WG644.9
SPECIFICATIONS			
Voltage*	20V	20V	40V
Battery quantity/capacity 1/2.0 Ah (WG625/.1) 2/2.0 Ah (WG625.3)		1/4.0 Ah	2/2.0 Ah
Pressure	up to 320 psi	up to 350 psi	240-450 psi
Max water flow rate	0.5 gal/min.	0.92 gal/min.	0.9 gal/min.
Times more powerful than a garden hose	5x	6x	7x
Machine weight (without battery)	3.7 lbs	5.3 lbs	6.8 lbs
FEATURES			
5-in-1 pressure nozzle	•	•	•
2-speed settings	•	•	•
Pulls fresh water from any source	•	•	•
Includes accessories	• (WG625 only)		•





36 WORX Catalog 2019 \*For battery voltage disclaimer information, please see page 60.



# POWER CLEANING BRUSHES Rotary Cleaning Brush Water-powered brush with spinning head for cleaning sensitive surfaces and tight areas. Automotive Power Scrubber (Hard) A water powered rotary cleaning brush that is tough enough to use on a variety of cleaning applications around the home. WA1821 Automotive Power Scrubber (Soft)

vour vehicle.

Attaches to your Hydroshot and uses water power

to rotate, giving you safe but powerful cleaning for




38 WORX Catalog 2019 worx.com 39

WA1820

Aerocart<sup>™</sup> Aerocart™





### WG050

SPECIFICATIONS	
Wheelbarrow weight capacity	300 lbs
Wheelbarrow volume capacity	~3 ft³
Dolly load capacity	300 lbs
Cart weight	38 lbs
Warranty	3 years


Highly versatile lifting and moving work system instantly converts from wheelbarrow to dolly and more

Patented design adjusts center of gravity for a balanced and easy-to-manage load

Flat-free tires never need inflating

Also works as an extended dolly, flower pot mover, rock mover, trailer mover, bag holder and cylinder holder

INCLUDED ACCESSORIES	
	1 Cylinder Holder
	1 Bag Holder
1	1 Plant Mover Strap
	1 Mesh Rock Mover







FLAT-FREE TIRES

Never deal with a flat





	WX101L	WX260L	WX174L	WX176L
CORDLESS				
20V Power Share™	•	•	•	•
Tool only model no.	WX101L.9	WX290L.9	WX174L.9	WX176L.9
SPECIFICATIONS				
Voltage*	20V	20V	20V	20V
Battery quantity/capacity	1.5 Ah	1.5 Ah	1.5 Ah	2/1.5 Ah
No-load speed	0-400/0-1450 rpm	0-2600 rpm	0-450/1600 rpm	0-400 / 1500 rpm
Impact rate		0-3300 bpm		
Max torque	265 in-lbs	1500 in-lbs	356 in-lbs	265 in lbs
Keyless chuck size	3/8"	1/4" Hex	1/2"	1/4" Hex
Torque setting	15 + 1		15 + 1	
Max drilling capacity wood / steel	1"/ 3/4"		1-3/8"/ 1/2"	1-3/16"/3/8"
Charger time (approx.)	5 hrs	5 hrs	5 hrs	5 hrs
Machine weight (without battery)	2.9 lbs	2.8 lbs	3.0 lbs	2.8 lbs
Brushless motor			•	
Accessory kit				WG176.2



### **ROTATING CHUCK**

Go from drilling to driving and back, all in an instant.







### **4V Hand-held Screwdriver** with Screwholder

The WORX Semi Automatic Driver with Screw Holder is the most convenient cordless screwdriver ever. Bits are stored directly on the tool, so they are never lost. When a project comes up, the slide-action advances to the correct bit instantly.



### WX255L

4V
230 rpm
27 in-lbs
1/4" Hex
5 hrs
up to 18 months
1.1 lbs

LED light for improved visibility and safety



### SWITCH BETWEEN BITS

Includes a rapid reloadable cartridge that houses 6 common screw driving bits.



**HANDS-FREE** 

Screwholder attachment holds screws in place, freeing you up for extended reach.





### **8V Multi-position** Impact Screwdriver

WX270L

CORDLESS	
SPECIFICATIONS	
No-load speed	0-1800/min
Impact rate	0-3000/min
Max torque	225 in-lbs
Chuck size	1/4" Hex
Battery capacity	8V
Machine weight	1.34 lbs

Powerful impact capability to drive large screws and fasteners

Excellent for removing difficult rusted or seized bolts.

3-position handle for comfort and best approach to reach the fastener

LED light illuminates work area





### **4V Hand-held** Screwdriver with Extended Reach

WX252L

CORDLESS	
SPECIFICATIONS	
Voltage*	4V
No-load speed	230 rpm
Max torque	27 in-lbs
Chuck size	1/4" Hex
Charge time (approx.)	5 hrs
Charge life on shelf	up to 18 months
Machine weight	1.1 lbs

Slide action shaft for extended reach

LED light for improved visibility and safety

Includes 8 screwdriver bits

44 WORX Catalog 2019 worx.com 45 \*For battery voltage disclaimer information, please see page 80.





### 20V Cordless 6-1/2" Circular Saw

Exactrack is the first circular saw that makes straight cuts easy. Its patented split shoe design allows the blade to sit flush against the track for increased visibility and cutting accuracy. Exactrack also saves time and money by sharing batteries as part of the 20V Power Share platform.

	WX530L
CORDLESS	
20V Power Share™	•
Tool only model no.	WX530L.9
SPECIFICATIONS	
Voltage*	20V
Battery quantity/capacity	1/2.0 Ah
No-load speed	3600 rpm
Blade size	6-1/2"
Bevel Capacity	0-50°
Max cutting depth	2-5/32"
Charger time (approx.)	5 hrs
Machine weight (without battery)	5.9 lbs



### **EDGE ALIGNMENT**

Patented split shoe design allows the blade to sit flush against the track for increased visibility and cutting accuracy.







CORDLESS		CORDLESS		
20V Power Share™	•			
Tool only model no.	WX523.9			
SPECIFICATIONS				
Voltage*	20V			
Battery quantity/capacity	1/1.5 Ah			
Power input		4.0A	4.0A	4.5A
No-load speed	2300 rpm	3500 rpm	3600 rpm	4000 rpm
Blade size	3-3/8"	3-3/8"	3-3/8"	4-1/2"
Max cutting depth	1-11/16"	1-1/16"	1-1/16"	1-11/16"
Charger time	5 hrs			
Machine weight (without battery)	2.9 lbs	3.3 lbs	3.2 lbs	4.0 lbs





### 3 BLADES

Go from drilling to driving and back, all in an instant.



### LASER GUIDE

Go from drilling to driving and back, all in an instant.



	11710002
CORDLESS	
20V Power Share™	•
Tool only model no.	WX550L.9
SPECIFICATIONS	
Voltage*	20V
Battery capacity	1-1.5 Ah
No-load speed	3000/min
Stroke length	3/4"
Charger time	5 hrs
Machine weight (without battery)	4.2 lbs
FFATUREO	

### FFATURE

Compact size to fit a variety of jobs

Orbital function option for selecting the right cut for your job

Tool-free blade change system

Comfort grip handle

Lock off switch to prevent accidental starts



### DUST BLOWER

Increase your cutting visibility by removing dust and debris.



### 4 BLADES INCLUDED

3 different jig blades plus a reciprocating blade are all included.



## UNIVERSAL BLADE ACCEPTANCE

Fits a variety of blades to cut endless materials, indoors and out.




## TOOL-LESS BLADE CHANGE

Increase productivity by quickly and easily swapping out blades.

20V Jigsaw	WX543L
CORDLESS	
20V Power Share™	•
Tool only model no.	WX543L.9
SPECIFICATIONS	
Voltage*	20V
Battery quantity/capacity	1/1.5 Ah
No-load speed	2600/min.
Stroke length	15/16"
Max cutting depth	1-11/16"
Machine weight (without battery)	3.7 lbs







Don't carry materials to your saw, carry your saw to the work site. Lightweight and easy to use, it's ideal for light-duty sawing in wood, metal, ceramic tile aluminum and plastic.



### **WX572L**

SPECIFICATIONS	
Voltage	120V~60Hz
Power input	5.5 A
No-load speed	3000 rpm
Stroke length	3/4"
Cutting capacity	Wood: 1-1/2" / PVC: 1-1/4" Aluminum: 3/8" Mild steel: 1/8" Ceramic: 3/8"
Machine weight	14.7 lbs

Cut wood, tile, plastic, ceramic, metal and aluminum

Lightweight and easy to carry anywhere — instant setup

Uses standard 4" t-shank jigsaw blades, change blades quickly

Blade guard is mounted on riving knife for extra cross cutting and ripping capacity





### **WX682L**

### **WX686L**

CORDLESS		CORDED
20V Power Share™	•	
Tool only model no.	WX682L.9	
SPECIFICATIONS		
Voltage*	20V	120~60Hz
Battery quantity/capacity	1/1.5 Ah	
Power Input		2.5 A
Oscillation speed	5000-20000 rpm	11000-21000 rpm
Oscillation angle	3.2°	3.2°
Charging time	5 hr	
Machine weight (without battery)	1.7 lbs	3.2 lbs





### **CORDLESS FLEXIBILITY**

Take this cordless multi-tool wherever it's needed.



# PEG SUS




### **Multi-function** Worktable/Sawhorse

WX051

SPECIFICATIONS	
Table size	31" x 25"
Working height	32"
Fold size	35-1/2" x 25-3/4" x 6"
Max clamping width	18-1/2"
Product weight	25 lbs
Weight capacity open table	300 lbs
Weight capacity sawhorse mode	1000 lbs

# Includes 2 quick clamps and 4 clamp dogs Operates as 300 lb work table or 1000 lb capacity sawhorse Compact design for effortless transport and storage



## **JAWHORSE®**

Portable Work Support Station	WX060.1
SPECIFICATIONS	
Clamping range	0-34.5"
Maximum Clamping Force	1 MetricTon
Clamp Method	Foot Pedal
Maximum Load	440 lbs
Machine Weight	36 lbs
FFATUREO	

Delivers over 1 ton of maximum clamping force

Heavy duty all-steel construction provides rigidity and strength for the toughest job demands

Hands free locking, thanks to foot pedal lever which creates extreme clamping force





Portable Work Table	WX066
SPECIFICATIONS	
Weight capacity	300 lbs
Working height	32"
Table size	24" x 24"
Weight	13.6 lbs
FEATURES	

Use included clamp dogs to conveniently secure a variety of materials Designed for easy transport – quick set-up, pick up and go Link Locks connect multiple Sidekick tables to expand work area Use durable table top separately for extra adaptability



### Clamping **Sawhorses**

### WX065

SPECIFICATIONS	
Maximum weight capacity	1000 lbs / pair
Minimum clamping width	18-1/2"
Working sawhorse dimensions	32" H x 27" W x 15" D
Folded sawhorse dimensions	32-1/2" H x 27" W x 2-1/2" D


Includes 2 quick clamps

Lightweight and easy to carry


Folds for compact storage

27" wide sawhorses stand at a comfortable 32" working height

**54** WORX Catalog 2019 worx.com **55** 



Storage Step Stools	WA4214
PECIFICATIONS	
Standing weight capacity	324 lbs
Storage weight capacity	29 lbs
Step height	13"





### **20V Multipurpose Sander**

A 5-in-1 Multi-Sander that does the job of a random orbit, finishing, and detail sander in one tool. It includes finger and contour attachments for getting into tight corners. The Hyperlock™ clamping system lets you change out sanding pads without having to grab another tool, and always keeps the pad secure.



CORDLESS	
20V Power Share™	•
Tool only model no.	WX820L.9
SPECIFICATIONS	
Voltage*	20V
Battery quantity/capacity	1/2.0 Ah
No load speed	4000-10000/min
Orbit diameter	3/32" RO, 1/16" Finish detail
Charge time	5 hr
Machine weight (without battery)	3.3 lbs



### 5 SANDERS, ONE SMOOTH TOOL

Does the job of 5 sanders. Includes random orbit, finishing, detail, finger and contour attachments.



### QUICK PAD CHANGES, NO DOWNTIME

The Hyperlock™ clamping system makes changing sanding pads easy and secure.

Workshop




20V Cordless Shop Blower/Duster	WX094L		
CORDLESS			
20V Power Share™	•		
Tool only model no.	WX094L.9		
SPECIFICATIONS			
Voltage*	20V		
Battery quantity/capacity	1/1.5 Ah		
Air speed	120 mph		
Air flow	80 cfm		
Charge time	5 hr		
Machine weight (without battery)	3.5 lbs		






4V Cordless Scissors	WX081L		
SPECIFICATIONS			
Battery pack	4V		
Charging time	5 hr		







CORDLESS				
20V Power Share™	•	•		
Tool only model no.	WX026L.9	WX028L.9		
SPECIFICATIONS				
Voltage*	20V	20V		
Battery quantity/capacity	1/1.5 Ah	1/1.5 Ah		
Lumens	1500	100		
Charger time	5 hrs	5 hrs		
Machine weight (w/out battery)	1.7 lbs	0.6 lbs		





DIY Combo Kits



20V Drill Driver & Jigsaw Combo Kit

20V Drill Driver & 3-3/8" WORXSAW Combo Kit

20V Drill & Impact Driver Combo Kit

	WX958L	WX945L	WX944L	
CORDLESS				
20V Power Share™	•	•	•	
SPECIFICATIONS				
Voltage*	20V	20V	20V	
Battery quantity/capacity	2/1.5 Ah	2/1.5 Ah	2/1.5 Ah	
No-load speed	1400 rpm (drill), 3500 rpm(saw)	1400 rpm (drill), 3500 rpm(saw)	2500 rpm (impact), 1400 rpm(drill)	
Chuck capacity	3/8"	3/8"	3/8"	
Charge time	5 hr	5 hr	5 hr	



20V Drill Driver & Reciprocating Saw Combo Kit	WX946L
CORDLESS	
20V Power Share™	•
SPECIFICATIONS	
Voltage*	20V
Battery quantity/capacity	2/1.5 Ah
No-load speed	1400 rpm (drill), 3500 rpm(saw)
Chuck capacity	3/8"
Charge time	5 hr













BATTERIES	WA3520	<b>WA3575/.2</b> (WA3575.2 IS 2-PACK)	WA3606 (WITH INDICATOR)	WA3578	WA3671 (WITH INDICATOR)
Voltage*	20V	20V	20V	20V	20V
Battery type	Li-ion	Li-ion	Li-ion	Li-ion	Li-ion
Weight	0.7 lb	0.8 lb	0.8 lb	1.5 lb	1.8 lb
Amp hour	1.5	2.0	2.0	4.0	6.0







### CHARGERS

CHAKGEK2		WA3742	WA3764	WA3835
Voltage*/Amp		20V/0.4A	20V/2A	20V/2A
Charge time	1.5Ah	4 hr	45 min.	13 min.
	2.0Ah	5 hr	1 hr	25 min.
	4.0Ah	10 hr	2 hr	45 min.
	6.0Ah	15 hr	3 hr	70 min.





WA3875



WA3881

### **WA3868**

Voltage*/Amp	3A	1A	3A
Charge time 1.5Ah	45 min.	45 min./battery	45 min.
2.0Ah	1 hr	1 hr/battery	1 hr
4.0Ah	2 hr	2 hr/battery	2 hr
6.0Ah	3 hr	3 hr/battery	3 hr









WA0027/WA0028

Chain gauge	0.05"
Chain pitch	3/8"
Number of chain links	57/63
Suitable for:	WG303.1/WG304.1

Blade length	13"/16"
Suitable for:	WA0027: Fits 14" Deck Size WORX mowers WA0028: Fits 17" Deck Size WORX mowers

60 WORX Catalog 2019 \*For battery voltage disclaimer information, please see page 60.

Accessories Accessories







5' Extension Pole

**WA0161 WA0162** 

WA0163 (corded)/WA0169 (20V)

Suitable for

LEAF MULCHER

WG307-WG308 WG320-WG321

**Replacement Chain** 

WG307-WG308 WG320-WG321

Replacement Bar

WA0163: WG307-WG308 WA0169: WG320-WG321





WA0050 Replacement Strings

12" x 16" Paper Yard Bag Holder

WA0051

Quantity	24	1
Suitable for:	WG430	WG430



Spool + Cover





**GRASS TRIMMER ACCESSORIES** 

Line length 1 x 10 ft WG122-WG150-WG151 WG151.5-WG152-WG153 WG154-WG155-WG155.5 Suitable for: WG156-WG157-WG160 WG163-WG165



Spool + Cove	
2 x 16 ft	

WG105-WG106-WG108 WG109-WG112-WG113 WG115-WG116-WG117 WG118-WG119-WG124 WA0014 (SPOOL) Spool 1 x 20 ft

WG168 WG190-WG191





WG166-WG167-WG175





WA0043 Replacement Edging Wheel

WA0216/ WA0217/ WA0037 Spool Cap

**WA0044 On-Board Spool Holder** 

**WA6542** Line Guard

### **MISCELLANEOUS**



WA0034

Edger Blade



WA0138

**Wall Mount** 

**Tool Holder** 



WA0139

18" Wall Mount Tool

Holder Kit









WA0030 WA0040 Leaf Bin **Telescoping Pole** 

**WA0091 Clamp Dogs** 

### BLADERUNNER

WA0133

**Blade Runner Wall Mount** 











**WA1121** 



DRILL

**WA1112** 

16 pc. Drill Bit Set

67 pc. Drill Bit Set

Drill material type	Metal, wood, plastic, aluminum	Metal, wood, plastic, aluminum
Drill bit type	Hex	Round



Flexible Shaft for **Cordless Screwdriver** 

Max torque	27 in-lbs
Max speed	400 RPM













### BLADES

	WA5044	WA5085	WA5202	WA5701	WA8006	WA2300
Blade count	1	1	5	27	10	2
Size	3.375"	4.5"	N/A	N/A	T-shank	ZipSnip

MaxLithium: 40V (initial) / 36V (nominal). **62** WORX Catalog 2019 worx.com 63

<sup>\*</sup>Voltage measured without workload. Initial and nominal battery voltages are as follows: 20V MaxLithium: 20V (initial) / 18V (nominal) and 40V

MODEL	DESCRIPTION	PAGE
WA0004	Replacement Spool, DNALine2, Single Feed (10', 2pc)	62
WA0007	Replacement Spool, DNALine2, Dual Feed (16', 1pc)	62
WA0014	Replacement Spool, Twisted, Single Feed (20', 1pc)	62
WA0027	Mulching Replacement Mower Blade (13")	61
WA0028	Mulching Replacement Mower Blade (16")	61
WA0030	Collapsible Leaf Bin (26 Gallon)	62
WA0034	Metal Edger Blades (3pc)	62
WA0037	Replacement Spool Cap (13"Trimmers)	62
WA0043 WA0076	Replacement Edging Wheel Tool Tote with Pockets	62 56
WA0070 WA0079	Large Tool Bag with Pockets	56
WA0091	Clamp Dogs (4pc)	59
WA0133	Bladerunner X2 Wall Mount	62
WA0134	Bladerunner X2 Cross Cut Sled	63
WA0138	Wall MountTool Holder	63
WA0139	Wall Mount Kit, Metal Bar, 2Tool Holders (18")	62
WA0157	Replacement Chain Loop (16")	61
WA0159	Replacement Chain Loop (18")	61
WA0161	Replacement Chain Loop (6")	62
WA0162	Replacement Bar (6")	62
WA0163	Extension Pole (5')	62
WA0169	Extension Pole (20V, 5')	62
WA0194 WA0216	Landroid Garage Replacement Spool Cap (Electric)	62
WA0210	Replacement Spool Cap (Cordless)	62
WA0228	Aerocart Wagon Kit	41
WA0230	Aerocart Snow Plow	41
WA0232	Aerocart Firewood Carrier	41
WA0234	Aerocart Tub Organizer	41
WA0235	Universal Tool Holder	41
WA0834	Landroid Off Limits	8
WA0860	Landroid ACS: Anti Collision System	8
WA0866	Find My Landroid	8
WA0867	Landroid Radiolink	8
WA1061	Flexible Screwdriver Shaft	63
WA1112	Drill Bit Set (Hoys Shorts 1900)	63
WA1121 WA1820	Drill Bit Set (Hex Shank, 18pc) Hydroshot Automotive Power Scrubber (Soft)	63 38
WA1821	Hydroshot Outdoor Power Scrubber (Hard)	38
WA2300	Zipsnip Replacement Blades (2pc)	63
WA3520	20V MAX Lithium Ion Battery (1.5ah)	61
WA3575	20V MAX Lithium Ion Battery with Indicator (2.0ah)	61
WA3575.2	20V MAX Lithium Ion Battery with Indicator Value Pack (2.0ah, 2pc)	61
WA3578	20V MAX Lithium Ion Battery with Indicator (4.0ah)	61
WA3606	20V MAX Lithium Ion Battery & Charger (2.0ah, 5hr.)	61
WA3671	20V MAX Lithium Ion Battery with Indicator (6.0ah)	61
WA3742	20V MAX Lithium Ion Battery Charger (5hr)	61
WA3764	20V MAX Lithium Ion Battery Vehicle Charger (2 Amp, 1hr.) 20V MAX Lithium Ion Battery Fast Charger (3 Amp, 1hr)	61
WA3868 WA3875	20V MAX Lithium Ion Battery Past Charger (3 Amp, 1117) 20V MAX Lithium Ion Battery Dual Port Fast Charger (1 Amp, 2 hr.)	61
WA3873 WA3881	20V MAX Lithium Ion Battery Fast Charger (3 Amp, 1 hr.)	61
WA4036	Hydroshot Soap Mixture Container (13.5oz)	37
WA4037	HydroshotTurbo Nozzle	37
WA4038	Hydroshot Bottle Cap Connector with Draw Hose	37
WA4039	Hydroshot Pivoting Quick Connect Adapter	37
WA4042	Hydroshot Rotary Cleaning Brush (3")	37
WA4048	Hydroshot Multi-Purpose Cleaning Brush (7")	37
WA4050	Hydroshot Window Squeegee with Water Sprayer (12")	37
WA4054.2	Leafpro Universal Leaf Collection System, Multi-Fit Adapter (8')	21
WA4058	Leafpro Universal Leaf Collection System, Multi-Fit, Trivac & Turbine Fusion Adapter (8')	21
WA4092	Gutterpro Universal Gutter Cleaning Kit, Multi-Fit (11')	21
WA4094	Gutterpro Universal Gutter Cleaning Kit, Trivac & Turbine Fusion (11')	21
WA4214	Storage Step Stool	56
WA5044	Compact Circular Saw Blade TCT (3.375", 24T, 1pc)	63
WA5085	Compact Circular Saw Blade TCT (4.5", 24T, 1pc)	63
WA5202	Bimetal Oscillating End Cut Blades (5pc)	63
WA5701	Multi-tool Blade Accessory Kit (27pc)	63

MODEL	DESCRIPTION	PAG
WA8006	BladeRunner X2T-Shank Blade Assortment (10pc)	63
WG050	Aerocart 8-in-1 All-Purpose Carrier	40
WG116	GrassTrimmer with Fixed Shaft (4 Amp, 12")	14
WG119	GrassTrimmer with 4-PositionTilting Shaft (5.5 Amp, 15")	14
WG124	GrassTrimmer & Edger with VariableTilting Shaft, Twin Edging Wheels (6.5 Amp, 15")	14
WG154/.9	20V Grass Trimmer & Edger (10"/12")	12
WG162/.9	20V Grass Trimmer & Wheeled Edger (12")	12
WG163 /.2 /.4/.9	20V GT 3.0 GrassTrimmer & Wheeled Edger, Command Feed (12")	12
WG170/.1/.9	20V GT Revolution GrassTrimmer, Wheeled Edger & Mini Mower,	12
WG184/.9	Command Feed, Spool Holder (12")	12
WG212	40V GrassTrimmer and Wheeled Edger, Command Feed (13") HedgeTrimmer (3.8 Amp, 20")	24
WG212 WG217	Hedge Trimmer, Rotating Cutting Head (4.5 Amp, 24")	24
WG261/.9	20V Hedge Trimmer, (22")	24
WG284 /.9	40V HedgeTrimmer, Rotating Cutting Head (24")	24
WG303.1	Chainsaw (14.5 Amp, 16")	28
WG303.1		28
WG304.1	Chainsaw (15 Amp, 18")	28
WG3037.1	Chainsaw (8 Amp, 14") Jawsaw (5 Amp, 6")	31
WG309	Pole Saw (8 Amp, 10", 8')	28
WG310	Pole Saw (8 Amp, 8", 8")	28
WG320 /.9	20V Jawsaw (6")	31
WG320 7.9 WG321	20V Jawsaw (6') 20V Jawsaw and Extension Pole (6", 8')	31
		28
WG322 /.9 WG323 /.9	20V Chainsaw (10")	28
WG384 /.1 /.9	20V Chainsaw and Extension Pole (10", 8.6') 40V Brushless Chainsaw (14")	28
WG430	Leaf Mulcher (13 Amp, 13")	21
	Trivac Blower/Mulcher/Vac, Metal Impeller, Single Lever Conversion	
WG505	(12 Amp, 350 cfm)	17
WG506	Blower, 2-Speed (7.5 Amp, 160 cfm)	20
WG509	Trivac Blower/Mulcher/Vac, 2-Stage Mulching, Metal Impeller, Single Lever Conversion (12 Amp, 350 cfm)	17
WG510	Turbine Fusion Blower/Mulcher/Vac, 2-Speed, Tool-Less Conversion (12 Amp, 525 cfm)	17
WG514	Trivac Blower/Mulcher/Vac, Variable Speed, 2-Stage Mulching, Metal Impeller, Single Lever Conversion (12 Amp, 650 cfm)	16
WG522	Trivac Blower/Mulcher/Vac, Variable Speed, 2-Stage Mulching, Metal Impeller, Single Lever Conversion, Shoulder Strap (12 Amp, 600 cfm)	26
WG518	Blower/Mulcher/Vac, 2-Speed, Metal Impeller, Tool-Less Conversion	17
WG519	(12 Amp, 400 cfm) Turbine 450 Blower, 2-Speed (7.5 Amp, 450 cfm)	20
WG520	Turbine 600 Blower, Variable Speed, (12 Amp, 600 cfm)	20
WG545.1/.4/.9	20V AIR Sweeper/Blower with Accessories (80cfm)	19
WG547/.1/.9	20VTurbine Blower, 2-Speed (360 cfm)	19
WG584 /.9	40V Brushless Turbine Blower, 2-Speed with Turbo (430 cfm)	19
WG625 /.1/.2/.9	20V Hydroshot (320PSI, .53GPM)	36
WG630/.9	20V Hydroshot (350PSI, .92GPM)	36
WG644/.9	40V Hydroshot, 2-Speed (450PSI, .90GPM)	36
WG720	Lawn Mower (12 Amp, 19")	6
WG744/.9	40V Lawn Mower (17")	6
WG751/.9	40V Lawn Mower (20")	6
WG779/.9	40V Lawn Mower (14")	6
WG7737.3 WG801/.9	20V Shear / ShrubTrimmer (20V, 4"/8")	25
WG896	Lawn Edger, 3-Position, (12 Amp, 7.5")	14
WG919	20V 2-Tool Combo Kit, 1 Battery (WG154.9, WG545.9)	33
WG921	20V 2-Tool Combo Kit, 2 Batteries (WG163.9, WG546.9)	33
WG928/.1	20V 2-Tool Combo Kit, 2 Batteries (WG163.9, WG547.9)	33
WG929/.1	20V 2-Tool Combo Kit, 2 Batteries (WG162.9, WG547.9)	33
WG930/.1	20V 2-Tool Combo Kit, 2 Batteries (WG170.9, WG547.9)	33
WG931	20V 3-Tool Combo Kit, 2 Batteries (WG163.9, WG261.9, WG547.9)	33
WR140	20V Landroid M	9
WR150	20V Landroid L	9
WX026L/.9	20V Work Light	59
WX020L/.9	20V Flashlight, 4 Functions	59
WX027L/.9 WX028L/.9	20V Flexible Light	59
WX028L7.9 WX051	Pegasus Multifunction Worktable/Sawhorse, 2 Quick Clamps, 4 Clamp Dogs	54
WX060.1	Jawhorse Portable Work Support Station, Tool Tray	55
WX065	2 Clamping Sawhorses, 2 Quick Clamps	55
WX066	2 Clamping Sawnorses, 2 Quick Clamps SideKick Portable Table	
WX081L		54
V V AUD I L	ZipSnip (4V)	58

MODEL	DESCRIPTION	PAGE
WX101L/.9	20V Drill/Driver (3/8")	43
WX174L/.9	20V Brushless Drill/Driver (3/8")	43
WX176L/.1/.9	20V Switchdriver (Hex)	43
WX252L	XTD Extended Reach Screwdriver (4V)	45
WX255L	SD Semi-Automatic Screwdriver with Screwholder (4V)	44
WX270L	Forcedriver Impact Screwdriver (8V)	45
WX291L/.9	20V Impact Driver (Hex)	43
WX420L	Versacut Compact Circular Saw (4 Amp, 3.375")	48
WX423L	Worxsaw Compact Circular Saw (4 Amp, 3.375")	48
WX439L	Worxsaw Compact Circular Saw, Slimbody (4.5 Amp, 4.5")	48
WX508L/.9	20V Reciprocating Saw	50
WX523L/.9	20V Worxsaw (3.375")	48
WX530L/.9	20V Exactrack Circular Saw (6.5")	47
WX543L/.9	20V Jigsaw	50
WX550L/.9	20V Axis 2-in-1 Multipurpose Saw	49
WX572L	BladeRunner X2 (5 Amp)	51
WX682L/.9	20V Oscillating Multi-Tool	52
WX686L/.1/.9	Oscillating Tool, Clip-in Wrench (2.5 Amp)	52
WX801L/.1	20V Chopper Mini Cutter	52
WX820L/.9	20V Sandeck Multipurpose Sander	57
WX944L	20V 2-Tool Combo Kit, 2 Batteries (WX101L.9, WX290L.9)	60
WX945L	20V 2-Tool Combo Kit, 2 Batteries (WX101L.9, WX523L.9)	60
WX946L	20V 2-Tool Combo Kit, 2 Batteries (WX101L.9, WX500L.9)	60
WX958L	20V 3-Tool Combo Kit, 2 Batteries (WX028L.9, WX101L.9, WX543L.9)	60

For more information visit: worx.com

Positec Tool Corporation, Inc 10130 Perimeter Parkway Suite 300 Charlotte, NC 28216

Legal disclaimer: Technical information and specifications subject to change without notice. No liability can be accepted for printing errors. Illustrations, figures and photos may vary slightly due to our program of continuous product improvements.

Copyright © 2019, Positec Tool Corporation All Rights Reserved

64 WORX Catalog 2019 worx.com **65** 

