

NAD+ INFORMATION SHEET

SOLUTION FOR INJECTION

[VITALITY PROTOCOL]

What is this medication used for?

NAD+ (Nicotinamide Adenine Dinucleotide) therapy has been prescribed for patients with cellular energy depletion, neurodegenerative concerns, metabolic dysfunction, and for general wellness support. It has also been used to support cognitive function, athletic performance, and recovery protocols.

What side effects may I notice from receiving this medication?

Patients can experience local irritation at the injection site, flushing or warmth sensation, nausea or headache.

How should I use this medication?

This medication is injected under the skin. Subcutaneous injections of 25mg to 100mg injected three to seven days a week based on prescriber direction and patient need.

Where should I keep my medication?

Prior to first use:







Store NAD+ under freezing temperature [-25° - 10° C (-13° to 14° F)].

After first use:

Store NAD+ under refrigeration [-2° - 8° C (36° to 46° F)].

The medication should be discarded after its beyond use date or 28 days after first use (whichever comes first).

What Are The Steps to Draw Up And Administer Subcutaneous Injections



† Compounded medications are generally not reviewed by the U.S. Food and Drug Administration (FDA) but are prepared by a pharmacist following a physician's prescription to meet an individual patient's specific needs. Efficacy, safety, and the appropriateness of compounded medications are not evaluated by the FDA.

Georgia Board of Pharmacy Contact Info
2 Martin Luther King Jr. Dr, SE
11th Floor - East Tower Atlanta, GA 30303

404-651-8000
gbp.georgia.gov