

LAURALYNN'S CROCHETED TEE



FINGERING WEIGHT #1 YARN of bamboo and cotton fibers use **US Hook A/#4/2.00mm** TO USE 2 STRANDS TOGETHER: [1 WHITE AND 1 BLUE] USE HOOK **B.**

Gauge


Double Crochet in the Back Loop Only 20 Sts = 4" 10 Rows – 4"

ADAPTED FROM: "Let Your Hair Down" Cropped Tee Free Crochet Pattern

https://hookedontillylife.com/garments/letyourhairdowntee

Notes -

- •Length adjustments can be made throughout pattern.
- Size adjustments are listed as such XS, S, M,
 L(XL, 2XL, 3XL)
- •It is strongly recommended to highlight your size (rows and stitch counts) before starting this project.
- •Chain 2 DOES NOT count as a stitch.



SonStar Publications@

SonStarPublications.com

Pattern Directions

Front/Back Panel (Make Two)

Body/Right Shoulder

<u>A video tutorial for the</u>
<u>Foundation Double Crochet can</u>
<u>be found here -</u>

https://youtu.be/0hjBv3ySMXY

TOP IS WORKED SIDE TO SIDE FOUNDATION STS ARE MEASURED FROM NECK TO HFM

Size Adjustments - If you would

Step 2 - Continue as if to Double Crochet (YO, pull through two loops, YO, pull through two loops)

Repeat Steps 1 and 2

like a longer top, work more Foundation Double Crochets to reach your desired length.

ROW1 - FDC 64, 74, 84, 94(104, 114, 124) [74st = 18" long]

ROW2 - Ch2, Turn, DC BLO across **64, 74, 84, 94(104, 114, 124)**

Repeat ROW2 for a total of 10, 12, 14, 14(16, 16, 20) Rows

Body/Neck Opening

ROW11, 13, 15, 15(17, 17, 21) - Ch2, Turn, DC BLO into next 56, 66, 76, 84(94, 102, 112) ROW12, 14, 16, 16(18, 18, 22) - Ch2, Turn, DC BLO across 56, 66, 76, 84(94, 102, 112)

Repeat ROW12, 14, 16, 16(18, 18, 22) for a total of 24, 26, 28, 34(36, 40, 44) Rows

Body/Left Shoulder

ROW25, 27, 29, 35(37, 41, 45) - Ch2, Turn, DC BLO across, FDC 8, 8, 8 10(10, 12, 12) **64, 74, 84, 94(104, 114, 124)**

ROW26, 28, 30, 36(38, 42, 46) - Ch2, Turn, DC BLO across 64, 74, 84, 94(104, 114, 124)

Repeat R0W26, 28, 30, 36(38, 42, 46) for a total of **34,** 38, **42**, 48(**52**, 56, 64) Rows Fasten off.

Seaming

Lay the shoulder sections of both the front and back panels together. Seam using your


SonStar Publications SonStarPublications.com

preferred method. The mattress/shoulder seam : https://www.youtube.com/watch? v=B7a1cHUpsXE

Fold in half, mark 6", 6", 6.5", 7"(7.5", 8.5", 9.5") down from shoulder seam. This hole will be left open to make the sleeves.

Seam from this point down to the bottom of the top.





Sleeves

Attach yarn to the underarm section of one arm hole left open from seaming. Repeat this process on both sleeves.

ROW1 - PM, DC BLO around opening **56, 56, 64, 70(74, 84, 94)R2 -** DC BLO around

Repeat Row 2 for a total of 6, 6, 6, 8(10, 12, 12) Rows Sl St, Fasten off.

Neck

Attach yarn to the back section of the neck opening. Place 2 SC into each DC around the opening. Sl St to beginning, fasten off.
Weave in all ends.



