### **Building Inspection**

Building Name/ID:	Date:		
Company Name:			
Address:			
City:		Zip:	
Phone:		<u>.</u>	
Cleaning Technician/Team: _			
Auditor's Name:			

**P = Poor** - Performance is Unacceptable

 ${m F} = {m Fair}, {m Below\ Standard}$  - Performance is below the company standards for specifications at this location.

 $\vec{G} = Good$ , To Standard – Performance meets company standards for specifications at this location.

**E = Excellent** – Performance exceeds and never falls short of company standards for specifications at this location.

#### Entrance/foyer

PFGE

 •	_	
		Dust ceiling corners
		Dust blinds
		Dust light fixtures
		Spot clean door glass
		Spot clean door frame
		Sanitize door handles
		Sanitize light switches
		Dust mop/vacuum floor
		Sweep in front of door (outside)
		Damp mop floor
		Vacuum carpet
		Remove cobwebs on windows and frame
		Vacuum mats
		Empty trash
		Empty ash trays, fresh sand or cat litter
		Pick up trash and debris off ground around entrance
		Dust baseboards
		Dust/vacuum wall and ceiling vent grills

#### **Lobby/Waiting room**

PFGE

		Straighten magazines and chairs
		Dust horizontal surfaces
		Dust light fixtures

Dust/vacuum wall and ceiling vent grills
Dust baseboards
Sanitize door handles
Sanitize light switches
Dust mop/vacuum floor
Damp mop floor
Vacuum carpet
Empty trash
Floor mats vacuumed

## Reception desk P F G E

Clean and conition recention deals
Clean and sanitize reception desk
Sanitize phones
Dust horizontal surfaces
Dust light fixtures
Dust ceiling corners
Dust/vacuum wall and ceiling vent grills
Dust baseboards
Sanitize light switches
Dust mop/vacuum floor
Damp mop floor
Vacuum carpet
Empty trash
Vacuum floor mats
Damp mop chair mats

### General office P F G E

_ P_	<u> </u>	G	E	
				Dust horizontal surfaces
				Dust light fixtures
				Dust ceiling corners
				Dust/vacuum wall and ceiling vent grills
				Dust baseboards
				Dust blinds
				Dust desk tops
				Remove soda/coffee rings/finger prints on desk tops
				Sanitize light switches
				Sanitize door handles
				Sanitize phone
				Dust mop/vacuum floor
				Damp mop floor
				Vacuum carpet
				Empty trash
				Vacuum floor mats
				Damp mop chair mats
				Spot clean door glass
				Spot clean side light glass
				Spot clean door frame

#### **Executive office**

P F G E

	Dust horizontal surfaces
	Dust light fixtures
	Dust ceiling corners
	Dust/vacuum wall and ceiling vent grills
	Dust baseboards
	Dust blinds
	Dust desk tops
	Remove soda/coffee rings/finger prints on desk tops
	Sanitize light switches
	Sanitize door handles
	Sanitize phone
	Dust mop/vacuum floor
	Damp mop floor
	Vacuum carpet
	Empty trash
	Vacuum floor mats
	Damp mop chair mats
	Spot clean door glass
	Spot clean side light glass
	Spot clean door frame

Cubicles P F G E

<u> </u>	 G	
		Dust horizontal surfaces
		Dust light fixtures
		Dust ceiling corners
		Dust/vacuum wall and ceiling vent grills
		Dust baseboards
		Dust blinds
		Dust desk tops
		Remove soda/coffee rings/finger prints on desk tops
		Dust mop/vacuum floor
		Sanitize phone
		Damp mop floor
		Vacuum carpet
		Empty trash
		Damp mop chair mats

## Kitchen/Break room/Coffee Centers F F G E

	Dust horizontal surfaces
	Dust light fixtures
	Dust ceiling corners
	Dust/vacuum wall and ceiling vent grills
	Dust baseboards
	Dust blinds
	Empty trash
1	

	Clean/disinfect/sanitize faucets/bright Work
	Spot clean/sanitize outsides of cabinets
	Clean/sanitize, straighten tables
	Clean/ sanitize vending machine touch points
	Clean/ sanitize outsides of microwaves, refrigerators, dishwashers, stoves
	Spot clean walls
	Clean/sanitize/polish drinking fountains
	Sanitize light switches
	Clean/sanitize chairs cleaned, push up to tables
	Sweep/vacuum floor
	Damp mop/sanitize floors
	Clean/sanitize push plates
	Clean kick plates
	Sanitize door handles

### Restrooms

### P F G E

Dust horizontal surfaces
Dust light fixtures
Dust ceiling corners
Dust/vacuum wall and ceiling vent grills
Dust baseboards
Empty trash
Clean/disinfect/sanitize countertops and back splash
Clean/disinfect/sanitize/polish sinks
Clean/disinfect/sanitize faucets/bright Work
Clean mirrors
Clean/sanitize dispensers
Clean/sanitize toilets
Clean/sanitize urinals
Partitions (dusted, spot cleaned) touch points sanitized
Sweep/vacuum floor
Damp mop/sanitize floor
Clean/sanitize push plates
Clean kick plates
Sanitize light switches
Sanitize door handles
Spot clean walls
Fill supplies
Clean/sanitize, polish stainless grab bars
Clean/sanitize showers
Pour water down floor drain

### **Conference room**

PFGE

		Dust horizontal surfaces
		Dust light fixtures
		Dust ceiling corners
		Dust/vacuum wall and ceiling vent grills
		Dust baseboards
		Dust blinds
		Sanitize light switches
		Sanitize door handles
		Clean and sanitize conference room table
		Straighten chairs around conference table
		Dust mop/vacuum floor
		Sanitize phone
		Damp mop floor
		Vacuum carpet
		Empty trash

### File room

P F G E

Dust horizontal surfaces
Dust light fixtures
Dust ceiling corners
Dust/vacuum wall and ceiling vent grills
Dust baseboards
Remove soda/coffee rings/finger prints on table tops
Dust mop/vacuum floor
Sanitize light switches
Sanitize door handles
Sanitize phone
Damp mop floor
Vacuum carpet
Empty trash

# Copy room P F G E

•	•	_	
			Dust horizontal surfa

Dust horizontal surfaces
Dust light fixtures
Dust ceiling corners
Dust/vacuum wall and ceiling vent grills
Dust baseboards
Remove soda/coffee rings/finger prints on table/counter tops
Dust mop/vacuum floor
Sanitize light switches
Sanitize door handles
Sanitize phone
Damp mop floor
Vacuum carpet
Empty trash

### Storage room P F G E

	Dust horizontal surfaces
	Dust light fixtures
	Dust ceiling corners
	Dust/vacuum wall and ceiling vent grills
	Dust baseboards
	Dust mop/vacuum floor
	Sanitize light switches
	Sanitize door handles
	Sanitize phone
	Damp mop floor
	Vacuum carpet
	Empty trash

## Warehouse P F G E

	Dust light fixtures
	Dust ceiling corners
	Dust/vacuum wall and ceiling vent grills
	Dust mop/sweep/vacuum floor
	Sanitize light switches
	Sanitize door handles
	Sanitize phone
	Damp mop floor
	Vacuum carpet
	Empty trash

Elevators P F G E

	Dust light fixtures
	Clean/polish doors and walls of finger prints, etc.
	Clean and sanitize push buttons
	Sanitize phone
	Vacuum floor
	Damp mop floor
	Clean elevator track

### Stairwells

P F G E

	Dust horizontal surfaces
	Dust light fixtures
	Dust ceiling corners
	Vacuum vent grills
	Clean and polish hand railing
	Dust balusters
	Vacuum carpet
	Damp mop treads
	Dust mop/vacuum treads

#### Other

PFGE

	Dust horizontal surfaces
	Dust light fixtures
	Dust ceiling corners
	Dust/vacuum wall and ceiling vent grills
	Dust baseboards
	Dust mop/vacuum floor
	Sanitize light switches
	Sanitize door handles

### Closing Checklist P F G E

		Turn off lights (Leave designated lights on)
		Close designated doors
		Doors locked

## Equipment/Janitor Closet P F G E

Janitor Closet (clean, organized)
Mop buckets (clean/rinsed out)
Mop (clean, stored properly)
Upright vacuum (Bag emptied, magnet bar emptied, beater bar clean, extra belt, outside wiped clean)
Back pack vacuum (Bag emptied, tubes clear of debris, filters cleaned, outside wiped clean, attachments)
Brooms (stored properly – not on straws)
Brute (no trash inside)
Caddy (in order and clean)
Spray bottles (clean, properly labeled)
Dusters (clean and in order)
Cleaning cloths (clean and plenty in stock)
Supplies (plenty on hand, stored properly)
High speed floor machine
Slow speed floor machine
Wet/Dry Vacuum
Automatic Scrubber
Carpet cleaning Machine
Carpet spotting machine

### Vehicle Inspection P F G E

Cleanliness (Outside)
Cleanliness (Inside)
Tires
Body
Mileage Book Properly Filled Out
Oil Change, Repair Log Filled Out

ΓOTALS		1	2	3	4
Areas		Poor	Fair (Below Standard )	Good (To Standard )	Excellent
		<del> </del>	-	-	
Total numbe	r in inspections for each column				
Multiplier	_	x 0	x 33	x 67	x 100
TOTALS					
GRAND TOTA	AL				
Total numbe	er of all inspections				
Cleanliness S	score based on percentage (0-1009	%)			
	core (based on 0-1000 points)				
Cleanliness S	core (based on 0-1000 points)	REND ANALY	<u>SIS</u>		
Cleanliness S	core (based on 0-1000 points)	REND ANALY	<u>SIS</u>		
1000 900	core (based on 0-1000 points)	REND ANALY	<u>SIS</u>		
1000 900 800	core (based on 0-1000 points)	REND ANALY	<u>SIS</u>		
Cleanliness S	core (based on 0-1000 points)	REND ANALY	<u>SIS</u>		
1000 900 800 700	core (based on 0-1000 points)	REND ANALY	<u>SIS</u>		
1000 900 800 700 600	core (based on 0-1000 points)	REND ANALY	<u>SIS</u>		
1000 900 800 700 600 500 400 300	core (based on 0-1000 points)	REND ANALY	<u>SIS</u>		
1000 900 800 700 600 500 400 300 200	core (based on 0-1000 points)	REND ANALY	SIS		
1000 900 800 700 600 500 400 300 200 100	core (based on 0-1000 points)	REND ANALY	SIS		
1000 900 800 700 600 500 400 300 200 100	core (based on 0-1000 points)	REND ANALY	<u>SIS</u>		Audit Date