Jelly Roll Posies for Baby 59" by 59" (152 cm by 152 cm)

© Cindy Carter 2011

http://carterquilter.wordpress.com/

Made with 2.5" strips. Posy blocks measure 16.5" square unfinished. This quilt can also be used as a lap quilt.



Copyright Information

I have created all of my quilt patterns to be used as a FREE resource to other quilters. I am not selling them and explicitly prohibit others from doing so.

That being said, all you wonderful quilters please use them to create quilts for yourself and others. You may sell any quilts you make for a profit (no mass production). You may exhibit your quilts. I would love it if you can use the patterns as a resource to help others, gifts for others who are sick or in need, our military, charities and fundraisers of any kind. You may use the patterns to teach classes as long as you provide the patterns free of charge to your students.

Quilt store owners – You are free to reproduce any of the patterns and provide them free of charge to your customers. If you can email me photos of any projects your customers complete using these patterns, I would deeply appreciate it.

Please respect the work I have done in creating these patterns. Make sure the patterns are not altered in any way and that proper credit is given if you are reproducing and sharing the patterns with others.

If you are sharing my patterns over the web, do so by providing a link to http://carterquilter.wordpress.com.

Feel free to contact me if you have any questions.

Cindy Carter carterquilter@gmail.com

Fabric Requirements

(30) 2.5" by width of fabric strips. (2 yards)

2 1/2 yards background fabric.

(5) 2.5" squares black fabric.

Cutting the 2.5" Jelly Roll Strips

Cut (80) 2.5" by 9.5" rectangles. Cut (2) 9.5" rectangles from each of the (30) strips.

Cut an additional (20) 2.5" by 9.5" rectangles from the strip fabric. Cut these (20) rectangles into 1.5" by 9.5" rectangles.

Cut (150) 2.5" squares from the remaining jelly roll fabric.

Cutting the Background Fabric

Cut (3) 5" by Width of Fabric strips. Cross cut into (40) 5" squares.

Cut (1) 16.5" by Width of Fabric strip. Cross cut into (16) 2.5" by 16.5" strips.

Cut (21) 2.5" by Width of Fabric Strips. Cross cut into (326) 2.5" squares.

Making the Posy Blocks: Blocks are 16.5" unfinished.


(20) of this unit.

This unit measures 7.5" by 9.5" unfinished.


- a. Sew (3) of the 2.5" by 9.5" rectangles plus (1) of the 1.5" by 9.5" rectangles together.
- b. Put the 1.5" rectangle in the middle.
- c. Press to either side.




- d. Draw a line diagonally on the back of each of the 5" squares.
- e. Place on your unit according to diagram.
- f. Sew on the drawn line.
- g. Trim leaving a 1/4" seam allowance.
- h. Press to the triangle
- i. Sew the two trimmed triangles together and save for another project.





- j. Lay another 5" square on your rectangle.
- k. Sew on the line.
- 1. Trim a ¹/₄" seam allowance.
- m. Press to the triangle.







- n. Sew the two trimmed triangles together and save for another project. Assemble the (5) Posies:
- a. Sew the black square to one petal as shown.
- b. Only sew half of the seam, leaving the half to the right open. (This is a VERY short seam).
- c. Press to the rectangle.
- d. Sew the second petal according to diagram.
- e. Press to the second petal.






- f. Sew the third petal. See picture below.
- g. Press to the third petal.
- h. Sew the fourth petal to the third petal.
- i. Press to the fourth petal.
- j. Sew the fourth petal to the first petal completing the partial seam.
- k. Press to the first petal.





Creating the Quilt Sub Units.

a. Join the three rows of blocks together with their sashing strips. Press to the sashing strips.



b. Make (48) of this unit. (3) background squares and (1) jelly roll square.



c. Make (32) of this unit (3) background squares and (2) jelly roll squares.



d. Make (60) of this unit (1) background square and (1) jelly roll square.




e. Make (2). This is the **TOP** and the **BOTTOM** if you place the quilt on point. Use the subunits you have already created whenever possible.


The bottom (3) rows each require one additional background 2.5" square.

NOTICE that these units are NOT SYMMETICAL.

Press each row in alternating directions so the seams nest.


Add a sashing strip to the bottom with a subunit from Step b on either end.






f. Side Unit #1 (Make 2)


Press each row in alternating directions so the seams nest. Use per-made units whenever possible.







g. Side Unit #2 (make 2).

Press each row in alternating directions so the seams nest. Use per-made units whenever possible.






h. Assemble (2) rows. Make sure the blocks are pointing in the same direction.




i. Join Top and Bottom Units with the row below. Make (2). Press to the sashing strip.


NOTICE that these units are NOTICE SYMMETRICAL.



k. Make (2) sashing strips for the center of your quilt top.




1. Sew sashing strip to the bottom the Top and Bottom Units.




j. Sew (2) Side Units for the center row.


NOTICE that these units are NOT SYMMETRICAL.

Press each row in alternating directions so the seams nest.





k. Sew the side units to either end of the center row. Press to the sashing strips.



- 1. Sew the Top and Bottom Units to the Center Unit. Press to the sashing strips.
- m. Do the quilting and THEN trim the squares around the edge of the quilt.This makes the quilt more stable.You won't have all the bias edges from having triangles around the edge.

