



Index

4	Color Guide
6	What is due2?
9	Advantages
10	Patio
12	Outdoor Kitchen
14	Fire Pit
16	Waterline
18	Steps & Stairs
22	References
24	User's Guide
28	Installation Systems
38	Wood Effect
50	Stone Effect
114	Marble Effect
126	Concrete Effect
138	Pool Coping
139	Cleaning and Maintenance
140	Technical Characteristics



Alphabetical Index

- 40 Arbor 
- 86 Chamonix 
- 58 Elements 
- 128 Essential 
- 100 Gotham 
- 44 Monteverde 
- 116 Nature 
- 66 New England 
- 76 Quartzite 
- 52 Roma 
- 106 Travstone 
- 94 West 57th 

Index

Index by Effect



Wood Effect

- 40 Arbor 
- 44 Monteverde 



Marble Effect

- 116 Nature 



Stone Effect

- 52 Roma 
- 58 Elements 
- 66 New England 
- 76 Quartzite 
- 86 Chamonix 
- 94 West 57th 
- 100 Gotham 
- 106 Travstone 



Concrete Effect

- 128 Essential 

Index

Color Guide

Color Guide

Elements2 HLT210 P. 58	Nature2 HNA220 P. 116	Nature2 HNA205 P. 116	Roma2 HRO210 P. 52	Nature2 HNA201 P. 116	Chamonix2 HCX210 P. 86	New England2 HEN210 P. 66	Essential2 HET210 P. 128	Gotham2 HGO210 P. 100	West 57th2 HWS210 P. 94
Arbor2 HAO210 P. 40	Travstone2 HTS201 P. 106	New England2 HEN201 P. 66	Essential2 HET201 P. 128	Chamonix2 HCX201 P. 86	Roma2 HRO201 P. 52	Elements2 HLT201 P. 58	Roma2 HRO209 P. 52	Monteverde2 HMN201 P. 44	Monteverde2 HMN209 P. 44
Quartzite2 HQZ210 P. 76	New England2 HEN205 P. 66	Essential2 HET205 P. 128	Travstone2 HTS205 P. 106	Chamonix2 HCX205 P. 86	Quartzite2 HQZ201 P. 76	Monteverde2 HMN205 P. 44	Elements2 HLT205 P. 58	Gotham2 HGO205 P. 100	Quartzite2 HQZ205 P. 76
Quartzite2 HQZ208 P. 76	Chamonix2 HCX208 P. 86	Gotham2 HGO208 P. 100	Essential2 HET208 P. 128						

Color Guide

What is due 2?

due2 is a complete system of porcelain pavers designed for outdoor applications. It is manufactured to the highest standards of quality and performance, ensuring exceptional durability, color stability, and resistance to frost, thermal shock, and chemical agents. Its versatility allows for a variety of dry and adhesive installation solutions, making it suitable for residential, commercial, and public projects of every scale.





Floor: West 57th2 HWS210 Bianco 24"x24"

Advantages



FROST RESISTANT



COLORS DO NOT FADE
OVER TIME



RESISTANT TO SUDDEN
TEMPERATURE CHANGES



RESISTANT TO ACID,
CHEMICALS, SALT, ETC.



RESISTANT TO DAMAGE
FROM MOLD AND MOSS



IMPERVIOUS




SLIP-RESISTANT SURFACE



QUICK AND EASY
TO INSTALL



EASY TO REMOVE



REUSABLE



READILY SERVICEABLE



INSTALLATION
WITH ADHESIVE POSSIBLE



HIGHLY RESISTANT TO LOADS



WIDE RANGE OF FINISHES



ALLOWS WATER DRAINAGE




SPECIAL MATCHING PIECES



EXTREMELY LONG-LASTING



EASY TO CLEAN



MATCHES
INTERIOR FLOORING



SUITABLE FOR
RAISED INSTALLATIONS

Patio

For modern outdoor living.



Re-creating your living or dining room outdoors, to enjoy the satisfying sense of peace and freedom that only nature can generate.

Outdoor Kitchen

Designed to endure.

due2 is a complete project
Ideal for patios, terraces, pool
decks and outdoor kitchens.
Thanks to the raw materials
used and the controlled
manufacturing process,
the material guarantees
unmatched technical
performance, it is waterproof,
highly resistant to wear,
slipping, mechanical stress,
chemical agents, and
temperature changes.



Wall: New England HEN10 White Brick 12"x12" (sheet) | Floor: New England2 HEN210 White 24"x48"

Fire Pit

Where warmth meets style.



The due2 outdoor system is ideal for fire pits, to enjoy outdoor living in complete freedom and safety

Waterline

The beauty reflects in the water.

Different material looks,
trims and bricks to dress up
the poolside area.
Countless benefits in a single
coordinated system



Steps and Stairs

Built for lasting elegance.



Floor: Roma2 HRO209 Nut 24"x48"


The due2 range offers a variety of steps and L-shaped elements for the construction of outdoor stairways.




Floor: Nature2 HNA201 Taj Mahal 24"x24" | Steps: Nature2 HNA201 Taj Mahal L-Shaped Coping 13"x24"

L-Shape Coping

With a single piece, we are able to create the pool edge and cover the stair steps.





Floor: Essential2 HET10 White 24"x24" | Pool: Muse MU12 Mist 2"x18" - Essential2 HET10 White L-Shaped Coping 13"x24"



Floor: Nature2 HNA201 Taj Mahal 24"x24" | Steps: Nature2 HNA201 Taj Mahal L-Shaped Coping 13"x24"

L-Shape Coping
20 mm thick



Sizes			Page
13"x32"	Arbor 2		26
	New England 2		50
	Quartzite 2		60
	Travstone 2		90
13"x24"	Roma 2		38
	New England 2		50
	Chamonix 2		70
	West 57th 2		78
	Gotham 2		84
	Travstone 2		90
	Nature 2		100
	Essential 2		112

References

References



References

User's Guide

- 1 Name of the collection
- 2 Available sizes
- 3 Collection code
- 4 Colors summary
- 5 Effect
- 6 Shade variation
- 7 Technical characteristics
- 8 Graphics Number
- 9 Packaging specifications
- 10 Matching Indoor product



Roma

24"x48" 24"x24"

24"x48" - 49x120 cm

24"x24" - 49x60 cm

Colored Body Porcelain Pavers

ANSI A 137.1 compliant

FLOOR

MODERATE

0.79 in 20 mm

ASTM C 150B RESISTANT

ASTM C 373 ~0.1%

ASTM C 650 CLASS A
ASTM C 1378 CLASS A

ASTM C 640 ~3000 B/E

ANSI A-226.3/2017 release 2019 (ECOF) >0.60

HEAVY USE

Roma

Available as 8.5 mm thick tile

COLLECTIONS BOOK 2026

Page 32

Pressed

Roma2 HRO210 White

Roma2 HRO201 Almond

Roma2 HRO209 Nut

Shade variation

Stone Effect

Graphics number

Size	Roma HRO210 White	Roma HRO201 Almond	Roma HRO209 Nut
24"x48"	16	16	16
24"x24"	32	32	32

Packaging

Size	Pieces	Sq Ft	Lbs	Boxes	Sq Ft	Lbs
24"x48"	1	7.75	73.22	26	201.50	1903.70
24"x24"	2	7.75	71.17	32	248.00	2277.30
12"x24" pool coping	2	3.87	35.58	-	-	-
24"x48" pool coping	1	7.75	73.22	-	-	-
10"x24" L-shaped coping	2	4.26	42.30	-	-	-

53

User's Guide

1 Name of the collection

2 Available sizes

3 Item code

4 Item description

5 Size in inches and cm

6 Collection code

7 Effect

Roma

24"x48" 24"x24"

SCRO10

Roma2

HRO210 White

24"x48" 60x120 cm

SRRO10

Roma2

HRO210 White

24"x24" 60x60 cm

SCRO01

Roma2

HRO201 Almond

24"x48" 60x120 cm

SRRO01

Roma2

HRO201 Almond

24"x24" 60x60 cm

SCRO09

Roma2

HRO209 Nut

24"x48" 60x120 cm

SRRO09

Roma2

HRO209 Nut

24"x24" 60x60 cm

SCRO10MC

New England2

HRO210 White

Pool Coping with modern edge

24"x48" 60x120 cm

SRRO10MC

Roma2

HRO210 White

Pool Coping with modern edge

12"x24" 30x60 cm

SCRO01MC

Roma2

HRO201 Almond

Pool Coping with modern edge

24"x48" 60x120 cm

SRRO01MC

Roma2

HRO201 Almond

Pool Coping with modern edge

12"x24" 30x60 cm

SCRO09MC

Roma2

HRO209 Nut

Pool Coping with modern edge

24"x48" 60x120 cm

SRRO09MC

Roma2

HRO209 Nut

Pool Coping with modern edge

12"x24" 30x60 cm

SRRO10LS

Roma2

HRO210 White

L-Shaped Coping

13"x24" 33x60 cm

SRRO01LS

Roma2

HRO201 Almond

L-Shaped Coping

13"x24" 33x60 cm

SRRO09LS

Roma2

HRO209 Nut

L-Shaped Coping

13"x24" 33x60 cm

HRO²

Stone Effect

Installation Systems

due2 offers multiple installation options to meet project-specific needs, whether for raised floors, driveways, terraces, or green spaces.



Installation Systems

Installation Systems

Lay-on Installation

Installation on grass



- Installation as stepping stones on grass:
- remove the grass from the area underneath due2
 - dig 2 inch deep in warm and dry climate, or deeper in cold or wet climates.
 - compact the soil.
 - fill the excavated area with gravel (size 1/6 - 1/3 inch) or sand and compact it.
 - dry set due2

The stratigraphy shown is only an indication: we recommended referring to local regulations in order to achieve a correct installation.



Floor: West 57th2 HWS210 Bianco 24"x24"

Installation on gravel



- Recommended for larger areas, for installation with thin joints or joints without grass.
- Excavate the soil at least 4 inch deep in warm and dry climate, or deeper in cold or wet climates.
 - Compact the soil at the bottom and ensure it is sloped ($\geq 2\%$) to avoid stagnation of water.
 - Optional - place a layer of geotextile to keep the gravel from sinking into the soil.
 - Place and compact a layer of crushed stone or gravel (size 1/6 - 1/3 inch).
 - Optional - place a layer of geotextile to separate aggregates.
 - Place and compact a layer of fine gravel or sand (size 1/12 - 1/5 inch) to ease the leveling of the surface.
 - Ensure the surface is level using a straightedge. A slight slope ($\geq 1\%$) is recommended to ensure proper drainage of the floor.
 - Dry set due2 leaving joints at least 1/8 inch wide. Tile spacers can be used to facilitate installation. Ensure the floor is level with a straightedge and use a rubber hammer to correct small differences in height.
 - Fill the joints with very fine sand (size 0 - 1/8 inch) or polymeric sand.

The stratigraphy shown is only an indication: we recommended referring to local regulations in order to achieve a correct installation.



Floor: Arbor2 HAO210 Bianco 16"x32"

Lay-on Installation

Installation on sand



Installation on sand can be performed directly:

- level and compact the sand
- dry set due2

The stratigraphy shown is only an indication: we recommend referring to local regulations in order to achieve a correct installation.



Floor: Monteverde2 HMN205 Gray 16"x48"

Installation on concrete slab



Installation with thin set on concrete slab recommended for areas open to vehicular traffic or subject to very high stress: leave joints at least 1/8 inch wide and respect expansion joints.

- To install on concrete slab on ground:
- complete the digging and compact the soil
 - Place a layer of crushed stone or gravel
 - Place the slab including optional steel mesh
 - Install due2 with exterior-rated elastic adhesive

The stratigraphy shown is only an indication: we recommended referring to local regulations in order to achieve a correct installation.



Floor: Travstone2 HTS205 Gray 24"x24"

Raised Installation

Raised installation



The stratigraphy shown is only an indication: we recommended referring to local regulations in order to achieve a correct installation.


due2 can also be used to create perfectly flat, practical raised floors for use on balconies and roof terraces, allowing rainwater to flow underneath the paving and into the waterproofing system, where an inspectable cavity is created that can be used for cable routing and to house utilities systems, also helping to improve the building's insulation. After the slab and its sloping screed are complete, install the waterproofing membrane. Position the pedestals according to the chosen sizes, if necessary use the slope correctors. During the installation, adjust each pedestal to achieve a flat floor.

How to cut it

To cut due2, it is necessary to use discs designed for Porcelain Pavers, available for both dry and wet cutting.

Adjustable pedestals with fixed head


Taller pedestals are available on request.



PEDESTALS LOAD BEARING DETAILS
Operating load = 2204 lbs. (1000 kg) each. Breaking load > 4409 lbs. (2000 kg) each.

Adjustable pedestals with self-levelling head



Taller pedestals are available on request.



PEDESTALS LOAD BEARING DETAILS
Operating load = 1102 lbs. (500 kg) each. Breaking load > 2204 lbs. (1000 kg) each.

Each project should be assessed by an Architect or Engineer to evaluate the specific static and dynamic load requirements. When using pedestals 4 inches or higher we recommend using an adhesive anti-fracture membrane or plastic/metal tray system for added shock protection.

THE WORLD'S FIRST AND ONLY PEDESTAL TO BE EQUIPPED WITH A HEAD FINISHED IN RUBBER THAT'S CAPABLE OF REDUCING NOISE LEVELS TO AS LITTLE AS 25 db



CLIP FOR VERTICAL CLOSURE

The sure new way of finishing in style

Our clip for vertical closure is designed to solve a typical problem of many external floors, i.e. how to fill in the gap around the edge when no perimeter wall is present. This solution represents an innovative, easy and elegant way to eliminate gaps around raised floors. The system consists of two special, stainless steel clips to be placed over the head and under the base of the pedestal. It creates a firm seat capable of gripping the section of floor cut to size to fill the gap. The use of our floor edge clip effectively prevents horizontal movement in floor slabs.




UNIVERSAL EDGE CLIP


The perfect join: attractive and functional

Designed to avoid contact between the slabs of outdoor raised floors and outside walls, the universal edge clip is made entirely from stainless steel. It incorporates a damper to absorb longitudinal and transverse thermal expansion and guarantees a secure grip. Use of these clips ensures a stable floor surface with a straight and elegant perimeter.

Raised installation next to a wall




For a correct installation for non-vehicular usage, place the pedestals as follows:



Required pedestals


24x24 in . 60x60 cm 6.0 - 7.50 per 10 Sq.Ft. (5.6 - 7 per m2)	16x32 in . 40x80 cm 5.8 - 6.3 per 10 Sq.Ft. (6.3 - 6.8 per m2)	16x48 in . 40x120 cm 3.9 - 4.2 per 10 Sq.Ft. (4.16 - 4.9 per m2)
---	--	--




Raised installation with Slope regulators



For a proper water outflow we suggest to lay with 1% minimum slope




Slope regulator



SUFCEP100
1%

For slopes over 1%, two or more slope regulators can be piled up on each other.

Raised Installation



Installation Systems

Installation Systems


Wood Effect

Arbor	2	40
Monteverde	2	44



Arbor 2


16"x32"



16"x32" . 40x80 cm

Colored Body Porcelain Pavers

ANSI A 137.1 compliant



FLOOR



HIGH



0.79 in
20 mm



ASTM C 1026
RESISTANT



ASTM C 373
~0.1%



ASTM C 650: **CLASS A**
ASTM C 1378: **CLASS A**



ASTM C 648: ~3000 lbf.



ANSI A326.3: 2021.
(DCOF): ≥0,60



HEAVY USE

Pressed



Arbor2
HAO210 Bianco

Shade variation



Graphics number

Sizes	Arbor2 HAO210 Bianco
16"x32"	32

Packaging

									
Sizes	Pieces	Sq.Ft.	Lbs.	Boxes	Sq.Ft.	Lbs.	Boxes	Sq.Ft.	Lbs.
16"x32"	2	6.89	64.12	24	165.36	1552.00			
16"x32" pool coping	2	6.89	62.31	-	-	-			
13"x32" L-shaped coping	2	5.68	59.90	-	-	-			



Floor: Arbor2 HAO210 Bianco 16"x32"

Arbor 2

16"x32"

**SOAO60U**Arbor2 HAO210 Bianco
16"x32" . 40x80 cm**SOAO10MC**Arbor2 HAO210 Bianco
Pool Coping with modern edge
16"x32" . 40x80 cm**SOAO10LS**Arbor2 HAO210 Bianco
L-Shaped Coping
13"x32" . 33x80 cm



Monteverde 2


16"x48"



16"x48" . 40x120 cm

Colored Body Porcelain Pavers

ANSI A 137.1 compliant



FLOOR



HIGH



0.79 in
20 mm



ASTM C 1026
RESISTANT



ASTM C 373
~0.1%



ASTM C 650: **CLASS A**
ASTM C 1378: **CLASS A**



ASTM C 648: ~3000 lbf.



ANSI A326.3: 2021.
(DCOF): ≥0,60



HEAVY USE

Rectified



Monteverde2
HMN201 Beige



Monteverde2
HMN205 Gray



Monteverde2
HMN209 Noce

Shade variation



Graphics number

Sizes	Monteverde2 HMN201 Beige	Monteverde2 HMN205 Gray	Monteverde2 HMN209 Noce
16"x48"	27	27	27


Packaging

Sizes	Pieces						
		Sq.Ft.	Lbs.		Sq.Ft.	Lbs.	
16"x48"	1	5.17	51.80	54	279.18	2797.60	
16"x48" pool coping	1	5.17	49.82	-	-	-	


Monteverde 2

16"x48"

Wood Effect



Wood Effect



Floor: Monteverde2 HMN205 Gray Rect. 16"x48"

Monteverde 2

16"x48"



SDMN01R **MADE IN ITALY**
Monteverde2 HMN201 Beige Rect.
16"x48" . 40x120 cm



SDMN05R **MADE IN ITALY**
Monteverde2 HMN205 Gray Rect.
16"x48" . 40x120 cm



SDMN09R **MADE IN ITALY**
Monteverde2 HMN209 Noce Rect.
16"x48" . 40x120 cm



SDMN01MC
Monteverde2 HMN201 Beige
Pool Coping with modern edge
16"x48" . 40x120 cm



SDMN05MC
Monteverde2 HMN205 Gray
Pool Coping with modern edge
16"x48" . 40x120 cm



SDMN09MC
Monteverde2 HMN209 Noce
Pool Coping with modern edge
16"x48" . 40x120 cm

Stone Effect

Roma	2	52
Elements	2	58
New England	2	66
Quartzite	2	76
Chamonix	2	86
West 57th	2	94
Gotham	2	100
Travstone	2	106



Floor: Roma2 HRO201 Almond, 24" x48"
WALL: Roma HRO01 Almond Rect. 12" x24"

Roma 2

24"x48" 24"x24"



24"x48" . 60x120 cm



24"x24" . 60x60 cm

Colored Body Porcelain Pavers

ANSI A 137.1 compliant



FLOOR



MODERATE



0.79 in
20 mm



ASTM C 1026
RESISTANT



ASTM C 373
~0.1%



ASTM C 650: CLASS A
ASTM C 1378: CLASS A



ASTM C 648: ~3000 lbf.



ANSI A 326.3:2021
(DCOF): ≥0,60



HEAVY USE

Roma

Available as 8.5 mm thick tile



COLLECTIONS BOOK 2026
Pag. 32

Pressed



Roma2
HRO210 White



Roma2
HRO201 Almond



Roma2
HRO209 Nut

Shade variation



Graphics number

Sizes	Roma HRO210 White	Roma HRO201 Almond	Roma HRO209 Nut
24"x48"	16	16	16
24"x24"	32	32	32

Packaging

Sizes	Pieces	Sq.Ft.	Lbs.	Boxes	Sq.Ft.	Lbs.
24"x48"	1	7.75	73.22	26	201.50	1903.70
24"x24"	2	7.75	71.17	32	248.00	2277.30
12"x24"	pool coping	2	3.87	35.58	-	-
24"x48"	pool coping	1	7.75	73.22	-	-
13"x24"	L-shaped coping	2	4.26	42.30	-	-

Roma 2

24"x48" 24"x24"

HRO²

Stone Effect



Stone Effect

Floor: Roma2 HRO209 Nut 24"x48"

Roma 2

24"x48" 24"x24"



SCRO10
Roma2
HRO210 White
24"x48" . 60x120 cm



S9RO10
Roma2
HRO210 White
24"x24" . 60x60 cm



SCRO01
Roma2
HRO201 Almond
24"x48" . 60x120 cm



S9RO01
Roma2
HRO201 Almond
24"x24" . 60x60 cm




SCRO09
Roma2
HRO209 Nut
24"x48" . 60x120 cm




S9RO09
Roma2
HRO209 Nut
24"x24" . 60x60 cm




SCRO10MC
New England2
HRO210 White
Pool Coping with modern edge
24"x48" . 60x120 cm



S8RO10MC
Roma2
HRO210 White
Pool Coping with modern edge
12"x24" . 30x60 cm




SCRO01MC
Roma2
HRO201 Almond
Pool Coping with modern edge
24"x48" . 60x120 cm




S8RO01MC
Roma2
HRO201 Almond
Pool Coping with modern edge
12"x24" . 30x60 cm




SCRO09MC
Roma2
HRO209 Nut
Pool Coping with modern edge
24"x48" . 60x120 cm




S8RO09MC
Roma2
HRO209 Nut
Pool Coping with modern edge
12"x24" . 30x60 cm



S8RO10LS
Roma2
HRO210 White
L-Shaped Coping
13"x24" . 33x60 cm



S8RO01LS
Roma2
HRO201 Almond
L-Shaped Coping
13"x24" . 33x60 cm



S8RO09LS
Roma2
HRO209 Nut
L-Shaped Coping
13"x24" . 33x60 cm



Elements 2

24"x48" 24"x24"




24"x48" . 60x120 cm



24"x24" . 60x60 cm

Colored Body Porcelain Pavers

ANSI A 137.1 compliant



FLOOR



MODERATE



0.79 in
20 mm



ASTM C 1026
RESISTANT



ASTM C 373
~0.1%



ASTM C 650: CLASS A
ASTM C 1378: CLASS A



ASTM C 648: ~3000 lbf.



ANSI A 326.3:2021
(DCOF): ≥0,60



HEAVY USE

Elements

Available as 8.5 mm thick tile



COLLECTIONS BOOK 2026
Pag. 98


Pressed



Elements2
HLT201 Cream



Elements2
HLT210 White



Elements2
HLT205 Stone

Shade variation



Graphics number

Sizes	Elements2 HLT201 Cream	Elements2 HLT210 White	Elements2 HLT205 Stone
24"x48"	10	10	10
24"x24"	20	20	20

Packaging

Sizes	Pieces	Sq.Ft.	Lbs.	Boxes	Sq.Ft.	Lbs.
24"x48"	1	7.75	73.22	26	201.50	1903.72
24"x24"	2	7.75	71.17	32	248.00	2277.28
24"x48" pool coping	1	7.75	73.22	-	-	-
12"x24" pool coping	2	3.87	35.58	-	-	-

Elements 2

24"x48" 24"x24"

Stone Effect



Stone Effect

Elements **2**

24"x48" 24"x24"

Stone Effect



Stone Effect

Elements 2

24"x48" 24"x24"



SCLT01
Elements2 HLT201 Cream
24"x48" . 60x120 cm




S9LT01
Elements2 HLT201 Cream
24"x24" . 60x60 cm




SCLT10
Elements2 HLT210 White
24"x48" . 60x120 cm



S9LT10
Elements2 HLT210 White
24"x24" . 60x60 cm




SCLT05
Elements2 HLT205 Stone
24"x48" . 60x120 cm



S9LT05
Elements2 HLT205 Stone
24"x24" . 60x60 cm




SCLT01MC
Elements2 HLT201 Cream
Pool Coping with modern edge
24"x48" . 60x120 cm



S8LT01MC
Elements2 HLT201 Cream
Pool Coping with modern edge
12"x24" . 30x60 cm




SCLT10MC
Elements2 HLT210 White
Pool Coping with modern edge
24"x48" . 60x120 cm



S8LT10MC
Elements2 HLT210 White
Pool Coping with modern edge
12"x24" . 30x60 cm




SCLT05MC
Elements2 HLT205 Stone
Pool Coping with modern edge
24"x48" . 60x120 cm



S8LT05MC
Elements2 HLT205 Stone
Pool Coping with modern edge
12"x24" . 30x60 cm


New England 2

24"x48" 24"x24" 16"x32" 12"x24" 24"x48" Pressed - 24"x24" Pressed - 16"x32" Pressed - 12"x24" Rectified



Colored Body Porcelain Pavers


ANSI A 137.1 compliant



FLOOR



MODERATE



0.79 in | 0.34 in
20 mm | 8.5 mm



ASTM C 1026
RESISTANT



ASTM C 373
~0.1%



ASTM C 650: **CLASS A**
ASTM C 1378: **CLASS A**



ASTM C 648: ~3000 lbf.



ANSI A326.3: 2021
(DCOF): ≥0,60



HEAVY USE

New England

Available as 8.5 mm thick tile



COLLECTIONS BOOK 2026
Pag. 128



New England2
HEN210 White

New England2
HEN201 Ivory

New England2
HEN205 Cold Gray

Shade variation



Graphics number

Sizes	New England2 HEN210 White	New England2 HEN201 Ivory	New England2 HEN205 Cold Gray
24"x48"	10	10	10
24"x24"	20	20	20
16"x32"	20	20	20
12"x24"	40	40	40

Packaging

Pieces				Boxes		
Sizes	Pieces	Sq.Ft.	Lbs.	Boxes	Sq.Ft.	Lbs.
24"x48"	1	7.75	73.22	26	201.50	1903.70
24"x24"	2	7.75	71.17	32	248.00	2277.30
16"x32"	2	6.89	64.66	24	165.36	1552.00
12"x24"	3	5.81	71.17	43	250.00	2277.44
12"x24" pool coping	2	3.87	35.58	-	-	-
16"x32" pool coping	2	6.89	62.31	-	-	-
24"x48" pool coping	1	7.75	73.22	-	-	-
13"x24" L-shaped coping	2	4.26	42.30	-	-	-
13"x32" L-shaped coping	2	5.68	59.90	-	-	-

Packaging 8.5 mm

Pieces				Boxes		
Sizes	Pieces	Sq.Ft.	Lbs.	Boxes	Sq.Ft.	Lbs.
24"x48"	2	15.50	61.00	36	558.00	2236.00
12"x24"	8	15.50	61.40	32	496.00	1932.48

New England 2

24"x48" 24"x24" 16"x32"

Stone Effect



Stone Effect

New England 2

24"x48" 24"x24" 16"x32"

Stone Effect



Stone Effect


New England ²

24"x48" 24"x24" 16"x32" 12"x24"

Also available in
24"x48" Grip
12"x24" Grip
8.5 mm thick



SCEN10
New England2
HEN210 White Rect.
24"x48" . 60x120 cm



SOEN10
New England2
HEN210 White
16"x32" . 40x80 cm



S9EN10
New England2
HEN210 White
24"x24" . 60x60 cm




S9EN10R
New England2
HEN210 White Rect.
12"x24" . 30x60 cm



GCEN10GRIR
New England
HEN10 White **Grip Rect.**
24"x48" . 60x120 cm



SCEN10MC
New England2
HEN210 White
Pool Coping with
modern edge
24"x48" . 60x120 cm




SOEN10MC
New England2
HEN210 White
Pool Coping with
modern edge
16"x32" . 40x80 cm




S8EN10MC
New England2
HEN210 White
Pool Coping with modern edge
12"x24" . 30x60 cm



G8EN10GRIR
New England
HEN10 White **Grip Rect.**
12"x24" . 30x60 cm



SOEN10LS
New England2
HEN210 White
L-Shaped Coping
13"x32" . 33x80 cm



S8EN10LS
New England2
HEN210 White
L-Shaped Coping
13"x24" . 33x60 cm

New England 2

24"x48" 24"x24" 16"x32" 12"x24"

Also available in
24"x48" Grip
12"x24" Grip
8.5 mm thick



SCEN01
New England2
HEN201 Ivory Rect.
24"x48" . 60x120 cm



SOEN01
New England2
HEN201 Ivory
16"x32" . 40x80 cm



S9EN01
New England2
HEN201 Ivory
24"x24" . 60x60 cm




S9EN01R
New England2
HEN201 Ivory Rect.
12"x24" . 30x60 cm




GCEN01GRIR
New England
HEN01 Ivory **Grip Rect.**
24"x48" . 60x120 cm




SCEN01MC
New England2
HEN201 Ivory
Pool Coping with
modern edge
24"x48" . 60x120 cm




SOEN01MC
New England2
HEN201 Ivory
Pool Coping with
modern edge
16"x32" . 40x80 cm




S8EN01MC
New England2
HEN201 Ivory
Pool Coping with
modern edge
12"x24" . 30x60 cm



G8EN01GRIR
New England
HEN01 Ivory **Grip Rect.**
12"x24" . 30x60 cm



SOEN01LS
New England2
HEN201 Ivory
L-Shaped Coping
13"x32" . 33x80 cm



S8EN01LS
New England2
HEN201 Ivory
L-Shaped Coping
13"x24" . 33x60 cm

Also available in
24"x48" Grip
12"x24" Grip
8.5 mm thick



SCEN05
New England2
HEN205 Cold Gray Rect.
24"x48" . 60x120 cm



SOEN05
New England2
HEN205 Cold Gray
16"x32" . 40x80 cm




S9EN05
New England2
HEN205 Cold Gray
24"x24" . 60x60 cm




S9EN05R
New England2
HEN205 Cold Gray Rect.
12"x24" . 30x60 cm




GCEN05GRIR
New England
HEN05 Cold Gray **Grip Rect.**
24"x48" . 60x120 cm



SCEN05MC
New England2
HEN205 Cold Gray
Pool Coping with
modern edge
24"x48" . 60x120 cm




SOEN05MC
New England2
HEN205 Cold Gray
Pool Coping with
modern edge
16"x32" . 40x80 cm




S8EN05MC
New England2
HEN205 Cold Gray
Pool Coping with
modern edge
12"x24" . 30x60 cm



G8EN05GRIR
New England
HEN05 Cold Gray **Grip Rect.**
12"x24" . 30x60 cm



SOEN05LS
New England2
HEN205 Cold Gray
L-Shaped Coping
13"x32" . 33x80 cm



S8EN05LS
New England2
HEN205 Cold Gray
L-Shaped Coping
13"x24" . 33x60 cm



Quartzite 2


16"x32" 12"x24"



16"x32" . 40x80 cm

Colored Body Porcelain Pavers

ANSI A 137.1 compliant



FLOOR



MODERATE



0.79 in | 0.34 in
20 mm | 8.5 mm



ASTM C 1026
RESISTANT



ASTM C 373
~0.1%



ASTM C 650: **CLASS A**
ASTM C 1378: **CLASS A**



ASTM C 648: ~3000 lbf.



ANSI A326.3: 2021
(DCOF): ≥0,60



HEAVY USE

Quartzite

Available as 8.5 mm thick tile



COLLECTIONS BOOK 2026
Pag. 148

16"x32" Pressed



Quartzite2
HQT210 Bianco



Quartzite2
HQT201 Sand



Quartzite2
HQT205 Gray



Quartzite2
HQT208 Dark Gray

Shade variation



Graphics number

Sizes	Quartzite2 HQT210 Bianco	Quartzite2 HQT201 Sand	Quartzite2 HQT205 Gray	Quartzite2 HQT208 Dark Gray
16"x32"	12	12	12	12

Packaging

Sizes	Pieces	Sq.Ft.	Lbs.	Boxes	Sq.Ft.	Lbs.
16"x32"	2	6.89	64.66	24	165.36	1552.00
16"x32" pool coping	2	6.89	62.31	-	-	-
13"x32" L-shaped coping	2	5.68	59.90	-	-	-

Packaging 8.5 mm

Sizes	Pieces	Sq.Ft.	Lbs.	Boxes	Sq.Ft.	Lbs.
12"x24"	8	15.50	61.40	32	496.00	1932.48

Quartzite 2

16"x32"

Stone Effect



Stone Effect

Quartzite 2

16"x32"

Stone Effect



Stone Effect

Quartzite 2

16"x32"

Stone Effect



Stone Effect

Quartzite 2

16"x32"



SOQT10
Quartzite2 HQT210 Bianco
16"x32" . 40x80 cm

Also available in
12"x24" Grip
8.5 mm thick



G8QT10GRIR
Quartzite
HQT10 Bianco **Grip Rect.**
12"x24" . 30x60 cm



SOQT01
Quartzite2 HQT201 Sand
16"x32" . 40x80 cm

Also available in
12"x24" Grip
8.5 mm thick



G8QT01GRIR
Quartzite
HQT01 Sand **Grip Rect.**
12"x24" . 30x60 cm



SOQT10MC
Quartzite2 HQT210 Bianco
Pool Coping with modern edge
16"x32" . 40x80 cm



SOQT01MC
Quartzite2 HQT201 Sand
Pool Coping with modern edge
16"x32" . 40x80 cm



SOQT10LS
Quartzite2 HQT210 Bianco
L-Shaped Coping
13"x32" . 33x80 cm



SOQT01LS
Quartzite2 HQT201 Sand
L-Shaped Coping
13"x32" . 33x80 cm

Quartzite 2

16"x32"



SOQT05
Quartzite2 HQT205 Gray
16"x32" . 40x80 cm

Also available in
12"x24" Grip
8.5 mm thick



G8QT05GRIR
Quartzite
HQT05 Gray **Grip Rect.**
12"x24" . 30x60 cm



SOQT08
Quartzite2 HQT208 Dark Gray
16"x32" . 40x80 cm

Also available in
12"x24" Grip
8.5 mm thick



G8QT08GRIR
Quartzite
HQT08 Dark Gray **Grip Rect.**
12"x24" . 30x60 cm



SOQT08MC
Quartzite2 HQT208 Dark Gray
Pool Coping with modern edge
16"x32" . 40x80 cm



SOQT08LS
Quartzite2 HQT208 Dark Gray
L-Shaped Coping
13"x32" . 33x80 cm



SOQT05MC
Quartzite2 HQT205 Gray
Pool Coping with modern edge
16"x32" . 40x80 cm




SOQT05LS
Quartzite2 HQT205 Gray
L-Shaped Coping
13"x32" . 33x80 cm



Chamonix ²

24"x24"



24"x24" . 60x60 cm

Colored Body Porcelain Pavers

ANSI A 137.1 compliant



FLOOR



MODERATE



0.79 in
20 mm



ASTM C 1026
RESISTANT



ASTM C 373
~0.1%



ASTM C 650: **CLASS A**
ASTM C 1378: **CLASS A**



ASTM C 648: ~3000 lbf.



ANSI A326.3: 2021
(DCOF): ≥0,60



HEAVY USE

Chamonix

Available as 8.5 mm thick tile



COLLECTIONS BOOK 2026
Pag. 165

Pressed



Chamonix2
HCX210 Bianco



Chamonix2
HCX201 Beige



Chamonix2
HCX205 Gray



Chamonix2
HCX208 Dark Gray

Shade variation



Graphics number

Sizes	Chamonix2 HCX210 Bianco	Chamonix2 HCX201 Beige	Chamonix2 HCX205 Gray	Chamonix2 HCX208 Dark Gray
24"x24"	20	20	20	20

Packaging

Sizes	Pieces	Sq.Ft.	Lbs.	Boxes	Sq.Ft.	Lbs.
24"x24"	2	7.75	71.17	32	248.00	2277.30
12"x24" pool coping	2	3.87	35.58	-	-	-
13"x24" L-shaped coping	2	4.26	42.30	-	-	-
12"x24" pool coping (3cm thick)	1	1.94	17.80	-	-	-

Chamonix 2

24"x24"

Stone Effect




Stone Effect

Chamonix 2

24"x24"

HCX²

Stone Effect



Stone Effect

Chamonix 2

24"x24"



S9CX10
Chamonix2 HCX210 Bianco
24"x24" . 60x60 cm



S8CX10MC
Chamonix2 HCX210 Bianco
Pool Coping with modern edge
12"x24" . 30x60 cm



S8CX10LS
Chamonix2 HCX210 Bianco
L-Shaped Coping
13"x24" . 33x60 cm



T8CX10G30R **MADE IN ITALY**
Chamonix2 HCX310 Bianco
Pool Coping with modern edge
12"x24" . 30x60 cm
1.18" - 3 cm thick*



S9CX01
Chamonix2 HCX201 Beige
24"x24" . 60x60 cm



S8CX01MC
Chamonix2 HCX201 Beige
Pool Coping with modern edge
12"x24" . 30x60 cm



S8CX01LS
Chamonix2 HCX201 Beige
L-Shaped Coping
13"x24" . 33x60 cm



S9CX05
Chamonix2 HCX205 Gray
24"x24" . 60x60 cm



S8CX05MC
Chamonix2 HCX205 Gray
Pool Coping with modern edge
12"x24" . 30x60 cm



S8CX05LS
Chamonix2 HCX205 Gray
L-Shaped Coping
13"x24" . 33x60 cm



T8CX05G30R **MADE IN ITALY**
Chamonix2 HCX305 Gray
Pool Coping with modern edge
12"x24" . 30x60 cm
1.18" - 3 cm thick*



S9CX08
Chamonix2 HCX208 Dark Gray
24"x24" . 60x60 cm



S8CX08MC
Chamonix2 HCX208 Dark Gray
Pool Coping with modern edge
12"x24" . 30x60 cm




S8CX08LS
Chamonix2 HCX208 Dark Gray
L-Shaped Coping
13"x24" . 33x60 cm



West 57th 2

24"x24"



24"x24" . 60x60 cm

Colored Body Porcelain Pavers

Pressed



West 57th2
HWS210 Bianco

ANSI A 137.1 compliant



FLOOR



MODERATE



0.79 in
20 mm



ASTM C 1026
RESISTANT



ASTM C 373
~0.1%



ASTM C 650: **CLASS A**
ASTM C 1378: **CLASS A**



ASTM C 648: ~3000 lbf.




ANSI A326.3: 2021
(DCOF): ≥0,60



HEAVY USE

Shade variation



Graphics number

Sizes	West 57th2 HWS210 Bianco
24"x24"	14

Packaging

Sizes		 Pieces			 Boxes		
		Pieces	Sq.Ft.	Lbs.	Boxes	Sq.Ft.	Lbs.
24"x24"		2	7.75	71.17	32	248.00	2277.30
12"x24"	pool coping	2	3.87	35.58	-	-	-
13"x24"	L-shaped coping	2	4.26	42.30	-	-	-

West 57th 2

24"x24"

HWS²

Stone Effect



Stone Effect




Wall: Kensington KT03 Green 3"x16" | Floor: West 57th2 HWS210 Bianco 24"x24"

West 57th 2


24"x24"



S9WS60U
West 57th2 HWS210 Bianco
24"x24" . 60x60 cm



S8WS10MC
West 57th2 HWS210 Bianco
Pool Coping with modern edge
12"x24" . 30x60 cm




S8WS10LS
West 57th2 HWS210 Bianco
L-Shaped Coping
13"x24" . 33x60 cm



Gotham 2

24"x24"



24"x24" . 60x60 cm

Colored Body Porcelain Pavers

ANSI A 137.1 compliant



FLOOR



RANDOM



0.79 in
20 mm



ASTM C 1026
RESISTANT



ASTM C 373
~0.1%



ASTM C 650: **CLASS A**
ASTM C 1378: **CLASS A**



ASTM C 648: ~3000 lbf.



ANSI A326.3: 2021
(DCOF): ≥0,60



HEAVY USE

Gotham

Available as 8.5 mm thick tile



COLLECTIONS BOOK 2026
Pag. 180

Pressed



Gotham2
HGO210 Bianco



Gotham2
HGO205 Gray



Gotham2
HGO208 Nero

Shade variation



Graphics number

Sizes	Gotham2 HGO210 Bianco	Gotham2 HGO205 Gray	Gotham2 HGO208 Nero
24"x24"	39	14	24

Packaging

Sizes	Pieces	Sq.Ft.	Lbs.			
				Boxes	Sq.Ft.	Lbs.
24"x24"	2	7.75	71.17	32	248.00	2277.30
12"x24" pool coping	2	3.87	35.58	-	-	-
13"x24" L-shaped coping	2	4.26	42.30	-	-	-
12"x24" pool coping (3cm thick)	1	1.94	17.80	-	-	-




Floor: Gotham2 HGO210 Bianco 24"x24"

Gotham 2


24"x24"




S9GO60U
Gotham2 HGO210 Bianco
24"x24" . 60x60 cm



S8GO10MC
Gotham2 HGO210 Bianco
Pool Coping with modern edge
12"x24" . 30x60 cm



S8GO10LS
Gotham2 HGO210 Bianco
L-Shaped Coping
13"x24" . 33x60 cm



T8GO10G30R **MADE IN ITALY**
Gotham2 HGO310 Bianco
Pool Coping with modern edge
12"x24" . 30x60 cm
1.18" - 3 cm thick*




S9GO55U
Gotham2 HGO205 Gray**
24"x24" . 60x60 cm



S8GO05MC
Gotham2 HGO205 Gray
Pool Coping with modern edge
12"x24" . 30x60 cm



S8GO05LS
Gotham2 HGO205 Gray
L-Shaped Coping
13"x24" . 33x60 cm



T8GO05G30R **MADE IN ITALY**
Gotham2 HGO305 Gray
Pool Coping with modern edge
12"x24" . 30x60 cm
1.18" - 3 cm thick*

** Available in modular pattern
More details on page. 105



S9GO58U
Gotham2 HGO208 Nero
24"x24" . 60x60 cm



S8GO08MC
Gotham2 HGO208 Nero
Pool Coping with modern edge
12"x24" . 30x60 cm



S8GO08LS
Gotham2 HGO208 Nero
L-Shaped Coping
13"x24" . 33x60 cm

Gotham 2


24"x24"



Stone Effect

Modular Pattern

Gotham 2 Layout



Each size (12"x12", 12"x24", 24"x24") sold separately
Combine freely to create your modular layout.

AVAILABLE ON RANGES

Gotham 2



S9GO55R
Gotham2 HGO205 Gray Rect.
24"x24" . 60x60 cm



S8GO55R
Gotham2 HGO205 Gray Rect.
12"x24" . 30x60 cm




S3GO55R
Gotham2 HGO205 Gray Rect.
12"x12" . 30x30 cm

Stone Effect




Travstone 2

24"x24" 16"x32"



Colored Body Porcelain Pavers

ANSI A 137.1 compliant



FLOOR



HIGH



0.79 in
20 mm



ASTM C 1026
RESISTANT



ASTM C 373
~0.1%



ASTM C 650: **CLASS A**
ASTM C 1378: **CLASS A**



ASTM C 648: ~3000 lbf.



ANSI A326.3: 2021
(DCOF): ≥0.60



HEAVY USE

Pressed



Travstone2
HTS201 Beige



Travstone2
HTS205 Gray

Shade variation



Graphics number

Sizes	Travstone2 HTS201 Beige	Travstone2 HTS205 Gray
24"x24"	24	12
16"x32"	20	12

Packaging

Sizes	Pieces			Boxes		
		Sq.Ft.	Lbs.		Sq.Ft.	Lbs.
24"x24"	2	7.75	71.17	32	248.00	2277.30
16"x32"	2	6.89	64.66	24	165.36	1552.00
16"x32" pool coping	2	6.89	64.66	-	-	-
12"x24" pool coping	2	3.87	35.58	-	-	-
13"x32" L-shaped coping	2	5.68	59.90	-	-	-
13"x24" L-shaped coping	2	4.26	42.30	-	-	-
12"x24" pool coping (3cm thick)	1	1.94	17.80	-	-	-

Travstone 2

24"x24" 16"x32"

HTS²

Stone Effect



Stone Effect

Travstone 2

24"x24" 16"x32"



S9TS51U
Travstone2 HTS201 Beige**
24"x24" . 60x60 cm



SOTS51U
Travstone2 HTS201 Beige
16"x32" . 40x80 cm



S8TS01MC
Travstone2 HTS201 Beige
Pool Coping with modern edge
12"x24" . 30x60 cm



SOTS01MC
Travstone2 HTS201 Beige
Pool Coping with modern edge
16"x32" . 40x80 cm



S8TS01LS
Travstone2 HTS201 Beige
L-Shaped Coping
13"x24" . 33x60 cm



SOTS01LS
Travstone2 HTS201 Beige
L-Shaped Coping
13"x32" . 33x80 cm



T8TS01G30R **MADE IN ITALY**
Travstone2 HTS301 Beige
Pool Coping with modern edge
12"x24" . 30x60 cm
1.18" - 3 cm thick*

** Available in modular pattern
More details on page. 97



S9TS55U
Travstone2 HTS205 Gray
24"x24" . 60x60 cm



SOTS55U
Travstone2 HTS205 Gray
16"x32" . 40x80 cm



S8TS05MC
Travstone2 HTS205 Gray
Pool Coping with modern edge
12"x24" . 30x60 cm



SOTS05MC
Travstone2 HTS205 Gray
Pool Coping with modern edge
16"x32" . 40x80 cm



S8TS05LS
Travstone2 HTS205 Gray
L-Shaped Coping
13"x24" . 33x60 cm



SOTS05LS
Travstone2 HTS205 Gray
L-Shaped Coping
13"x32" . 33x80 cm



T8TS05G30R **MADE IN ITALY**
Travstone2 HTS305 Gray
Pool Coping with modern edge
12"x24" . 30x60 cm
1.18" - 3 cm thick*

** Available in modular pattern
More details on page. 97

Travstone 2

24"x24" 16"x32"



Stone Effect

Modular Pattern

HTS²

Travstone 2 Layout



Each size (12"x12", 12"x24", 24"x24") sold separately
Combine freely to create your modular layout.

AVAILABLE ON RANGES

Travstone 2



S9TS51R
Travstone2 HTS201 Beige Rect.
24"x24" . 60x60 cm



S8TS51R
Travstone2 HTS201 Beige Rect.
12"x24" . 30x60 cm



S3TS51R
Travstone2 HTS201 Beige Rect.
12"x12" . 30x30 cm

Stone Effect


Marble Effect

Nature **2** 116



Nature 2

24"x24"



24"x24" . 60x60 cm

Colored Body Porcelain Pavers

ANSI A 137.1 compliant



FLOOR



MODERATE



0.79 in
20 mm



ASTM C 1026
RESISTANT



ASTM C 373
~0.1%



ASTM C 650: CLASS A
ASTM C 1378: CLASS A



ASTM C 648: ~3000 lbf.



ANSI A326.3: 2021
(DCOF): ≥0,60



HEAVY USE

Nature

Available as 8.5 mm thick tile



COLLECTIONS BOOK 2026
Pag. 220

Pressed



Nature2
HNA220 Carrara





Nature2
HNA205 Dolomite



Nature2
HNA201 Taj Mahal

Shade variation



Graphics number

Sizes	Nature2 HNA220 Carrara	Nature2 HNA205 Dolomite	Nature2 HNA201 Taj Mahal
24"x24"	16	16	16

Packaging

Sizes	Pieces	Sq.Ft.	Lbs.	Boxes	Sq.Ft.	Lbs.
24"x24"	2	7.75	71.17	32	248.00	2277.30
12"x24" pool coping	2	3.87	35.58	-	-	-
13"x24" L-shaped coping	2	4.26	42.30	-	-	-

Nature 2

24"x24"

Marble Effect



Marble Effect

Nature 2

24"x24"

Marble Effect



Marble Effect

Nature 2

24"x24"

Marble Effect



Marble Effect




Floor: Nature2 HNA220 Carrara 24"x24" - Nature2 HNA220 Carrara Pool Coping 12"x24"

Nature 2


24"x24"



S9NA20
Nature2 HNA220 Carrara
24"x24" . 60x60 cm



S8NA20MC
Nature2 HNA220 Carrara
Pool Coping with modern edge
12"x24" . 30x60 cm




S8NA20LS
Nature2 HNA220 Carrara
L-Shaped Coping
13"x24" . 33x60 cm



S9NA05
Nature2 HNA205 Dolomite
24"x24" . 60x60 cm




S8NA05MC
Nature2 HNA205 Dolomite
Pool Coping with modern edge
12"x24" . 30x60 cm




SONA05LS
Nature2 HNA205 Dolomite
L-Shaped Coping
13"x24" . 33x60 cm



S9NA01
Nature2 HNA201 Taj Mahal
24"x24" . 60x60 cm



S8NA01MC
Nature2 HNA201 Taj Mahal
Pool Coping with modern edge
12"x24" . 30x60 cm



SONA01LS
Nature2 HNA201 Taj Mahal
L-Shaped Coping
13"x24" . 33x60 cm


Concrete Effect

Essential **2** 128



Essential 2


24"x24"



24"x24" . 60x60 cm

Colored Body Porcelain Pavers

ANSI A 137.1 compliant



FLOOR



MODERATE



0.79 in
20 mm



ASTM C 1026
RESISTANT



ASTM C 373
~0.1%



ASTM C 650: **CLASS A**
ASTM C 1378: **CLASS A**



ASTM C 648: ~3000 lbf.



ANSI A326.3: 2021
(DCOF): ≥0,60



HEAVY USE

Essential

Available as 8.5 mm thick tile



COLLECTIONS BOOK 2026
Pag. 264

Pressed



Essential2
HET201 Beige



Essential2
HET210 White



Essential2
HET205 Gray



Essential2
HET208 Graphite

Shade variation



Graphics number

Sizes	Essential2 HET201 Beige	Essential2 HET10 White	Essential2 HET205 Gray	Essential2 HET208 Graphite
24"x24"	20	20	20	20

Packaging

Sizes	Pieces			Boxes		
		Sq.Ft.	Lbs.		Sq.Ft.	Lbs.
24"x24"	2	7.75	71.17	32	248.00	2277.30
12"x24" pool coping	2	3.87	35.58	-	-	-
13"x24" L-shaped coping	2	4.26	42.30	-	-	-

Essential 2

24"x24"

Concrete Effect



Concrete Effect

Essential 2

24"x24"

HET²

Concrete Effect



Concrete Effect

Essential 2

24"x24"

Concrete Effect



Concrete Effect

Essential 2


24"x24"



S9ET01
Essential2 HET201 Beige
24"x24" . 60x60 cm



S8ET01MC
Essential2 HET201 Beige
Pool Coping with modern edge
12"x24" . 30x60 cm




S8ET01LS
Essential2 HET201 Beige
L-Shaped Coping
13"x24" . 33x60 cm



S9ET10
Essential2 HET210 White
24"x24" . 60x60 cm



S8ET10MC
Essential2 HET210 White
Pool Coping with modern edge
12"x24" . 30x60 cm




S8ET10LS
Essential2 HET210 White
L-Shaped Coping
13"x24" . 33x60 cm



S9ET05
Essential2 HET205 Gray
24"x24" . 60x60 cm



S8ET05MC
Essential2 HET205 Gray
Pool Coping with modern edge
12"x24" . 30x60 cm




S8ET05LS
Essential2 HET205 Gray
L-Shaped Coping
13"x24" . 33x60 cm



S9ET08
Essential2 HET208 Graphite
24"x24" . 60x60 cm




S8ET08MC
Essential2 HET208 Graphite
Pool Coping with modern edge
12"x24" . 30x60 cm



S8ET08LS
Essential2 HET208 Graphite
L-Shaped Coping
13"x24" . 33x60 cm

Pool Coping


Pool Coping with modern edge
20 mm thick



Sizes		Page
24"x48"	Roma 2	38
	Elements 2	42
	New England 2	50
16"x48"	Monteverde 2	30
16"x32"	Arbor 2	26
	New England 2	50
	Quartzite 2	60
	Travstone 2	90
12"x24"	Roma 2	38
	Elements 2	42
	New England 2	50
	Chamonix 2	70
	West 57th 2	78
	Gotham 2	84
	Travstone 2	90
	Nature 2	100
	Essential 2	112


Pool Coping with modern edge
30 mm thick

MADE IN ITALY



Sizes		Page
12"x24"	Chamonix 2 (Bianco - Gray)	70
	Gotham 2 (Bianco - Gray)	84
	Travstone 2 (Beige - Gray)	90

L-Shape Coping
20 mm thick



Sizes		Page
13"x32"	Arbor 2	26
	New England 2	50
	Quartzite 2	60
	Travstone 2	90
13"x24"	Roma 2	38
	New England 2	50
	Chamonix 2	70
	West 57th 2	78
	Gotham 2	84
	Travstone 2	90
	Nature 2	100
	Essential 2	112

Cleaning and Maintenance

Thanks to its great hardness and weather-resistance, due2 can be cleaned with almost any detergent. However, we recommend simply using a mild detergent and a water jet. For greater convenience and to avoid formation of limescale deposits, we recommend facilitating drainage with a rubber brush.




Technical characteristics

TECHNICAL CHARACTERISTICS AND INTERNATIONAL STANDARDS


Our first choice porcelain tiles are compliant with ISO 13006 & ANSI A137.1 standard.
They fall within the tolerances defined by the standard.
The valuation of the appearance of the tiles shall be performed, as defined by the standard, placing tiles on a viewing board and examining it (perpendicularly) from a distance of at least 1 meter (3.3 feet).
Defects of tiles can be of two types: noticeable (already visible before setting, such as color differences, surface defects, fractures, etc) or hidden (not visible before setting). Claims about noticeable defects may be made only before tiles are installed, allowing the manufacturer to replace any defective material. However, if the buyer or tile installer decides to proceed with installation, the responsibility resides with the installer. No claims will be accepted regarding installed product. Responsibility for hidden defects remains with the producer if these are notified within the legal time limits.

Key to symbols

SHADE VARIATIONS



LOW
Uniform colour with only minimal differences between tiles in the same production run.



MODERATE
Clearly distinguishable differences in texture and pattern within the same production run.



HIGH
Significant variation in texture, pattern and colour from tile to tile within the same production run. The colour range should be viewed before selecting the material.



RANDOM
Random differences from tile to tile. One tile may have totally different texture and colour from another. The colour range should be viewed before selecting the material.

RECOMMENDATIONS FOR USE

No laboratory test, however efficient it may be, is sufficient to determine the durability of a product. Apart from the obvious factor of the number of foot contacts, durability can also be influenced by the technical characteristics of the product, location of the installation and the possible presence of abrasive agents. We therefore recommend not only that products should be chosen with resistance characteristics that are sufficient for the intended use, as shown in the following chart, but also that floors should be protected against sand, grit and other abrasives with the use of mats and other suitable protection.

See www.delconcausa.com/download/edpceramictile.pdf to download the EPD report covering Del Conca USA products.

RECOMMENDED USE



Recommended for floors for medium-light use, as in private homes, with the exception of kitchens and rooms with direct outdoor access.



Recommended for all rooms in the house and for business premises with medium use.



Recommended for all rooms indoors and outdoors and for business premises in general.

ANSI A 137.1

due 2

Colored Body Porcelain Pavers 20 mm thick

	Established limits	Performances	Norms
 Water absorption	≤ 0,5%	~ 0,1%	ASTM C 373
 Breaking strength (1)	≥ 250 lbf.	~3000 lbf.	ASTM C 648
 Frost resistance	Resistant	Resistant	ASTM C 1026
 Resistance to thermal shock	Resistant	Resistant	ASTM C 484
 Average breaking load for raised floor installation (2)		Classe 1 16"x32" : > 4 kN 24"x24" : > 4 kN Classe 2 16"x48" : > 6 kN	EN 12825*
 Mechanical strength (3)		16"x48" : U3 16"x32" : U4 24"x24" : U7	EN 1339-F*
 Slip resistance (DCOF)	≥ 0,42	≥ 0,60	ANSI A326.3: 2021 (DCOF)
 Chemical resistance	As reported	Class: A	ASTM C 650
 Stain resistance	As reported	Class: A	ASTM C 1378
 Recommended use			

* Tests carried out on a different type from that for which the standard is issued

- (1) It states the resistance of a sample piece, leaning on three spots, to a concentrated load placed in the middle.
- (2) It shows the resistance, on raised floor laying as suggested by the catalogue, to a concentrated load applied in the middle.
- (3) It shows the breaking resistance through bending of the product in full size.
The load is applied through a horizontal cylinder placed in the middle.



Tile Council of North America (TCNA)

TCNA is the trade association representing manufacturers of ceramic tile, tile installation materials, tile equipment, raw materials, and other tile-related products of North America.

For further information, please visit www.delconcausa.com

The company reserves the right to make any change to products and features shown in this catalogue.
All colors are purely a guide.

Any kind of copy of this catalogue, even partial reproduction, is prohibited.

© 2026 Del Conca USA, Inc. All rights reserved.

JANUARY / 2026



Del Conca USA, Inc. - 155 Del Conca Way
Loudon, TN 37774 - USA
Tel 865.657.3550 - Fax 865.657.3554
www.delconcausa.com - sales@delconcausa.com