



3/4" plank
Natural Red Oak
ATC325NATRO-S



3/4" plank
Natural White Oak
ATC325NATWO-S




3/4" plank
Natural Walnut
ATC325NATW-M




5" plank
Natural Red Oak
ATC5NATRO-S




5" plank
Natural White Oak
ATC5NATWO-S




5" plank
Natural Walnut
ATC5NATW-M




3/4" plank
Auburn Red Oak
ATC325AUBRO-S




3/4" plank
Saddle White Oak
ATC325SADWO-S



3/4" plank
Linen White Oak
ATC325LINWO-S




5" plank
Auburn Red Oak
ATC5AUBRO-C




5" plank
Saddle White Oak
ATC5SADWO-C




5" plank
Linen White Oak
ATC5LINWO-C



5" plank
Natural Hickory
ATC5NATH-M



5" plank
Buckskin Hickory
ATC5BUCH-M



5" plank
Haystack Maple
ATC5HAYM-M

Features

Length:	Up to 7'2" RL
Width:	5 OR 3¼" (select colors)
Thickness:	½" 3mm Sawn Cut Face
Finish:	TrueMark® Glaze Tek
Edge Detail:	Handcrafted Microbevel
Certified:	EPA - TSCA Title VI Compliant 3rd Party Certified - Responsibly Harvested
TrueCore:	3rd party certified
Warranty:	Limited Lifetime residential finish Limited Lifetime residential structural 5 year commercial finish 10 year commercial structural
Maintenance:	Clean with True Clean® Floor Cleaner. For full care and maintenance instructions visit HallmarkFloors.com/Floor-Care-Maintenance

Benefits

Finish:	12 coats of Aluminum Oxide hand glazed satin finish Guaranteed quality and durability - long lasting finish
Wear Layer:	Same visuals as ¾" solid wood floors Top layer provides lasting durability Vertically sliced - Delivers greater strength
Structure:	Greater dimensional stability than ¾" solid Healthy indoor air quality

Trim Options

Stair Nose
T-molding
Threshold
Reducer

Installation



Nail Down



Glue Down



Float



Over Radiant Heat
(Excluding Hickory)

Installs over: concrete, wood, vinyl floors and radiant heat systems. Above, on or below grade.



GRADES & RUN VARIATIONS:

Select Grade – May also be referred to as Prime grade, AB grade or 1st grade. Select grade shares traits with clear grade in as much as there will still be a strong uniformity of color and pattern, so you shouldn't see any glaring differences from plank to plank or in the finished floor overall. However the natural colors and grain patterns of the wood will be more diverse, allowing more of the woods character to come through. For example clear grade wood typically has more straight/vertical grain patterning while select grade will show far more open grain patterning like swirls and burls. As only around 15% of the wood of each tree conforms to this grade it is a more expensive option, but that doesn't mean it is better. This is a great choice for homeowners looking for a refined, clean and unfussy finish.

Character Grade – Can sometimes be referred to as Natural grade or 2nd grade. With this grade of wood you will really start to see the natural character of the natural wood species that you've chosen. There will be bigger variations in color tone from plank to plank, more noticeable marks, including small knots, streaks, worm holes, checks and fine cracks. It is perfect for owners who want to achieve that natural, non-uniform look of real wood.

Mill Run – Can also be known as Rustic grade or 3rd grade. If you like your wood floors rough and ready with any and all variations in color, grain patterns and character defects then this grade is for you. Pieces will vary wildly from one another creating a beautiful patchwork effect. It is worth mentioning that once you start looking at Character and Mill run grades you will also really start to see the difference between different species of wood.