


# REGATTA COLLECTION





Anchor Oak RE6ANCO



Ballast Maple RE6BALM



Compass Maple RE6COMM



Halyard Oak RE6HALO



Harbor Oak RE6HARO



Ketch Hickory RE6KETH



Leeward Oak RE6LEEO



Port Hickory RE6PORH



Sailmaker Maple RE6SAIM



Spinnaker Oak RE6SPIO



Starboard Hickory RE6STAH



Windward Hickory RE6WINH





### **Features**

Length: Up to 6'2" RL

Width: 6'

Thickness: 7.5mm [overall with attached IXPE pad]

Finish: Glaze Tek

Wear Layer: 1.2mm Slice Wood Veneer

Edge Detail: Micro Bevel

Certified: FloorScore® Certified

Construction: PurCore RIGID+

Warranty: Limited Lifetime residential finish

Limited Lifetime residential structural

5 year commercial finish 10 year commercial structural

Maintenance: Clean with TrueClean Floor Cleaner.

For full care and maintenance instructions visit HallmarkFloors.com/Floor-Care-Maintenance

#### **Benefits**

Finish: Hand glazed finishes with Aluminum Oxide & Nano Technology

Guaranteed quality and durability - Long lasting finish

100% Renewable with Hallmark's XYZ

Wear Layer: USFS & PEFC hardwood wear layer

Dent resistant core | 5,000 SPI

Pure virgin vinyl & 60% stone aggregate

Structure: Antibacterial and fungal control

100% FloorScore® Certified

Increased wear & stain resistance | 6k rotations

## Trim Options Installation

Stair Nose T-molding



O \*e

Over Radiant Heat
\*excluding hickory

Threshold Installs over: concrete, wood, vinyl floors and radiant

Reducer heat systems. Above, on or below grade.





## **Wood Characteristics**

Color, Graining & Natural Changes

Wood flooring is a natural product that will feature distinct color and graining between planks. Each board contains large to small knots, sap wood, and a high contrast within the natural and lighter stained visuals. Knots and voids may or may not be filled with dark putty.

Note: This sample may not be representative of your entire installed floor, for your reference and the latest updated information, please refer to hallmarkfloors.com to see our online room scenes and product galleries.

Before installation review the samples with the floor and verify our beautiful one of a kind floor is what you are expecting.

Installation constitutes acceptance.

## **Light Characteristics**

Wood Floor Plank with Natural Finish Light\* Exposure Over 48 Months





