


EZERTECH

Technology to Help

INSECT PEST MANAGEMENT SOLUTIONS

EZERTECH HIGH QUALITY PRODUCTS
FOR EFFECTIVE INSECT CONTROL

PIERCING / SUCKING INSECTS




Ang mga insektong ito ay nakakasira sa pamamagitan ng pag tusok at pag sipsip sa dahon, tangkay at ibang bahagi ng pananim.

PIERCING / SUCKING INSECTS



- ANG MGA SYSTEMIC INSECTICIDES AY EPEKTIBONG PARAAN UPANG MAKONTROL ANG MGA PESTENG INSEKTO NA MAY PIERCING / SUCKING MOUTH PARTS
- TUWING KUMAKAIN ANG MGA SUCKING INSECT PESTS AY NASISIPSIP NILA ANG SYSTEMIC INSECTICIDE NA NANUNUOT SA HALAMAN.
- ANG MGA CONTACT AT STOMACH INSECTICIDES AY EPEKTIBO RIN SA MGA SUCKING INSECTS, KUNG ANG SPRAY AY TATAMA AT MANUNUOT SA KANILANG KATAWAN.



CHEWING INSECTS



- CONTACT AND STOMACH INSECTICIDES ARE EFFECTIVE CONTROL METHOD FOR INSECT PESTS WITH CHEWING MOUTH PARTS
- INSECT PESTS GET IN CONTACT WITH SPRAY OR THEY INGEST SPRAYED PLANT PARTS

PAGPILI NG TAMANG INSECTICIDE

- Ang Target Pest ay Kayang Kontrolin (Check Label)
- Rehistrado ang Produkto at Hindi Illegal
- Magandang Quality and Affordable



HIGH QUALITY AND AFFORDABLE PRODUCTS

EZERTECH
Technology to Help

KEEP OUT OF REACH OF CHILDREN
METHOMYL GROUP 1A INSECTICIDE
Net Content: 500 grams

VIPER[®] 40 SP
SYSTEMIC INSECTICIDE

A Contact and Stomach Insecticide for the control of insect pests in Rice, Corn, Eggplant, Tobacco, Tomato, Stringbeans and other crops as specified under the directions for use.



Active Ingredient: Methomyl.....400 g/kg
Inert Ingredients Carrier and inerts.....Bal to 1 Kg

Registered with The Fertilizer and Pesticide Authority Pursuant to P.D. 1144
FPA Registration No.:
Distributed by: EZERTECH CORPORATION
Unit AB 20F Rufino Pacific Tower 6704,
Ayala Ave, cor V. A. Rufino, 1226 Makati City

WARNING X HARMFUL

EZERTECH
Technology to Help

GROUP 14 INSECTICIDE
KEEP OUT OF REACH OF CHILDREN
Net Content: 100 grams

QUARTA[®] 50 SP
SYSTEMIC INSECTICIDE

A Contact and Stomach Insecticide for the Control of insect Pests in Mango, Rice, Potato, Onion and Other Crops as Specified Under the Directions for Use.



Active Ingredients: Cartap Hydrochloride.....500 g/kg
Inerts Ingredients Carrier and inerts.....Bal to 1 Kg

Registered with The Fertilizer and Pesticide Authority Pursuant to P.D. 1144
FPA Registration No.: 648-106-5085
Product of: EZERTECH CORPORATION
Unit AB 20F Rufino Pacific Tower 6704,
Ayala Ave, Cor V. A. Rufino, 1226 Makati City

Lot No. Mfg. Date

CAUTION

N-VADE[®] 2.5 EC

CONTACT & STOMACH INSECTICIDE

LAMBDA CYHALOTHRIN 2.5 EMULSIFIABLE CONCENTRATE

EZERTECH
Technology to Help

FEATURES

- **CONTACT ACTION**
(*NON SYSTEMIC*)
- **QUICK KNOCKDOWN**
- **GOOD RESIDUAL ACTION**
- **GOOD OVICIDAL EFFECT**
- **HIGH REPELLANT ACTION**
- **BEST FOR MAINTENANCE AND EARLY CONTROL IN RICE, VEG, MANGO, ONION**



**KONTRA PESTE NG
PALAY, MANGGA,
SIBUYAS, MAIS,
KAMATIS AT GULAY**



General Dosage: 1 to 3.5 tbsp / 16L

For Armyworms,
Cutworms, Budworm,
Bean Podborer:
2.5 to 3.5 tbsp / 16L



Rice Bug



Armyworm



Green Leafhopper



Brown Planthopper



Black Bug



Beanfly




Corn Borer



Tomato Fruitworm



Leafminer



N-VADE[®] 2.5 EC
CONTACT & STOMACH INSECTICIDE

**GAMITIN ANG N-VADE 2.5 EC NG MAAGA UPANG UNAHAN ANG
PAG DAMI NG MGA PESTENG INSEKTO**

CROPS	PESTS	TBSP/16 L
RICE	Green Leafhopper, Armyworm, Rice Bug, Leafhopper, and Black Bug	1.0 – 1.5
MANGO	Hoppers	0.75 – 1.5
TOMATO	Fruitworm, Cutworm, and Aphids	1.0 – 1.5
CORN	Seedling maggot, Corn earworm, Corn borer, Armyworm	1.0 – 1.5
TOBACCO	Budworm, Aphid, Cutworm, Armyworm	2.5 – 3.5
CUCURBITS (Melon, Watermelon)	Leafworm, Squash bug	2.5 – 3.5
ONION	Thrips, Cutworm	2.5 – 3.5
LEGUMES (Mungo, Beans)	Beanpodborer, Beanfly, Armyworm, Cutworm, Leafminer, Leafhopper	2.5 – 3.5

DOSAGE: 10-35mL per 16L, Depending on crops and pest

PRICE: SRP

Product of:
EZERTECH CORPORATION



Distributed by:

SIDE KICK[®] 5 EC

CONTACT INSECTICIDE

CYPERMETHRIN 5%
EMULSIFIABLE CONCENTRATE


EZERTECH
Technology to Help

FEATURES


- **CONTACT ACTION**
(*NON SYSTEMIC*)
- **QUICK KNOCKDOWN**
- **GOOD RESIDUAL ACTION**
- **GOOD OVICIDAL EFFECT**
- **HIGH REPELLANT ACTION**
- **BEST FOR MAINTENANCE AND EARLY CONTROL IN RICE, VEG, MANGO, ONION**



GLH



FRUITFLY



FRUIT BORER



ALL-AROUND INSECTICIDE SA GULAY, MANGGA, MAIS AT PALAY

General Dosage: 1 to 3 tbsp / 16L
For Corn: 1 to 4.5 tbsp / 16L



Corn Earworm



Corn Borer



Brown Planthopper



Green Leafhopper



Beanfly



Rice Bug



Product of:
EZERTÉCH
CORPORATION



Distributed by:

SIDE KICK[®] 5 EC CONTACT INSECTICIDE

GAMITIN ANG **SIDE KICK 5 EC** SA HABANG ANG MABABA PA ANG POPULASYON NG PESTENG INSEKTO

DIRECTIONS FOR USE

CROP	RECOMMENDED DOSAGE	TBSP/16L
Rice	Brown Planthopper, Green Leafhopper, White-backed Planthopper, Leaf folder, Armyworm, Rice bug, Stemborer	1.0 - 3.0
Mango	Leafhopper, Twig borer, Tip borer, Fruit fly	1.0 - 3.0
Onion	Thrips, Cutworm	1.0 - 3.0
Tomato	Tomato Fruitworm, Aphids, Beetle	1.0 - 3.0
Corn	Cornborer, Earworm	1.0 - 4.5
Cabbage	Diamond back moth, Cabbage Moth, Worm	1.0 - 3.0
Beans	Pod borer, Beanfly, Leafminer, Aphids, Cutworm	1.0 - 3.0
Banana	Thrips, Scarring Beetle	1.0 - 3.0
Watermelon	Aphids, Thrips, Beetle	1.0 - 3.0
Tobacco	Budworm, Cutworm, Aphids, Thrips	1.0 - 3.0
Cotton	Bollworm, Leafhopper, Cutworm, Aphids, Thrips, Boll Weevil	1.0 - 3.0

1 tbsp = 10ml

DOSAGE: 10-45mL per 16L, Depending on crops and pest

PRICE: SRP

LETHAL[®] 247 ZC

CONTACT & SYSTEMIC INSECTICIDE

LETHAL 247 ZC THIAMETHOXAM + LAMBDA


EZERTECH
Technology to Help

FEATURES

- **DOUBLE ACTION (T+L)**
- **SYSTEMIC (T) + CONTACT (L)**
- **LONG RESIDUAL ACTION (T)**
- **GOOD OVICIDAL EFFECT (L)**
- **HIGH REPELLANT ACTION (L)**
- **BEST FOR CRITICAL CONTROL IN CORN, RICE, VEGETABLES, MANGO**



STEM BORER



MANGO HOPPER



CORN BORER

LETHAL[®] 247
ZC

CONTACT & SYSTEMIC INSECTICIDE

EZERTECH
Technology to Help

- Thiamethoxam : 10.6% + Lambda Cyhalothrin 14.1%



What is ZC Formulation?



- Combination of **SC** + **CS** = **ZC**
 - Soluble Concentrate (SC) is Water-based
 - Capsule Suspension (CS) is Microencapsulated



LETHAL[®] 247 ZC

CONTACT & SYSTEMIC INSECTICIDE

FINE / SMALL PARTICLE SIZE



EZERTECH





Technology to Help

- Formulated in very small particle size, for better coverage and penetration and contact with pests.



FINE / SMALL PARTICLE SIZE





Mas mabilis nanunuot sa halaman.... *Mas maliit na Particle... Mas mabisa!*





FINE / SMALL PARTICLE SIZE

Dumidikit ang mga “particles” sa mga balahibo, “joints” ng mga paa, antenna, at iba pang bahagi ng katawan ng insekto.

*Mas maliit na Particle...
Mas mabisa!*



SYSTEMIC ACTION! – Nanunuot at kumakalat sa loob ng halaman





Sa **LETHAL 247 ZC** ...


Walang ligtas kahit ang mga sumisipsip na insekto sa ilalim ng dahon.



Dahil nasa “Capsule”,
Slow release at
tumatagal ang bisa



Dahil sa Particle size at High
Quality formulation, mabilis
na nanunuot ang bisa



UV PROTECTION
– Hindi basta basta nawawala
ang bisa ng init at sikat ng araw.



RAINFAST
– Hindi basta basta
nahuhugasan ng ulan, sapat
na ang 2 hours bago umulan

DOUBLE ACTION : 2 Active Ingredients

• Thiamethoxam

- Quick Knockdown
- Broad-spectrum – Leafhopper, Cecid fly, Capsid Bug, Tip Borer, Fruitfly, Thrips
- Systemic, absorbed quickly by plants and transported to all of its parts.
- Works by contact and ingestion



• Lambda cyhalothrin

- Quick Knockdown
- Leafhopper and Thrips
- Non-Systemic, works by contact and ingestion.

Mango Leafhoppers

- Lays up to 200 eggs per female
- Total life cycle is 7-15 days.
- Completes 2-3 generation in flowering period.
- **Napaka halaga ang mabisang control laban sa mango hoppers**

2-5 days



5-10 days



LETHAL[®] 247
ZC
CONTACT & SYSTEMIC INSECTICIDE

1 -2 Punch Combination, Double Action

- **Thiamethoxam**

- Has minimal Ovicidal effect
- Kills adult and nymphs on contact
- Quick Knockdown killing effect



- **Lambda cyhalothrin**

- Has Good Ovicidal Effect
- Lambda is encapsulated, will be released slowly
- Nymphs from hatched eggs will be killed by Lambda later
- After Thiamethoxam, Lambda will give longer residual effect





LETHAL[®] 247
ZC

CONTACT & SYSTEMIC INSECTICIDE

Mango Hoppers



9-12 DAFI
Bud Emergence



26-30 DAFI Full Bloom



Nagsisimulang
umatake ang
hoppers mula
7-30 araw matapos
magpa- bulaklak

Gumamit ng
LETHAL 247 ZC
Upang ma sugpo
ang lahat ng
stages mng
Mango Hopper



Thiamethoxam



Hindi makaka-lusot ang mga bagong hoppers mula sa napsang itlog



Lambda Cyhalothrin



Todas ang ang mga adult hoppers at hindi na sila mangingitlog pa


1





LETHAL[®] 247 ZC
CONTACT & SYSTEMIC INSECTICIDE



2



Thiamethoxam
ang unang
papatay sa
pesteng insekto



Lambda cyhalothrin
ay slow release,
tumatagal ang bisa
upang pigilan ang pag
pisa ng itlog (ovicidal)



**DOUBLE-ACTION
INSECTICIDE
PARA SA PESTE NG
MANGGA, AT GULAY**

General Dosage: 4 to 6mL / 16L
For Mango: 40 to 60mL / 200L



Mango Hopper



Capsid Bug



Fruit Fly



Thrips



Cutworm



Whiteflies



Mites



Aphids

LETHAL[®] 247 ZC
CONTACT & SYSTEMIC INSECTICIDE

ANG LETHAL 247 ZC AY DOBLE BISA SA LAHAT NG STAGES NG PESTENG INSEKTO, AT PANG MATAGALAN ANG KONTROL

CROPS	PESTS	DOSAGE (mL / 16L water)
Mango	Leafhoppers, Tip borers, Capsid bug, Fruitfly, Cecid fly	40 -60 mL / 200L
Rice	Stemborer	10.0 - 30.0 / 16L
Corn	Asiatic Corn borers, Earworms, Cutworms, Leafhoppers, Aphids	10.0 - 16.0 / 16L
Stringbeans	Green Leafhoppers, Aphids, Mites	4.0 - 6.0 / 16L
Eggplant	Whiteflies, Green Leafhoppers, Aphids	4.0 - 6.0 / 16L
Ampalaya (Bittergourd)	Leafhoppers, Thrips, Aphids, Fruitfly, Cutworm	4.0 - 13.0 / 16L
Potato	Whiteflies, Aphids, Thrips	4.0 - 6.0 / 16L
Banana	Flower Thrips	1-3 mL/ L

DOSAGE: 4 to 13mL per 16L (Vegetables)

10 to 30mL for Rice Stemborer, 10 to 16mL for Corn pests

PRICE: SRP

Product of:
**EZERTECH
CORPORATION**



Distributed by:





CLOTHIANIDIN 20 % SUSPENSION CONCENTRATE



FEATURES

- **SYSTEMIC ACTION**
- **QUICK KNOCKDOWN**
- **LONG RESIDUAL ACTION**
- **GOOD OVICIDAL EFFECT**
- **BEST FOR SUCKING AND CHEWING INSECTS**



Translaminar and Systemic Activity

Versys insecticide sprayed on leaf


Full coverage is key to ensuring optimal efficacy

Translaminar activity from top of leaf to bottom

Insects controlled on top and bottom of leaf

Acropetal activity moves insecticide down toward the tip of the leaf

Cross-section of leaf showing translaminar activity



Nanunuot sa dahon at kumakalat sa ibat ibang bahagi ng tanim





ACTIVE INGREDIENT: 20% CLOTHIANIDIN

GAMITIN ANG AURO 20 SC SA MABISANG PAG CONTROL NG SUCKING INSECTS GAYA NG RICE BUG.

CROP	tbsp per 16L	MAIN TARGET PEST
Rice	4-5	Rice Black Bug

1 tbsp= 10mL

Spray volume/ha= 10-12 tankloads

DOSAGE: 40-50mL per 16L

PRICE: SRP

VIPER[®] 40 SP

SYSTEMIC INSECTICIDE

EZERTECH

METHOMYL 40% SOLUBLE POWDER

EZERTECH
Technology to Help

FEATURES


- **CONTACT ACTION**
(LIMITED SYSTEMIC)
- **QUICK KNOCKDOWN**
- **GOOD RESIDUAL ACTION**
- **GOOD OVICIDAL EFFECT**
- **NO REPELLANT ACTION**
- **BEST FOR CHEWING INSECTS**

EZERTECH
Technology to Help

KEEP OUT OF REACH OF CHILDREN
METHOMYL GROUP 1A INSECTICIDE
Net Content: 500 grams

VIPER[®] 40 SP
SYSTEMIC INSECTICIDE

A Contact and Stomach Insecticide for the control of Insect pests in Rice, Corn, Eggplant, Tobacco, Tomato, Stringbeans and other crops as specified under the directions for use.



Active Ingredient:	Registered with
Methomyl.....400 g/kg	The Fertilizer and Pesticide Authority
Inert Ingredients	Pursuant to P.D. 1144
Carrier and inerts.....Bal to 1 Kg	FPA Registration No.:
	Distributed by: EZERTECH CORPORATION
	Unit A/B 20F Rufino Pacific Tower 6784,
	Ayala Ave, cor V. A. Rufino, 1226 Makati City

WARNING X HARMFUL



EZERTECH
Technology to Help

KEEP OUT OF REACH OF CHILDREN
METHOMYL GROUP 1A INSECTICIDE
Net Content: 500 grams

VIPER[®] 40 SP
SYSTEMIC INSECTICIDE

A Contact and Stomach Insecticide for the control of Insect pests in Rice, Corn, Eggplant, Tobacco, Tomato, Stringbeans and other crops as specified under the directions for use.



Active Ingredient:
Methomyl.....400 g/kg
Inert Ingredients
Carrier and inerts.....Bal to 1 Kg

Registered with
The Fertilizer and Pesticide Authority
Pursuant to P.D. 1144
FPA Registration No.:
Distributed by: EZERTECH CORPORATION
Unit A/B 20F Rufino Pacific Tower 6784,
Ayala Ave, cor V. A. Rufino, 1226 Makati City



Highly toxic and effective to insects (larva and adult)



Penetrates the eggs and kills the embryo



Easily absorbed by insects via contact or ingestion.

Highly soluble in water but has very low volatility

EZERTECH
Technology to Help

KEEP OUT OF REACH OF CHILDREN

METHOMYL GROUP 1A INSECTICIDE

Net Content: 500 grams



A Contact and Stomach Insecticide for the control of Insect pests in Rice, Corn, Eggplant, Tobacco, Tomato, Stringbeans and other crops as specified under the directions for use.



Active Ingredient:
Methomyl.....400 g/kg
Inert Ingredients
Carrier and inerts.....Bal to 1 Kg

Registered with
The Fertilizer and Pesticide Authority
Pursuant to P.D. 1144
FPA Registration No.:

Distributed by: EZERTECH CORPORATION
Unit A/B 20F Rufino Pacific Tower 6784,
Ayala Ave, cor V. A. Rufino, 1226 Makati City



WARNING



HARMFUL



CROPS / PESTS REGISTERED:

CROP	PESTS	TBSP / 16L	PHI
RICE	Green Leafhopper, Armyworm, Caseworm, Leaf folder	1.0 – 1.5	3
TOMATO	Fruit worm, Aphids	1.5 – 2.0	1
CORN	Corn borer, Earworm	2.0 – 3.5	0
BEANS, MUNGBEANS, SOYBEANS, SITAO	Leaf folder, Aphids, Pod borers, Bean fly, Flea beetle	2.0 – 3.5	3
EGGPLANT	Aphids, Flea beetle, Fruit worm, Lady beetle	2.0 – 3.5	1
TOBACCO	Budworm, Aphids, Cutworm, Horn worm	10 – 4	Flue cured – 5 Air dried – 14
MELONS	Aphids, Squash beetle, Leaf folder	4 – 4	1
BANANA	Thrips	3.5 – 4.5	0
ASPARAGUS	Armyworm, Cutworm	2.0 – 2.5	1

DOSAGE: 25g per 16L (Depending on crops and pests)

PRICE: SRP



**PROFENOFOS 50% EC
EMULSIFIABLE CONCENTRATE**

EZERTECH
Technology to Help

FEATURES

- **DOUBLE ACTION**
- **QUICK KNOCKDOWN**
- **LONG RESIDUAL ACTION**
- **GOOD OVICIDAL EFFECT**
- **HIGH REPELLANT (VAPOR) ACTION**
- **BEST FOR CHEWING INSECTS**





GAMITIN ANG FOTEK 50 EC UPANG SUGPUIN AT ITABOY ANG MGA PESTENG INSEKTO

Directions For Use

CROP	PESTS	DOSAGE
		TBSP / 16 L
Mango	Thrips	
Tomato	Fruitworm, Armyworm, Cutworm	1.5 to 3.0
Eggplant	Fruitborer, Aphids, Leafhoppers, Thrips	3.0 to 5.0
Cabbage	Diamond Back Moth, Cabbge Worm, Aphids	3.0 to 5.0
Watermelon / Melon	Thrips	3.0 to 5.0
Potato	Thrips, Armyworm, Cutworm, Tubermoth	3.0 to 5.0
Munbean / Soybean	Corn Earworm, Leafminer	3.0 to 5.0
Cotton	Thrips, Bollworm, Budworm	3.0 to 5.0
Sitao	Beanfly, Leaffolder, Aphids	1.5 to 3.0

1 TBSP = 10 Grams

DOSAGE: 15-50 mL per 16L (Depending on crop and pest)


PRICE: SRP

EZERTECH
Technology to Help

KEEP OUT OF REACH OF CHILDREN
Net Content: 100 grams

QUARTA[®] 50 SP
SYSTEMIC INSECTICIDE

A Contact and Stomach Insecticide for the Control of Insect Pests in Mango, Rice, Potato, Onion and Other Crops as Specified Under the Directions for Use.



GROUP **INSECTICIDE**

Active Ingredients:
Cartap Hydrochloride 500 g/kg

Inerts Ingredients:
Carrier and Inerts Balance to 1 Kg

Registered with
The Fertilizer and Pesticide
Pursuant to P.D. 1144
FPA Registration No.: 648-1

Product of: EZERTECH CORPORATION
Unit A/B 20F Rufino Pacific Tower 6784,
Ayala Ave. Corner V.A. Rufino, 1226 Makati

Lot No. _____ Mfg. Date _____

CAUTION

EPEKTIBO AT MABISA

Controls:
Leafhoppers
Thrips
Worms
Aphids
Leafminers

General Dosage: 1.5 to 3 tbsp / 16L
For Rice: 3 to 5 tbsp / 16L



Product of:
EZERTECH
CORPORATION

EZERTECH
Technology to Help

Distributed by:



GAMITIN ANG QUARTA 50 SP INSECTICIDE SA PAGCONTROL NGNG IBAT IBANG PESTE NG PALAY, GULAY AT MANGGA

DIRECTIONS FOR USE

CROPS	PESTS	DOSAGE (Tbsp / 16L water)
MANGO	Leafhopper	1.5 – 2.0
RICE	Green Leafhopper, Brown Planthopper, Stem Borer, Whorl Maggot	3.0 – 5.0
POTATO	Thrips, Cutworm, Leafhoppers, Leaf Miner, Tuber Moth, Aphids	1.5 – 2.0
ONION	Thrips, Cutworm	1.5 – 2.0
GARLIC	Thrips, Cutworm	1.5 – 2.0
CUCURBITS	Thrips, Aphids, Leafworm, Flea Beetle, Squash Beetle	1.5 – 2.0
CABBAGE, WOMBOK	Diamond-Back Moth, Aphids, Cabbage Butterfly/ Worm/ Moth	1.5 – 2.0
PECHAY	Looper, Cutworm, Aphids	1.5 – 3.0

1 Tbsp = 10 grams

DOSAGE: 15-50g per 16L (depending on crop and pest)

PRICE: SRP

AVOMEK[®] 1.8 EC
CONTACT INSECTICIDE / MITICIDE

**ABAMECTIN 1.8% EC
EMULSIFIABLE CONCENTRATE**

EZERTECH
Technology to Help

FEATURES

- **CONTACT & STOMACH ACTION**
- **NON-SYSTEMIC**
- **SLOW-BUT-SURE KNOCKDOWN ACTION**
- **LONG RESIDUAL EFFECT**
- **LOW OVICIDAL ACTION**
- **EFFECTIVE CONTROL FOR MITES AND INSECT PESTS**



MITES



THRIPS



LEAFMINERS



AVOMEK[®] 1.8 EC

CONTACT INSECTICIDE / MITICIDE

EZERTECH
Technology to Help

EFFECTIVELY KILLS INSECT PESTS AND MITES

Ang AVOMEK 1.8 EC ay mabisa sa pag-control ng mga pesteng uod, aaphids, hoppers, thrips, mites, na sumisira sa mga gulay, sibuyas, patatas, kamatis, pakwan, papaya, talong, mangga at iba pa.



Product of:
EZERTECH CORPORATION

Distributed by:

AVOMEK[®] 1.8 EC

CONTACT INSECTICIDE / MITICIDE

MABISANG CONTROL ANG AVOMEK 1.8 EC SA PESTE NG GULAY

Directions For Use

CROP	PEST	TBSP/16 L
BANANA	Blossom Thrips	0.5 per liter water
PINEAPPLE	Mites	N/A
WATERMELON	Leaf miner, Thrips, Melon worm	2.0 – 3.0 2.0 – 5.0
PAPAYA	Mites	0.5 – 1.0
STRAWBERRY	Mites	2.0 – 4.0
CABBAGE	Diamondback moth	2.0 – 3.0
EGGPLANT	Thrips Leafhopper, Fruit and Shoot borer	2.0 – 5.0 5.0
ONION	Leaf miner, Thrips	2.0 – 3.0
POTATO	Leaf miner, Thrips	2.0 – 3.0
TOMATO	Leaf miner, Thrips, Aphids	2.0 – 3.0
ORNAMENTS	Mites	1.0 – 1.5
MANGO	Cecid fly	**250 – 500 mL/ 200 L water

1 TBSP = 10 Grams

DOSAGE: 10-50mL per 16L (Depending on crops)

PRICE: SRP

VIPER[®] 40 SP
SYSTEMIC INSECTICIDE
EZERTECH

LETHAL[®] 247 ZC
CONTACT & SYSTEMIC INSECTICIDE

QUARTA[®] 50 SP
SYSTEMIC INSECTICIDE

N-VADE[®] 2.5 EC
CONTACT & STOMACH INSECTICIDE

AVOMEK[®] 1.8 EC
CONTACT INSECTICIDE / MITICIDE

N-DOX[®] 150 EC
CONTACT INSECTICIDE

SIDE KICK[®] 5 EC
CONTACT INSECTICIDE

ZENON[®] 60 EC
CONTACT INSECTICIDE

CLETO-D[®] 24 EC
SYSTEMIC HERBICIDE

RANKADA[®] 24 EC
CONTACT HERBICIDE

PYRO[®] 480 SL
SYSTEMIC HERBICIDE

WEED OUT[®] 150 SL
NON-SELECTIVE HERBICIDE

GLUFO-Z[®] 200 SL
NON-SELECTIVE HERBICIDE

SENTRO[®] 400 SL
2,4-D AMINE

SENTRO[®] 490 EC
2,4-D ESTER

BUENO PRO[®] 70 EC
EARLY POST-EMERGENT HERBICIDE

NEONIL[®] 720 SC
PROTECTIVE FUNGICIDE

PROPIZOL[®] 250 EC
SYSTEMIC FUNGICIDE

CLIMAX[®] 600 SC
SYSTEMIC FUNGICIDE

ZIMIO[®] 500 SC
SYSTEMIC FUNGICIDE

KLORAZ[®] 45 EW
POST HARVEST FUNGICIDE

D-MORPH[®] 86 OL
Oil Miscible Liquid Fungicide

MARATHON[®] 57 EC
CONTACT INSECTICIDE

FOSTEK[®] 50 EC
CONTACT INSECTICIDE

GUANO PURE[®]
NATURAL PHOSPHATE FERTILIZER

Cocoly VIDAL[®]

DINERO[®] 21.5% ZINC SULPHATE

REZET[®] 250 SC
PLANT GROWTH REGULATOR

JURON[®] 80 WDG
SYSTEMIC HERBICIDE

JURON[®] 80 SC
SYSTEMIC HERBICIDE

JURON[®] 80 WP
SYSTEMIC HERBICIDE

U*NICLO[®] 70 WP
SNAIL KILLER

EZERTECH

Technology to Help

THANK YOU ! GOD BLESS OUR BUSINESS



HIGH QUALITY AND AFFORDABLE PRODUCTS

EZERTECH Technology to Help

KEEP OUT OF REACH OF CHILDREN

METHOMYL GROUP 1A INSECTICIDE

Net Content: 500 grams

VIPER[®] 40 SP

SYSTEMIC INSECTICIDE

A Contact and Stomach Insecticide for the control of Insect pests in Rice, Corn, Eggplant, Tobacco, Tomato, Stringbeans and other crops as specified under the directions for use.



Active Ingredient: Methomyl.....400 g/kg
 Inert Ingredients Carrier and inerts.....Bal to 1 Kg

Registered with The Fertilizer and Pesticide Authority Pursuant to P.D. 1144
 FPA Registration No.:
 Distributed by: EZERTECH CORPORATION
 Unit AB 20F Rufino Pacific Tower 6704,
 Ayala Ave, cor V. A. Rufino, 1226 Makati City

WARNING X HARMFUL

EZERTECH Technology to Help

GROUP 14 INSECTICIDE

KEEP OUT OF REACH OF CHILDREN

Net Content: 100 grams

QUARTA[®] 50 SP

SYSTEMIC INSECTICIDE

A Contact and Stomach Insecticide for the Control of Insect Pests in Mango, Rice, Potato, Onion and Other Crops as Specified Under the Directions for Use.



Active Ingredients: Cartap Hydrochloride.....500 g/kg
 Inerts Ingredients Carrier and Inerts.....Bal to 1 Kg

Registered with The Fertilizer and Pesticide Authority Pursuant to P.D. 1144
 FPA Registration No.: 648-106-5085
 Product of: EZERTECH CORPORATION
 Unit AB 20F Rufino Pacific Tower 6704,
 Ayala Ave, Corner V. A. Rufino, 1226 Makati City

Lot No. Mfg. Date

CAUTION