




DOOR FASTENERS AND DOOR CHEMICALS

ELEVATOR BOLTS

Full body elevator bolts with 3/4" of 1/4"-20 thread with 1/4"-20 Keps nut. Zinc plated.

Part No.	Description
16C420	1/4"-20 x 1-1/4" long.
16C424A	1/4"-20 x 1-1/2" long
04KN-100	1/4"-20 keps nut




Packs = 100



STEEL TUBULAR RIVETS FOR OVERHEAD DOORS

	Part No.	Size
3/4" diameter	1026141	1/4"-1"
	1026142	1/4" x 1 1/8"
	1026210	1/4" x 1 1/4"



Door & Operator Multi-Purpose SPRAY LUBE from Fleetcraft. Changes from a fluid to a tough protective grease in minutes. Ideal for hard to reach areas on all door hardware and operator drive mechanisms. Once grease has set up, it will out last any regular oil or silicone.



Part No.	Description
1190620	16 oz. net spray can

Introducing a more environmentally-friendly, custom-made lubricant designed specifically for overhead truck doors.



Thanks to its advanced *food-grade* quality formula (hence the "FG"), TODCO FG Lube will lubricate springs, rollers, bearings, hinges and locks as effectively as the original TODCO Lube, with minimal environmental impact. All food-grade lubricants must perform the same functions as other lubricants – protect against wear, friction, corrosion and oxidation, and be compatible with rubber and other sealing materials – but prove safer for the environment.



Part No.	Description
39000-1002FG	Net 4 oz. can, 12 / case
39000-1012FG	Net 12 oz. can, 12 / case
39000-1016FG	One gallon container, 4 / case

ROLL-UP DOOR FRAME CONVERSION KITS

Frame Conversion Kits

Easily convert swing doors to roll-up doors with these three-piece close-out kits. To install, the swing door is removed, and two vertical side posts and one header post are welded into place. Both are made from 10-gauge (.135) hot-rolled steel for strength and long life. Once they're in place, your trailer is then ready for installation of an overhead door. In a few simple steps, you've gained all the durability and performance advantages of an overhead door.

Part No. 70411-1 Dry freight Overhead Door Kit

Consists of one 7" header post and two 2-1/2" vertical side posts. Header is 102" long; side posts are 120" long.

Part No. 70411-2 Refrigerated Trailer Overhead Door Kit

Consists of one 9" header post and two 2-1/2" vertical side posts. Header is 102" long; side posts are 120" long.





TODCO ROLL-UP DOOR ASSEMBLIES

FOR A TODCO DRY FREIGHT DOOR ASSEMBLY TO COME COMPLETE WITH TRACK AND COUNTERBALANCE PUT THE WORD "KIT" ON THE END OF THE PART NUMBER:

Example: 99610 is a drop in door only, and 99610KIT comes with drop-in door and track and counterbalance. (Side seals not included in kits)

IF WE HAVE IT IN WHITE, THE LETTERS "WH" ARE AFTER THE PART NUMBER:

Example: 99836 is a drop in door only, and 99836WH is the same door in White.

Then, 99836WHKIT comes with white drop-in door and track and counterbalance.

Tongue and Groove panels, 1" rollers. Drop-in door includes hardware only.

Door Part No.	Nominal Size	Actual Door Size	For Opening Size	TODCO®	
				Door Stack - Panel Sizes	
99611	90x90	90Wx89 ³ / ₄ H	87 ³ / ₄ x90	1 15" Bottom, 4 15" Int., 1 14-3/4" Top panel	
99611KIT	90x90	90Wx89 ³ / ₄ H	87 ³ / ₄ x90	1 15" Bottom, 4 15" Int., 1 14-3/4" Top panel	
99610	90x100	90Wx99 ³ / ₄ H	87 ³ / ₄ x100	1 15" Bottom, 3 15" Int., 2 11" Int., 1 17-3/4" Top	
99610KIT	90x100	90Wx99 ³ / ₄ H	87 ³ / ₄ x100	1 15" Bottom, 3 15" Int., 2 11" Int., 1 17-3/4" Top	
99836	98x100	97 ¹ / ₂ Wx99 ³ / ₄ H	95 ¹ / ₄ x100	1 15" Bottom, 3 15" Int., 2 11" Int., 1 17-3/4" Top	
99836KIT	98x100	97 ¹ / ₂ Wx99 ³ / ₄ H	95 ¹ / ₄ x100	1 15" Bottom, 3 15" Int., 2 11" Int., 1 17-3/4" Top	
99836WH	98x100	97 ¹ / ₂ Wx99 ³ / ₄ H	95 ¹ / ₄ x100	1 15" Bottom, 3 15" Int., 2 11" Int., 1 17-3/4" Top	
99836WHKIT	98x100	97 ¹ / ₂ Wx99 ³ / ₄ H	95 ¹ / ₄ x100	1 15" Bottom, 3 15" Int., 2 11" Int., 1 17-3/4" Top	
99837	98x105	97 ¹ / ₂ Wx104 ³ / ₄ H	95 ¹ / ₄ x105	1 15" Bottom, 5 15", 1 14-3/4" Top	
99837KIT	98x105	97 ¹ / ₂ Wx104 ³ / ₄ H	95 ¹ / ₄ x105	1 15" Bottom, 5 15", 1 14-3/4" Top	
99837WH	98x105	97 ¹ / ₂ Wx104 ³ / ₄ H	95 ¹ / ₄ x105	1 15" Bottom, 5 15", 1 14-3/4" Top	
99837WHKIT	98x105	97 ¹ / ₂ Wx104 ³ / ₄ H	95 ¹ / ₄ x105	1 15" Bottom, 5 15", 1 14-3/4" Top	

99900T = Track and Counterbalance Kit is what comes bundled with the drop-in door in the kits. It consists of: Counterbalance, LH & RH Vertical Track and LH & RH Horizontal Track.

Standard Feature:

Todco is committed to continually pioneering overhead door technology.

A perfect example is the use of premium grade wood in the Transportation Core™, a 3/4" 7-ply, medium density overlay panel. It starts with a premium-grade hardwood outer veneer that virtually eliminates wood grain "telegraphing" for a smoother, more uniform look.

Other Features Available:

Four-knuckled hinges, stainless steel rivets, self-adjusting springless maximum security locks, quiet nylon tube hinges, space-saver 1" side clearance, rust-inhibiting e-coating, pre-lubed sealed rollers, and recessed hardware.






TODCO ROLL-UP DOOR PANELS

INTERMEDIATE PANELS

Part No.	Description
29014-11x98	11" high, 98" wide, 3/4", plastic covered.
29014-12x98	12" high, 98" wide, 3/4", plastic covered.
29014-13x98	13" high, 98" wide, 3/4", plastic covered.
29014-15x98	15" high, 98" wide, 3/4", plastic covered.
29014-16x98	16" high, 98" wide, 3/4", plastic covered.
29014-18x98	18" high, 98" wide, 3/4", plastic covered.
29018-11x98	11" high, 98" wide, 3/4", aluminum covered.
29018-12x98	12" high, 98" wide, 3/4", aluminum covered.
29018-13x98	13" high, 98" wide, 3/4", aluminum covered.
29018-15x98	15" high, 98" wide, 3/4", aluminum covered.



Todco sets the industry standard for durability and performance. 3/4", 7-ply, medium density overlay plywood panels stand up to the road's worst punishment, mile after mile.

Outer hardwood veneer virtually eliminates wood grain "telegraphing."

Inner layers adhered together increase moisture resistance.

Panels have interlocking tongue and groove joint construction.

Panels are prime-painted.

BOTTOM PANELS

- come with hardware attached to one side.

(fixtures for opposite side included in package attached to lift handle)

Note: The following items are installed on each panel:

- Bottom angle, •Bottom seal, •Bottom fixtures on one side
- Lift Handle, •Pull Strap, •Decal

Panels are routed extra long on one side to facilitate hardware installation if trimming panel is necessary.

Part No.	Description
29016-1-11x98	11" high, 98" wide, 3/4", plastic covered.
29016-1-12x98	12" high, 98" wide, 3/4", plastic covered. (Also available in 93" wide.)
29016-1-13x98	13" high, 98" wide, 3/4", plastic covered.
29016-1-15x98	15" high, 98" wide, 3/4", plastic covered. (Also available in 93" wide.)
29016-1-16x98	16" high, 98" wide, 3/4", plastic covered.
29016-1-18x98	18" high, 98" wide, 3/4", plastic covered.




29020-11x98	11" high, 98" wide, 3/4", aluminum covered.
29020-12x98	12" high, 98" wide, 3/4", aluminum covered.
29020-13x98	13" high, 98" wide, 3/4", aluminum covered.
29020-15x98	15" high, 98" wide, 3/4", aluminum covered.





TODCO 3/4" DOOR ASSEMBLY



**TODCO 3/4" DOOR ASSEMBLY**

ITEM	PART NO.	DESCRIPTION
1	49014-1T	VERTICAL TRACK ASSEMBLY - LH (CURBSIDE) AND 49014-2T VERTICAL TRACK ASSEMBLY - RH (ROADSIDE)
2	80352-518T	HEX NUT - 5/16" NC
3	80322-319T	LOCKWASHER - 5/16"
4	89186-3T	HEX HEAD BOLT - 5/16"NC X 7/8"
5	51038T	BEARING ASSEMBLY
6	80300-2414T	HEX HEAD SET SCREW - 3/8" NC X 7/8"
7	59129-2T	CABLE DRUM RH (ROADSIDE) - TO 105" DOOR HEIGHT
8	51036-2T	SPRING ANCHOR BRACKET
9	51043T	SPRING ANCHOR PLUG - 1-3/4" I. D. SPRING
	59024T	SPRING ANCHOR PLUG - 2-1/2" I. D. SPRING
10	51042T	SPRING - 1-3/4" I. D.
	59031T	SPRING - 2-1/2" I. D.
11	59158T	SPRING WINDING PLUG - 1-3/4 I. D. SPRING
	59159T	SPRING WINDING PLUG - 2-1/2" I. D. SPRING
12	59083T	BEARING ASSEMBLY - SUPPORT BRACKET (SHALLOW HEADER)
13	51036-1T	SUPPORT BRACKET - LH (CURBSIDE)
14	59129-1T	CABLE DRUM - LH (CURBSIDE) - TO 105" DOOR HEIGHT
15	59290T	COUNTERBALANCE SHAFT, 96" LONG (COUNTERBALANCE ASSEMBLIES AVAILABLE - SEE ABOVE)
16	59092T	FILLER PLUG - 2-1/2" I. D. SPRING
17	49702-1T	HORIZONTAL TRACK - LH (CURBSIDE) 132" LONG -- 49702-2T HORIZONTAL TRACK - RH (ROADSIDE) 132" LONG
18	80105-414T	HEX HEAD BOLT - 1/4" NC X 1-3/4"
19	80322-255T	LOCKWASHER - 1/4"
20	80352-420T	HEX NUT - 1/4" NC
21	89100-1T	DRIVE RIVET - 3/16" DIA. X 9/32" LONG
22	61403T	RETAINER - HEAD SEAL, 96" LONG (HEADER MOUNTED)
23	61402T	HEAD SEAL, 96" LONG (HEADER MOUNTED)
24	69790T	RETAINER, HEAD SEAL, (PANEL MOUNTED)
25	69718T	HEAD SEAL, (PANEL MOUNTED)
26	29013T	TOP PANEL, PLASTIC - NO HARDWARE - CAN USE INTERMEDIATE-AND TRIM.
	29017T	TOP PANEL, ALUMINUM COVERED - NO HARDWARE - CAN USE INTERMEDIATE-AND TRIM.
27	29014T	INTERMEDIATE PANEL, PLASTIC - NO HARDWARE SEE LIST 29018T INTERMEDIATE PANEL, ALUMINUM COVERED - NO HARDWARE SEE LIST
28	29016T	BOTTOM PANEL, PLASTIC SEE LIST 29020T BOTTOM PANEL, ALUMINUM COVERED SEE LIST
29	89210-0032T	RIVET - 1"
30	89210-0036T	RIVET - 1-1/8"
31	69571T	MAXIMUM SECURITY LOCK ASSEMBLY - STANDARD -OR- 70223T MAXIMUM SECURITY LOCK ASSEMBLY - OFFSET ARM
32	69572T	KEEPER ASSEMBLY
33	61401T	LIFT HANDLE
35	89210-0044T	RIVET-1-3/8"
36	69832T	PULL STRAP RETAINER
37	80844-1216T	PULL STRAP - 12" LOOPED
38	70093T	CATCH BOX
39	69793T	NAME PLATE
40	80401-316T	COTTER PIN - 3/32" DIAMETER
41	61204T	CABLE ANCHOR BRACKET
42	61026T	CABLE ANCHOR PIN
43	80840T	BOTTOM SEAL, 96" LONG
44	61191T	BOTTOM ANGLE, 92-1/2" LONG
45	61352T	BOTTOM FIXTURE
46	61174	ROLLER (NEW LIFE PART No. 1190653)
47	80020T	SPACER WASHER - ROLLER
48	69035T	END HINGE ASSEMBLY - MANY VERSIONS AVAILABLE
49	80015-0040T	STEP BOLT ASSEMBLY - 1/4" NC X 1-1/4"
50	61196T	CENTER HINGE ASSEMBLY
51	69432T	BASE - ADJUSTABLE TOP FIXTURE
52	69431T	SLIDE - ADJUSTABLE TOP FIXTURE
53	80302-2436T	FLAT WASHER - 3/8"
54	89409T	E-LOK BOLT - 3/8" NC
55	51079-1T	CABLE ASS'Y - LH (CURBSIDE) - INSIDE CABLE
	51079-2T	CABLE ASS'Y - RH (ROADSIDE) - INSIDE CABLE
56	80023T	SPACER WASHER - CABLE DRUM
57	49007-1T	VERTICAL TRACK ASSEMBLY - LH (CURBSIDE) 49007-2T VERTICAL TRACK ASSEMBLY - RH (ROADSIDE)
58	80701-2T	BEARING
59	51044T	CABLE ASSEMBLY - 110" - FOR 100" DOOR HEIGHT,
	59004T	CABLE ASSEMBLY - 115" - 100" TO 105" DOOR HEIGHT
	59003T	CABLE ASSEMBLY - 130" - 105" TO 120" DOOR HEIGHT
60	61390T	SIDE SEAL - OTHER TYPES AVAILABLE
61	59157-3T	CABLE DRUM - LH (CURBSIDE) - 105" TO 120" DOOR HEIGHT,
62	59174-4T	CABLE DRUM - RH (ROADSIDE) - 105" TO 120" DOOR HEIGHT
63	69770T	HEAD SEAL ASSEMBLY (HEADER MOUNTED)
64	70001T	HEAD SEAL ASSEMBLY (PANEL MOUNTED)
65	89100-2T	DRIVE RIVET - 3/16" DIA. X 15/32" LONG
66	70318T	SAFETY NOTICE WARNING STICKER
67	70319T	WARNING STICKER - COUNTERBALANCE

**COUNTERBALANCE ASSEMBLIES**

(Counterbalance shafts assembled with springs and related parts)

15A	59292	Counterbalance Assembly, Outside Cables, 96" Shaft
15B	59174	Counterbalance Assembly, Outside Cables, 90" Shaft
15C	59209	Counterbalance Assembly, Shallow Header, 96" Shaft
15D	59197	Counterbalance Assembly, Heavy Duty

Todco identifies right hand and left hand parts as if you are standing inside the trailer facing towards the rear.


This pertains only to Todco.





TODCO 1 1/8" FIBERGLASS INSULATED DOOR ASSEMBLY

DOOR NOT STOCKED. REFERENCED FOR PARTS ONLY




**TODCO 1 1/8" FIBERGLASS INSULATED DOOR ASSEMBLY**

ITEM	PART NO.	DESCRIPTION
1	49593-2T	VERTICAL TRACK - R.H. (ROADSIDE)
2	49593-1T	VERTICAL TRACK ASSEMBLY - RH (ROADSIDE)
3	80352-518T	HEX NUT - 5/16" NC
4	80322-319T	LOCKWASHER - 5/16"
5	59290T	COUNTERBALANCE SHAFT
5A	59174T	COUNTERBALANCE ASSEMBLY - 90" SHAFT ASSEMBLED WITH SPRING AND RELATED PARTS
6	51038T	BEARING ASSEMBLY
7	80300-2414T	HEX HEAD SET SCREW - 3/8" NC x 7/8"
8	59129-4T	CABLE DRUM - R.H. - TO 105" DOOR HEIGHT (ROADSIDE)
8	59157-4T	CABLE DRUM - R.H. - 105" TO 130" DOOR HEIGHT (ROADSIDE)
9	89168-3T	HEX HEAD BOLT - 5/16" NC x 7/8"
11	51036-2T	SPRING ANCHOR BRACKET
12	51043T	SPRING ANCHOR PLUG - 1-3/4" I.D. SPRING
13	59024T	SPRING ANCHOR PLUG - 2-1/2" I.D. SPRING
*14	51042T	SPRING - 1-3/4" I.D.
*15	59031T	SPRING - 2-1/2" I.D.
16	59158T	SPRING WINDING PLUG - 1-3/4" I.D. SPRING
17	59159T	SPRING WINDING PLUG - 2-1/2" I.D. SPRING
18	59129-3T	CABLE DRUM - L.H. - TO 105" DOOR HEIGHT (CURBSIDE)
18	59157-3T	CABLE DRUM - L.H. - 105" TO 130" DOOR HEIGHT (CURBSIDE)
19	80352-420T	HEX NUT - 1/4" NC
20	80322-255T	LOCKWASHER - 1/4"
21	80105-414T	HEX HEAD BOLT - 1/4" NC x 1-3/4"
22	49702-2T	HORIZONTAL TRACK - R.H. (ROADSIDE)
23	49702-1T	HORIZONTAL TRACK - L.H. (CURBSIDE)
24	61390T	SIDE SEAL - PAIR
25	89100-1T	DRIVE RIVET - 3/16" DIAMETER
26	51044T	CABLE ASSEMBLY - TO 100" DOOR HEIGHT
26	59004T	CABLE ASSEMBLY - 100" TO 105" DOOR HEIGHT
26	59003T	CABLE ASSEMBLY - 105" TO 120" DOOR HEIGHT
27	29652T	TOP PANEL - WITH TOP CAP - SPECIFY PANEL HEIGHT & WIDTH
28	29650T	INTERMEDIATE PANEL - 11" - SPECIFY PANEL LENGTH
29	29651T	INTERMEDIATE PANEL - 15" - SPECIFY PANEL LENGTH
**30	29640T	BOTTOM PANEL - 11" WITH HARDWARE, NO LOCK
**31	29641T	BOTTOM PANEL - 15" WITH HARDWARE, NO LOCK
32	89291-0048T	RIVET - 1/4" x 1-1/2" (S.S.)
33	61401T	LIFT HANDLE
35	69832T	PULL STRAP RETAINER
36	80015-1613T	STEP BOLT - 1/4" NC x 1-5/8" LG.
37	80844-1408T	PULL STRAP - 30" STRAIGHT STANDARD (44" LG.)
38	69572T	KEEPER ASSEMBLY
39	70093T	CATCH BOX ASSEMBLY
40	69571T	MAXIMUM SECURITY LOCK ASSEMBLY
41	89291-0044T	RIVET - 1/4" x 1-3/8" (S.S.)
42	61204T	CABLE ANCHOR BRACKET
43	61026T	CABLE ANCHOR PIN
44	80401-316T	COTTER PIN - 3/32" DIAMETER
45	70084T	BOTTOM SEAL
46	69110T	BOTTOM ANGLE
47	69035T	END HINGE
48	80020T	SPACER WASHER - ROLLER
49	69162T	ROLLER - SEALED
50	69989T	JOINT SEAL
51	70083T	TOP CAP
52	69718T	HEADER SEAL
53	59092T	FILLER PLUG - 2-1/2" I.D. SPRING
54	89409T	BASE - ADJUSTABLE TOP FIXTURE
55	69431T	SLIDE - ADJUSTABLE TOP FIXTURE
56	80302-2436T	FLATWASHER - 3/8"
57	89049T	E-LOCK BOLT - 3/8" NC
58	61196T	CENTER HINGE
59	89113-1T	BLIND RIVET - 1/4" DIAMETER x 1/4" GRIP
60	70082-2T	BOTTOM FIXTURE - R.H. (ROADSIDE) SHOWN
60	70082-1T	BOTTOM FIXTURE - L.H. (CURBSIDE)
61	80023T	SPACER WASHER - DRUM
62	49594-1T	VERTICAL TRACK ASSEMBLY - L.H., INSIDE CABLES (CURBSIDE)
63	49594-2T	VERTICAL TRACK ASSEMBLY - R.H., INSIDE CABLES (ROADSIDE)
64	59083T	BEARING ASSEMBLY
65	80701-2T	BEARING
66	51079-1T	CABLE ASSEMBLY - L.H. (CURBSIDE)
67	51079-2T	CABLE ASSEMBLY - R.H. (ROADSIDE)
68	89291-0052T	Rivet - 1/4" x 1-5/8" (S.S.)
69	70318T	Safety Notice, Warning Sticker
70	70319T	Warning Sticker

Note:
Some items will
have to be
special ordered.

Supplementary Parts For Todco Doors - see next page also



Item	Part No.	Description
7	70131T	Side Seal - 2 Lip
8	69840T	Side Seal - Extended Lip
9	70338T	Side Seal (Replaces 69897 Push-In Seal)
10	69922T	Side Seal Assembly
11	70105T	Side Seal Ass'y - Secondary
12	70232T	Side Seal Ass'y - 1" Brush
13	89204T	Bottom Seal - Heavy Duty
14	69964-1T	Bottom Fixture Ass'y HD, LH (Curbside)
	69964-2T	Bottom Fixture Ass'y HD, RH (Roadside)
15	70236T	End Hinge - High Strength
	70238T	Center Hinge - High Strength
16	89217-0032	Rivet - 1" Stainless Steel
	89217-0036	Rivet - 1-1/8" Stainless Steel
	89217-0040	RTivet - 1-1/4" Stainless Steel
	89217-0042	Rivet - 1-5/16" Stainless Steel
	87217-0044	Rivet - 1-3/8" Stainless Steel
	89217-0048	Rivet - 1-1/2" Stainless Steel
17	89084-0032	Rivet - 1" Flathead

* Give spring length and number of coils in 10" of spring.

** Includes bottom seal, bottom angle and bottom roller holders, drilled for lock. Does not include lock, pull strap, lift handle or cable anchors. Steel or Stainless steel rivets ONLY must be used on Lock, Cable Anchors, Pull Strap and Lift Handle.



TODCO

GENUINE TODCO REPLACEMENT PARTS

TODCO



Steel Roller, 1" Diameter	
Part No.	Application
1190653	Dry & Insulated Doors
80020T	Spacer Washer

Universal Door Saver load bar.
U.S. Post Office Spec.
Complete with catch assembly and camtainers. Part No. 39582T
One size fits all 96" - 102" wide trailers.
Protect your door from knocks and bangs.



1" Sealed Roller	
Part No.	Application
69162T	Various



Bottom Fixture	
Part No.	Application
61352T	Dry freight door



Center Hinge	
Part No.	Application
61196T	Dry & insulated doors
70434T	Stainless Steel



End Hinges	
Part No.	Application
69035T	Dry & insulated doors
70311T	2 Piece Removable
70236T	Heavy Duty End Hinge
70435T	Stainless Steel

3/8"NC x 7/8" Hex head set screw



Note: For up to 105" door height. Curbside shown

Cable Drums	
Part No.	Description
59129-1T	Cable Drum (Curbside)
59129-2T	Cable Drum (Roadside)




Part No. 69431 Slide, Top Fixture
Part No. 69432 Base, Top Fixture

Adj. Top Fixture Assembly	
Part No.	Application
69433T	Dry, 1 1/8" insulated



Bearing Assembly	
Part No.	Application
51038T	Dry & insulated doors



Rear Lock & Keeper	
Part No.	Description
69571T	Maximum Security Lock
69572T	Keeper Assembly



Lift Handle	
Part No.	Application
61401T	Dry & insulated doors




Pull Straps	
Part No.	Application
80844-1T	Order by the foot
70393T	30" long, straight
Pull Strap Retainer	
69832T	Various

**WHITING ROLL-UP DOOR ASSEMBLIES**

FOR A WHITING PREMIUM 2" ROLLER DRY FREIGHT DOOR ASSEMBLY TO COME COMPLETE WITH TRACK AND COUNTERBALANCE PUT THE WORD "KIT" ON THE END OF THE PART NUMBER: For Example:

WH90x90LTO is a drop in door only.

WH90x90KIT comes with drop-in door and track and counter balance.



Door Part No.	Nominal Size	Actual Door Size	For Opening Size	Door Stack - Panel Sizes - Info
WH90X90LTO	90x90	90Wx90H	87 ³ / ₄ x87 ³ / ₄	1 11.5" Bottom, 4 15.5" Int., 1 16.5" Top
WH90X90KIT	90x90	90Wx90H	87 ³ / ₄ x90	1 11.5" Bottom, 4 15.5" Int., 1 16.5" Top
WH90X100LTO	90x100	90Wx100H	87 ³ / ₄ x97 ³ / ₄	1 15" Bottom, 3 15" Int., 2 11.5" Int., 1 17" Top
WH90X100KIT	90x100	90Wx100H	87 ³ / ₄ x100	1 15" Bottom, 3 15" Int., 2 11.5" Int., 1 17" Top
WH98X100LTO	98x100	98Wx100H	95 ³ / ₄ x97 ³ / ₄	1 15" Bottom, 3 15" Int., 2 11.5" Int., 1 17" Top
WH98X100KIT	98x100	98Wx100H	95 ³ / ₄ x100	1 15" Bottom, 3 15" Int., 2 11.5" Int., 1 17" Top
WH98X107LTO	98x107	98Wx107H	95 ³ / ₄ x107	1 15" Bottom, 5 15" Int., 1 17" Top
WH98X107KIT	98x107	98Wx107H	95 ³ / ₄ x107	1 15" Bottom, 5 15" Int., 1 17" Top
WH98X107BSLTO	98x107	98Wx107H	95 ³ / ₄ x107	1 15" Bottom, 5 15" Int., 1 17" Top (w/bottom seal)
WH98X107BSKIT	98x107	98Wx107H	95 ³ / ₄ x107	1 15" Bottom, 5 15" Int., 1 17" Top (w/bottom seal)
WH98X107BSWHLTO	98x107	98Wx107H	95 ³ / ₄ x107	1 15" Bottom, 5 15" Int., 1 17" Top (White w/bottom seal)
WH98X107BSWHKIT	98x107	98Wx107H	95 ³ / ₄ x107	1 15" Bottom, 5 15" Int., 1 17" Top (Wht w/bttm seal)

KITS have these parts included:

Counter balance, LH & RH Horizontal tracks, LH & RH Vertical tracks.

NOTE: Side seals are not included with door kits. Order separately if desired.

WHITING**Available Features:**

- Premium grade 7 ply, 3/4" panels manufactured with a medium density overlay (MDO), laminated to smooth hardwood outer veneers of Transportation Core™ plywood, all designed for optimum strength and appearance.
- 2" track and nylon rollers for durability. • Tongue-and-groove type or ship lap joint-(special order)
- 2 cable balancer with independent spring for each cable. • Springs treated with rust preventative.
- 4 rows of hinges. • Patented roller-change hinge design. • Aluminum or steel rivets.
- Prime painted at factory. • Door hardware E-COATED. (Automotive quality corrosion protection.)

GENERAL PURPOSE ROLL-UP DOOR ASSEMBLIES

GENERAL PURPOSE IN WHITE: THE LETTERS "WH" ARE AFTER THE PART NUMBER: Example: 1098112 is a drop in door only, and 1098112WH is the same door in White. Then, 1098112WHKIT comes with white drop-in door and track and counterbalance; tongue and groove panels, and 1" rollers. Drop-in door includes hardware only. 99112W is the track and operator kit for 112" general purpose doors. 99900T is the track and operator kit for all other general purpose doors. Side seals are not included. Order separately if desired.

"GENERAL PURPOSE" DOOR ASSEMBLIES (GP DOORS!)


Door Part No.	Nominal Size	Actual Door Size	For Opening Size	Door Stack / Panel Sizes
GP90X100	90x100	90Wx100H	87 ³ / ₄ x100	1 15" Bottom, 3 15" Int., 2 11" Int., 1 18" Top
GP90X100KIT	90x100	90Wx100H	87 ³ / ₄ x100	1 15" Bottom, 3 15" Int., 2 11" Int., 1 18" Top
GP98X107	98x107	98Wx107H	95 ³ / ₄ x107	1 15" Bottom, 5 15" Int., 1 17" Top
GP98X107KIT	98x107	98Wx107H	95 ³ / ₄ x107	1 15" Bottom, 5 15" Int., 1 17" Top
GP98X107WH	98x107	98Wx107H	95 ³ / ₄ x107	1 15" Bottom, 5 15" Int., 1 17" Top
GP98X107WHKIT	98x107	98Wx107H	95 ³ / ₄ x107	1 15" Bottom, 5 15" Int., 1 17" Top
1098112	98x112	98Wx112H	95 ³ / ₄ x112	1 13" Bottom, 7 11.5" Int., 1 18.5" Top
1098112KIT	98x112	98Wx112H	95 ³ / ₄ x112	1 13" Bottom, 7 11.5" Int., 1 18.5" Top
1098112WH	98x112	98Wx112H	95 ³ / ₄ x112	1 13" Bottom, 7 11.5" Int., 1 18.5" Top
1098112WHKIT	98x112	98Wx112H	95 ³ / ₄ x112	1 13" Bottom, 7 11.5" Int., 1 18.5" Top



WHITING ROLL-UP DOOR PANELS

INTERMEDIATE PANELS

Part No.	Description
WH242-11x98	11" high, 98" wide, 3/4", plastic covered, ship lap joint.
WH242-12x98	12" high, 98" wide, 3/4", plastic covered, ship lap joint.
WH242-13x98	13" high, 98" wide, 3/4", plastic covered, ship lap joint.
WH242-15x98	15" high, 98" wide, 3/4", plastic covered, ship lap joint.
WH342-11.5x98	11.5" high, 98" wide, 3/4", plastic covered, tongue and groove.



Standard Features:

Premium grade 7 ply, 3/4" panels manufactured with a medium density overlay (MDO), laminated to smooth hardwood outer veneers of Transportation Core™ plywood, all designed for optimum strength and appearance. Tongue-and-groove type or ship lap joint. Panels are prime-painted and plastic coated.

BOTTOM PANELS

Part No.	Description
WH243-12x98	12" high, 98" wide, 3/4", plastic covered, ship lap joint, no seal or u-channel.
WH243-15x98	15" high, 98" wide, 3/4", plastic covered, ship lap joint. no seal or u-channel.
WH345-2-15x96	15" high, 96" wide, 3/4", plastic covered, tongue & groove, with u-channel.
WH345-3-15x98	15" high, 98" wide, 3/4", plastic covered, tongue & groove, w / u-channel / rubber.

WHITING

ROLL-UP DOOR CABLES

All door cables are 7 x 19 preformed galvanized (GA) or stainless steel aircraft cable. Fittings are all aluminum. Cables sold in pairs only.



WHITING


WHITING ROLL-UP DOOR CABLE SELECTIONS				
Length (")	Type	Eye Size	Color Code	Part No. Number
105	SS	7/16"	Yellow	1014250
105	GA	7/16"	Yellow	1014250GA
110	SS	7/16"	Brown	1014252
110	GA	7/16"	Brown	1014252GA
115	SS	7/16"	Green	1014255
115	GA	7/16"	Green	1014255GA
115	SS	5/16"	Green	1014256
115	GA	5/16"	Green	1014256GA
125	SS	5/16"	White	1014251
125	GA	5/16"	White	1014251GA
125	SS	7/16"	Red	1014253
125	GA	7/16"	Red	1014253GA
130	SS	7/16"	N/C	1014254
130	GA	7/16"	N/C	1014254GA
135	SS	7/16"	Blue	1014257
135	GA	7/16"	Blue	1014257GA

TODCO ROLL-UP DOOR CABLE SELECTIONS				
Length (")	Type	Eye Size	Color Code	Part No. Number
110	SS	5/16"	Red	1014245
110	GA	5/16"	Gray	1014245GA
115	SS	5/16"	Blue	1014246
115	GA	5/16"	Black	1014246GA
120	SS	1/4"	Orange	1014247
125	GA	1/4"	Blue	1014259GA
130	SS	5/16"	Yellow	1014248
130	GA	5/16"	Green	1014248GA
130	SS	1/4"	Yellow	1014249

Note: The spools on Whiting cables with 5/16" eyes are beveled on one side for ease of installation on U-bolt style cable anchors. Whiting cables with 7/16" I.D. diameter spools are for attachment to bottom roller shafts.



WHITING PREMIUM 3/4" DRY FREIGHT DOOR ASSEMBLY



WHITING



WHITING PREMIUM 3/4" DRY FREIGHT DOOR ASSEMBLY

Item	Part No.	Description
2	WH242	INTERMEDIATE PANEL - PLASTIC - SHIP LAP JOINT (SPECIFY LENGTH & WIDTH)
2	WH342	INTERMEDIATE PANEL - PLASTIC - TONGUE & GROOVE JOINT (SPECIFY LENGTH & WIDTH)
2	WH252	INTERMEDIATE PANEL - ALUMINUM - SHIP LAP JOINT (SPECIFY LENGTH & WIDTH)
2	WH352	INTERMEDIATE PANEL - ALUMINUM - TONGUE & GROOVE JOINT (SPECIFY LENGTH & WIDTH)
3	WH243	BOTTOM PANEL PLAIN - PLASTIC - SHIP LAP JOINT (SPECIFY LENGTH & WIDTH)
3	WH343	BOTTOM PANEL PLAIN - PLASTIC - TONGUE & GROOVE JOINT (SPECIFY LENGTH & WIDTH)
3	WH253	BOTTOM PANEL PLAIN - ALUMINUM - SHIP LAP JOINT (SPECIFY LENGTH & WIDTH)
3	WH353	BOTTOM PANEL PLAIN - ALUMINUM - TONGUE & GROOVE (SPECIFY LENGTH & WIDTH)
4	WH11-2	2" HORIZONTAL TRACK, CURBSIDE, 8" RADIUS, 130" LONG
5	WH11-3	2" HORIZONTAL TRACK, ROADSIDE, 8" RADIUS, 130" LONG
6	WH1031	2" VERTICAL TRACK, 130" LONG (ROADSIDE OR CURBSIDE)
7	WH2275-1-100	VERTICAL TRACK AND MOUNTING ANGLE ASSEMBLY - CURBSIDE (FOR 100" DOOR)
7	WH2275-1-90	VERTICAL TRACK AND MOUNTING ANGLE ASSEMBLY - CURBSIDE (FOR 90" DOOR)
7	WH2275-2-100	VERTICAL TRACK AND MOUNTING ANGLE ASSEMBLY - ROADSIDE (FOR 100" DOOR)
7	WH2275-2-90	VERTICAL TRACK AND MOUNTING ANGLE ASSEMBLY - ROADSIDE (FOR 90" DOOR)
8	WHXX	MOUNTING ANGLE (SPECIFY LENGTH & SIZE)
9	WH5423	SIDE SEAL, 110" LONG
10	WH18-3X96	BOTTOM U-CHANNEL, 96"
11	WH1801	BOTTOM U CHANNEL SEAL RETAINER - ALUMINUM
12	WH1676X96	BOTTOM SEAL, 96" LONG
13	WH23-XX	PULL DOWN STRAP (NOTE: NEW LIFE PART NUMBER DPS18 / DPS24 / DPS32 CAN BE SUBSTITUTED)
14	WH10-1002-11	RIVET, 1/4" X 1-1/8", 1/2" DIA. HEAD
15	WH1715	GRAB HANDLE
17	WH77	LOCK ASSEMBLY, NO KEEPER
18	WH10-1002-42	RIVET, 1/4" X 1-1/16", 3/4 DIA. HEAD
19	WH10-1002-9	RIVET, 1/4" X 1-5/16", 1/2" DIA. HEAD
20	WH2804	LATCH PLATE
21	WH7515	HANDLE KEEPER
22	WH70-13	CABLE ANCHOR, 1-1/4" U-BOLT
23	WH1021	BOTTOM ROLLER SHAFT COVER
24	WH1370	BOTTOM ROLLER BRACKET STUD PLATE
25	WH10-1022-1	KEP NUT, 1/4-20
26	WH10-1002-3	RIVET, 1/4 X 1, 3/4" DIA. HEAD, CADMIUM PLATED STEEL.
27	WH1209A	ROLLER HINGE COMPLETE WITH COVER CLAMP AND NUTS
28	WH1208	ROLLER HINGE COVER CLAMP
29	WH1207	ROLLER HINGE
30	WH15	CENTER HINGE
31	WH10-1002-11	RIVET, 1/4" X 1-1/8", 1/2" DIA. HEAD
32	WH6	SPACER WASHER
33	WH3228	2" NYLON ROLLER (PART NUMBER 1190654 CAN BE SUBSTITUTED)
33	WH2996	2" STEEL ROLLER (PART NUMBER 1190664 CAN BE SUBSTITUTED)
34	WH6943	TOP CLOSURE SLIDE
35	WH1264	TOP CLOSURE BASE WITH NUTS AND BOLTS
36	WH6944	TOP CLOSURE ASSEMBLY COMPLETE
37	WH4032-98	TOP SEAL, 98" LONG
38	WH2376	BALANCER ASSEMBLY, 87" OR 96" (LESS ITEMS 39 - 43, 52, 56)
39	WH2524	BALANCER BRACKET - ROADSIDE
40	WH2523	BALANCER BRACKET - CURBSIDE
41	WH2525	BALANCER BRACKET, CENTER
42	WH2523	BALANCER BRACKET CLAMP
43	WH10-1063-1	SELF LOCKING NUT, 5/16"-18
44	WH2528	BALANCER SHAFT, 96" LONG
45	WH2547	CABLE DRUM AND BEARING ASSEMBLY - ROADSIDE
46	WH2548	CABLE DRUM AND BEARING ASSEMBLY - CURBSIDE
47	WH2518	WINDING CONE
48	WH2471	SPRING SPACER (CUT TO RELAXED SPRING LENGTH + 4-1/4")
49	WH2704-156X19	TORSION SPRING - ROADSIDE, LH WOUND
50	WH2705-156X19	TORSION SPRING - CURBSIDE, RH WOUND
51	WH2522	THRUST WASHER
52	WH10-1009-8	COTTER PIN (3/16" X 1-1/2")
53	WH10-1033-2	SELF LOCKING NUT (5/16"-18)
54	WH83	2" TRACK STOP BUMPER
55	WH10-1010-3	BOLT, 1/4"-20 X 2-1/2"
56	WH1-XX	1/8" STAINLESS STEEL CABLE WITH 5/16" EYE. (SEE REPLACEMENT CABLES, PAGE 35)
57	WH2699	SET SCREW 3/8-16 X 5/8
58	WH10-1006-1	WASHER, 1/4 X 3/4
59	WH2370	BOLT, 5/16 X 5/8
60	WH5726	WEAR PLATE, FOR DOORS WITH BOTTOM SEAL
61	WH1371-A	COMPLETE BOTTOM BRACKET WITH COVER

Note:

Curbside and roadside parts for Whiting doors are identified as if you were **standing outside, at the rear of the vehicle, facing forward.**

WHITING



WHITING GENUINE WHITING REPLACEMENT PARTS WHITING



Lock Assembly, Less keeper	
Part No.	Application
WH77	For 3/4" door
WH4077	Rear Cam lock




WHITING

Lock keeper	
Part No.	Application
WH7515	For 3/4" door




2" Patented Steel Roller	
Part No.	Application
WH2996	2" steel (1190664)
2" Steel Roller with 5" Shaft	
WH2996-3	Roller with 5" Shaft



Roller Hinge w/Cover	
Part No.	Application
WH1209A	3/4" & insulated doors

Cover Clamp
Part No. WH1208



(A) Bottom Brk't With Cover	
Part No.	Application
WH1371-A	Bracket for bottom roller
(B) Bottom Roller Brk't Stud Plate	
WH1370	Component of WH1371
(C) Bottom Roller Shaft Cover	
WH1021	Component of WH1371



2" Nylon Roller	
Part No.	Application
WH3228	2" nylon roller (1190654)



Latch Plate	
Part No.	Application
WH2804	3/4" doors




Center Hinge	
Part No.	Application
WH15	3/4" & insulated doors
WH33	Hinge pin, knurled and hardened for WH15




WH2547 Shown

Cable Drum & Bearing Assemblies	
Part No.	Application
WH2547	Roadside
WH2548	Curbside



Side Seal	
Part No.	Application
WH5423	3/4" & 1" doors



Double Cable Balancer Assembly For Whiting Premium 3/4" Door				
Part No.	Application	Brackets		
WH2528	Operator Shaft - 96"	Curbside	Center	Roadside
WH2376-87	For 96" wide trailers	WH2523	WH2525 & WH2526	WH2524
WH2376-93	For 102" wide trailers	WH2523	WH2525 & WH2526	WH2524



Left hand Wound (Counterclockwise) Roadside
Right hand Wound (Clockwise) Curbside


Spring length is measured when the spring is relaxed.

Wire diameter is indicated by a paint marking on one end of the spring. When ordering, this color should be reported, if visible.

Spring length and wire diameter can also be found stamped on their center of the balancer shaft, or on a tag also near the center of the shaft.



FLEETCRAFT OVERHEAD DOOR PARTS (TODCO STYLE)



Counterbalance Assembly	
Part No.	Interchanges with
1026115	59292
With 1 ³ / ₄ " diameter spring, 98" shaft	
Counterbalance Shaft	
1026102	51037

Counterbalance Specifications	
Shaft Length	96"
Spring Length	60"
Easy spring adjustment; heavy .243 diameter spring wire with heavy duty cast aluminum cable drums with capability of storing 130' long cables.	

DOOR RIVETS	
Part No.	Size / Interchange
1026141	1" / 80841
1026142	1-1/8" / 80842
1026210	1-1/4"

Top Fixture Assembly	
Part No.	Interchanges with
1026136	69433
Includes base, slide, & hardware	
1026134	69432
Top fixture base	



End Hinge	
Part No.	Interchanges with
1026132	69035
Zinc plated - Pack = 25	




Center Hinge	
Part No.	Interchanges with
1026119	61196
Zinc plated - Pack = 25	



Anchor Bracket - for door cable	
Part No.	Interchanges with
1026120	61204
Zinc plated	



Rear Lock	
Part No.	Interchanges with
1026138	69571
Spring assisted for positive lock; Cast steel, zinc plated.	



Steel Roller, 1" Diameter	
Part No.	Application
1190653	Steel - Pack = 50



Bottom Fixture	
Part No.	Interchanges with
1026123	61352
Zinc plated	




Lift handle	
Part No.	Interchanges with
1026128	61401
Heavy duty, zinc plated	



Rear Lock Keeper	
Part No.	Interchanges with
1026139	69572
Cast, zinc plated	



Pull Strap Retainer	
Part No.	Interchanges with
1026143	69832
Galvanized; universal applications	



Safety Chain Assembly	
Part No.	Interchanges with
1026131	69020
Cast steel, spring loaded, Zinc finish	
Keeper Assembly	
1026121	61223, WH4110
Chain Assembly	
1026122	61229, W H4126



Bearing Assembly	
Part No.	Interchanges with
1026103	51038
For 1" diameter shaft	




**FLEETCRAFT OVERHEAD DOOR PARTS - WHITING STYLE**

Whiting Style Rear Lock & Handle Keeper	
Part No.	Description
1027577	Interchanges w/ WH77 lock
1027578	Handle keeper, use w/ lock




Roller Hinge	
Complete Assembly	
Part No.	Interchanges with
1027119	WH1209A




Center Hinge	
Part No.	Interchanges with
1027115	WH15
Zinc plated	

Door Pull Strap Assembly		
Part No.	"A"	Description
DPS18	18"	Strap assembly
DPS24	24"	Strap assembly
DPS32	32"	Strap assembly



Bottom Angle	
Steel angle used on bottom of bottom panels.	
Part No.	Description
1026118	95 1/4" long, zinc plated



Steel & Nylon Rollers, 2" Diameter	
Part No.	Application
1190664	Steel
1190654	Nylon



Lift Handle	
Part No.	Interchanges with
1027715	WH1715




Balancer Assembly	
Double cable style.	
Part No.	Description
1027093	93" long shaft .187 x 31" spring
1027096	96" long shaft .187 x 31" spring

**FLEETCRAFT ROLL-UP DOOR PANELS**


Part No.	Description
71411X98	11" intermediate panel
71412X98	12" intermediate panel
71415X98	15" intermediate panel
71411X98WH	11" white intermediate panel
71412X98WH	12" white intermediate panel
71415X98WH	15" white intermediate panel

81611X98	11" bottom
81612X98	12" bottom
81615X98	15" bottom
81611X98WH	11" white bottom panel
81612X98WH	12" white bottom panel
81615X98WH	15" white bottom panel



*3/4"
Tongue
in
Groove
style*

98" wide.



Bottom panels have hardware installed on one end, come with bagged hardware, and pull strap. All are 3/4", pre-routed and primed.



SWING DOORS AND SWING DOOR PART ACCESSORIES



Premium exterior grade plywood cores with a variety of facings to meet your specifications..
 Facings include pre-painted aluminum, mill finish aluminum, pre-painted steel, stainless steel and galvanized steel.

***ABBREVIATIONS:**

PPW: Pre-painted White, **PPG:** Pre-painted Gray, **MFA:** Mill Finish Aluminum, **HDG:** Heavy Duty Galvanized

Part Number Description

1/2" Door

1/2X4X10WH-MFA PPW* one side, MFA* opposite. (120" tall)

3/4" Door

3/4X4X10SS Stainless steel one side, galvanized steel opposite. (120" tall)

3/4X4X10WH PPW* Aluminum one side, galvanized steel opposite. (120" tall)

3/4X4X10WH-MFA PPW* Aluminum one side, mill finish aluminum opposite. (120" tall)

(Some of our branches use Part Numbers: 1013870, or 1013872)

3/4X4X110.5W-HDG PPW* Aluminum one side, heavy duty galvanized opposite. (110.5" tall)

3/4X4X110.5WH-MFA PPW* Aluminum one side, mill finish aluminum opposite, (110.5" tall.)

(Some of our branches use Part Numbers: 1013873, or 1013874)

3/4X4X12WH-MFA PPW* Aluminum one side, mill finish aluminum opposite, (144" tall.)



1" Door, AAR RAILROAD APPROVED


1X4X110.5W-AAR PPW* .026 Steel one side, galvanized steel opposite, (110.5" tall.)

1-1/4" Door, AAR RAILROAD APPROVED


11/4X4X110.5W-AAR PPW* .026 Steel one side, galvanized steel opposite, (110.5" tall)

Aluminum Door Frame
 For 3/4" thick ply-metal doors.
 Used with X128 seal.
 10 foot long.

Part No. X395X120



Compression Type Door Seal
Neoprene Closed cell compression type seal for use with X395 aluminum door frame. Color black. Order by the foot.
Part No. X128



Corner Repair
 For 3/4" thick ply-metal doors.
 3/4"x18"x18"
Part No. 1013875




Corner Tab Adhesive	
Part No.	Application
1013862	4 oz. can w/brush in lid.
Welds corner tabs to seal corners.	



Vinyl Corner Tabs	
Part No.	Application
1013859	7/8" wide / 96 per bag
1013860	1-1/4" wide / 96 per bag



Molded Corner Seal	
Part No.	Application
1014080	3/4" seal
1014081	1/2" seal



Corner Reinforcement	
Heavy duty drop forged corner iron.	
Part No.	Size
1010083	12" x 12" x 1 1/2"





SWING DOOR SEAL

Dual Durometer Seal

A premium quality seal that stands up to severe service. Does not crack in the cold. Withstands warm weather without warping or distortion. Length - 14'

Seal Part No.	Door Thickness "A"		Standard Carton Quantity: 15 (All Sizes)
1013865	1/2"		
1013863	3/4"		
1014044	1"		
1014045	1 1/4"		
1014076	1 1/2"		
1014090	3/4" (Sea-Lok® brand)		


SWING DOOR SEAL - "SUPER SEAL (SS)"

Dual Durometer "Super Seal"

Moisture is the enemy of Ply-metal doors. Sealing beads on this seal contact the door surface when this seal is installed, helping to insure a waterproof installation.





Length - 14' - 15 per carton - 3/4" application.
Part No. 3/4X14SS



SWING DOOR TRUSEALOR® DOOR SEALS


**TRU-SEALOR® DOOR SEAL
Aluminum and Vinyl Seal Assemblies**

Door Thickness	Assembly Part No.	Includes These Components	
		Door Extrusion	Door Seal
3/4"	1013880	1013868	1013867
1"	1013881	special order	1013867




Aluminum Extrusion

Part No. 1013868 For 3/4" Panel
special order For 1" Panel
special order For 1 1/4" Panel
For installation on door panel.
Standard length 14 feet.




Vinyl Door Seal

Part No. 1013867
For All Panel Sizes.
Used with aluminum extrusions for 3/4", 1 1/8" and 1 1/4" thick panels.
Standard length 14 feet.





REAR DOOR LOCK HARDWARE



Rear Door Lock Hardware Kit
 Zinc plating on all steel components
 Can be installed on RH or LH door.

Part No. DL-BU-1

Parts List			
Item	Qty.	Description	Part No.
1	2	Keeper	1064
2	2	Rod end, top curbside	4044
3	2	Cam guide bearing	4042PR
4	2	Cam Guide	4207
5	2	Rod guide bushing	4006PR
6	1	Rod guide	4005
7	1	Seal plate	4011
8	1	Seal pin	4012
9	1	Lever handle	4090
10	1	Handle mount	4208
11	1	Lock Shaft**	1039113
12	1	Rod end, bottom curbside	4043

**Lock shaft not included.

Lock Shaft
1 3/8" O.D. Hot Dipped Galvanized Tubing 120 Inch Length
Part No. 1039113



Other lock kits available in stock!

MID-CAM REAR DOOR LOCK HARDWARE




**Extra Security For Rear Doors.
 MID-CAM REAR DOOR LOCK KIT**

Zinc plated for long wear. An optional lock assembly for use with rear door lock hardware.

Part No. MC6000


Item	Description
1.	3/8" X 3" Plated Hex Bolt
2.	Cam Bearing
3.	3/8" Hex Lock Nut
4.	Cam Lock
5.	Lock Brackets
6.	3/8" X 4" Plated Hex Bolt

Other lock kits available in stock!






TRAILER SIDE DOOR KIT



Part No. 1190338 SIDE DOOR KIT			
Door Opening 42" Wide, 80" High			
Parts List			
Item	Part No.	Description	Qty.
1	1114610	Steel Frame, 95" High, 1-3/8" Post Thickness	1
2	1208943	3/4" Door, With Gasket , Undrilled	1
3	1010143	HINGE STRAP*	3
4	1010164	Hinge Bracket*	3
5	1153668	Hinge Pin*	3
6	1036612	Hinge Washer*	3
7	1F-316	Cotter Pin*	3
8	WS-3/4	Hardware Kit, Less Lock Rod Shaft	1
9	7554-25	Lock Shaft, 3/4"X54 1/4"	1

Note:

As a standard practice, reinforcements are added to trailers when installing a side door. Caution is urged if installing in trailer with higher or lower post height than 95". Additional reinforcements to both frame and trailer may be necessary. For Dry Van Trailers Only.



SIDE DOOR LOCK - Part No. WS-3/4

Zinc plating on all forged steel parts
Can be installed for RH or LH opening.

Item	Part No.	Description
1	1064	Cam Keeper
2	4148	Cam End (lever to right)
3	4085	Guide Plate
4	4077	Guide Plate
5	4012	Seal Pin
6	4208	Lever Mount
7	4090	Lock Rod Lever
8	4011	Seal Plate
9	4147	Cam End (lever to left)

Note: Lock shaft not included with Kit. Shaft is 3/4" pipe, 54 1/4" long. Order Separately under **Part No. 7554-25**




Other lock kits available in stock!



REPLACEMENT DOOR HINGES


Holes are
.41" diameter.




DORSEY	
Part No.	Description
1010158	Aluminum, 4 Hole
	Replaces 2810093




DORSEY	
Part No.	Description
1010159	Aluminum, 3 Hole
	Replaces 2810919




DORSEY	
Part No.	Description
4101481	Steel 3 Hole Hinge
	Zinc plated. Use with 4101483 hinge butt.




FRUEHAUF	
Part No.	Description
1010172	Aluminum, 3 Hole Hinge
	Interchange number DBA00158300




FRUEHAUF	
Part No.	Description
DCE008681-001	4 Hole Hinge, 4" Wide
	Steel, zinc plated.



FRUEHAUF	
Part No.	Description
1010168	4 Hole Hinge
	Extruded aluminum, replaces BCF004678001




FRUEHAUF	
Part No.	Description
DCF003980-001	4 Hole Hinge, 4" wide
	Steel, zinc plated.



GREAT DANE	
Part No.	Description
1010145	3 Hole Hinge
	Extruded aluminum, replaces 08206




REPLACEMENT DOOR HINGES




Holes are .39" diameter.

GREAT DANE	
Part No.	Description
1010146	3 Hole Hinge
	Extruded aluminum, Replaces 08138




Holes are .41" diameter.

GREAT DANE	
Part No.	Description
1010157	3 Hole Hinge w/ Insert
	Extruded aluminum, replaces 31801018




Holes are .39" diameter.

GREAT DANE	
Part No.	Description
1010163	3 Hole Hinge, New Style
	Extruded Aluminum, Replaces 42500813




Holes are .41" diameter.

GREAT DANE	
Part No.	Description
1010167	4 Hole Hinge
	Extruded aluminum, replaces 31800904




Holes are .39" diameter.

GREAT DANE	
Part No.	Description
1010169	3 Hole Hinge
	Extruded aluminum, replaces 15152




Holes are .41" diameter.

HYUNDAI TRAILER	
Part No.	Description
TRR7000C-AH	Extruded Aluminum 3 Hole Hinge



Holes are .41" diameter.

KENTUCKY	
Part No.	Description
1010144	3 Hole Hinge
	Steel, zinc plated, replaces A1-5984-50




Replacements for Lufkin, Stoughton, Wabash


MINER STEEL HINGES	
Part No.	Description
H-1060-3	3 Hole Hinge, 5/16" Steel, .39 hole dia.
H-1088	3 Hole Hinge, 1/4" Steel, .41 hole dia.
H-1060-4	4 Hole Hinge, 5/16" Steel, .41 hole dia.
H-1060-5-5	5 Hole Hinge, 5/16" Steel, .41 hole dia.




REPLACEMENT DOOR HINGES




MONON	
Part No.	Description
1010135	3 Hole Hinge Aluminum, with insert, replaces ED045011




MONON	
Part No.	Description
1010183	3 Hole Hinge Extruded aluminum, replaces PC1310




PINES	
Part No.	Description
1010160	3 Hole Hinge, 2.62" Wide Aluminum, replaces AE54111




STOUGHTON	
Part No.	Description
1010166	4 Hole Hinge Extruded aluminum, replaces 04-08316



STRICK	
Part No.	Description
1010170	3 Hole Hinge w/Insert, Extruded aluminum replaces AA35F00100100, SK01475




STRICK	
Part No.	Description
1010143	3 Hole Hinge, steel, zinc plated Replaces AA33C-0106-01, SK01361




STRICK	
Part No.	Description
1010171	4 Hole Hinge Extruded aluminum replaces AA35F00230100, SK01476




REPLACEMENT DOOR HINGES




TRAILMOBILE	
Part No.	Description
515-10-65	Extruded Aluminum 3 Hole Hinge




TRAILMOBILE	
Part No.	Description
1010139	Steel, zinc plated, 3 hole Replaces 515-10-73A




TRAILMOBILE	
Part No.	Description
1010142	Steel, zinc plated, 3 Hole Replaces 515-10-61A




TRAILMOBILE - 4 hole, extruded aluminum	
Part No.	Hole Sizes
515-10-78-1	.25"
515-10-78-3	.41"




UTILITY	
Part No.	Description
1010165	3 Hole Hinge, Steel Construction Zinc Plated, replaces UTM-4950-004



WABASH	
Part No.	Description
1010162	Extruded Aluminum 4 Hole Hinge
P108940A	Extruded Aluminum 4 Hole Hinge, 2-3/4 x 8-1/2"



VANGUARD	
Part No.	Description
1010137	Aluminum 3 Hole Hinge Replaces RFP00127




VARIOUS APPLICATIONS	
Part No.	Description
1010147	Steel, zinc plated; sold as assembly only. Pin includes removable nut, bolt, washers




REPLACEMENT TRAILER DOOR HINGE PINS

Hinge Pins - Steel, Zinc plated


Part No.	Dia.	Length "A"	Length "B"	Hole Size	Application
1010138	5/8"	3 ⁷ / ₈ "	4 ¹ / ₁₆ "	5/32"	Trailmobile
1153666	1/2"	5"	5 ¹ / ₄ "	5/32"	Miner Hinges
1153667	3/8"	4 ²⁷ / ₃₂ "	5"	1/8"	Great Dane
1153668	1/2"	3 ⁷ / ₈ "	4 ¹ / ₈ "	5/32"	Various




1010138



1153666



1153667




1153668




REPLACEMENT DOOR HINGE BRACKETS (HINGE BUTTS)

Hinge Butts - Notched

Part No.	Inside width	Height to hole center
1010136 -	3.00"	1.38"
1010150 -	4.25"	1.25"
HB-1156-6 -	4.25"	1.38"



Holes are .51" diameter.




Nylon Hinge Bearing Washer

Part No.	Application
1036612	1/2" Hinge Pins
Use between bottom of hinge and hinge bracket	

WCF003981-001-Fruehauf. Holes are .531". Base is 3/4".
4.06" **1.18"**

Hinge Butts - Straight

Part No.	Inside width	Height to hole center
1010164	3.18"	1.00" Base is 1.188"
1010151	4.25"	1.25"
4101483	2.88"	2.13"
SK01330	3.25"	1.50"
515-11-29S	2.88"	1.56" Stainless (Uses 5/8" pin.)
516-24-11	3.13"	1.25"
MP-087226	3.13"	.875"




Universal Hinge Bracket - 2 pc.

Part No. 1010156
 For any width hinge.
 Hole to center hole = **1.75"**
 For 1/2" diameter hinge pins, hole diameter is .50".





SWING DOOR HOLDERS / HOLDBACKS



8 1/2"
approx.



7 1/2"
approx.


Complete Kit - Set chain, snap assembly, lap link, and anchor
Part No. 1010149

Set chain, snap assembly, lap link
Part No. 021-00050

Lap link only
Part No. 021-00053


Fruehauf Style Door Holder	
Part No.	Description
1010148	Plastic coated cable. Approx 8.5" long 9/32" dia. holes on 1 1/2" centers

Chain & Snap Assembly with Anchor	
Part No.	Description
1010149 (021-00051)	Approx. 7.5" from surface to clasp end. .25" holes on 2.63" centers. Zinc plated.



Spring Loaded Door Holder	
Part No.	Description
1037902	Steel 1/2" diameter rod, zinc plated. Stores out of way when not in use.

Link Type Door Holder	
All Steel, Zinc plated finish	
2" Link Assembly	4" Link Assembly
Part No. 1010380-2	Part No. 1010380-4
Individual Parts	
(A) Post & Bracket	Part No. 1010381
(B) 2" Link	Part No. 1010382
4" Link (Great Dane)	Part No. 1010384
(C) Anchor	Part No. 1010383



Pig-Tail Hold-Back
Part No. 022-00577
Steel construction, Zinc plated finish, projection welded. Holes .38 diameter on 2" centers. 3.89" tall. 3.25" wide. Bracket height 1.25".

Wire Door Holder (A)		
4" Assembly		
Assembly Part No.	Male Part Only Part No.	Female Part Only Part No.
1037901-4-25	1037901-4-M	1037901-F
6" Assembly		
1037901-6-25	1037901-6-M	1037901-F



Heavy Duty Cast Door Holder, "T" (B)		
4" Assembly		
Assembly Part No.	Male Part Only Part No.	Female Part Only Part No.
1037900	1037900-M	1037900-F

