



LANDING GEAR SELECTIONS LISTING

Part No.	Description
FLEETCRAFT <small>QUALITY PARTS FOR THE TRUCKING INDUSTRY</small>	
1013912	Fleetcraft Square body with 4.5" tall 10x10 sand shoe. 16.87" travel, universal mount.
1013992	Fleetcraft Square body with 4.5" tall 10x10 sand shoe. 17" travel, outside mount.
1013993	Fleetcraft Square body with 10x10 cushion-foot shoe. 17" travel, outside mount.
1013994	Fleetcraft Square body with 10x10 lo-pro cushion-foot shoe. 17" travel, inside mount.
1013995	Fleetcraft Square body with 4.5" tall 10x10 sand shoe. 17" travel, universal mount.
1013996	Fleetcraft Square body with 4.5" tall 10x10 sand shoe. 19" travel, outside mount.

The Original! 

The J-Model! 

Part No.	Description
SAF-Holland <small>Engineering Your Road to Success</small>	
LGS-3A001	Holland Square body with 12" cushion-foot shoe. 16.5" travel, universal mount.
LGS-4A001	Holland Square body with 12" cushion-foot shoe. 17.6" travel, universal mount.
LGS-5A001	Holland Square body with 12" cushion-foot shoe. 18.8" travel, universal mount.
LGS-3A105	Holland Square body with 4.9" tall 12x11.5 sand shoe. 16.5" travel, universal mount.
LGS-4A105	Holland Square body with 4.9" tall 12x11.5 sand shoe. 17.6" travel, universal mount.
LGS-5A105	Holland Square body with 4.9" tall 12x11.5 sand shoe. 18.8" travel, universal mount.
LG5001-70	Holland Square body with 4.5" tall 10x10 sand shoe. 17" travel, universal mount.
LG5001-90	Holland Square body with 4.5" tall 10x10 sand shoe. 19" travel, universal mount.
LG4001-70	Holland Square body with 4.5" tall 10x10 sand shoe. 17" travel, universal mount.
LG4001-90	Holland Square body with 4.5" tall 10x10 sand shoe. 19" travel, universal mount.
LG400B-70	Holland Square body with 10x10 cushion-foot shoe. 17" travel, universal mount.
LG400B-90	Holland Square body with 10x10 cushion-foot shoe. 19" travel, universal mount.
785131S	Holland Square body with 10x10 cushion-foot shoe. 16.87" travel, universal mount.
1013932	Holland Square body with 2.5" tall 10x10 sand shoe. 16.87" travel, universal mount.

The Mark VI! 

The 5000! 

The 5100! 

The CMS2! 

Part No.	Description
JUST	
A400-G-17	Jost Square body with 10x10 cushion-foot shoe. 17" travel, outside mount.
A400-G-19	Jost Square body with 10x10 cushion-foot shoe. 19" travel, outside mount.
A400-G3-17	Jost Square body with 10x10 lo-pro cushion-foot shoe. 17" travel, outside mount.
A400-G3-19	Jost Square body with 10x10 lo-pro cushion-foot shoe. 19" travel, outside mount.
A400-T-17	Jost Square body with 4.5" tall 10x10 sand shoe. 17" travel, outside mount.
A400-T-19	Jost Square body with 4.5" tall 10x10 sand shoe. 19" travel, outside mount.
A401-G-17	Jost Square body with 10x10 cushion-foot shoe. 17" travel, inside mount.
A401-G3-17	Jost Square body with 10x10 lo-pro cushion-foot shoe. 17" travel, inside mount.
A401-T-14	Jost Square body with 4.5" tall 10x10 sand shoe. 14" travel, inside mount.
A401-T-17	Jost Square body with 4.5" tall 10x10 sand shoe. 17" travel, inside mount.
A401-T-19	Jost Square body with 4.5" tall 10x10 sand shoe. 19" travel, inside mount.
A401-T1-17	Jost Square body with 2" tall 10x10 sand shoe. 17" travel, inside mount.
A441-G3-17	Jost Square body with 10x10 lo-pro cushion-foot shoe. 17" travel, inside mount. (Magnum!)

Outside mount w/ cushion foot 

Outside mount w/ sand shoe 

Insidemount 

These landing gear have different leg travels and load capacities. This is a listing to let you know what we have in choices of Landing Gear. All of these Landing Gear have more part numbers than the ones listed here, changing the footware, travel, or capacity. As your landing gear headquarters, we add new legs all the time!



FLEETCRAFT LANDING GEAR SPECIFICATIONS - "THE ORIGINAL"



1013912

Specifications

- Gearing:** 3.2 turns to the inch in high gear
19.2 turns to the inch in low gear.
- Weight:** 158 pounds (Cushion Foot model)
170 pounds (Sandshoe model)
- Certification:** Fleetcraft models meet and/or exceed all TTMA/AAR specifications.

Features

- Mount:** Universal mount - fits inside or outside trailer frame.
- Gearbox:** Permanently sealed with special formula EP grease for longer maintenance-free operation and *Constant Mesh Gearing*.
- Legs:** Upper and lower legs formed from HSLA tubing.


Part No.	Description
1013912	Fleetcraft Square body with 4.5" tall 10x10 sand shoe. 16.87" travel, universal mount.

Load Capacities Per Pair (In lbs.)				
Model	Screw Size	Maximum Static Load Over 2 Legs*	Ultimate Static Load Over 2 Legs*	Legs Bend or Break with Side Thrust*
Square	1 1/2"	140,000	160,000	27,000

Lift Capacity 39,000 lbs at 100 ft. lbs. Input Torque

5-Year Warranty!
For defects in material and workmanship.

Set No.	Dimensions			
	A	B	C	D
Square Legs With 4.5" Sand Shoes				
1013912K	48.37"	31.50"	25.50"	16.87"






FLEETCRAFT SQUARE LEG LANDING GEAR



SQUARE LEG
Part Number for set less
hardware: 1013912

NO.	DESCRIPTION	PART NO.	SPEED	
			ONE	TWO
3	Self-Tapping Screw	XB-ST5-008-11	2	8
4	Cover	751612	1	1
5	Bevel Gear	730590	1	1
6	Groove Pin - .31" x 1.50"	725046	1	2
7	Washer - Hardened	722018	1	1
8	Shaft Bushing	724037	2	1
9	Pinion Gear	730011	1	1
10	Pinion Shaft - 1 Speed Universal Mount	750004	1	-
10	Pinion Shaft - 1 Speed Outside Mount	750450	1	-
10	Pinion Shaft - 1 Speed Inside Mount	751873	1	-
11	Spring Pin - .375" x 1.38"	725002	1	1
12	Spring Pin - .25" x 1.25"	725001	1	-
13	Flat Washer	722000	1	-
14	Grease Fitting	727000	2	3
15	Hex Cap Screw - .375"-16 x 2.25"	XB-HHC-050-42	1	2
16	Self-Locking Nut - .375"-16 - Cross Drive Shaft	XB-SLN-012-04	1	2
16	Self-Locking Nut - .375"-16 - Sandshoe	XB-SLN-012-04	1	1
16	Self-Locking Nut - .375"-16 - RCF	XB-SLN-012-04	2	2
17	Cross Drive Shaft	LG0094-XXXX	1	-
18	Wire	729002	-	1
19	Spring Pin - .375" x 1.50"	725003	-	1
20	Pinion Shaft - 2 Speed Universal Mount	750002	-	1
20	Pinion Shaft - 2 Speed Outside Mount	750241	-	1
20	Pinion Shaft - 2 Speed Inside Mount	750245	-	1
21	Crankshaft - Universal Mount	751175	-	1
21	Crankshaft - Outside Mount	751198	-	1
21	Crankshaft - Inside Mount	751175	-	1
22	Rigid Gear	750009	-	1
23	Low Speed Drive Gear	751173	-	1
24	High Speed Drive Gear	751174	-	1
26	Outside Cover Assembly	741158	-	1
27	Collar - Elevating Screw	730007	1	1
28	Bearing	729108	1	1
29	Sandshoe - 10" x 10" x 4.50" - Code 444	50616001	1	1
29	Sandshoe - 10" x 10" x 2.00" - Code 400	50616008	1	1
30	Sandshoe Axle - Hollow Axle 8.50" Lg.	LG0070-02	1	1
31	Hex Cap Screw - .375"-16 x .75" - Sandshoe	XB-HHC-050-69	1	1
31	Hex Cap Screw - .375"-16 x .75" - RCF	XB-HHC-050-70	2	2
32	Cushion Foot Pad - RCF	728003	1	1
33	Interchangeable Strap - RCF	730638	1	1
34	RCF - 10" x 10"	730640	1	1
35	Seal	728000	-	1
36	Bevel & Pinion Gear Repair Kit	RK-11290	1	1
37	Gear Box Repair Kit	RK-11291	-	1




Gear Box Repair Kit
Part No. RK-11291






FLEETCRAFT ROUND LEG LANDING GEAR



Get the commonly replaced components of the gearbox in this easy to stock boxed kit:
Part No. RK-11291



**ROUND LEG
 1013902**
Legs no longer available.
Parts available.


Item No.	Part No.	Description
1	724036	Bushing
2	751601	Cover
3	725046	Groove pin, 5/16 X 1 1/2
4	725002	Roll pin, 3/8 X 1 3/8
5	730606	Bevel gear, 30T
6	730011	Pinion bevel, 14T
7	722017	Bushing - screw
8	725000	Roll pin - 5/16 x 1 1/4
9	750010	Gear set, sliding, 37/12T
10	750002	Shaft, pinion
11	725003	Roll pin, 3/8 X 1 1/2
12	741158	Cover assembly
13	1014438	Crank
14	6943-2	Shaft, crank
15	750009	Gear set, rigid, 26/51T
16	725000	Roll pin, 5/16 X 1 1/4
17	729002	Spring clip
18	729108	Bearing ball
19	T151T	Brg. for HD appl.
19	J4928-1	Collar
21	J5321	Collar for HD appl.
21	1402-A1	Nut lock, 3/8-16
22	1151-B36	Bolt, 3/8-16 X 3/4
23	1011223	Axle - for sandshoes

No.	Item No.	Part Description
24	J1219	Washer
25	750004	Shaft, pinion
26	1351-A3	Grease fitting
27	1351-A7	Grease fitting
28	1011225	Sand shoe, replm't
29	729002	Seal
30	J-4702	Crank shaft bracket (F.W. under 54)
31	1351-A1	Grease fitting
32	1151-B99	Bolt, 1/4-20 X 2 1/4
33	9375	Spacer
34	J-122-B	Crank holder
35	750212	Crank shaft ext'n
36	1751-A1	Washer, 3/8, plain, heavy
37	9374-1	Crank bracket ass'y
37	9374-2	Crank bracket ass'y
38	1151-B81	Bolt, hex head, 3/8-16 X 2 3/4
39	1402-A9	Lock nut, 1/4-20
40	729000	Spring - detent
41	729001	Ball - detent
42	1401-A4	Hex nut, 5/8-11
43	1752-A4	Washer
44	1190656	Brace tube, cross, replacement, adj.
45	1151-B17	Bolt, hex head, 5/8-11 X 2

No.	Item No.	Part Description
46	1012589	Brace tube, adj
47	XB-LG0085	Crank holder
48	1151-B4	Bolt, hex head, 3/8-16 X 2 1/2
49	9260-3	Intermediate shaft universal appl.
50	J4154	Brace ear
51	1151-B1	Bolt, hex head, 3/8-16 X 1 3/4
52	J3292	Coupling
53	1655-A32	Screw, hex washer head, 1/4-20 X 1/2
54	6866	Crank holder
55	not available	Upper leg, 2 spd, 25-7/16" Lg. (-3)
56	not available	Upper leg, 1 spd, 25-7/16" Lg. (-3)
57	not available	Lower leg, (-3)
58	not available	Lower leg ass'y w/ cushion foot (-3)



FLEETCRAFT J-MODEL LANDING GEAR PARTS DIAGRAM



Item	Part No.	Qty.	Description
1	----	1	Outer Housing, 2 Speed
2	----	1	Outer Housing, 1 Speed
3	----	2	Inner Leg Ass'y, Standard
4	----	2	Inner Leg Ass'y, 10" Cushion
5	----	2	Inner Leg Ass'y, 10" Cushion
6	C10067.2	1	Standard Crankl w/Hardware
7	B10261	1	Crank hanger
8	C10262	2	Brace Lug, Flat
9	C10263	2	Brace Lug - 90 Degree
10	C10108	2	Brace Lug - W
11	B10066	1	Intermediate Cross Shaft
12	A10059.1	4	Cover Screw
13	C10217	1	Cover - 2 Speed
14	C10259	1	Cover - 1 Speed
15	C10177	1	Pinion Gear
16	C10155	2	Bevel Gear
17	B10130	1	Pinion Shaft - 1 Speed
18	A10102	2	Thrust Washer
19	A10052.3	2	Grooved Pin
20	A10218	2	Spacer Washer
21	A10040	4	Grease Fitting
22	A10283	1	Grease Seal
23	C10209	4	Strut Brace (not shown)
24	A10038.7	4	Self Locking Nut
25	A10037.1	2	Cross Shaft Bolt - 3/8" x 2" Gr5
26	A10033	2	Thrust Bearing

Item	Part No.	Qty.	Description
27	A10101	2	Collar
28	A10212	1	Output Shaft
29	A10255	3	Bushing
30	A10255	2	Bushing
31	A10249	1	Detent Bushing
32	A10247	1	Bushing
33	A10054.3	1	Roll Pin - 3/8" x 1 1/2"
34	A10260.1	2	Spiral Pin
35	A10054.7	1	Roll Pin - 3/8" x 1 3/4"
36	B10236	1	Output Cluster Shaft
37	C10234	1	Output Cluster gear
38	C10233	1	Input Gear Shaft
39	C10078	1	Output Spur Gear
40	C10085	1	Input Spur Gear
41	A10049	1	Detent Spring
42	A10048	2	Detent Ball
43	B10229	1	Shift Housing
44	A10230	4	Shift Housing Bolt
45	A10038.6	4	Self Locking Nut
46	C10035	2	Shoe - 10" x 10" x 4 1/2" Standard
46	C10135	2	Shoe - 10" x 10" x 2"
46	C10256	2	Shoe - 10" x 12" x 4 1/2"
46	C10257	2	Shoe - 10" x 12" x 2"
47	B10036	2	Shoe Axle
48	A10037.3	2	Hex head Bolt
49	A10054.6	2	Roll Pin - 1/4" x 1 1/4"

Part No. B10229S

**Shift Housing Kit - Includes #'s
A10283, A10249, A10247, A10048, A10049, B10229
Item #'s 22, 31, 32, 41, 42, 43**

Part No. B10285


**Shaft Housing Assembly - Includes #'s
B10229S, C10233
(The Kit to the Left! and Item # 38.)**



HOLLAND MARK V PART NUMBERS AND SPECIFICATIONS

Holland Mark V Landing Gear All Sets Listed Are Universal Mount

Leg Set Complete	Leg Set Less Hardware	2 Speed Leg Part No.	1 Speed Leg Part No.	Leg Travel	Footware
LGS-1A105K	LGS-1A105S	XA-S8-1A105	XA-S9-1A105	13.5"	Standard Sandshoes
LGS-3A001K	LGS-3A001S	XA-S8-3A001	XA-S9-3A001	16.5"	12" Self Leveling Foot
LGS-3A105K	LGS-3A105S	XA-S8-3A105	XA-S9-3A105	16.5"	Standard Sandshoes
LGS-4A001K	LGS-4A001S	XA-S8-4A001	XA-S9-4A001	17.6"	12" Self Leveling Foot
LGS-4A105K	LGS-4A105S	XA-S8-4A105	XA-S9-4A105	17.6"	Standard Sandshoes
LGS-5A001K	LGS-5A001S	XA-S8-5A001	XA-S9-5A001	18.8"	12" Self Leveling Foot
LGS-5A105K	LGS-5A105S	XA-S8-5A105	XA-S9-5A105	18.8"	Standard Sandshoes
LGH-3A312K	LGH-3A312S	XA-H8-3A312	XA-H9-3A312	16.5"	Solid Axle, Heavy Duty Sandshoes
LGH-4A312K	LGH-4A312S	XA-H8-4A312	XA-H9-4A312	17.6"	Solid Axle, Heavy Duty Sandshoes



Load Capacities Per Pair (In lbs.)	
Mark V	
Maximum Static Load Over 2 Legs*	Side Load Capacity*
200,000	16,000

Lift Capacity: 62,500 lbs at 100 ft. lbs. of input torque

Specifications

Gearing: 2.5 turns to the inch in high gear
33.8 turns to the inch in low gear.

Weight: 199 pounds (Less hardware)

Certification: Meets and/or exceeds all TTMA/AAR specifications.

Lift Capacity: 62,500 lbs at 100 ft. lbs. of input torque

Features

Mount: Universal mount - fits inside or outside trailer frame. Mounting and turn ratios all match previous Mark V models.

Lubrication: Deep grease reservoir in the riser nut insures constant lubrication of the elevating screw.

Legs: Upper and lower legs formed from HSLA tubing.

Landing Gear Dimensions					
Travel Code	Travel	Self Leveler		Std. Sandshoe	
		A	B	A	B
0	12.5	37.0	24.5	37.8	28.4
1	13.5	41.8	28.3	43.6	29.1
2	15.0	44.8	29.8	45.6	30.6
3	16.5	47.8	31.3	48.6	32.1
4	17.6	50.0	32.4	50.8	33.2
5	18.8	53.3	33.6	53.1	34.4




LGS - 1 A 1 05 K

Model No. Description LG Set	Model LGS	Travel Code	Mounting Code	Axle Type Code	Footware Code	Kit Code
1 Speed Leg	XA-S9	See Above	A: Univ. B: Inside C: Outside	0: No Axle 1: Std Axle 2: Heavy Pipe 3: Solid	01: 12" Dia. Self Leveler	K: L/G Kit Complete S: Legs Only
2 Speed Leg	XA-S8				10: No Footware 13: 2.5" x 12" x 11.5" Low Profile Sandshoe 14: 2.4" x 10" x 11.5" Cush. Ft.	



SAF-HOLLAND MARK V LANDING GEAR PARTS - LISTING



Recessed gearbox cover identifies these Holland legs.

NO.	DESCRIPTION	PART NO.	SPEED	
			ONE	TWO
1	Shifter Shaft	SEE PAGE 18	-	1
2	Drive Gear Shaft	SEE PAGE 18	-	1
3	Gearbox Cover Assembly	XA-V-06618	-	1
4	Thread Rolling Screw	XB-06372	2	8
5	Gearbox Gasket	XB-V-06621	-	1
6	Idler Gear	XA-V-06602	-	1
7	Idler Gear Shaft	XA-V-07085	-	1
8	Ball	XB-BAL-023-01	-	1
9	Spring	XB-SPG-020-02	-	1
10	Shifter Gear	XA-V-06604-1	-	1
11	Pin - .25" x 1.44"	XA-CRP-V-06633	-	1
12	Spring Pin - .22" x 1.50"	XB-21-S-218-1500	-	1
13	Spur Gear	XA-V-06606	-	1
14	Step Gear	XA-V-06603	-	1
15	Pin - .38" x 1.5"	XA-CRP-V-06634	-	1
17	HHCS - 3/8" - 16 x 2.00"	XB-V-444-4	1	1
18	Lock Nut - 3/8" - 16	XB-338	1	1
19	Bevel Pinion Gear Shaft (Single Speed)	SEE PAGE 18	1	-
20	Upper Leg Cover	XA-V-06611	1	1
21	Gasket	XB-V-07054	1	1
22	Groove Pin .38" x 1.50"	XB-GP-38-1-12-E	1	1
23	Bevel Pinion Gear	XA-V-06600	1	1
24	Shim (As Required) (Not Shown)	XB-01977	2	2
25	Bevel Gear	XA-V-06601	1	1
26A	Inner Leg & Screw Assy. - 05, 13, 15 or 23 Series	SEE PAGE 18	1	1
26A	Inner Leg & Screw Assy. - 312 Series (Not Shown)	SEE PAGE 18	1	1
26B	Inner Leg & Screw Assy. - 01 Series	SEE PAGE 18	1	1
26B	Inner Leg & Screw Assy. - 012 Series (Not Shown)	SEE PAGE 18	1	1
26C	Inner Leg & Screw Assy. - 24 Series	SEE PAGE 18	1	1
26D	Inner Leg & Screw Assy. - 014 Series (Not Shown)	SEE PAGE 18	1	1
27	Pin - .38" x 2"	XA-CRP-V-06635	1	1
28	Washer	XB-V-06632	1	1
29	Bushing	XB-V-06630	1	1
30	Thrust Bearing	XB-V-647	1	1
30	Thrust Bearing - Heavy Duty	XB-V-647-1	1	1
31	Collar	XA-V-06629	1	1
32A	Upper Leg - 1-Speed	SEE PAGE 18	1	-
32A	Upper Leg - 1-Speed Heavy Duty (Not Shown)	SEE PAGE 18	1	-
32B	Upper Leg - 2-Speed	SEE PAGE 18	-	1
32B	Upper Leg - 2-Speed Heavy Duty (Not Shown)	SEE PAGE 18	-	1
34	Skid Foot - 4.9" x 12" x 11.5"	XA-V-796-B-1	1	1
34	Skid Foot - 2.5" x 12" x 11.5"	XA-V-796-L	1	1
34	Skid Foot - 3.8" x 10" x 11.5"	XA-V-796-WS	1	1
34	Skid Foot 2.4" x 10" x 11.5"	XA-V-796-LWS	1	1
34	Skid Foot - 4" x 12" x 16"	XA-HV-796	1	1
35	Standard Axle	XA-V-1901-1	1	1
35	Solid Axle	XA-V-1903-1	1	1
35	Heavy Pipe Axle	XA-V-1902-1	1	1
36	Rollpin - .38" x 3"	XB-21-S-375-3000	2	2
38	Brace Lug	XA-V-1938	1	1
39	Bearing	XB-LG0559	2	1
40	Retainer	XB-LG1570	2	1

NO.	DESCRIPTION	PART NO.	SPEED	
			ONE	TWO
41	Lube Fitting	XB-767	1	2
41	Lube Fitting w/Extension (Not Shown)	XB-767-L	1	1
42	Plastic Plug	XB-01789	1	1
47	Crankshaft Bracket (Optional)	XA-V-971	-	1
48	Crank Hanger (Optional)	XB-V-1915	-	1
49	Extension Shaft - Long (Optional) - 15.44"	XA-V-1916	-	1
49	Extension Shaft - Short (Optional) - 8.94"	XA-V-1916-1	-	1
50	Crankshaft Coupling (Optional)	XA-V-630-2	-	1
51	Drive Gear Shaft Kit - 1-Speed	RK-V-07781	-	1
52	Drive Gear Shaft Kit - 2-Speed	RK-V-07780	-	1
53	Groove Pin - 3/8" x 1.38" (Optional)	XB-GP-38-138-5	-	2
54	Locknut - 1/4" - 28 (Optional)	XB-3103	-	3
55	HHCS - 1/4" - 28 x 3" (Optional)	XB-07618	-	3
56	Extension Bracket - Long - 15.56"	XA-V-07601-1	-	1
56	Extension Bracket - Short - 9.06"	XA-V-07601-2	-	1
57	Extension Bracket & Shaft Kit - Long - 15.56"	RK-V-07602-1	-	1
57	Extension Bracket & Shaft Kit - Short - 9.06"	RK-V-07602-2	-	1
58	Extension Bracket & Shaft Kit - Long - 15.44"	RK-V-1997-1	-	1
58	Extension Bracket & Shaft Kit - short - 8.94"	RK-V-1997-2	-	1
59	Cushion Foot Plate	LG1829	1	1
60	Rubber Cushion	XB-LG0713	1	1
61	Removable Cushion Foot	XA-V-796-RCF	1	1
62	Hex Head Screw - 5/8" - 11 x 6" - GR2	XB-HHC-050-114	1	1
63	Top Lock Nut - 5/8" - 11 - GR.C	XB-06179-2	1	1
64	Bevel & Pinion Gear Repair Kit	RK-11286	1	1
65	Gear Box Repair Kit	RK-11287	-	1




DIAGRAM ON NEXT PAGE



SAF-HOLLAND MARK V LANDING GEAR PARTS - DIAGRAM

PARTS LISTING ON PREVIOUS PAGE



**51. Drive Gear Shaft Kit
1-Speed - RK-V-07781**

**52. Drive Gear Shaft Kit
2-Speed - RK-V-07780**

**57. Extension Bracket
& Shaft Kit**

LONG EXT. BRACKET - 15.56"
SHORT EXT. BRACKET - 9.06"

**58. Extension Bracket
& Shaft Kit**

LONG EXT. BRACKET - 15.44"
SHORT EXT. BRACKET - 8.94"

**64. Bevel & Pinion Gear
Repair Kit - RK-11286**


**65. Gear Box Repair Kit
RK-11287**



HOLLAND FORMULA 150 LANDING GEAR (OBSOLETE)

**This Landing Gear No Longer Made,
NOT ALL Parts Are Available!**

Part No.LG2191-01 Kit, R.H. Shaft & Gear		
Qty.	Part No.	Desc
2	XB-KEY-018-02	Woodruff Key
1	LG2125	Tube Spacer
1	XA-02043-1	Cluster Gear
1	LG2126	Spacer
1	XB-PW-016-19	Flat Washer
1	XA-06217	Pinion Gear
2	XB-SP-014-27	Pin Spring
1	XA-06216-A-R	Jack Shaft






Item	Part No.	Qty.	Description	Item	Part No.	Qty.	Description
1	N/A	2	Inner leg and screw assembly	26	XB-01791	1	Gearbox cover gasket
2	N/A	1	Single speed outer leg	27	Call for options	1	Crank shaft
3	N/A	1	2-speed outer leg	28	XA-0306-1	1	Drive cluster gear .88" bore
4	LG0266	2	Brace ear	29	XB-03370-1	1	Shifter spring
5	XB-ST5-008-11	5	Self-tapping screws	30	XB-21-S-187-1000	1	Roll pin .19" x 1"
6	XA-06218	2	Upper leg cover	31	XA-01792	1	Pin
7	XB-LG0893	2	Leg cover gasket	32	Call for options	1	2-speed drive shaft
8	XB-SP-014-27	4	.25" x 1.50 spring pin	33	LG2131-02	1	Driven cluster gear (1" bore)
9	XB-KEY-018-02	3	Woodruff key	34	XB-0307-PM	2	Bearing (1" diameter)
10	XB-LG1823-01	2	Pinion gear	35	XB-0308-PM	2	Bearing (.88" diameter)
11	N/A	1	Single speed drive shaft	36	LG0094-6825	1	Cross shaft
12	XB-PW-016-19	2	Washer	37	LG2125	1	Tube spacer
13	XA-LG0570	2	Bevel gear	38	XB-GRF-022-16	5	Lube fitting
14	XB-GP-052-21	2	.38" x 2" groove pin	39	LG0056	2	Skid foot (2.00" high)
15	XB-PW-016-62	2	Washer	40	LG0055	2	Skid foot (4.5" high) standard
16	LG2126	1	Spacer	41	LG0055-01	2	Skid foot (4.5" high) hvy. duty
17	XB-BRG-013-77	2	Thrust bearing	42	LG0070-02	2	Axle
18	XB-LG0544	2	Collar	43	XB-HHC-050-69	2	.38"-16 x .75" hex bolt
19	XB-SLN-012-04	5	.38"-16 locknut	44	XB-LG0085	1	Crank holder
20	XB-HHC-050-42	3	.38"-16 x 2.25 hex bolt	45	XA-01918-1	1	Extra long crank (optional)
21	XB-PW-016-03	2	.38" flat washer	46	LG0086-01	1	Crank hanger (optional)
22	XA-01918	1	Crank handle assy.	47	XA-02195	1	Extension bracket (optional)
23	XB-3103	5	.25"-28 locknut	48	XA-02198-2	1	Short ext. shaft (optional)
24	XB-CX-14-28-F-58	5	.25"-28 x .62" hex bolts	49	XA-02198-1	1	Long ext. shaft (optional)
25	XA-06224-A	1	Gearbox cover	50	XA-02197	1	Coupling



SAF-HOLLAND MODEL 50,000 LANDING GEAR

NO.	DESCRIPTION	PART NO.	SPEED	
			ONE	TWO
3	Collar	XB-LG0544	1	1
4	Thrust Bearing	XB-BRG-013-77	1	1
5	Washer - FL 2"OD x 1.192"ID x .125"THK	XB-PW-016-62	1	1
6	Pin - 3/8"dia. X 2"	XB-CRP-V-06635	1	1
7	Bevel Gear	XA-LG0570-01	1	1
8	Pinion Gear	LG0531-02	1	1
9	Key - Woodruff .250 x .875 #807	XB-KEY-018-02	1	2
10	Flt. - Grease .25"-28 Self Tapping	XB-GRF-022-16	2	3
11	Washer - Fl 1.875"OD x 1.015"ID x .0625" THK	XB-PW-016-19	1	1
12	Jack Shaft LH Universal Mount	LG0259	1	-
12	LH Standard Mount	LG0369-01	1	-
12	LH Conventional	LG0369-05	1	-
12	LH Reverse Mount	LG0436	1	-
13	Pin - Spring Dia .25" x 1.5"	XB-SP-014-27	1	1
14	Gasket	XB-LG0413	1	1
15	Cover	LG0264	1	1
16	Self-Tapping Screw - .25"-20 x 5" Lg	XB-STS-008-11	2	9
17	Screw - Hex Hd .38"-16 x 2.25" Gr5	XB-HHC-050-42	1	2
18	Self-Locking Nut - .38"-16	XB-SLN-012-04	2	3
19	Washer - .38" Std. Type A	XB-PW-016-03	-	2
20	Gearbox Half - Outside	XB-VLG0663	-	1
21	Gearbox Gasket	XB-LG0428	-	1
22	Output Gear	LG0543-01	-	1
23	RH Jackshaft - Universal Mount	LG0260	-	1
23	RH I-B Standard Mount	LG0370-01	-	1
23	RH Conventional Mount	LG0370-05	-	1
23	RH Reverse Mount	LG0438	-	1
24	Input Gear	LG0541-01	-	1
26	Groove Pin - .25"x 1.50" Lg Type E	XB-GP-014-07	-	1
27	Shift Shaft - Universal Mount	LG0261-01	-	1
27	I-Beam & Conventional Mount	LG0371-01	-	1
27	Reverse Mount	LG0437	-	1
28	Shift Lock Ball	XB-BAL-023-07	-	1
29	Shift Lock Spring	XB-SPG-020-36	-	1
30	Idler Gear	XB-LG0542-01	-	1
31	Spacer Bushing	XB-LG0219-01	-	1
32	Retainer - Hex Lock	LG2094	2	1
33	Hex Lock Boss	LG2095	2	1
34	Shift Lock Boss	XB-LG0658-01	-	1
35	Gearbox Boss	XB-LG0659-01	-	4
36	Gearbox Boss - Inside Half	XB-LG0660	-	1
38	Sandshoe 10" X 10" X 4.50"	50616001	1	1
38	Sandshoe 10" X 12" X 4.50"	50616000	1	1
38	Sandshoe 10" X 10" X 2.00"	50616008	1	1
38	Sandshoe 10" X 12" X 2.00"	50616007	1	1

NO.	DESCRIPTION	PART NO.	SPEED	
			ONE	TWO
39	Sandshoe Axle - Hollow Axle 8.50" Lg	LG0070-02	1	1
40	Screw - Hex Cap .38"-16 x .25" Gr5	XB-HHC-050-69	1	1
46	Bevel & Pinion Gear Repair Kit	RK-11284	1	1
47	Gear Box Repair Kit	RK-11285	-	1



**Gear Box Repair Kit
Part No.
RK-11285**



Specifications:

Low Speed Gear Ratio - With Low Speed Gear Ratio of 34.4 turns/inch and high speed of 4.5 turns/inch provides 60,000 lbs. lift capacity at 100 ft./lbs. input torque and quick speed to the ground. Universal Mt. 'A' dimension with retracted shoe is 31.188" to shaft.

Features:

Dependable Warranty - A comprehensive warranty-5-year parts, 2-year labor. Massive 5" Upper Housing Structure Lower Leg - 12% larger than standard. Certification: Meets and/or exceeds all TTMA/AAR specifications.

Std. 17" travel

**Complete Set
LG5001-70K
Less Hardware
LG5001-70S
2 Speed
LG5001-72
1 Speed
LG5001-71**

Model 50,000 Load Capacities Per Pair (In lbs.)	
Ultimate Static Load Over 2 Legs*	Lateral & longitudinal Strength
170,000	29,000


*With proper bracing.



SAF-HOLLAND MODEL 51,000 LANDING GEAR

NO.	DESCRIPTION	PART NO.	SPEED	
			ONE	TWO
3	Collar	XB-LG0544	1	1
4	Thrust Bearing	XB-BRG-013-77	1	1
5	Washer - Fl 2.00 x 1.192ID x .125THK	XB-PW-016-62	1	1
6	Pin - 3/8" dia. X 2"	XA-CRP-V-06635	1	1
7	Bevel Gear	XA-LG0570-01	1	1
8	Pinion Gear	XB-LG1823-01	1	1
9	Key - Woodruff .25" x .875"	XB-KEY-018-02	1	2
10	Ftg - Grease .25" -2B Self Tapping	XB-GRF-022-16	2	3
11	Washer - Fl 1.875"OD x 1.015"ID x .065" THK	XB-PW-016-19	1	1
12	Jack Shaft LH Universal Mount	LG0927	1	-
12	LH Standard Mount	LG0946	1	-
12	LH Conventional Mount	LG0946-02	1	-
12	LH Reverse Mount	LG0948	1	-
13	Pin - Spring Dia .25" x 1.5"	XB-SP-014-27	1	1
14	Gasket	XB-LG0893	1	1
15	Cover	XA-LG0880	1	1
16	Self-Tapping Screw .25"-20 x 5" Lg	XB-STS-008-11	2	9
17	Screw, Hex Cap .38"-16 x 2.25" Lg GR5	XB-HHC-050-42	1	2
18	Self-Locking Nut .38"-16	XB-SLN-012-04	2	3
19	Washer .38" Std Type A	XB-PW-016-03	-	2
20	Gearbox Half, Outside	XB-LG0663	-	1
21	Gearbox Gasket	XB-LG0428	-	1
22	Output Gear	LG0543-01	-	1
23	Jackshaft RH - Universal	LG0928	-	1
23	RH I-Beam	LG0947	-	1
23	RH Conventional	LG0947-02	-	1
23	RH Reverse	LG0949	-	1
24	Input Gear	LG0541-01	-	1
26	Groove Pin, Type E Ø.25" x 1.50" Lg	XB-GP-014-07	-	1
27	Shift Shaft - Universal	LG0261-01	-	1
27	I-Beam & Conventional	LG0371-01	-	1
27	Reverse	LG0437	-	1
28	Shift Lock Ball	XB-BAL-023-07	-	1
29	Shift Lock Spring	XB-SPG-020-36	-	1
30	Idle Gear	XB-LG0542-01	-	1
31	Spacer Bushing	XB-LG0219-01	-	1
32	Retainer, Hex Lock	LG2094	2	1
33	Hex Lock Boss	LG2095	2	1
34	Shift Lock Boss	XB-LG0658-01	-	1
35	Gearbox Boss	XB-LG0659-01	-	4
36	Gearbox Boss, Inside Half	XB-LG0660	-	1
38	Sandshoe 10" X 10" X 4.50"	50616001	1	1
38	Sandshoe 10" X 12" X 4.50"	50616000	1	1
38	Sandshoe 10" X 10" X 2.00"	50616008	1	1
38	Sandshoe 10" X 12" X 2.00"	50616007	1	1

NO.	DESCRIPTION	PART NO.	SPEED	
			ONE	TWO
39	Sandshoe Axle - Hollow Axle 8.50" Lg	LG0070-02	1	1
40	Screw, Hex Cap .38"-16 X .75" Lg GR5	XB-HHC-050-69	1	1
41	Cushion Foot Plate	LG0725	1	1
42	Cushion Foot Rubber	XB-LG0726	1	1
43	Bolt - Hex Head .63" -11 x 5.50"	XB-HHB-050-70	1	1
44	R.C.F. 10" Dia.	LG0718-01	1	1
44	R.C.F. 12" Dia.	LG0740-01	1	1
44	R.C.F. 10" x 10"	LG0732-01	1	1
45	Self-Locking Nut - .63"-11"	XB-SP001-2-10	1	1
46	Bevel & Pinion Gear Repair Kit	RK-11288	1	1
47	Gear Box Repair Kit	RK-11289	-	1



Specifications:

Rated at 140,000 lbs. static load and 13,500 lbs. per leg lateral and longitudinal strength for extended service life, less maintenance and reduced downtime. Universal Mount. Low Speed Gear Ratio - With Low Speed Gear Ratio of 34.4 turns/inch and high speed of 4.5 turns/inch provides 50,000 lbs. lift capacity at 100 ft./lbs. input torque and quick speed to the ground. Measurement with retracted shoe is 31.188 to shaft."

Features:

Dependable Warranty - 5-year parts, 2-year labor. Exceeds AAR performance. Patented twin bulkhead floating nut reduces damage from dock-walk.

Replacement Square
Cushion Foot Kit

Part No. LG0048-01

Complete Set
LG4001-70K

Less Hardware
LG4001-70S

2 Speed
LG4001-72

1 Speed
LG4001-71

Gear Box Repair Kit
Part No. RK-11289

Model 51,000 Load Capacities Per Pair (In lbs.)	
Ultimate Static Load Over 2 Legs*	Lateral & longitudinal Strength
140,000	27,000

*With proper bracing.



SAF-HOLLAND "FAST GEAR" MODEL FG4000 PARTS LIST


FG4000 Series

Holland's fastest speed, lightest weight, versatile landing gear designed for on highway vans reefers and other standard duty applications where frequent trailer coupling and uncoupling occur. Especially where speed to the ground is important: Grocery fleet, pick up and delivery, etc.



NO.	DESCRIPTION	PART NO.	SPEED	
			ONE	TWO
3	Collar	XB-LG0544	1	1
4	Thrust Bearing	XB-BRG-013-77	1	1
5	Washer - FL 2"OD x 1.192"ID x .125" THK	XB-PW-016-62	1	1
6	Pin - .375" x 2.00"	XA-CRP-V-06635	1	1
7	Bevel Gear	XA-LG0570-01	1	1
8	Pinion Gear	XB-LG1823-01	1	1
9	Woodruff Key - .25" x .82"	XB-KEY-018-02	1	2
10	Grease Fitting - 1/4"-28 - Self-Tapping	XB-GRF-022-16	2	3
11	Washer - FL 1.875"OD x 1.015"ID x 0.63"THK	XB-PW-016-19	1	1
12	Jack Shaft LH - Universal Mount	LG0927	1	-
12	Jack Shaft LH - I-Beam Mount	LG0946	1	-
12	Jack Shaft LH - Conventional Mount	LG0946-02	1	-
12	Jack Shaft LH - Reverse Mount	LG0948	1	-
13	Spring Pin - .25" x 1.50"	XB-SP-014-27	1	1
14	Gasket	XB-LG0893	1	1
15	Cover	XA-LG0880	1	1
16	Self-Tapping Screw - .25"-20 x .50" Lg	XB-ST5-008-11	2	9
17	Screw - Hex Cap - .375"-16 x 2.25" Lg GR5	XB-HHC-050-42	1	2
18	Self-Locking Nut - .375"-16	XB-SLN-012-04	2	3
19	Washer - .375" Std Type A	XB-PW-016-03	-	2
20	Gearbox Half - Outside	XB-LG0944-100	-	1
21	Gearbox Gasket	XB-LG0891	-	1
22	Output Gear	LG0936-51	-	1
23	Jack Shaft RH - Universal Mount	LG2147	-	1
23	Jack Shaft RH - I-Beam Mount	LG2187	-	1
23	Jack Shaft RH - Conventional Mount	LG2187-01	-	1
23	Jack Shaft RH - Reverse Mount	LG2197	-	1
24	Input Gear - Low - Universal, I-Beam, Conv.	LG2463-01	-	1
24	Input Gear - Low - Reverse	LG-2464-01	-	1
28	Shift Lock Ball	XB-BAL-023-07	-	1
29	Shift Lock Spring	XB-SPG-020-36	-	1
30	Input Gear - High	LG2465-01	-	1
31	Shift Shaft Extension - Universal, Reverse	LG2462	-	1
32	Retainer - Hex Lock	LG2094	2	1
33	Boss - Hex Lock	LG2095	2	1
34	Shift Lock Boss	XB-LG0658-01	-	1
35	Gearbox Boss	XB-LG0659-01	-	1
36	Gearbox Boss - Inside Half	XB-LG0931	-	1
38	Sandshoe 10" x 10" x 4.50"	LG0055	1	1
38	Sandshoe 10" x 12" x 4.50"	LG0050	1	1
38	Sandshoe 10" x 10" x 2"	LG0056	1	1
38	Sandshoe 10" x 12" x 2"	LG0051	1	1
39	Sandshoe Axle - Hollow Axle 8.50" Lg	LG0070-02	1	1
40	Screw - Hex Cap - .375"-16 x .75"	XB-HHC-050-69	1	1

NO.	DESCRIPTION	PART NO.	SPEED	
			ONE	TWO
41	Cushion Foot Plate	LG0725	1	1
42	Cushion Foot Rubber	XB-LG0726	1	1
43	Bolt - Hex Head - .63"-11 x 5.50"	XB-HHB-050-70	1	1
44	R.C.F. 10" Dia.	LG0718-01	1	1
44	R.C.F. 12" Dia.	LG0740-01	1	1
44	R.C.F. 10" x 10" Dia.	LG0732-01	1	1
45	Self-Locking Nut - .63"-11	XB-SP0012-10	1	1
46	Groove Pin - 1/4" x 1-1/8" Type E - Univ & Rev.	XB-GP-052-49	-	1






AUSTIN-WESTRAN LIFT-PAK ROUND (LPR) LANDING GEAR

CONSTANT MESH GEARING KIT

Kit Part No. 716037 - Kit Includes:

- 1 Low Speed Drive gear
- 1 High Speed Drive Gear
- 1 Crankshaft
- 1 5/16" x 1 1/2" Groove Pin
- 1 3/8" x 1 3/8" Roll Pin
- 1 Spacer Tube
- 1 Instruction Sheet



This Landing Gear No Longer Made. **Parts Listing Only. Limited Supply.**



Item	Part No.	Qty.	Description
1	724003	3	Bushing
2	750109	2	Cover
3	1402-A7	2	Locknut, 1"-14 Thin
4	725002	4	Roll Pin 3/8" x 1 3/8"
5	750355	2	Bevel Gear 28T
6	730011	2	Pinion, bevel, 14T
7	724000	2	Bushing - Screw
8	725000	1	Roll Pin, 5/16" x 1 1/4"
9	750010	1	Gear Set, Sliding, 37/12T
10	750002	1	Shaft, Pinion
11	725003	1	Roll Pin, 3/8" x 1 1/2"
12	9366-3	1	Cover Assembly
13	J-27-BX-3	1	Crank
14	6943-2	1	Shaft, Crank
	6943-3	1	Shaft plated for permanent Lube
15	750009	1	Gear Set, Rigid, 26/51T
16	725000	1	Roll Pin, 5/16" x 1 1/4"
17	729002	1	Spring Clip
18	T127T	2	Bearing, T127
	1102-A9	2	Bearing T151 For HD Applications
19	J4928-1	2	Collar
	J5321	2	Collar for HD Applications
20	J3237	2	Key, 1/4" x 13/16"
21	1402-A1	7	Lock Nut, 3/8"-16
22	1151-B36	2	Bolt, 3/8"-16 x 3/4"
23	9298-1	2	Axle For Sand Shoes
24	J1219	1	Washer
25	750004	1	Shaft, Pinion
26	1351-A3	1	Grease Fitting
27	1351-A7	4	Grease Fitting
28	J4514-3	2	Sand Shoe

Item	Part No.	Qty.	Description
29	728000	1	Seal
30	J4702	1	Crankshaft Brkt Ass'y
31	1351-A1	1	Grease Fitting
32	1151-B99	3	Bolt, 1/4"-20 x 2 1/4"
33	9375	3	Spacer
34	J-122-B	1	Crank Holder
35	750212	1	Shaft, Crank Extension
36	1751-A1	2	Washer, 3/8" Plain, Heavy
37	9374-1	1	Crank Bracket Assembly
	9374-2	1	Crank Bracket Assembly
38	1151-B81	1	Bolt, Hex Head, 3/8"-16 x 2 3/4"
39	1402-A9	3	Lock Nut, 1/4"-20
40	729000	1	Spring - Detent
41	729001	2	Ball - Detent
42	1401-A4	8	Hex Nut, 5/8"-11
43	1752-A4	8	Washer
44	1012589	2	2 Piece Brace, Adjustable
45	1151-B17	8	Bolt, Hex Head, 5/8"-11 x 2"
46	1012589	2	2 Piece Brace, Adjustable
47	J-7153	1	Crank Holder
48	1151-B4	2	Bolt, Hex Head, 3/8"-16 x 2 1/2"
49	9260-3	1	Intermediate Shaft, 3 Piece Adjustable
	1011235	1	Intermediate Shaft, 1 piece, 68" Long
50	J4154	2	Brace ear, For Round Leg
	J4890	2	Brace Ear, For Square Leg (not shown)
51	1151-B1	2	Bolt, Hex Head, 3/8"-16 x 1 3/4"
52	J3292	1	Coupling
53	1655-A32	6	Screw, Hex Washer Head, 1/4"-20 x 1 1/2"
54	6866	1	Crank Holder
59	N/A	1	Upper Leg, 2 Speed, Round
60	N/A	1	Lower Leg, Round
61	N/A	2	Upper Leg, 1 Speed, Round




AUSTIN-WESTRAN LIFT-PAK SQUARE (LPS) LANDING GEAR

CONSTANT MESH GEARING KIT

Kit Part No. 716037 - Kit Includes:

- 1 Low Speed Drive gear
- 1 High Speed Drive Gear
- 1 Crankshaft
- 1 5/16" x 1 1/2" Groove Pin
- 1 3/8" x 1 3/8" Roll Pin
- 1 Spacer Tube
- 1 Instruction Sheet



This Landing
Gear No
Longer Made.

Parts
Listing
Only.
Limited Supply.

SAHolland
Engineering Your Road to Success

Item	Part No.	Qty.	Description
1	724003	3	Bushing
2	750109	2	Cover
3	1402-A7	2	Locknut, 1"-14 Thin
4	725002	4	Roll Pin 3/8" x 1 3/8"
5	750355	2	Bevel Gear 28T
6	730011	2	Pinion, bevel, 14T
7	724000	2	Bushing - Screw
8	725000	1	Roll Pin, 5/16" x 1 1/4"
9	750010	1	Gear Set, Sliding, 37/12T
10	750002	1	Shaft, Pinion
11	725003	1	Roll Pin, 3/8" x 1 1/2"
12	9366-3	1	Cover Assembly
13	J-27-BX-3	1	Crank
14	6943-2	1	Shaft, Crank
	6943-3	1	Shaft plated for permanent Lube
15	750009	1	Gear Set, Rigid, 26/51T
16	725000	1	Roll Pin, 5/16" x 1 1/4"
17	729002	1	Spring Clip
18	T127-T	2	Bearing, T127
	1102-A9	2	Bearing T151 For HD Applications
19	J4928-1	2	Collar
	J5321	2	Collar for HD Applications
20	J3237	2	Key, 1/4" x 13/16"
21	1402-A1	7	Lock Nut, 3/8"-16
22	1151-B36	2	Bolt, 3/8"-16 x 3/4"
23	9298-1	2	Axle For Sand Shoes
24	J1219	1	Washer
25	750004	1	Shaft, Pinion
26	1351-A3	1	Grease Fitting
27	1351-A7	4	Grease Fitting
28	J4514-3	2	Sand Shoe

Item	Part No.	Qty.	Description
29	728000	1	Seal
30	J4702	1	Crankshaft Brkt Ass'y
31	1351-A1	1	Grease Fitting
32	1151-B99	3	Bolt, 1/4"-20 x 2 1/4"
33	9375	3	Spacer
34	J-122-B	1	Crank Holder
35	750212	1	Shaft, Crank Extension
36	1751-A1	2	Washer, 3/8" Plain, Heavy
37	9374-1	1	Crank Bracket Assembly
	9374-2	1	Crank Bracket Assembly
38	1151-B81	1	Bolt, Hex Head, 3/8"-16 x 2 3/4"
39	1402-A9	3	Lock Nut, 1/4"-20
40	729000	1	Spring - Detent
41	729001	2	Ball - Detent
42	1401-A4	8	Hex Nut, 5/8"-11
43	1752-A4	8	Washer
44	1012589	2	2 Piece Brace, Adjustable
45	1151-B17	8	Bolt, Hex Head, 5/8"-11 x 2"
46	1012589	2	2 Piece Brace, Adjustable
47	J-7153	1	Crank Holder
48	1151-B4	2	Bolt, Hex Head, 3/8"-16 x 2 1/2"
49	9260-3	1	Intermediate Shaft, 3 Piece Adjustable
50	1011235	1	Intermediate Shaft, 1 piece, 68" Long
	J4154	2	Brace ear, For Round Leg
	J4890	2	Brace Ear, For Square Leg (not shown)
51	1151-B1	2	Bolt, Hex Head, 3/8"-16 x 1 3/4"
52	J3292	1	Coupling
53	1655-A32	6	Screw, Hex Washer Head, 1/4"-20 x 1 1/2"
54	6866	1	Crank Holder
59	N/A	1	Upper Leg, 2 Speed, Square
60	N/A	1	Lower Leg, Square
61	N/A	2	Upper Leg, 1 Speed Square



JUST PART NUMBERS AND SPECIFICATIONS

JUST

Model A400 Square Leg Outside Mount

Leg Set Complete	Leg Set Less Hardware	2 Speed Leg Part No.	1 Speed Leg Part No.	Leg Travel	Footware
A400-G-17K	A400-G-17S	A400-G-17RH	A400-G-17LH	17"	10" x 10" Cushion Foot
A400-T-17K	A400-T-17S	A400-T-17RH	A400-T-17LH	17"	10" x 10" x 4 1/2" Sand Shoes
A400-T-19K	A400-T-19S	A400-T-19RH	A400-T-19LH	19"	10" x 10" x 4 1/2" Sand Shoes


Model A401 Square Leg Inside Mount

A401-G3-17K	A401-G3-17S	A401-G3-17RH	A401-G3-17LH	17"	Low Profile Cushion Foot
A401-T-14K	A401-T-14S	A401-T-14RH	A401-T-14LH	14"	10" x 10" x 4 1/2" Sand Shoes
A401-T-17K	A401-T-17S	A401-T-17RH	A401-T-17LH	17"	10" x 10" x 4 1/2" Sand Shoes
A401-T1-17K	A401-T1-17S	A401-T1-17RH	A401-T1-17LH	17"	10" x 10" x 2" Sand Shoes

Just landing gear meet all AAR and TTMA specifications

***Note 1:** The gearside leg is taller than the non-gearside leg by 2.79" in overall length of the entire housing.

****Note 2:** - The inside mount legs come with a shorter cross-shaft.



Specifications:

Gearing: 3.5 turns to the inch in high gear
32 turns to the inch in low gear.

Weight: 177 pounds (Cushion Foot model)
188 pounds (Sandshoe model)

Certification: Fleetcraft models meet and/or exceed all TTMA/AAR specifications.

Features:

Mount: All mounts available, universal, inside or outside trailer frame.

Gearbox: No external gearbox! The gearing mechanism is an integral part of one sturdy leg column-streamlined and protected from road wear.

Legs: Nonlinear analysis was employed to determine the optimum grade of high strength low alloy steel for the landing gear. Finite analysis yielded the ideal shape.




JUST

5-Year Warranty!

When properly applied and installed, these legs are warranted to be free of defects in materials and workmanship under normal use and service for a period of five years.



JUST LANDING GEAR



Item	Part No.	Qty.	Description
1	See Table	1	Outer Housing, 2 Speed
2	See Table	1	Outer Housing, 1 Speed
3	See Table	2	Inner Leg Ass'y, Standard
4	See Table	2	Inner Leg Ass'y, 10" Cushion
5	See Table	2	Inner Leg Ass'y, 12" Cushion
6	C10067.2	1	Standard Craml w/Hardware
7	B10261	1	Crank hanger
8	C10262	2	Brace Lug, Flat
9	C10263	2	Brace Lug - 90 Degree
10	C10108	2	Brace Lug - W
11	B10066	1	Intermediate Cross Shaft
12	A10059.1	4	Cover Screw
13	C10217	1	Cover - 2 Speed
14	C10259	1	Cover - 1 Speed
15	C10177	1	Pinion Gear
16	C10155	2	Bevel Gear
17	B10130	1	Pinion Shaft - 1 Speed
18	A10102	2	Thrust Washer
19	A10052.3	2	Grooved Pin
20	A10218	2	Spacer Washer
21	A10040	4	Grease Fitting
22	A10283	1	Grease Seal
23	C10209	4	Strut Brace (not shown)
24	A10038.7	4	Self Locking Nut
25	A10037.1	2	Cross Shaft Bolt - 3/8" x 2" Gr5
26	A10033	2	Thrust Bearing

Item	Part No.	Qty.	Description
27	A10101	2	Collar
28	A10212	1	Output Shaft
29	A10255	3	Bushing
30	A10255	2	Bushing
31	A10249	1	Detent Bushing
32	A10247	1	Bushing
33	A10054.3	1	Roll Pin - 3/8" x 1 1/2"
34	A10260.1	2	Spiral Pin
35	A10054.7	1	Roll Pin - 3/8" x 1 3/4"
36	B10236	1	Output Cluster Shaft
37	C10234	1	Output Cluster gear
38	C10233	1	Input Gear Shaft
39	C10078	1	Output Spur Gear
40	C10085	1	Input Spur Gear
41	A10049	1	Detent Spring
42	A10048	2	Detent Ball
43	B10229S	1	Shift Housing
44	A10230	4	Shift Housing Bolt
45	A10038.6	4	Self Locking Nut
46	C10035	2	Shoe - 10" x 10" x 4 1/2" Standard
46	C10135	2	Shoe - 10" x 10" x 2"
46	C10256	2	Shoe - 10" x 12" x 4 1/2"
46	C10257	2	Shoe - 10" x 12" x 2"
47	B10036	2	Shoe Axle
48	A10037.3	2	Hex head Bolt
49	A10054.6	2	Roll Pin - 1/4" x 1 1/4"

COMPONENT ASSEMBLIES TABLE					
Item	14" Travel	Part No.	17" travel	19" travel	Description
1	D10201.1	D10201.2	D10201.3		Outer Housing, 2 Speed
2	D10116.1	D10116.2	D10116.3		Outer Housing, 1 Speed
3	C10140.1	C10140.2	C10140.3		Inner Leg Ass'y, Standard
4	C10146.1	C10146.2	C10146.3		Inner Leg Ass'y - 10" Cushion
5	C10254.1	C10254.2	C10254.3		Inner Leg Ass'y - 12" Cushion



SHOEREPAIR KIT
FOR 10" SQ. CUSH FOOT
Part No. C10717K
 Consists of: B10148 rubber cushion,
 B10149 retainer plate, C10145.1
 housing (2), C10150 base (10")



FABRICATED LANDING GEAR PARTS


**SANDSHOES:
STANDARD
AND SPECIAL USE**



**SANDSHOES:
STANDARD
AND SPECIAL USE**

Part No.	Pad Size	Ground to Axle Center	Gussets	Notes
1011225	10" X 10"	4-1/2"	Single	Standard Duty
1011226	10" X 12"	4-1/2"	Single	Standard Duty
1011227	12" X 12"	2-1/2"	Single	LoPro, Std Duty
1011228	12" X 12"	4-1/2"	Single	Standard Duty
1011229	12" X 12"	4-1/2"	Double	Heavy Duty
1011230	10" X 12"	4-1/2"	Double	Heavy Duty
1011231	10" X 12"	2-1/2"	None	Low Profile
1011303	4.5" X 7"	3-5/8"	None	Wheel Foot
1011310	10" X 10"	1-3/4"	None	LoPro. 7ga. w/patch
1011338	10" X 10"	4-3/8"	Double	Heavy Duty
1011339	12" X 12"	4-3/8"	Double	Heavy Duty
J4836-3	10" X 10"	2-1/2"	None	LoPro, Std Duty

SAND SHOE AXLES
All axles include collar assembly, except solid axles which have cotter pin and washer.



Part No.	Description	Length	Comment
1011218	Dolly Wheel Axle	15-3/8"	For wheel app.
1011219	Sand Shoe Axle	14-7/8"	Solid Axle
1011220	Sand Shoe Axle	16-1/2"	Solid Axle
1011221	Sand Shoe Axle	8-1/2"	schedule 40
1011223	Sand Shoe Axle	8-1/2"	schedule 80
1011223-HD	Sand Shoe Axle	8-1/2"	schedule 160
1011232	Sand Shoe Axle	8-3/8"	Solid Axle
1011217	Collar Assembly	1/2"	collar parts only!

Cushion Foot Kit (CMS)

Original equipment on many types of legs. 10" x 10" ground contact. Complete with rubber cushion, nuts and bolts.
Part No. 716059



Cushion Foot Kit


Original equipment on 51000 legs. 10" x 10" square removable cushion foot
Part No. LG0048-01



**SHOE REPAIR KIT FOR JOST/J-MODEL
10" SQ. CUSH FOOT
Part No. C10717K**

Consists of: B10148 rubber cushion, B10149 retainer plate, C10145.1 housing (2), and C10150 base (10")

Part No.	Description
1190043	Axle Housing



WHEEL ASSEMBLY with center plate.

3.625" Wide, 9" Diameter
Part No. 1011224

use w/ 1011218 listed above.






FABRICATED LANDING GEAR PARTS

3-Piece Cross Shaft	
Part No.	Description
9260-3	"A"= 53" to 72" 3 Pc.
Inner Tube Dia. 1.25" O.D. Outer Tube Dia. 1.50" O.D.	
1 Piece Cross Shafts	
Part No.	Description
1011235	"A"=69" Fixed Length
LG0094	"A"=68" Fixed Length
LG0094-8050	"A"=80.5" Fixed Length



Part No.	Description	A Dim.
1014438	Crank, Vertical Fold	7.5"
1014439	Crank, Vertical Fold	11.5"
1014445	Crank, Vertical Fold	15"
1014440	Crank, Vertical Fold	21"
1014442	Crank, Horiz. Fold	7.5"
1014444	Crank, Horiz. Fold	12"
1014446	Crank, Horiz. Fold	15"





Standard Duty 2 Piece Adjustable Braces	
Part No.	"A" Dimension
1012589	26" to 41"
1012590	42" to 57"
1012594	25" to 34"
1012596	20" to 24"
1190656	58" to 72"

Inner Tube 1.50" O.D.,
Outer Tube 1.75" Sched 40 Pipe




Heavy Duty 2 Piece Adjustable Braces	
Part No.	"A" Dimension
1012591	26" to 41"
1012592	35" to 54"
1011233	56" to 72"

Inner Tube 2.0" O.D.,
Outer Tube 2.0" Sched 40 Pipe



Brace Lugs		
Item	Part No.	Application
1	J4890	For Square Leg
2	1190554	For Square Leg
3	J4154	For Round Leg
4	1011242	For Round Leg
5	XA-V-1938	Holland Mark V
6	1011244	Universal
7	C10108	Just 90°
8	1011243	Straight flat lug
9	1011245	Straight flat lug
10	1011247	Great Dane plate
11	1011248	Great Dane flat lug
12	1011249	Great Dane plate



LANDING GEAR HARDWARE KITS:



Part No.	Kit Contents
SQHDWKIT	1011235 cross shaft, 1014438 (7.5")crank handle and J4890 brace ears for square legs.
SQHDWKIT15	1011235 cross shaft, 1014445 (15")crank handle and J4890 brace ears for square legs.
SQHDWKIT21	1011235 cross shaft, 1014440 (21")crank handle and J4890 brace ears for square legs.



HOPPER GEAR BOXES AND BOLT KIT

Grain Hopper Gearbox TIMPTE STYLE

Kwik Shift Constant Mesh Gear Box
(shaft length is 20.13" from base.)

Part No. 742089



Grain Hopper Gearbox TIMPTE STYLE

Kwik Shift Constant Mesh Gear Box
(shaft length is 22.63" from base.)

Part No. 742119



**Grain Hopper Gearbox CORNHUSKER
SHORT SHAFT**

Kwik Shift Constant Mesh Gear Box
(shaft length is 3" from base.)

Part No. 741805




Landing gear Bolt Kit	
Enough Bolts For One Leg Installation	
Part No.	Description
1157014	Ten (10) 5/8"-18 x 1 1/2" grade 5 hex bolts and nylon insert lock nuts







FABRICATED LANDING GEAR PARTS




Landing gear Bracket Replacement For Trailmobile	
Part No.	Description
1190544-RS	Roadside (Shown)
1190544-CS	Curbside



Landing gear Bracket Replacement For Trailmobile	
Part No.	Description
1190545	Universal



Landing gear Bracket Replacement For Great Dane	
Part No.	Description
1190541	Roadside - LH (Shown)
1190540	Curbside - RH




Landing gear Bracket Replacement For Pines	
Part No.	Description
1011238	Roadside Pines PILGB1315R) (Shown)
1011239	Curbside Pines PILGB1315L

K-BRACE ASSEMBLIES

Univeral K-Brace For 102" Trailer

Part No. 1190660


Wabash Style Primered BlackWith Holes



K-Brace For 102" Trailer

Part No. 4-A8-9-1

Trailmobile Style





LIGHT DUTY COMMERCIAL JACKS AND LANDING GEAR

Converter Dolly Jacks



Part No.:	JS-300-J
Static Load Capacity:	1,200 lbs.
Retracted Length:	29.4"
Extended Length:	44.4"
Wheel Size:	5"x2" Steel
Weight	Approx. 36 lbs.

Part No.:	JS-300-JR
Static Load Capacity:	500 lbs.
Retracted Length:	29.4"
Extended Length:	44.4"
Wheel Size:	5"x2" Plastic
Weight	Approx 34 lbs.

Part No.:	XA-V-350
Wheel Assembly Only	

Part No. JS-300-B
(No Footware) 23.7" - 38.7"

Single Drop Leg



Part No.:	JS150-SB
Static Load Capacity	25,000 lbs.
Retracted Length:	29.75"
Extended Length:	54.75"
Weight	Approx 50 lbs.

Holes placed 2 inches apart on lower leg allow the pin to be inserted for supporting 25,000 pounds.

Anti-Nosedive Jack

Part No. LG1870 (Fully Assembled!)


Non-lifting support jack prevents upending of trailers when not connected to a truck during loading and unloading. Unique hole pattern in the outer housing and retract tube provides maximum adjustment. 10,000 lbs. vertical load rating.



PINS FOR ANTI-NOSEDIVE JACKS -

Tempered spring steel lock.

Part No.	Dia.	Length
1012039-1/2	1/2"	4"
1012039-5/8	5/8"	4"
1012039-3/4	3/4"	4"



Full Crank Jacks



Part No.:	LG9700-71000000
Static Load Capacity:	15,000 lbs.
Lift Capacity:	10,000 lbs.
Retracted Length:	25.125"
Extended Length:	42.125"
Crank Travel:	17"
Foot Pad:	8" x 10"

Part No.:	LG8700-310000018
Static Load Capacity:	12,000 lbs.
Lift Capacity:	10,000 lbs.
Retracted Length:	24.38"
Extended Length:	49.88"
Crank Travel:	13.5" travel / 12" drop
Drop Increments:	4"

Part No.: LG8700-313072000
same as above, and spring loaded!

Part No.:	LGD700-212072000
Static Load Capacity:	20,000 lbs.
Lift Capacity: @50 ft./lbs. torq. input	6,000 lbs.
Lift Capacity: @100 ft./lbs. torq. input	12,500 lbs.
Retracted Length:	24 ³ / ₈ "
Extended Length:	50 ³ / ₈ "
Crank Travel:	12"
Drop Leg Travel: (Holes on 2" centers)	14"
Foot Pad:	9" x 9"

Part No.:	LG4700-324000000
Static Load Capacity:	25,000 lbs.
Lift Capacity:	25,000 lbs.
Retracted Length:	26.75"
Extended Length:	51.25"
Crank Travel:	13.5" travel / 12" drop
Drop Increments:	4"

Load Stabilizer Jacks



Part No.:	1010181
Static Load Capacity	40,000 lbs.
Retracted Length:	44"
Extended Length:	51"
Weight	Approx 35 lbs.

14" Diameter Base, 3" Diameter Pipe. Meets OSHA requirements for stabilizing trailers while loading and unloading.



Part No.:	JS-2000
Static Load Capacity	62,500 lbs.
Lift Capacity w/ 100ft lbs	8,000 lbs.
Crank Turns per inch	2.5
Top Pad Size	6" X 20"
Base Pad Size	12 X 18"
Wheel Size	9" diameter

Meets OSHA requirement 1910.178 k 3.