




**WIRING HARNESS KIT**



**Part No. 1546103**

**Universal Wiring 48' Harness For Lowboys, Flats, and Logging Trailers**

*Comes complete with ABS power cord connector, ABS warning light pigtail, metal 7-way plug, front & rear marker, leads and mid-turn and license plate pigtails.*

**ELECTRONIC FLASHERS**

**12 Lamp Electromechanical Flasher**

- 60 - 120 Flashes per minute
- 11 - 15V DC
- Fits standard round socket
- 100 hours of continuous operation.

**Part No. GR44530 = 2 terminal**  
**Part No. GR44540 = 3 terminal**



**Grote**



**Part No. GR44690**  
**Same as above**  
 plus less than 4 millivolts per amp voltage drop.



**20 Lamp Heavy Duty Electronic Flasher**

- 60 - 120 Flashes per minute
- 11 - 15V DC
- Fits standard round socket
- 100 hours of continuous operation.

**Part No. GR44710**

**Round 2 Prong Flasher**

- Aluminum housing.
- 12 volt. 2 terminals, up to 12.8 amps, 2 to 6 bulbs.

**Part No. NO 552**



Flashers for trucks, buses, RV's and cars.  
 12 volt, 2 or 3 terminals, up to 20 amps, 1 to 10 bulbs.

**Part No. NO232 - 2 Pin, 12V**

**Part No. NO233 - 3 Pin, 12V**



**Part No. TL172**  
**Heavy duty 12 lamp 2 terminal flasher.**  
 11-15 volt. 25 amps.

**Truck-Lite**



**Part No. TL270**  
**2 prong heavy duty flasher. 16 ga. wire, plastic housing.**  
 12/24 volt. Alternating.



**Truck-Lite Ultraflash Heavy Duty Electronic Flasher**

**Solid state**  
 Operates at 12V or 24V Electronics are sealed in epoxy compound which dissipates heat from die cast aluminum housing. Short circuit protected with self-resetting feature. 5 year limited warranty. Rated for 35 amp load or sixteen 32/3 cp bulbs. No ground wire required. Meets DOT FMVSS 108 and SAEJ945 and J590b.

**Part No. TL97231 Ultraflash w/o audible signal.**

**Truck-Lite**

**12V Everflash 2 Prong Flasher**  
 16 Bulb capacity for hazard warning.

Flashes up to eight 32 cp bulbs per side plus pilot bulb. 35 amp capacity at 12V. 1 1/4" height above terminals. Permastat™ housing. Plug-in mounting or use 2 mounting holes on 2 9/16" centers.

**Part No. TL242**





**BETTS INDUSTRIES LIGHTING**

**Components For Vapor Proof Lighting Systems**

**BETTS Clearance Lamp**

Flange diameter 4.062" high, 3.00" wide. Aluminum body, polycarbonate lens. Uses 67 bulb; Uses 1/4" NPT rear wire entry. For surface mount - requires 1.25" diameter hole for installation. Mounting gasket and screws included. 12 volt.

- Red **Part No. 500052**
- Amber **Part No. 500053**
- Lens: **Red No. 920109**
- Amber No. 920110**



**Betts**

**BETTS Clearance Lamp**

Flange diameter 4.062" high, 3.00" wide. Aluminum body, polycarbonate deep lens. Lens extends 2.25" from mounting surface. Uses 67 bulb; Uses 1/4" NPT rear wire entry. For surface mount - requires 1.25" diameter hole for installation.

- Red **Part No. 500054**
- Amber **Part No. 500055**
- Lens: **Red No.920116**
- Amber 920117**



**Special purpose lamp -**

same as above but uses 1157 bulb in place of 67 bulb. Amber **Part No. 500059**



**BETTS Clearance Lamp**  
Flange diameter 4.062". Aluminum body, polycarbonate lens. Uses 67 bulb; Uses 1/4" NPT threaded wire entry. Recess mount; requires 3" diameter hole for installation. Mounting gasket and screws included. 12V.

- Red **Part No. 600011**
- Amber **Part No. 600012**
- Lens: **Red No. 920109**
- Amber No. 920110**

**Betts**

**Shock-Stopper Bulb Sockets**

Upgrades many existing lamps including Betts models 40, 45, 47, and 77. Double contact. **Part No. 920459**



**Incandescent Flood Lamp**  
Clear, aluminum body with 920039 lens. 20 amp toggle switch. **Part No. 315003**



**Identification Bar Lamp**

Low profile aluminum body with polycarbonate shallow lens. Uses 67 bulbs. Furnished with 1/8" NPT wire entrance on end. 17.25" overall length. Mounting gaskets and screws included. 12 volt.

- Red **Part No. 200013**
- Lens: **Red No. 920049**

**Stop Tail Turn Lamps - Recess Mount**

Red, Valox body with ground strap and a 1/4 NPT hole in rear center with a 920088 choke seal installed.

- Part No. 400066 - shallow lens**
- Part No. 400067 - deep lens**



Replacement deep lens (5" diameter) is **Part No. 920144**

It also works on 40,45,47,70, and 80 series lights.

**Red lens, combination tail and license light.**  
**Part No. 920141**




**Pigtail - Single Contact**  
**Part No. 920124**



**Pigtail - Double Contact**  
**Part No. 920150**



**O-Ring for 40,45,47,70,72, 80 series lights.**  
**Part No. 92046**



- Solid brass pins
- LED light source
- Functions labeled and numbered
- Lexan housing

**Circuit Checker**


A one man circuit checker for 7 way plugs. Plug checker into 7 way cable and bring into cab. Activate switches for all circuits. The light emitting diode will illuminate when circuit is in proper working order. Faulty wiring will be indicated if diodes are dimmer, fail to light, or if more than one is illuminated.

**Part No. 920273**

**Betts**



**GROTE CLEARANCE / MARKER LIGHTS**



Holes on 3" centers


**2-Bulb Oval Duramold Clearance Lamp**

**With Built-In Reflector**

- Less than 1" profile
- Exclusive internal armor
- Two stainless steel grounds
- Lubricated fleet service bulbs

Red **Part No. GR45932**

Yellow **Part No. GR45933**




**Low Profile Clearance Lamp**

- Built-in class "A" reflector
- Stainless steel bezel
- Includes ground wire
- Requires 1 1/4" socket hole

Red **Part No. GR45662**

Yellow **Part No. GR45663**



Holes on 4 13/16" centers

**2 Bulb Turtle-Back Duramold Clearance Lamp**

- Lexan lens
- 2-hole stainless steel grounds
- Corrosion proof contacts
- Lubricated fleet service bulbs
- Sealed wire exits

**With Optic Lens:**


Red **Part No. GR45462**

Yellow **Part No. GR45463**

**With built-in Class "A" Reflector:**

Red **Part No. GR46302**

Yellow **Part No. GR46303**



Holes on 4 13/16" centers


**2 Bulb Turtle-Back No-Splice Duramold Clearance Lamp**

- Lexan lens
- 2-hole stainless steel grounds
- Corrosion proof contacts
- Lubricated fleet service bulbs
- Sealed wire exits

**With Optic Lens:**

Red **Part No. GR45442**

Yellow **Part No. GR45443**




Holes on 3" centers

**2 Bulb Square Corner Duramold Clearance Lamp**

- Scalloped "dipped" lens
- 2-hole stainless steel grounds
- Corrosion-resistant contacts
- Lubricated fleet service bulbs
- Attached pigtail

Red **Part No. GR46792**

Yellow **Part No. GR46793**




Holes on 3" centers

**2 Bulb Square Corner Die-Cast Clearance Lamp**

- Scalloped "dipped" lens
- Die-cast body
- Torsion-Mount bulb cradle
- Lubricated fleet service bulbs
- Replacement lens numbers  
GR91962 = red  
GR91963 = amber.

Red **Part No. GR46782**

Yellow **Part No. GR46783**



Holes on 4 13/16" centers

**Field Resealable Turtle-Back II Clearance Lamp**

- Weather-tight lens gasket seal
- Resealability with bulb replacement
- Impact resistant bulb contacts
- Waterproof pin connections
- Plug-in pigtail (Not included)
- **15,000 hour bulb**

**With Optic Lens:**


Red **Part No. GR46802**

Yellow **Part No. GR46803**

**With Reflex Lens:**

Red **Part No. GR46862**

Yellow **Part No. GR46863**



Holes on 4 13/16" centers

**Sealed Turtle-Back II Duramold Clearance Lamp**

- Shock absorbing and heat resistant lens and lamp base
- Hermetic lens to housing seal
- Waterproof pin connections
- Plug-in pigtail (Not included)
- **15,000 hour bulb**

**With Optic Lens:**

Red **Part No. GR46832**

Yellow **Part No. GR46833**

**With Reflex Lens:**

Red **Part No. GR46872**

Yellow **Part No. GR46873**



**2" Diameter Sealed Clearance Lamp White Duramold base**


- Fits narrow rails and other tight installations
- Hermetic lens to housing seal
- Twist on mounting fits all competitive mounting devices
- 15,000 hour bulb

Red **Part No. GR45822**

Yellow **Part No. GR45823**



### GROTE CLEARANCE / MARKER LIGHTS



Holes on 4<sup>13</sup>/<sub>16</sub>" centers

#### Sealed Multi-Function Sentry Lamp

- Duramold
- High impact base
- Polycarbonate lens
- Plug-in pigtail (not included)


#### Multi-Function:

Red **Part No. GR53062**

Yellow **Part No. GR53063**

#### Single Function:

Yellow: **Part No. GR53163**




Holes on 3<sup>1</sup>/<sub>8</sub>" centers

#### Die Cast Aluminum Clearance Lamp

- Mounts without disassembly
- Holes interchange with competitive lamps
- Polycarbonate lens
- Flat back, no socket hole required

Red **Part No. GR46282**

Yellow **Part No. GR46283**




Holes on 3<sup>13</sup>/<sub>16</sub>" centers

#### Narrow Rail Clearance Lamp

- Seal-tight expanded rubber gasket
- Steel housing
- 2 or 4 hole mounting
- Flat back, no socket hole required
- Snap-in lens

Red **Part No. GR45172**

Yellow **Part No. GR45173**




Holes on 2<sup>3</sup>/<sub>4</sub>" centers

#### Thin-Line Single Bulb Duramold Clearance Lamp

- Narrow rail and channel mounting
- Closed cell sponge mounting pad
- Replaceable 2 c. p. bulb
- Attached pigtail

Red **Part No. GR45252**

Yellow **Part No. GR45253**



Holes on 3" centers

#### Die Cast Alloy Clearance Lamp

Popular style rectangular clearance light. 2 193 or 194 bulbs. Heavy duty die cast alloy base with O-ring for weather-tight seal.

2" wide, 4" long. 12V. With pigtail.

Red **Part No. GR46782**


Yellow **Part No. GR46783**

Replacement O-Ring Part No. GR94110

Replacement Lenses:

Red: **Part No. GR91962**

Amber: **Part No. GR91963**



Holes on 3" centers

#### Popular Oval 2-Bulb Clearance Lamp

Popular style 2 bulb light features plastic base and Lexan lens.

2" wide, 4" long. 12 V. With pigtail.

Red **Part No. 1096733(GR45262)**

Yellow **Part No. 1096732(GR45263)**

Replacement Lenses:

Red: **Part No. 1092579(GR90122)**

Amber: **Part No. 1092605(GR90123)**

# Grote



**GROTE PIGTAILS**

**Sealed Marker Lamp Pigtails**

6" Long. Factory molded plugs for use with ULTRA-BLUE SEAL® trailer wiring system

**Double Seal:**

Chassis Ground:  
Fits U. S. 10, 15, 30 series, 4701 & 4702 series LED's  
6" long, black & white wires **Part No. GR66850**



GR66850

**Single Seal:**

Chassis Ground (w/Slim-Line Male) **Part No. GR66800**



GR66800

Ring terminal ground  
w/blunt cut wire **Part No. GR67050**



GR67050

**Turtle-Back II Lamp Pigtails**

Pigtail for 4680, 4684, 4686 and 4687 series lamps. All connections fit under lamps. Factory molded plugs for use with ULTRA-BLUE-SEAL® trailer wiring system.

6" Long **Part No. GR66910**



GR66910

6" Long **Part No. GR66911**



GR66911

Short Wire w/Grounding Outlet **Part No. GR67070**



GR67070

**Sentry Lamp Pigtails**

Pigtail for 5306 lamps. For use with ULTRA-BLUE-SEAL® trailer wiring system. O-ring prevents moisture and corrosion. 6" long.

**Part No. GR66900**

**Part No. GR66905**



GR66900



GR66905

**3-Wire Plug-In Pigtails For Male Pin Lamps**

**Part No. GR67002**

Dual function. O-ring seal helps prevent moisture and corrosion. For use with ULTRA-BLUE-SEAL® trailer wiring system. 11" long.



**Part No. GR66815** - 6" Long, Ground Return System, Slimline .180 Male

**FEATURES & BENEFITS**

- Dual function for S/T/T lamps
- O-ring seal resists moisture and corrosion
- Quality ULTRA-BLUE-SEAL® construction
- Grease grooves for additional sealing protection




**Slim-Line Under-Lamp Male to Double Slim-Line Under-Lamp Female**

**Part No. GR66160** - 1' (12") multiple ID lamp jumper harness.



**Standard Male to Slim-Line Under-Lamp Female**

**Part No. GR66170** - 2' (24") rear tracking lamp jumper harness.



**GROTE PIGTAILS, MOUNTING GROMMETS & BRACKETS****3-Wire Plug-In Pigtails**

Dual function. O-ring seal helps prevent moisture and corrosion. For use with ULTRA-BLUE-SEAL® trailer wiring system. 11½" long.  
**Part No. GR67000**



GR67000

**9" Y Adaptor Pigtails**

Accommodates 6 lamp systems. Molded termination avoids moisture and corrosion buildup.  
**Part No. GR66810**



GR66810

**Adaptor Plug**

Female to male pin lamp termination, and male to female pin lamp termination.  
**Part No. GR66830**



GR66830

**Part No. GR66831**

6" Long, Male pin to female pin lamp termination

**FEATURES & BENEFITS**

- Female to male pin lamp termination, and male to female pin lamp termination
- For use with 4" round and oval, S/T/T lamps



GR66831

**Replacement Lamp Socket Pigtails**

Exceed all existing automotive requirements. Heavy gauge thermoplastic wire with brass contacts. Many competitive applications. Double Contact, 7½" long, red & black wires  
**Part No. GR68130**



GR68130


**Metri-Pack™ Plug-In Sealed Pigtail**

20" long. Fits either 4 or 5 wire applications; fits 5370, 5371, 5372 and 5376 series lamps  
**Part No. GR66880**

**Corner Bracket Kit**

- Fits Turtleback II series lights
- For use with PC rated lights.
- Molded 4¾" radius base.

**Part No. GR43050 (gray)**

**Twist-On Surface Mounting Bracket**

- Fits U. S. series 10 & 30 lamps
- 2 1/8" X 5 5/8"
- Holes on 4" centers
- Gray

**Part No. GR43690**

**Closed Back Rubber Grommet**

- Fits U. S. series 40 lamps
- For open installations where splash plate is not used.

**Part No. GR91950**

**Grote**



## TRUCK-LITE CLEARANCE LIGHTS



### Super 10

#### 2 1/2" Sealed Lamp With Reflector

- Polycarbonate reflectorized lens
- Lens and housing sonically sealed
- Shock mount extends bulb life
- Mounts in all Model 10 mounting devices
- 12V

Red Lamp Only

**Part No. TL10208R**

Yellow Lamp Only

**Part No. TL10208Y**



### Model 30

#### 2" Sealed Lamp With Flange

- Polycarbonate lens and housing
- Lens and housing sonically sealed
- Flange is polycarbonate and permanently affixed to lamp.
- 12V

Flush Mount:

Red Lamp Only

**Part No. TL30221R**

Yellow Lamp Only

**Part No. TL30221Y**

Surface Mount:

Red Lamp Only

**Part No. TL30222R**

Yellow Lamp Only

**Part No. TL30222Y**

Flange Dia. 2.93" on both surface mount and flush mount. Body Dia. 2.30" on flush mount.



### Model 10

#### 2 1/2" Sealed Lamp

- Polycarbonate lens
- Lens and housing sonically sealed
- Mounts in all Model 10 mounting devices
- 12V

Red Lamp Only

**Part No. TL10202R**

Yellow Lamp Only

**Part No. TL10202Y**

Reflectorized Lens:

Red Lamp Only

**Part No. TL10205R**

Yellow Lamp Only

**Part No. TL10205Y**



### Model 30

#### 2" Beehive Lamp

- Designed for cab marker use
- Polycarbonate lens and housing sonically sealed.
- 12V

Red Lamp Only

**Part No. TL30201R**

Yellow Lamp Only

**Part No. TL30201Y**

### Model 10

#### 2.5" Beehive Lamp

- Designed for cab marker use
- Polycarbonate lens and housing sonically sealed.

Model 10 Beehive Lamp

Red **Part No. TL10203R**

Yellow **Part No. TL10203Y**



### Model 30

#### 2" Sealed Lamp

- Polycarbonate lens
- Lens and housing sonically sealed
- Mounts in all Model 30 mounting devices
- 12V

Red Lamp Only

**Part No. TL30200R**

Yellow Lamp Only

**Part No. TL30200Y**

**ABS**




### Model 30 ABS Warning Light

#### 2" Sealed Lamp With ABS Logo

- Polycarbonate lens
- Lens and housing sonically sealed
- Mounts in all Model 30 mounting devices
- 12V

Yellow Lamp Only

**Part No. TL30257Y**



### Model 15

#### Rectangular Sealed Lamp

- Can be mounted horizontally or vertically
- Polycarbonate lens and housing are sonically sealed
- Mounts in all Model 15 mounting devices. 12V

Red Lamp Only


**Part No. TL15200R**

Yellow Lamp only

**Part No. TL15200Y**




# TRUCK-LITE CLEARANCE & MARKER LIGHTS



- Model 15 Header Mount Sealed Lamp**
- Features high impact plastic adaptor that fits most narrow rails.
  - Polycarbonate lens and housing are sonically sealed
  - Mounts in all Model 15 mounting devices
  - 12V

Red Lamp Kit  
**Part No. TL15008R**  
 Yellow Lamp Kit  
**Part No. TL15008Y**

Kit includes 1 TL15200R/Y Lamp,  
 1 TL15727 Mount  
 1 TL94924 Plug



- Super 21 Sealed Lamp**
- Polycarbonate lens and housing sonically sealed
  - Unique shock mount prolongs lamp life
  - 12V

**Lamps with 96930 hot wire:**  
 Red **Part No. TL21001R**  
 Yellow **Part No. TL21001Y**  
 With Reflectorized Lens:  
 Red **Part No. TL21002R**  
 Yellow **Part No. TL21002Y**

**Lamps Only:**  
 Red **Part No. TL21200R**  
 Yellow **Part No. TL21200Y**  
 With Reflectorized Lens:  
 Red **Part No. TL21201R**  
 Yellow **Part No. TL21201Y**




- Male Pin 21 Rectangular sealed**
- Available with standard or reflectorized lens
  - Features male pin connections
  - Suitable for PC requirements on a 45 degree angle with additional reflectors.

Standard Lens  
 Red Lamp Only -  
**Part No. TL29202R**  
 Yellow Lamp Only -  
**Part No. TL29202Y**


Reflectorized Lens  
 Red Lamp Only -  
**Part No. TL29203R**  
 Yellow Lamp Only -  
**Part No. TL29203Y**

Material:  
 Polycarbonate lens and housing  
 Light Source:  
 2 Designed at 12v, 33 amp,  
 Recommended Accessories:  
 96106 right angle plug  
 96108 straight plug




- Super 21 Extension Bracket Sealed Lamp**
- High impact white plastic
- Lamps Kit with Reflectorized Lens:  
 Red **Part No. TL21501R**  
 Yellow **Part No. TL21501Y**

**Extension Bracket, White**  
**Part No. TL21720**



- Model 19 Double Bulb Sealed lamp**
- Lens and housing sonically sealed
  - Legal when one or both bulbs operating, mounted horizontally or vertically
  - 12V

Red Lamp Only  
**Part No. TL19200R**  
 Yellow Lamp Only  
**Part No. TL19200Y**



Mounting Holes on 3.00" centers

- Model 19 Double Bulb Sealed lamp Kit**
- Features unique plug-in design for ease of installation of model 19 lamps
  - 12V

Lamp Kits with TL19720 Grey Base:  
 Red: **Part No. TL19001R**  
 Yellow: **Part No. TL19001Y**  
 Lamp Kit Contains:  
 1 TL19200R/Y  
 1 TL19720 Base/Wire


Lamp Kits with TL19721 Grey Base and Mounted Hot Wire:  
 Red **Part No. TL19002R**  
 Yellow: **Part No. TL19002Y**  
 Lamp Kit Contains:  
 1 TL19200R/Y  
 1 TL19721 Base/Wire

**Cab Marker Light**  
 Lens and housing are sonically sealed. Contains TL94940 plug and 194 wedge base bulb. Replaces lamps used on many Ford trucks.  
 Width: 3.60" Length: 5.930"  
 Yellow **Part No. TL25760Y**





**TRUCK-LITE CLEARANCE AND MARKER LIGHTS**



**Model 14**

**Sealed Lamp With Reflector**


- Rectangular Polycarbonate lens and housing are sonically sealed
- Reflectorized lens
- 12V

Lamps Only:

Red **Part No. TL14200R**  
 Yellow **Part No. TL14200Y**

**White Grommet:**

**Part No. TL14700**



3" center to center of mounting holes

**Part No. TL1507 (Red)**  
**Part No. TL1507A (Amber)**

- High impact polycarbonate construction.
- Mini lamp features external mounting holes.
- Lens snaps & locks into base.
- Mounts without disassembly.

Bulbs: #193  
 Replacement Parts:  
 TL9342 red lens  
 TL9342A yellow lens



**Model 18**

**Bulb Replaceable Lamp With Reflector**

- Sealed reflector lens and housing
- \* Lens numbers TL99012R/Y
- Uses replaceable 194 wedge-base bulb and TL94940 plug.
- 12V

Lamp Kits:

Red **Part No. TL18300R**  
 Yellow **Part No. TL18300Y**



**Part No. TL1259 (Red)**  
**Part No. TL1259A (Amber)**

- High impact polycarbonate housing protects against rust & corrosion.
- Snap-on lens permits easy bulb and lens replacement.
- Two bulb design-if one burns out, the other remains lighted, legally.
- Not suitable for PC requirements.

Bulbs: Two #193  
 Replacement Parts:  
 TL9093 red lens  
 TL9093A yellow lens




**Part No. TL1264 (Red)**  
**Reflex 2-bulb.**



Acrylic lens  
 Polycarbonate housing  
 Light Source Bulbs: Two #193  
 Replacement Parts:  
 TL8933 red lens TL8933A yellow lens  
 9522 mounting pad

- Not suitable for PC requirements.
- For use on flat & lowboy trailers, recreational vehicles & boat trailers.
- High impact polycarbonate housing protects against rust & corrosion.
- Two bulb design-if one burns out, the other remains lighted.



**Part No. TL1211 (Red)**  
**Part No. TL1211A (Amber)**

- High impact Permastat housing protects against rust & corrosion.
- Snap-on lens makes bulb and lens replacement easy.
- Two bulb design-if one burns out, the other remains lighted, legally.
- Not suitable for PC requirements.

Bulbs: Two #193  
 Replacement Parts:  
 TL9007 red lens  
 TL9006 red lens & O-ring  
 TL9007A yellow lens  
 TL9006A yellow lens & O-ring



**Model 10 and Model 30 Black Enameled Metal ID Bar**

- Model 10 includes three TL10202R 2 1/2" sealed lamps, 12V
- Model 30 includes three TL30200R 2" sealed lamps, 12V

**Model 10**

**ID Bar With Lamps On 6" Centers:**  
**Part No. TL10744R**

Includes TL93906 wiring harness.

**Model 30**

**ID Bar With Lamps On 6" Centers:**  
**Part No. TL30740R**

Includes TL93906 wiring harness.



**Model 15**  
**Stainless Steel ID Bar**

- Three TL15210R sealed lamps
- \* Lamps on 6" centers
- Includes TL93943 wiring harness
- 12V

**Part No. TL15741R (Red)**



**TRUCK-LITE CLEARANCE LIGHT MOUNTING ACCESSORIES**



**Open Grommet for  
2 1/2" Diameter Lamps**  
Flush mount.

Wide groove for panel thickness up to .25". Narrow groove for up to .125" thick. Suitable for PC requirements on a 45 degree angle when using PC rated/combo lamps  
**Part No. TL10700**



**Open Grommet Mount Kit for  
2 1/2" Diameter Lamps**

Vinyl grommet flush mount lamp, requires 2.781" diameter mounting hole.

**Kit Part No. TL10401**  
Kit contains One TL10700 grommet  
One TL94902 Plug



**Closed Grommet Mount Kit for  
2 1/2" Diameter Lamps**

Vinyl grommet flush mount lamp, requires 2.781" diameter mounting hole.

**Kit Part No. TL10402**  
Kit contains One TL10702 grommet  
One TL94902 Plug  
**TL10702 = Closed grommet**



**Diaphragm Grommet Mount Kit  
for  
2 1/2" Diameter Lamps**

Used for edge lighting 2 1/2" diameter lamps.

**Kit Part No. TL10403**  
Kit contains One TL10708 grommet  
One TL94902 Plug



**3" Grommet Mount Kit for  
2 1/2" Diameter Lamps**

Vinyl grommet recess mounts lamps

**Kit Part No. TL10404**  
Kit contains One TL10704 grommet  
One TL94902 Plug

**TL10702 = Recessed grommet**



**Grommet Mount Kits for 2" Lamps**  
Vinyl grommet flush mounts 2" diameter sealed lamps

Grommet Mount Kit, **Open Back**:  
**Kit Part No. TL30401**  
Kit contains: One TL30700 Grommet  
One TL94902 Plug


Grommet Mount Kit, **Closed Back**:  
**Kit Part No. TL30402**  
Kit contains: One TL30702 Grommet  
One TL94902 Plug



**Surface Grommet Mount Kit for  
2 1/2" Diameter Lamps**

Aluminum bracket mount allows lamps to be surface mounted in a grommet.

**Kit Part No. TL10412**  
Kit contains One TL10700 Grommet  
One TL10722 Mount  
One TL94902 Plug



**Branch Deflector Mount Kit for  
2 1/2" Diameter Lamps**

High impact plastic mount with branch deflector allows lamp to be surface mounted.

**Kit Part No. TL10414**  
Kit contains One TL10700 Grommet  
One TL10725 Mount  
One TL94902 Plug



**Model 15 Grommet**

Vinyl grommet flush mounts Model 15 rectangular sealed lamps.

Can be mounted in panels up to .250" thick.

**Part No. TL15702**


**(Grommet Only)**



**Part No. TL14700**  
White Grommet for TL 14200 lamp  
**Part No. TL14701**  
Black Grommet for TL 14200 lamp



## TRUCK-LITE CLEARANCE LIGHT MOUNTING ACCESSORIES



### Model 15 Adaptor Mount Kit

Stylish adaptor mounts model 15 rectangular lamps.

Adaptor Mount Kit, Gray

**Kit Part No. TL15404**

Kit contains One TL00790 Adaptor  
One TL94906 Plug

Adaptor Mount Kit, Chrome

**Kit Part No. TL15405**

Kit contains One TL00791 Adaptor  
One TL94906 Plug



### Model 15 Mounting Options

Extra strength plastic construction.

Features top cut out area on mount

#15727 for narrow rail design.


Easy snap-in lamp installation.

Suitable for PC requirements with incandescent lamps.

**Part No. TL15727 - Rail Mount**

**Part No. TL15728 - Header Mount**

**Part No. TL15729 - License Mount**




### Model 15 Branch Deflector Mount Kit

This branch deflector mount has permanently fixed hot and ground contacts.

Adaptor Mount Kit

**Kit Part No. TL15401**

Kit contains One TL15720 Mount  
One TL94904 Plug




### Model 15 Header Mount Kit

High impact plastic adaptor mounts the model 15 lamps and fits most narrow rails

Rail Mount Kit

**Kit Part No. TL15414**

Kit contains One TL15728 Mount  
One TL94924 Plug



### Model 19 Base Mount Parts

Features unique plug-in design for ease of installation of the TL19200R/Y and TL19206 lamps

Gray base:

**Part No. TL19720**

Gray Base With Hot Wire:

**Part No. TL19721 (shown)**

Black Base With Hot Wire:

**Part No. TL19728**

Gray Base With Hot Wire

& .18 male terminal:

**Part No. TL19740**

Gray Mount w/4.68" radius:

**Part No. TL19750 (shown below)**

Hot Wire:

**Part No. TL96904**

Hot Wire With .180 Bullet:

**Part No. TL96919**



### Model 19 Aluminum Lamp Guard

Use with model 19 base mount lamp kits. Holes on 3" centers.

**Part No. TL19724**



### Cam-On Mount Kit for 2 1/2" Diameter Lamps

High impact plastic mount with branch deflector

**Kit Part No. TL10410**


Kit contains One TL10728 mount  
One TL94924 Plug



**TL19750**



**TRUCK-LITE CLEARANCE LIGHT MOUNTING ACCESSORIES**



**Cam-On Mount Kit for 2" Lamps**

High impact plastic lamp mount  
**Kit Part No. TL30403**  
Kit contains  
One TL00801 Mount  
One TL94902 Plug



**Branch Deflector Mount Kit for 2" Lamps**

High impact plastic lamp mount with branch deflector allows 2" lamps to be surface mounted in a grommet  
**Kit Part No. TL30404**  
Kit contains:  
One TL30700 Grommet  
One TL30721 Mount  
One TL94902 Plug



**Branch Deflector Mount Kit for 2" Lamps**

High impact plastic lamp mount with branch deflector allows 2" lamps to be surface mounted in a grommet  
**Kit Part No. TL30405**  
Kit contains:  
One TL30701 Grommet  
One TL30722 Mount  
One TL94902 Plug



**Cam On Mounts for 2" and 2.5" Lamps**

High impact plastic mount Requires 94924 plug. Suitable for PC needs on a 45 degree angle when using PC rated lamps.  
**Part No. TL10721**  
Clear mount w/o ribs.  
**Part No. TL10727**  
Clear mount 8.5" radius.  
**Part No. TL10728**  
Gray mount.

**Curved bracket for 2.5" Lamps**

- Designed to mount on a 4.6" radius corner.
- Screws mount perpendicular to radius.
- Allows lamp to be surface mounted in a grommet.
- Suitable for PC requirements on a 45 degree angle when using LED or incandescent PC rated/combination lamps.


**Part No. TL10738**



**Branch deflector mount for 2.5" Lamps**

- Designed to mount on a 4.6" radius corner.
- Screws mount perpendicular to radius.
- Allows lamp to be surface mounted in a grommet.
- Suitable for PC requirements on a 45 degree angle when using LED or incandescent PC rated/combination lamps.


**Part No. TL10725**



**Three Lamp Mounting Bracket**

For mounting grommets requiring 3" diameter hole.


**Part No. TL00814**



**Model 30 Mounting Bracket**

Used for mounting grommets requiring 2<sup>5</sup>/<sub>16</sub>" diameter hole, part numbers TL30700 and TL30702

**Part No. TL30728**



.375 bolt hole diameter

**Model 10 Mounting Bracket**

Heavy steel angle bracket for mounting grommets requiring 2.781" hole, grommet part number TL10700, TL10702, and TL10708 and grommet requiring 3" hole, part number TL10704.

**Part No. TL10729** - Bracket with 2<sup>25</sup>/<sub>32</sub>" Hole

**Part No. TL10730** - Bracket with 3" Hole



**SOCKETS AND PLUGS FOR TRUCK-LITE LAMPS**

	Part No.	Function	Length	Termination	Color
 <p>- 1 - 2</p>	<p><b>TL94902</b></p>	<p><b>Marker/Clearance Plug</b>  <b>16 gauge wire, tin plated brass terminals</b>                      1 Ground                      2 Marker</p>	<p>6" 6"</p>	<p><b>#6 Ground Terminal</b>                      6/32" Wire Strip</p>	<p>White Black</p>
 <p>- 1 - 2</p>	<p><b>TL94924</b></p>	<p><b>Marker/Clearance Plug</b>  <b>16 gauge wire, right angle design for use in space limited areas.</b>                      1 Ground                      2 Marker</p>	<p>6" 6"</p>	<p><b>#10 Ring Terminal</b>                      6/32" Wire strip</p>	<p>White Black</p>
 <p>- 1 - 2</p>	<p><b>TL93908</b></p>	<p><b>Identification Bar Harness</b>  <b>For sealed lamp identification bar assemblies. 14 gauge wires</b>                      1 Ground                      2 Marker</p>	<p>4 1/2" 8"</p>	<p><b>#10 Ring Terminal</b>                      11/32" Wire Strip</p>	<p>White Black</p>
 <p>- 1</p>	<p><b>TL96930</b></p>	<p><b>Super 21 Plug</b>  <b>16 gauge wire, tin plated brass terminals.</b>                      1 Marker</p>	<p>12"</p>	<p>6/32" Wire Strip</p>	<p>Black</p>
 <p>- 1 - 2</p>	<p><b>TL94940</b></p>	<p><b>Marker/Clearance Socket Assembly</b>  <b>For 18300 and 25760Y lamps. Bulb not included.</b>                      1 Ground                      2 Clearance</p>	<p>12" 12"</p>	<p><b>#10 Ring Terminal</b>                      12/32" Wire strip</p>	<p>White Black</p>
 <p>- 1 - 2</p>	<p><b>TL94925</b></p>	<p><b>Stop/Turn Plug</b>  <b>For use with double contact sealed incandescent stop/turn/tail lamps</b>                      1 Ground                      2 Stop/Turn</p>	<p>10" 10"</p>	<p><b>#10 Ring Terminal</b>                      6/32" Wire Strip</p>	<p>White Red</p>
 <p>- 1 - 2</p>	<p><b>TL94926</b></p>	<p><b>Stop/Turn/Tail Plug</b>  <b>For use with double contact sealed incandescent stop/turn/tail lamps</b>                      1 Ground                      2 Tail                      3 Stop &amp; Turn</p>	<p>10" 10" 10"</p>	<p><b>#10 Ring Terminal</b>                      6/32" Wire Strip                      6/32" Wire Strip</p>	<p>White Black Red</p>
 <p>- 1 - 2</p>	<p><b>TL94992</b></p>	<p><b>Right Angle Stop/Turn Plug</b>  <b>For use with single contact sealed stop/turn lamps</b>                      1 Ground                      2 Tail</p>	<p>10 1/2" 10 1/4"</p>	<p><b>#10 Ring Terminal</b>                      6/32" Wire Strip</p>	<p>White Red</p>





**SOCKETS AND PLUGS FOR TRUCK-LITE LAMPS**

	Part No.	Function	Length	Termination	Color
 <p>- 1 - 2 - 3</p>	<b>Right Angle Stop/Turn/Tail Plug</b> <b>For use with double contact sealed stop/turn/tail lamps</b>				
	<b>TL94931</b>	1 Ground	48"	#10 Ring Terminal	White
		2 Tail	48"	6/32" Wire Strip	Black
		3 Stop/Turn	48"	6/32" Wire Strip	Red
 <p>- 1 - 2 - 3</p>	<b>TL94993</b>	1 Ground	10 <sup>1</sup> / <sub>2</sub> "	#10 Ring Terminal	White
		2 Tail	10 <sup>1</sup> / <sub>4</sub> "	6/32" Wire Strip	Black
		3 Stop/Turn	10 <sup>1</sup> / <sub>4</sub> "	6/32" Wire Strip	Red
 <p>- 1 - 2 - 3</p>	<b>Right Angle Stop/Turn/Tail Plug With Adaptor</b> <b>Converts one stop/turn/tail into two stop/turn/tail plugs</b>				
	<b>TL94932</b>	1 Ground	10"		White
		2 Tail	10"	Plugs	Brown
		3 Stop/Turn	10"		Red
 <p>- 1 - 2 - 3</p> 	<b>Single Plug Adaptor</b> <b>Converts single plug female harness into a conventional single plug male harness which mates with most sealed S/T/T lamps</b>				
	<b>TL94897</b>	1 Ground	5"		White
		2 Tail	5"	Plugs	Brown
		3 Stop/Turn	5"		Red
 <p>- 1 - 2</p>	<b>Identification Bar Harness</b> <b>For sealed lamp identification bar assemblies. 14 gauge wires</b>				
	<b>TL93906</b>	1 Ground	22-1/2"	#10 Ring Terminal	White
		2 Marker	26"	11/32" Wire Strip	Black
 <p>- 1 - 2</p>	<b>Right Angle Marker / Clearance plug</b> <b>Right angle design for use in limited space. 16 gauge GPT wire.</b> <b>Tin plated brass terminals.</b>				
	<b>TL94964</b>	1 Ground	6"	#10 Ring Terminal	White
		2 Marker/Clearance	5"	.180 molded bullet	Black
 <p>- 1 - 2</p> 	<b>LED Fit 'N Forget Marker / Clearance Adaptor Plug</b> <b>Used to adapt LED lamps to conventional plug harness systems.</b>				
	<b>TL93745</b>	1 Ground	4"	Plug	White
		2 Marker/Clearance	4"	Plug	Black
 <p>- 1 - 2</p> 	<b>Single Plug Adaptor</b> <b>Converts single plug female harness into a conventional single plug male harness which mates with most sealed S/T/T lamps</b>				
	<b>TL94916</b>	1 Ground	18"	#10 Ring Terminal	White
		2 Marker/Clearance	18"	6/32" Wire Strip	Black
 <p>- 1</p>	<b>Marker &amp; Clearance Harness - Single plug.</b> <b>Part No. TL50304 - brown/white - Dim "A" - 168"</b> <b>and Custom Dim 12" - 156"</b>				



## STOP/TURN/TAIL LIGHTS



**Grote**  
THE FIRST NAME  
IN TRUCK SAFETY SYSTEMS

### U.S. 40 Series, Economy, Stop-Tail-Turn Lamp

- Standard female connection
- 4" dia. lamp
- Fits all competitive pigtails, brackets and grommets
- Hermetic lens-to-housing seal

Part No. **GR52922** Red



### Oval Torsion Mount® III Stop/Tail/Turn Lamp

- The bulb cradle design minimizes bulb vibration
- Double contact
- Uses UBS Pigtail
- 6.25" wide

Part No. **GR52922** Red

**Grote**  
THE FIRST NAME  
IN TRUCK SAFETY SYSTEMS



### 4" Torsion Mount® II Stop/Tail/Turn Lamp

- The bulb cradle design minimizes bulb vibration
- 2057 long life bulb provides greater reliability
- Fits GR91740 and GR91950 grommets
- Pigtail choices are GR6700, GR66811, GR66812, GR66843, GR66844, GR66825

Part No. **GR52772** Red

**Grote**  
THE FIRST NAME  
IN TRUCK SAFETY SYSTEMS



### Oval Torsion Mount® III Stop/Tail/Turn Lamp

- The bulb cradle design minimizes bulb vibration
- Double contact
- Locking tabs assure solid pigtail connection
- O-ring seal design reduces corrosion
- 6.50" wide

Part No. **GR52562** Red

Part No. **GR52563** Yellow

**Grote**  
THE FIRST NAME  
IN TRUCK SAFETY SYSTEMS

### 4" Diameter 12V Sealed Stop/Tail/Turn Lamp Gray Polycarbonate

- O-ring design eliminates corrosion
- **Double contact**
- Locking tabs assure solid pigtail connections
- Uses GR91740 grommet, GR67002 pigtail (not included)
- Fits 4 1/2" diameter hole

Light Only:

Red Part No. **GR53102**

Yellow Part No. **GR53103**



**Grote**  
THE FIRST NAME  
IN TRUCK SAFETY SYSTEMS



### Economy Steel Stop/Tail/Turn Lamp

- Rugged steel construction
- Double contact. 1156 bulb
- Easy snap on lens
- Pigtail choices are GR68130, GR68150
- 5.5" wide in front, 4.5" wide in back
- Uses #10 screws to mount

Part No. **GR52772** Red



**STOP/TURN/TAIL LIGHTS**



- 3-Stud 12V Metri-Pack™ RH Replacement Lamp**
- Metri-Pack™ connector on left side
  - Duramold, black finish
  - With license window
  - Services GM #15613944 and #15565732
  - Services Navistar #1661282C91
  - Pigtail No. GR68680 (not included)



Lens 6.75" high, 5.75" wide. Housing 3.188" deep.

**Light Only:**  
Red **Part No. GR53702**


- 3-Stud 12V Metri-Pack™ LH Replacement Lamp**
- Metri-Pack™ connector on right side
  - With license window
  - Services GM #15613943 and #15565731
  - Pigtail No. GR68680 (not included)



Lens 6.75" high, 5.75" wide. Housing 3.188" deep.

**Light Only:**  
Red **Part No. GR53712**

- 3-Stud 12V Metri-Pack™ Replacement Lamp With Double Connector**
- Metri-Pack™ connector on both sides
  - With license window
  - Replaces Navistar #1661281C91
  - Pigtail No. GR68680 (not included)



Lens 5.75" Wide, 6.75" High  
Housing 3.188" Deep

**Light Only:**  
Red **Part No. GR53762**

- 3 Stud Torsion Mount 12V Universal Replacement Lamp**
- 6 in 1 lamp
  - Universal wiring connection
  - Four screw posts in junction box
  - Fits all 3-stud mounting on heavy duty trucks



Lens 5.75" Wide  
6.75" High  
Housing 2.875" Deep

**Light Only:**  
RH **Part No. GR52902**  
LH **Part No. GR52912**

- 3 Stud 12V Peterbilt, Chevrolet, Jeep, GMC Replacement Lamp With Pigtail**

- Replaces
- Peterbilt 16-02600R & 16-02600L
  - Chev. 370867 & 370868
  - Jeep SF5457197 & SF545719



Lens 5.75" Wide, 6.75" High  
Housing 2.875" Deep

**Part No. GR50972**

- FORD® replacement box Red Lamp**
- Junction box with Ford OEM connector
  - Features a license window
  - Ford drivers side: F4HZ 13404A
  - Ford passengers side: F4HZ 13405A
  - Bulb # 3157
  - Lens # 91302

Drivers Side  
**Part No. GR53792**

Passenger side  
**Part No. GR53782**



- 4" Duramold 2-Stud Mount Combination Lamp**

- Snap-on lens
- Neoprene compression plugs for pigtails
- With license window

Lens 4.75" Dia. Housing 3.312" Deep **Part No. GR50852**





## GROTE TURN SIGNAL LIGHTING

### 2 Stud Chrome Lamp With Pigtail

- Switch lens for right or left
- Ground wire plus tab
- 73" long color-coded pigtail
- PVC heat-sealed loom
- Side marker light
- Acrylic lens, polycarbonate body
- Vertical mount

Height: 4<sup>25</sup>/<sub>32</sub>"  
Width: 4<sup>9</sup>/<sub>16</sub>"  
Deep: 2<sup>7</sup>/<sub>8</sub>"

**Part No. GR55340**



5/16" studs 2" centers

### 2 Stud Lamp With Pigtail

- OEM styling
- 73" long color-coded pigtail
- Side marker light
- Acrylic lens, polycarbonate body
- Vertical mount


Height: 4<sup>3</sup>/<sub>4</sub>"  
Width: 4<sup>1</sup>/<sub>2</sub>"  
Deep: 2<sup>3</sup>/<sub>4</sub>"

**RH Part No. GR55410**

Replaces Chev/GMC 2017747

**LH Part No. GR55420**

Replaces Chev/GMC 2017751



### Thin Line Duramold Double Faced lamp

- Snap on lenses
- Molded in baffle
- Molded in O-ring
- Red and yellow lenses

DOUBLE CONTACT

**Part No. GR50630**

SINGLE CONTACT

**Part No. GR55220**



4.25" Diameter

### 4" Die Cast Double-Face Lamp Double Contact

- Shows yellow to front, red to rear
- 3 screw acrylic lenses
- Grommeted wire exit

Dia. 4.125"  
Deep 2.375" Deep

Red & yellow, chrome plated

**Part No. GR53000**



### Oval Torsion Mount™ III Side Turn/Marker Yellow Lamp

- Gel-Mount® cradle design minimizes bulb vibration
- Extended dome for added visibility from front and rear
- Contains reflex reflector
- Pigtails = GR67000, GR66812, GR66825, GR66843, GR66844.



**Part No. GR52513**

### Oval Torsion Mount™ III Side Turn/Marker Yellow Lamp

- Gel-Mount® cradle design minimizes bulb vibration
- Extended dome for added visibility from front and rear
- Contains reflex reflector
- Found on Great Dane Trailers
- Pigtails = GR67002, GR66815, GR66816, GR66841, GR66845.



**Part No. GR52533**

### 7" Jumbo Single Face Lamp

- 2 stud or bracket mounting
- Bull's-eye and concentric circle lens design
- Heavy gauge formed steel housing

With yellow arrow lens, molded .180 terminal:

**Part No. GR78303**



# Grote